

Nicolas Bouladoux

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7944083/nicolas-bouladoux-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

9,097
citations

32
h-index

47
g-index

47
ext. papers

10,918
ext. citations

24.7
avg, IF

5.43
L-index

#	Paper	IF	Citations
45	Aberrant type 1 immunity drives susceptibility to mucosal fungal infections. <i>Science</i> , 2021 , 371,	33.3	31
44	Murine model of colonization with fungal pathogen <i>Candida auris</i> to explore skin tropism, host risk factors and therapeutic strategies. <i>Cell Host and Microbe</i> , 2021 , 29, 210-221.e6	23.4	10
43	Endogenous retroviruses promote homeostatic and inflammatory responses to the microbiota. <i>Cell</i> , 2021 , 184, 3794-3811.e19	56.2	19
42	Response to Comments on "Aberrant type 1 immunity drives susceptibility to mucosal fungal infections". <i>Science</i> , 2021 , 373, eabi8835	33.3	1
41	Gut-educated IgA plasma cells defend the meningeal venous sinuses. <i>Nature</i> , 2020 , 587, 472-476	50.4	63
40	Immunity to commensal skin fungi promotes psoriasiform skin inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 16465-16474	11.5	36
39	MAIT cells are imprinted by the microbiota in early life and promote tissue repair. <i>Science</i> , 2019 , 366,	33.3	162
38	Keratinocyte-intrinsic MHCII expression controls microbiota-induced Th1 cell responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 23643-23652	11.5	26
37	Commensal-specific T cell plasticity promotes rapid tissue adaptation to injury. <i>Science</i> , 2019 , 363,	33.3	131
36	Contextual control of skin immunity and inflammation by. <i>Journal of Experimental Medicine</i> , 2018 , 215, 785-799	16.6	77
35	Non-classical Immunity Controls Microbiota Impact on Skin Immunity and Tissue Repair. <i>Cell</i> , 2018 , 172, 784-796.e18	56.2	203
34	Innate and adaptive lymphocytes sequentially shape the gut microbiota and lipid metabolism. <i>Nature</i> , 2018 , 554, 255-259	50.4	173
33	Hapten-Specific T Cell-Mediated Skin Inflammation: Flow Cytometry Analysis of Mouse Skin Inflammatory Infiltrate. <i>Methods in Molecular Biology</i> , 2017 , 1559, 21-36	1.4	4
32	On-going Mechanical Damage from Mastication Drives Homeostatic Th17 Cell Responses at the Oral Barrier. <i>Immunity</i> , 2017 , 46, 133-147	32.3	126
31	The Mouse Model of Infection with <i>Citrobacter rodentium</i> . <i>Current Protocols in Immunology</i> , 2017 , 119, 19.15.1-19.15.25	4	18
30	Dendritic cells expressing immunoreceptor CD300f are critical for controlling chronic gut inflammation. <i>Journal of Clinical Investigation</i> , 2017 , 127, 1905-1917	15.9	11
29	White Adipose Tissue Is a Reservoir for Memory T Cells and Promotes Protective Memory Responses to Infection. <i>Immunity</i> , 2017 , 47, 1154-1168.e6	32.3	141

28	Zbtb1 controls NKp46 ROR-gamma-T innate lymphoid cell (ILC3) development. <i>Oncotarget</i> , 2017 , 8, 55837-55848		
27	Bone-Marrow-Resident NK Cells Prime Monocytes for Regulatory Function during Infection. <i>Immunity</i> , 2015 , 42, 1130-42	32.3	149
26	Commensal-dendritic-cell interaction specifies a unique protective skin immune signature. <i>Nature</i> , 2015 , 520, 104-8	50.4	451
25	The transcription factor GATA3 is critical for the development of all IL-7R α -expressing innate lymphoid cells. <i>Immunity</i> , 2014 , 40, 378-88	32.3	256
24	Adaptive immunity to murine skin commensals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E2977-86	11.5	38
23	A ThPOK-LRF transcriptional node maintains the integrity and effector potential of post-thymic CD4 ⁺ T cells. <i>Nature Immunology</i> , 2014 , 15, 947-56	19.1	48
22	Commensal bacteria control cancer response to therapy by modulating the tumor microenvironment. <i>Science</i> , 2013 , 342, 967-70	33.3	1178
21	Intraluminal containment of commensal outgrowth in the gut during infection-induced dysbiosis. <i>Cell Host and Microbe</i> , 2013 , 14, 318-28	23.4	102
20	Inflammatory monocytes regulate pathologic responses to commensals during acute gastrointestinal infection. <i>Nature Medicine</i> , 2013 , 19, 713-21	50.5	186
19	Specific gut commensal flora locally alters T cell tuning to endogenous ligands. <i>Immunity</i> , 2013 , 38, 1198-210	31.0	36
18	Effector and memory T cell responses to commensal bacteria. <i>Trends in Immunology</i> , 2013 , 34, 299-306	14.4	52
17	The cytokines interleukin 27 and interferon- γ promote distinct Treg cell populations required to limit infection-induced pathology. <i>Immunity</i> , 2012 , 37, 511-23	32.3	260
16	Stromal-derived IL-6 alters the balance of myeloid progenitors during <i>Toxoplasma gondii</i> infection. <i>Journal of Leukocyte Biology</i> , 2012 , 92, 123-31	6.5	48
15	Intestinal microbiota: shaping local and systemic immune responses. <i>Seminars in Immunology</i> , 2012 , 24, 58-66	10.7	120
14	Acute gastrointestinal infection induces long-lived microbiota-specific T cell responses. <i>Science</i> , 2012 , 337, 1553-6	33.3	281
13	Compartmentalized control of skin immunity by resident commensals. <i>Science</i> , 2012 , 337, 1115-9	33.3	695
12	GATA3 controls Foxp3 ⁺ regulatory T cell fate during inflammation in mice. <i>Journal of Clinical Investigation</i> , 2011 , 121, 4503-15	15.9	342
11	Generation of pathogenic T(H)17 cells in the absence of TGF- β signalling. <i>Nature</i> , 2010 , 467, 967-71	50.4	1021

10	Microbe-dendritic cell dialog controls regulatory T-cell fate. <i>Immunological Reviews</i> , 2010 , 234, 305-16	11.3	37
9	Decrease of Foxp3+ Treg cell number and acquisition of effector cell phenotype during lethal infection. <i>Immunity</i> , 2009 , 31, 772-86	32.3	460
8	T-cell-expressed proprotein convertase furin is essential for maintenance of peripheral immune tolerance. <i>Nature</i> , 2008 , 455, 246-50	50.4	161
7	Commensal DNA limits regulatory T cell conversion and is a natural adjuvant of intestinal immune responses. <i>Immunity</i> , 2008 , 29, 637-49	32.3	393
6	Small intestine lamina propria dendritic cells promote de novo generation of Foxp3 T reg cells via retinoic acid. <i>Journal of Experimental Medicine</i> , 2007 , 204, 1775-85	16.6	1472
5	Parasites and immunoregulatory T cells. <i>Current Opinion in Immunology</i> , 2006 , 18, 406-12	7.8	39
4	A new monoclonal antibody enzyme-linked immunosorbent assay to measure in vitro multiplication of the microsporidium <i>Encephalitozoon intestinalis</i> . <i>Journal of Microbiological Methods</i> , 2003 , 53, 377-85 ^{2.8}		7
3	In vitro activity of antimetabolic compounds against the microsporidium <i>Encephalitozoon intestinalis</i> . <i>Journal of Eukaryotic Microbiology</i> , 2001 , Suppl, 99S-100S	3.6	3
2	Identification of proteins in <i>Encephalitozoon intestinalis</i> , a microsporidian pathogen of immunocompromised humans: an immunoblotting and immunocytochemical study. <i>Journal of Eukaryotic Microbiology</i> , 2000 , 47, 48-56	3.6	19
1	Decoding commensal-host communication through genetic engineering of <i>Staphylococcus epidermidis</i>		2