

Ludwig Eichinger

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7944523/ludwig-eichinger-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

10,242
citations

30
h-index

101
g-index

102
ext. papers

11,441
ext. citations

6.6
avg, IF

4.75
L-index

#	Paper	IF	Citations
96	Analysis of organellar genomes in brown algae reveals an independent introduction of similar foreign sequences into the mitochondrial genome. <i>Genomics</i> , 2021 , 113, 646-654	4.3	1
95	RNA and quantitative proteomic analysis of Dictyostelium knock-out cells lacking the core autophagy proteins ATG9 and/or ATG16. <i>BMC Genomics</i> , 2021 , 22, 444	4.5	1
94	A 24-generation-old founder mutation impairs splicing of RBBP8 in Pakistani families affected with Jawad syndrome. <i>Clinical Genetics</i> , 2021 , 100, 486-488	4	1
93	Abundantly expressed class of noncoding RNAs conserved through the multicellular evolution of dictyostelid social amoebas. <i>Genome Research</i> , 2021 , 31, 436-447	9.7	1
92	Domain Organization of the UBX Domain Containing Protein 9 and Analysis of Its Interactions With the Homohexameric AAA + ATPase p97 (Valosin-Containing Protein). <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 748860	5.7	1
91	Functional Characterisation of the Autophagy ATG12~5/16 Complex in. <i>Cells</i> , 2020 , 9,	7.9	7
90	Dictyostelium Host Response to Legionella Infection: Strategies and Assays. <i>Methods in Molecular Biology</i> , 2019 , 1921, 347-370	1.4	3
89	CRN2 binds to TIMP4 and MMP14 and promotes perivascular invasion of glioblastoma cells. <i>European Journal of Cell Biology</i> , 2019 , 98, 151046	6.1	4
88	Functional Characterization of Ubiquitin-Like Core Autophagy Protein ATG12 in. <i>Cells</i> , 2019 , 8,	7.9	8
87	Dictyostelium discoideum and autophagy - a perfect pair. <i>International Journal of Developmental Biology</i> , 2019 , 63, 485-495	1.9	6
86	A convenient tool for bivariate data analysis and bar graph plotting with R. <i>Biochemistry and Molecular Biology Education</i> , 2019 , 47, 207-210	1.3	2
85	Expression of N471D strumpellin leads to defects in the endolysosomal system. <i>DMM Disease Models and Mechanisms</i> , 2018 , 11,	4.1	6
84	and as Cellular Models for Infection. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018 , 8, 61	5.9	50
83	Loss of the novel Vcp (valosin containing protein) interactor Washc4 interferes with autophagy-mediated proteostasis in striated muscle and leads to myopathy in vivo. <i>Autophagy</i> , 2018 , 14, 1911-1927	10.2	24
82	The regulatory subunit phr2AB of Dictyostelium discoideum phosphatase PP2A interacts with the centrosomal protein CEP161, a CDK5RAP2 ortholog. <i>Genes To Cells</i> , 2018 , 23, 923-931	2.3	1
81	The heterozygous R155C VCP mutation: Toxic in humans! Harmless in mice?. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 503, 2770-2777	3.4	6
80	The Role of ATG16 in Autophagy and The Ubiquitin Proteasome System. <i>Cells</i> , 2018 , 8,	7.9	21

79	ATG16 mediates the autophagic degradation of the 19S proteasomal subunits PSMD1 and PSMD2. <i>European Journal of Cell Biology</i> , 2018 , 97, 523-532	6.1	14
78	Depletion of Nesprin-2 is associated with an embryonic lethal phenotype in mice. <i>Nucleus</i> , 2018 , 9, 503-515	3.5	5
77	The two Dictyostelium discoideum autophagy 8 proteins have distinct autophagic functions. <i>European Journal of Cell Biology</i> , 2017 , 96, 312-324	6.1	12
76	A tripeptidyl peptidase 1 is a binding partner of the Golgi pH regulator (GPHR) in. <i>DMM Disease Models and Mechanisms</i> , 2017 , 10, 897-907	4.1	18
75	The function of the inner nuclear envelope protein SUN1 in mRNA export is regulated by phosphorylation. <i>Scientific Reports</i> , 2017 , 7, 9157	4.9	5
74	Autophagy in Dictyostelium: Mechanisms, regulation and disease in a simple biomedical model. <i>Autophagy</i> , 2017 , 13, 24-40	10.2	48
73	Nesprin-2 Interacts with Condensin Component SMC2. <i>International Journal of Cell Biology</i> , 2017 , 2017, 8607532	2.6	1
72	The two Dictyostelium autophagy eight proteins, ATG8a and ATG8b, associate with the autophagosome in succession. <i>European Journal of Cell Biology</i> , 2016 , 95, 15-25	6.1	15
71	Mutant p97 exhibits species-specific changes of its ATPase activity and compromises the UBXD9-mediated monomerisation of p97 hexamers. <i>European Journal of Cell Biology</i> , 2016 , 95, 195-207	6.1	10
70	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
69	The C-Terminal SynMuv/DdDUF926 Domain Regulates the Function of the N-Terminal Domain of DdNKAP. <i>PLoS ONE</i> , 2016 , 11, e0168617	3.7	2
68	A set of genes conserved in sequence and expression traces back the establishment of multicellularity in social amoebae. <i>BMC Genomics</i> , 2016 , 17, 871	4.5	11
67	The Dictyostelium discoideum GPHR ortholog is an endoplasmic reticulum and Golgi protein with roles during development. <i>Eukaryotic Cell</i> , 2015 , 14, 41-54		7
66	In vivo characterization of human myofibrillar myopathy genes in zebrafish. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 461, 217-23	3.4	20
65	The phenotypes of ATG9, ATG16 and ATG9/16 knock-out mutants imply autophagy-dependent and -independent functions. <i>Open Biology</i> , 2015 , 5, 150008	7	26
64	VCP and PSMF1: Antagonistic regulators of proteasome activity. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 463, 1210-7	3.4	21
63	Coronin7 regulates WASP and SCAR through CRIB mediated interaction with Rac proteins. <i>Scientific Reports</i> , 2015 , 5, 14437	4.9	9
62	Coronin 2A (CRN5) expression is associated with colorectal adenoma-adenocarcinoma sequence and oncogenic signalling. <i>BMC Cancer</i> , 2015 , 15, 638	4.8	9

61	Inter-kingdom Signaling by the Legionella Quorum Sensing Molecule LAI-1 Modulates Cell Migration through an IQGAP1-Cdc42-ARHGEF9-Dependent Pathway. <i>PLoS Pathogens</i> , 2015 , 11, e1005307	7.6	27
60	The genome of the foraminiferan <i>Reticulomyxa filosa</i> . <i>Current Biology</i> , 2014 , 24, 11-18	6.3	54
59	Two Dictyostelium tyrosine kinase-like kinases function in parallel, stress-induced STAT activation pathways. <i>Molecular Biology of the Cell</i> , 2014 , 25, 3222-33	3.5	6
58	Identification of the protein kinases Pyk3 and Phg2 as regulators of the STATc-mediated response to hyperosmolarity. <i>PLoS ONE</i> , 2014 , 9, e90025	3.7	2
57	Simple system--substantial share: the use of Dictyostelium in cell biology and molecular medicine. <i>European Journal of Cell Biology</i> , 2013 , 92, 45-53	6.1	67
56	ForC lacks canonical formin activity but bundles actin filaments and is required for multicellular development of Dictyostelium cells. <i>European Journal of Cell Biology</i> , 2013 , 92, 201-12	6.1	8
55	Dictyostelium host response to legionella infection: strategies and assays. <i>Methods in Molecular Biology</i> , 2013 , 954, 417-38	1.4	7
54	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012 , 8, 445-544.2	4.2	2783
53	Unusual combinatorial involvement of poly-A/T tracts in organizing genes and chromatin in Dictyostelium. <i>Genome Research</i> , 2012 , 22, 1098-106	9.7	26
52	The nuclear envelope protein Nesprin-2 has roles in cell proliferation and differentiation during wound healing. <i>Nucleus</i> , 2012 , 3, 172-86	3.9	45
51	Phosphorylation of CRN2 by CK2 regulates F-actin and Arp2/3 interaction and inhibits cell migration. <i>Scientific Reports</i> , 2012 , 2, 241	4.9	24
50	Heteromeric p97/p97R155C complexes induce dominant negative changes in wild-type and autophagy 9-deficient Dictyostelium strains. <i>PLoS ONE</i> , 2012 , 7, e46879	3.7	31
49	Comparative genomics of the social amoebae Dictyostelium discoideum and Dictyostelium purpureum. <i>Genome Biology</i> , 2011 , 12, R20	18.3	117
48	RpkA, a highly conserved GPCR with a lipid kinase domain, has a role in phagocytosis and anti-bacterial defense. <i>PLoS ONE</i> , 2011 , 6, e27311	3.7	20
47	The professional phagocyte Dictyostelium discoideum as a model host for bacterial pathogens. <i>Current Drug Targets</i> , 2011 , 12, 942-54	3	73
46	Salmonella typhimurium is pathogenic for Dictyostelium cells and subverts the starvation response. <i>Cellular Microbiology</i> , 2011 , 13, 1793-811	3.9	27
45	Redundant and unique roles of coronin proteins in Dictyostelium. <i>Cellular and Molecular Life Sciences</i> , 2011 , 68, 303-13	10.3	17
44	Phylogeny-wide analysis of social amoeba genomes highlights ancient origins for complex intercellular communication. <i>Genome Research</i> , 2011 , 21, 1882-91	9.7	112

43	Loss of Dictyostelium ATG9 results in a pleiotropic phenotype affecting growth, development, phagocytosis and clearance and replication of Legionella pneumophila. <i>Cellular Microbiology</i> , 2010 , 12, 765-80	3.9	83
42	A Coronin7 homolog with functions in actin-driven processes. <i>Journal of Biological Chemistry</i> , 2010 , 285, 9249-61	5.4	21
41	Strumpellin is a novel valosin-containing protein binding partner linking hereditary spastic paraplegia to protein aggregation diseases. <i>Brain</i> , 2010 , 133, 2920-41	11.2	51
40	A cytohesin homolog in Dictyostelium amoebae. <i>PLoS ONE</i> , 2010 , 5, e9378	3.7	7
39	Large scale multiplex PCR improves pathogen detection by DNA microarrays. <i>BMC Microbiology</i> , 2009 , 9, 1	4.5	156
38	Microarray phenotyping places cyclase associated protein CAP at the crossroad of signaling pathways reorganizing the actin cytoskeleton in Dictyostelium. <i>Experimental Cell Research</i> , 2009 , 315, 127-40	4.2	5
37	How much mutant protein is needed to cause a protein aggregate myopathy in vivo? Lessons from an exceptional desminopathy. <i>Human Mutation</i> , 2009 , 30, E490-9	4.7	16
36	The carboxy-terminal domain of Dictyostelium C-module-binding factor is an independent gene regulatory entity. <i>PLoS ONE</i> , 2009 , 4, e5012	3.7	12
35	The coronin family of proteins. <i>Sub-Cellular Biochemistry</i> , 2008 , 48, 1-5	5.5	12
34	STATc is a key regulator of the transcriptional response to hyperosmotic shock. <i>BMC Genomics</i> , 2007 , 8, 123	4.5	25
33	A G protein-coupled receptor with a lipid kinase domain is involved in cell-density sensing. <i>Current Biology</i> , 2007 , 17, 892-7	6.3	21
32	Contrasting evolution of expression differences in the testis between species and subspecies of the house mouse. <i>Genome Research</i> , 2007 , 17, 42-9	9.7	56
31	Filamin-regulated F-actin assembly is essential for morphogenesis and controls phototaxis in Dictyostelium. <i>Journal of Biological Chemistry</i> , 2007 , 282, 1948-55	5.4	17
30	Detection of opportunistic infections by low-density microarrays: a diagnostic approach for granulomatous lymphadenitis. <i>Diagnostic Molecular Pathology</i> , 2007 , 16, 18-26		8
29	A GPCR involved in post aggregation events in Dictyostelium discoideum. <i>Developmental Biology</i> , 2007 , 312, 29-43	3.1	11
28	The Dictyostelium repertoire of seven transmembrane domain receptors. <i>European Journal of Cell Biology</i> , 2006 , 85, 937-46	6.1	71
27	Characterization of the Ste20-like kinase Krs1 of Dictyostelium discoideum. <i>European Journal of Cell Biology</i> , 2006 , 85, 1059-68	6.1	8
26	Analysis of gene expression using cDNA microarrays. <i>Methods in Molecular Biology</i> , 2006 , 346, 75-93	1.4	4

25	Dictyostelium transcriptional host cell response upon infection with Legionella. <i>Cellular Microbiology</i> , 2006 , 8, 438-56	3.9	93
24	Silencing of retrotransposons in Dictyostelium by DNA methylation and RNAi. <i>Nucleic Acids Research</i> , 2005 , 33, 6405-17	20.1	91
23	Comparative genomics of Dictyostelium discoideum and Entamoeba histolytica. <i>Current Opinion in Microbiology</i> , 2005 , 8, 606-11	7.9	25
22	The Dictyostelium genome encodes numerous RasGEFs with multiple biological roles. <i>Genome Biology</i> , 2005 , 6, R68	18.3	32
21	The genome of the social amoeba Dictyostelium discoideum. <i>Nature</i> , 2005 , 435, 43-57	50.4	1042
20	Manifestations of multicellularity: Dictyostelium reports in. <i>Trends in Genetics</i> , 2005 , 21, 392-8	8.5	32
19	DictyMOLD-a Dictyostelium discoideum genome browser database. <i>Bioinformatics</i> , 2005 , 21, 696-7	7.2	1
18	Crawling into a new era-the Dictyostelium genome project. <i>EMBO Journal</i> , 2003 , 22, 1941-6	13	27
17	Revamp a model-status and prospects of the Dictyostelium genome project. <i>Current Genetics</i> , 2003 , 44, 59-72	2.9	13
16	The Nucleo-cytoplasmic actin-binding protein CapG lacks a nuclear export sequence present in structurally related proteins. <i>Journal of Biological Chemistry</i> , 2003 , 278, 17945-52	5.4	41
15	Comparison of probe preparation methods for DNA microarrays. <i>BioTechniques</i> , 2002 , 33, 884, 886, 888	2.5	3
14	Sequence and analysis of chromosome 2 of Dictyostelium discoideum. <i>Nature</i> , 2002 , 418, 79-85	50.4	158
13	Characterization of CD36/LIMP-II homologues in Dictyostelium discoideum. <i>Journal of Biological Chemistry</i> , 2001 , 276, 38899-910	5.4	25
12	The complex repeats of Dictyostelium discoideum. <i>Genome Research</i> , 2001 , 11, 585-94	9.7	39
11	The Complex Repeats of Dictyostelium discoideum. <i>Genome Research</i> , 2001 , 11, 585-594	9.7	51
10	Mapping the functional surface of domain 2 in the gelsolin superfamily. <i>Biochemistry</i> , 2000 , 39, 5322-31	3.2	29
9	Identification of a suppressor of the Dictyostelium profilin-minus phenotype as a CD36/LIMP-II homologue. <i>Journal of Cell Biology</i> , 1999 , 145, 167-81	7.3	41
8	Non-LTR retrotransposons with unique integration preferences downstream of Dictyostelium discoideum tRNA genes. <i>Molecular Genetics and Genomics</i> , 1999 , 262, 772-80		23

7	Dictyostelium as model system for studies of the actin cytoskeleton by molecular genetics. <i>Microscopy Research and Technique</i> , 1999 , 47, 124-34	2.8	39
6	Characterization and cloning of a Dictyostelium Ste20-like protein kinase that phosphorylates the actin-binding protein severin. <i>Journal of Biological Chemistry</i> , 1998 , 273, 12952-9	5.4	29
5	Structure of severin domain 2 in solution. <i>Journal of Molecular Biology</i> , 1995 , 247, 21-7	6.5	44
4	Structure/function studies on cytoskeletal proteins in Dictyostelium amoebae as a paradigm. <i>FEBS Letters</i> , 1995 , 369, 38-42	3.8	25
3	Characterization of actin- and lipid-binding domains in severin, a Ca(2+)-dependent F-actin fragmenting protein. <i>Biochemistry</i> , 1992 , 31, 4779-87	3.2	52
2	Cap100, a novel phosphatidylinositol 4,5-bisphosphate-regulated protein that caps actin filaments but does not nucleate actin assembly. <i>Cytoskeleton</i> , 1992 , 23, 133-44		35
1	The Amoeba Dictyostelium discoideum Contributes to Legionella Infection		390-394