

# Young Gyu Jeong

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/794472/young-gyu-jeong-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129  
papers

3,796  
citations

32  
h-index

58  
g-index

135  
ext. papers

4,294  
ext. citations

4.6  
avg, IF

5.98  
L-index

#	Paper	IF	Citations
129	Thermoelectric and Photothermoelectric Properties of Nanocomposite Films Based on Polybenzimidazole and Carbon Nanotubes. <i>ACS Applied Electronic Materials</i> , <b>2022</b> , 4, 386-393	4	0
128	Flexible and self-standing polyimide/lignin-derived carbon nanofibers for high-performance supercapacitor electrode material applications. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , <b>2022</b> , 275, 115530	3.1	3
127	Influences of reactive compatibilization on the structure and physical properties of blends based on thermotropic liquid crystalline polyester and poly(1,4-cyclohexylenedimethylene terephthalate). <i>Polymer Engineering and Science</i> , <b>2022</b> , 62, 437	2.3	2
126	Chitin Nanofiber-Reinforced Waterborne Polyurethane Nanocomposite Films with Enhanced Thermal and Mechanical Performance. <i>Carbohydrate Polymers</i> , <b>2021</b> , 258, 117728	10.3	3
125	Highly Tough and Thermally Stable Polylactide Blends Compatibilized with Glycidyl Methacrylate-Grafted Polypropylene. <i>Macromolecular Materials and Engineering</i> , <b>2021</b> , 306, 2100122	3.9	3
124	Microstructure and electrothermal characterization of transparent reduced graphene oxide thin films manufactured by spin-coating and thermal reduction. <i>Results in Physics</i> , <b>2021</b> , 24, 104107	3.7	2
123	Enhanced mechanical and anisotropic thermal conductive properties of polyimide nanocomposite films reinforced with hexagonal boron nitride nanosheets. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 50324	2.9	7
122	Poly(Ether Amide)-Derived, Nitrogen Self-Doped, and Interfused Carbon Nanofibers as Free-Standing Supercapacitor Electrode Materials. <i>ACS Applied Energy Materials</i> , <b>2021</b> , 4, 1517-1526	6.1	6
121	Impacts of cellulose nanofibril and physical aging on the enthalpy relaxation behavior and dynamic mechanical thermal properties of Poly(lactic acid) composite films. <i>Polymer</i> , <b>2020</b> , 202, 122677	3.9	5
120	Core-shell type composites based on polyimide-derived carbon nanofibers and manganese dioxide for self-standing and binder-free supercapacitor electrode applications. <i>Composites Science and Technology</i> , <b>2020</b> , 196, 108212	8.6	20
119	Microstructure and Thermoelectric Characterization of Composite Nanofiber Webs Derived from Polyacrylonitrile and Sodium Cobalt Oxide Precursors. <i>Scientific Reports</i> , <b>2020</b> , 10, 9633	4.9	5
118	Microstructures and electrothermal characterization of aromatic poly(azomethine ether)-derived carbon films. <i>Journal of Applied Polymer Science</i> , <b>2020</b> , 137, 49345	2.9	2
117	Fabrication and Characterization of Piezoelectric Composite Nanofibers Based on Poly(vinylidene fluoride-co-hexafluoropropylene) and Barium Titanate Nanoparticle. <i>Fibers and Polymers</i> , <b>2020</b> , 21, 473-479	2.79	4
116	Synthesis and Characterization of Aromatic Poly(azomethine ether)s with Different meta- and para-Phenylene Linkage Contents. <i>Fibers and Polymers</i> , <b>2020</b> , 21, 238-244	2	5
115	Electric heating performance of carbon thin films prepared from SU-8 photoresist by deep UV exposure and carbonization. <i>Carbon Letters</i> , <b>2020</b> , 30, 595-601	2.3	0
114	Effects of Poly(ethylene-glycidyl methacrylate) on the Microstructure, Thermal, Rheological, and Mechanical Properties of Thermotropic Liquid Crystalline Polyester Blends. <i>Polymers</i> , <b>2020</b> , 12,	4.5	6
113	Poly(azomethine ether)-derived carbon nanofibers for self-standing and binder-free supercapacitor electrode material applications. <i>Polymers for Advanced Technologies</i> , <b>2020</b> , 31, 2874-2883	3.2	5

112	Structural, Optical and Thermal Characterization of Wholly Aromatic Poly(ether amide)s Synthesized by Phosphorylation-Based Condensation Polymerization. <i>ChemistrySelect</i> , <b>2020</b> , 5, 10425-10431	18	2
111	Influences of cellulose nanofibril on microstructures and physical properties of waterborne polyurethane-based nanocomposite films. <i>Carbohydrate Polymers</i> , <b>2019</b> , 225, 115233	10.3	18
110	Microstructure, thermal and mechanical properties of composite films based on carboxymethylated nanocellulose and polyacrylamide. <i>Carbohydrate Polymers</i> , <b>2019</b> , 211, 84-90	10.3	13
109	Structures, electrical and mechanical properties of epoxy composites reinforced with MWCNT-coated basalt fibers. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2019</b> , 123, 123-131	8.4	29
108	Fabrication and electrochemical characterization of polyimide-derived carbon nanofibers for self-standing supercapacitor electrode materials. <i>Journal of Applied Polymer Science</i> , <b>2019</b> , 136, 47846	2.9	13
107	Effect of Polycondensation Catalyst on Fiber Structure Development in High-Speed Melt Spinning of Poly (Ethylene Terephthalate). <i>Polymers</i> , <b>2019</b> , 11,	4.5	3
106	Microstructures and piezoelectric performance of eco-friendly composite films based on nanocellulose and barium titanate nanoparticle. <i>Composites Part B: Engineering</i> , <b>2019</b> , 168, 58-65	10	41
105	Performance enhancements in poly(vinylidene fluoride)-based piezoelectric nanogenerators for efficient energy harvesting. <i>Nano Energy</i> , <b>2019</b> , 56, 662-692	17.1	95
104	Electrothermal application of novolac-derived carbon micropatterns prepared by proton beam lithography and carbonization. <i>Applied Surface Science</i> , <b>2019</b> , 471, 328-334	6.7	7
103	Microstructures and mechanical properties of thermoplastic composites based on polyarylate/nylon6 islands-in-sea fibers. <i>Polymer Composites</i> , <b>2019</b> , 40, E484	3	3
102	Effects of plasticizer on structures, non-isothermal crystallization, and rheological properties of polyarylates. <i>Journal of Applied Polymer Science</i> , <b>2018</b> , 135, 45704	2.9	4
101	Fabrication and electric heating behavior of carbon thin films from water-soluble poly(vinyl alcohol) via simple dry and ambient stabilization and carbonization. <i>Applied Surface Science</i> , <b>2018</b> , 456, 561-567	6.7	13
100	Thermal Insulation Performance of Cotton and PET-based Hybrid Fabrics Impregnated with Silica Aerogel via a Facile Dip-dry Process. <i>Fibers and Polymers</i> , <b>2018</b> , 19, 854-860	2	4
99	Freestanding supercapacitor electrode applications of carbon nanofibers based on polyacrylonitrile and polyhedral oligomeric silsesquioxane. <i>Materials and Design</i> , <b>2018</b> , 139, 72-80	8.1	24
98	Thermal Analysis on the Stabilization Behavior of Ternary Copolymers Based on Acrylonitrile, Methyl Acrylate and Itaconic Acid. <i>Fibers and Polymers</i> , <b>2018</b> , 19, 2439-2448	2	7
97	Transparent Electric Heaters Based on Photoresist-Derived Carbon Micropatterns on Quartz Plates. <i>Macromolecular Materials and Engineering</i> , <b>2018</b> , 303, 1800296	3.9	4
96	Spectroscopic Analyses on Chain Structure and Thermal Stabilization Behavior of Acrylonitrile/Methyl Acrylate/Itaconic Acid-based Copolymers Synthesized by Aqueous Suspension Polymerization. <i>Fibers and Polymers</i> , <b>2018</b> , 19, 2007-2015	2	5
95	Microstructures and electrical properties of composite films based on carbon nanotube and para-aramid containing cyano side group. <i>Fibers and Polymers</i> , <b>2017</b> , 18, 342-348	2	

94	Roles of carbon nanotube and BaTiO <sub>3</sub> nanofiber in the electrical, dielectric and piezoelectric properties of flexible nanocomposite generators. <i>Composites Science and Technology</i> , <b>2017</b> , 144, 1-10	8.6	43
93	Structural features and electrical properties of carbon fibers manufactured from poly(2-cyano-1,4-phenylene terephthalamide) precursor as a new para-aramid. <i>Macromolecular Research</i> , <b>2017</b> , 25, 697-703	1.9	2
92	Carbon nanotube/cellulose papers with high performance in electric heating and electromagnetic interference shielding. <i>Composites Science and Technology</i> , <b>2016</b> , 131, 77-87	8.6	90
91	High Performance Flexible Piezoelectric Nanogenerators based on BaTiO <sub>3</sub> Nanofibers in Different Alignment Modes. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 15700-9	9.5	146
90	Carbon nanotube/polyimide bilayer thin films with high structural stability, optical transparency, and electric heating performance. <i>RSC Advances</i> , <b>2016</b> , 6, 30106-30114	3.7	12
89	Electrically conductive and strong cellulose-based composite fibers reinforced with multiwalled carbon nanotube containing multiple hydrogen bonding moiety. <i>Composites Science and Technology</i> , <b>2016</b> , 123, 57-64	8.6	39
88	Facile construction of electrically-conductive carbon patterns from a cheap coal-type pitch and their application to electric heating devices. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2016</b> , 39, 188-193	6.3	7
87	Transcrystalline structures and crystallization kinetics of Polyarylate/Nylon6 Islands-in-a-Sea conjugate fibers for high performance thermoplastic composite applications. <i>Fibers and Polymers</i> , <b>2016</b> , 17, 827-835	2	3
86	A facile method for transparent carbon nanosheets heater based on polyimide. <i>RSC Advances</i> , <b>2016</b> , 6, 52509-52517	3.7	26
85	Highly Effective Electromagnetic Interference Shielding Materials based on Silver Nanowire/Cellulose Papers. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 13123-32	9.5	171
84	Thermal and electrical properties of poly(phenylene sulfide)/carbon nanotube nanocomposite films with a segregated structure. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2016</b> , 91, 77-84	8.4	15
83	Highly elastic and transparent multiwalled carbon nanotube/polydimethylsiloxane bilayer films as electric heating materials. <i>Materials and Design</i> , <b>2015</b> , 86, 72-79	8.1	45
82	Thermomechanical and electrical properties of PDMS/MWCNT composite films crosslinked by electron beam irradiation. <i>Journal of Materials Science</i> , <b>2015</b> , 50, 5599-5608	4.3	15
81	Regenerated cellulose/multiwalled carbon nanotube composite films with efficient electric heating performance. <i>Carbohydrate Polymers</i> , <b>2015</b> , 133, 456-63	10.3	32
80	Electrical and dielectric properties of poly(1,3,4-oxdiazole) nanocomposite films with graphene sheets dispersed in layers. <i>Fibers and Polymers</i> , <b>2015</b> , 16, 2021-2027	2	5
79	Synergistic effect of hybrid carbon fillers on electric heating behavior of flexible polydimethylsiloxane-based composite films. <i>Composites Science and Technology</i> , <b>2015</b> , 106, 134-140	8.6	36
78	High performance electric heating polyimide composite films reinforced with acid-treated multiwalled carbon nanotubes. <i>Macromolecular Research</i> , <b>2015</b> , 23, 1144-1151	1.9	3
77	Effects of Chain Orientation and Packing on the Photoluminescence and Photothermal Properties of Polybenzimidazole Fibers with Meta-Linkage. <i>Macromolecules</i> , <b>2015</b> , 48, 8823-8830	5.5	8

76	Investigation of microstructure and electric heating behavior of hybrid polymer composite films based on thermally stable polybenzimidazole and multiwalled carbon nanotube. <i>Polymer</i> , <b>2015</b> , 59, 102-109	3.9	17
75	Preparation, structure and properties of poly(p-phenylene benzobisoxazole) composite fibers reinforced with graphene. <i>Macromolecular Research</i> , <b>2014</b> , 22, 279-286	1.9	12
74	Microstructure and electrical property of epoxy/graphene/MWCNT hybrid composite films manufactured by UV-curing. <i>Macromolecular Research</i> , <b>2014</b> , 22, 1059-1065	1.9	6
73	Multiwalled carbon nanotube/polydimethylsiloxane composite films as high performance flexible electric heating elements. <i>Applied Physics Letters</i> , <b>2014</b> , 105, 051907	3.4	44
72	Enhanced electrical conductivity, mechanical modulus, and thermal stability of immiscible polylactide/polypropylene blends by the selective localization of multi-walled carbon nanotubes. <i>Composites Science and Technology</i> , <b>2014</b> , 103, 78-84	8.6	67
71	Structure, electrical and mechanical properties of polyamide 66/acid-treated MWCNT composite films prepared by solution mixing in the presence of nonionic surfactant. <i>Fibers and Polymers</i> , <b>2014</b> , 15, 1010-1016	2	6
70	Synthesis and characterization of poly(2-cyano-1,4-phenylene terephthalamide) and its copolymers by phosphorylation-assisted polycondensation reaction. <i>Fibers and Polymers</i> , <b>2014</b> , 15, 2447-2452	2	6
69	UV-cured epoxy/graphene nanocomposite films: preparation, structure and electric heating performance. <i>Polymer International</i> , <b>2014</b> , 63, 1895-1901	3.3	15
68	Effects of mixed carbon filler composition on electric heating behavior of thermally-cured epoxy-based composite films. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2014</b> , 56, 1-7	8.4	42
67	Microstructure and performance of multiwalled carbon nanotube/m-aramid composite films as electric heating elements. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 6527-34	9.5	82
66	Electric heating films based on m-aramid nanocomposites containing hybrid fillers of graphene and carbon nanotube. <i>Journal of Materials Science</i> , <b>2013</b> , 48, 4041-4049	4.3	15
65	Poly(vinyl alcohol)/montmorillonite/silver hybrid nanoparticles prepared from aqueous solutions by the electrospraying method. <i>Journal of Composite Materials</i> , <b>2013</b> , 47, 3367-3378	2.7	9
64	Influence of surface property on the crystallization of hentetracontane under nanoscopic cylindrical confinement. <i>Journal of Physical Chemistry B</i> , <b>2013</b> , 117, 5978-88	3.4	9
63	Structure and electric heating performance of graphene/epoxy composite films. <i>European Polymer Journal</i> , <b>2013</b> , 49, 1322-1330	5.2	82
62	Structures and physical properties of graphene/PVDF nanocomposite films prepared by solution-mixing and melt-compression. <i>Fibers and Polymers</i> , <b>2013</b> , 14, 1332-1338	2	29
61	Preparation and Characterization of Fibers Based on Poly(p-Phenylene Benzobisoxazole)s Containing Trifunctional Moiety as Chain Extender. <i>Textile Science and Engineering</i> , <b>2013</b> , 50, 193-199		2
60	Lamellar arrangements of linear polyethylene in ultrathin films. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 123, 2558-2565	2.9	6
59	Structures, electrical, and dielectric properties of PVDF-based nanocomposite films reinforced with neat multi-walled carbon nanotube. <i>Macromolecular Research</i> , <b>2012</b> , 20, 920-927	1.9	36

58	High performance cellulose acetate propionate composites reinforced with exfoliated graphene. <i>Composites Part B: Engineering</i> , <b>2012</b> , 43, 3412-3418	10	44
57	Influences of exfoliated graphite on structures, thermal stability, mechanical modulus, and electrical resistivity of poly(butylene terephthalate). <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 125, E532 <sup>2,9</sup>		20
56	Influences of tensile drawing on structures, mechanical, and electrical properties of wet-spun multi-walled carbon nanotube composite fiber. <i>Macromolecular Research</i> , <b>2012</b> , 20, 650-657	1.9	13
55	Effects of wet-spinning conditions on structures, mechanical and electrical properties of multi-walled carbon nanotube composite fibers. <i>Fibers and Polymers</i> , <b>2012</b> , 13, 443-449	2	12
54	Preparation and properties of polypropylene nanocomposites reinforced with exfoliated graphene. <i>Fibers and Polymers</i> , <b>2012</b> , 13, 507-514	2	68
53	Poly(ethylene terephthalate)/exfoliated graphite nanocomposites with improved thermal stability, mechanical and electrical properties. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2011</b> , 42, 560-566	8.4	82
52	Preparation and crystallization behavior of polylactide nanocomposites reinforced with POSS-modified montmorillonite. <i>Fibers and Polymers</i> , <b>2011</b> , 12, 180-189	2	33
51	Lead ion removal characteristics of poly(lactic acid)/hydroxyapatite composite foams prepared by supercritical CO <sub>2</sub> process. <i>Polymer Composites</i> , <b>2011</b> , 32, 1408-1415	3	9
50	Preparation and Characterization of High-Performance Poly(trimethylene terephthalate) Nanocomposites Reinforced with Exfoliated Graphite. <i>Macromolecular Materials and Engineering</i> , <b>2011</b> , 296, 159-167	3.9	14
49	Strain-Induced Enthalpy Relaxation in Poly(lactic acid). <i>Macromolecules</i> , <b>2010</b> , 43, 25-28	5.5	28
48	Poly(ethylene 2,6-naphthalate)/MWNT nanocomposites prepared by in situ polymerization: Rheological and mechanical properties. <i>Fibers and Polymers</i> , <b>2010</b> , 11, 1-7	2	8
47	Superhydrophobic PET fabrics achieved by silica nanoparticles and water-repellent agent. <i>Fibers and Polymers</i> , <b>2010</b> , 11, 976-981	2	19
46	Influences of physical aging on enthalpy relaxation behavior, gas permeability, and dynamic mechanical property of polylactide films with various D-isomer contents. <i>Macromolecular Research</i> , <b>2010</b> , 18, 346-351	1.9	26
45	Preparation and characterization of nanocomposites based on polylactides tethered with polyhedral oligomeric silsesquioxane. <i>Journal of Applied Polymer Science</i> , <b>2010</b> , 115, 1039-1046	2.9	45
44	Cellulose acetate/multiwalled carbon nanotube nanocomposites with improved mechanical, thermal, and electrical properties. <i>Journal of Applied Polymer Science</i> , <b>2010</b> , 118, n/a-n/a	2.9	6
43	Superhydrophobic PLA fabrics prepared by UV photo-grafting of hydrophobic silica particles possessing vinyl groups. <i>Journal of Colloid and Interface Science</i> , <b>2010</b> , 344, 584-7	9.3	55
42	Effects of grafted chain length on mechanical and electrical properties of nanocomposites containing polylactide-grafted carbon nanotubes. <i>Composites Science and Technology</i> , <b>2010</b> , 70, 776-782 <sup>8,6</sup>		99
41	Polylactide/exfoliated graphite nanocomposites with enhanced thermal stability, mechanical modulus, and electrical conductivity. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2010</b> , 48, 850-858 <sup>2,6</sup>		244



40	Preparation and acid dye adsorption behavior of polyurethane/chitosan composite foams. <i>Fibers and Polymers</i> , <b>2009</b> , 10, 636-642	2	78
39	Tensile behavior and structural evolution of poly(lactic acid) monofilaments in glass transition region. <i>Fibers and Polymers</i> , <b>2009</b> , 10, 687-693	2	16
38	Influences of poly(lactic acid)-grafted carbon nanotube on thermal, mechanical, and electrical properties of poly(lactic acid). <i>Polymers for Advanced Technologies</i> , <b>2009</b> , 20, 631-638	3.2	105
37	Crystal structure of poly(octamethylene terephthalate) determined by X-ray fiber diffraction and molecular modeling. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2009</b> , 47, 276-283	2.6	10
36	Superhydrophobicity of cotton fabrics treated with silica nanoparticles and water-repellent agent. <i>Journal of Colloid and Interface Science</i> , <b>2009</b> , 337, 170-5	9.3	203
35	Structures and cocrystallization behavior of copolyesters based on poly(octamethylene terephthalate) and poly(octamethylene 2,6-naphthalate). <i>Polymer</i> , <b>2009</b> , 50, 1559-1565	3.9	6
34	New type of dual solid-state thermochromism: modulation of intramolecular charge transfer by intermolecular pi-pi interactions, kinetic trapping of the aci-nitro group, and reversible molecular locking. <i>Journal of Physical Chemistry A</i> , <b>2009</b> , 113, 11354-66	2.8	15
33	Polymorphism and Form structure of poly(octamethylene 2,6-naphthalate). <i>Polymer</i> , <b>2008</b> , 49, 1693-1700	9.9	1
32	On the preparation of lecithin-stabilized oil-in-water emulsions by multi-stage premix membrane emulsification. <i>Journal of Food Engineering</i> , <b>2008</b> , 89, 164-170	6	46
31	Removal of lead ions in aqueous solution by hydroxyapatite/polyurethane composite foams. <i>Journal of Hazardous Materials</i> , <b>2008</b> , 152, 1285-92	12.8	148
30	Preparation and lead ion removal property of hydroxyapatite/polyacrylamide composite hydrogels. <i>Journal of Hazardous Materials</i> , <b>2008</b> , 159, 294-9	12.8	122
29	Crystalline Structures, Melting, and Crystallization of Linear Polyethylene in Cylindrical Nanopores. <i>Macromolecules</i> , <b>2007</b> , 40, 6617-6623	5.5	170
28	Effect of alkyl chain length on thermochromism of novel nitro compounds. <i>Fibers and Polymers</i> , <b>2007</b> , 8, 234-236	2	6
27	From homogeneous to heterogeneous nucleation of chain molecules under nanoscopic cylindrical confinement. <i>Physical Review Letters</i> , <b>2007</b> , 98, 136103	7.4	134
26	Segmental motions and associated dynamic mechanical thermal properties of a series of copolymers based on poly(hexamethylene terephthalate) and poly(1,4-cyclohexylenedimethylene terephthalate). <i>Macromolecular Research</i> , <b>2006</b> , 14, 416-423	1.9	11
25	Effects of Polyester-Poor Phase Microstructures on Viscosity Development of Polymer Blends. <i>Macromolecules</i> , <b>2006</b> , 39, 4907-4913	5.5	7
24	Influence of copolymer configuration on the phase behavior of ternary blends. <i>Journal of Physical Chemistry B</i> , <b>2006</b> , 110, 2541-8	3.4	4
23	Analysis of the Multistep Solidification Process in Polymer Blends. <i>Macromolecules</i> , <b>2006</b> , 39, 274-280	5.5	8

22	Crystallization-Induced Interconnected Structure in Semicrystallizable Polyester/Polyether Binary Blends. <i>Macromolecules</i> , <b>2006</b> , 39, 6672-6676	5.5	3
21	Thermochromism of a novel organic compound in the solid state via crystal-to-crystal transformation. <i>Journal of Molecular Structure</i> , <b>2006</b> , 825, 70-78	3.4	16
20	Morphology evolution and associated curing kinetics in reactive blends. <i>International Journal of Adhesion and Adhesives</i> , <b>2006</b> , 26, 600-608	3.4	2
19	Spectroscopic Study on Morphology Evolution in Polymer Blends. <i>Macromolecules</i> , <b>2005</b> , 38, 2876-2882	5.5	23
18	Factors Influencing Curing Behavior in Phase-Separated Structures. <i>Macromolecules</i> , <b>2005</b> , 38, 2889-2896	5.5	16
17	Effect of uniaxial drawing on surface chain structure and surface tension of poly(trimethylene terephthalate) film. <i>Polymer</i> , <b>2005</b> , 46, 8297-8305	3.9	24
16	Synthesis, structure, and thermal property of poly(trimethylene terephthalate-co-trimethylene 2,6-naphthalate) copolymers. <i>Fibers and Polymers</i> , <b>2004</b> , 5, 245-251	2	14
15	Crystal structure identification of poly(trimethylene 2,6-naphthalate) Form crystal by X-ray diffraction and molecular modeling. <i>Polymer</i> , <b>2004</b> , 45, 379-384	3.9	11
14	Cocrystallization of poly(1,4-cyclohexylenedimethylene terephthalate-co-hexamethylene terephthalate) copolymers. <i>Macromolecular Research</i> , <b>2004</b> , 12, 459-465	1.9	16
13	Synthesis and isodimorphic cocrystallization behavior of poly(1,4-cyclohexylenedimethylene terephthalate-co-1,4-cyclohexylenedimethylene 2,6-naphthalate) copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2004</b> , 42, 177-187	2.6	18
12	The effect of flexible chain length on thermal and mechanical properties of poly(m-methylene 2,6-naphthalate)s. <i>Polymer</i> , <b>2004</b> , 45, 3321-3328	3.9	10
11	Melting and crystallization behavior of poly(trimethylene 2,6-naphthalate). <i>Polymer</i> , <b>2003</b> , 44, 3259-3267	3.9	23
10	Crystal Structure Determination of Poly(1,4-trans-cyclohexylenedimethylene 2,6-naphthalate) by X-ray Diffraction and Molecular Modeling. <i>Macromolecules</i> , <b>2003</b> , 36, 5201-5207	5.5	10
9	Synthesis and Crystallization Behavior of Poly(m-methylene 2,6-naphthalate-co-1,4-cyclohexylenedimethylene 2,6-naphthalate) Copolymers. <i>Macromolecules</i> , <b>2003</b> , 36, 4051-4059	5.5	29
8	Cocrystallization behavior of poly(hexamethylene terephthalate-co-hexamethylene 2,6-naphthalate) random copolymers. <i>Polymer</i> , <b>2002</b> , 43, 5263-5270	3.9	32
7	Crystal structure of poly(pentamethylene 2,6-naphthalate). <i>Polymer</i> , <b>2002</b> , 43, 7315-7323	3.9	14
6	Crystal Structure of Poly (hexamethylene 2,6-naphthalate).. <i>Polymer Journal</i> , <b>2001</b> , 33, 913-919	2.7	8
5	Cocrystallization Behavior of Poly(butylene terephthalate-co-butylene 2,6-naphthalate) Random Copolymers. <i>Macromolecules</i> , <b>2000</b> , 33, 9705-9711	5.5	54



4	Hybrid Carbon Nanofibers Derived from MXene Nanosheets and Aromatic Poly(ether amide) for Self-Standing Electrochemical Energy Storage Materials. <i>Macromolecular Materials and Engineering</i> , 2100877	3.9	2
3	Enhanced thermal stability and long-term mechanical durability at elevated temperatures of thermotropic liquid crystal polyester/glass fiber composites. <i>Mechanics of Advanced Materials and Structures</i> , 1-10	1.8	0
2	Electromagnetic Interference Shielding and Electrothermal Performance of MXene-Coated Cellulose Hybrid Papers and Fabrics Manufactured by a Facile Scalable Dip-Dry Coating Process. <i>Advanced Engineering Materials</i> , 2100548	3.5	2
1	PAN/lignin and LaMnO <sub>3</sub> -derived hybrid nanofibers for self-standing high-performance energy storage electrode materials. <i>Journal of Materials Science</i> , 1	4.3	2