
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7945460/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Effects of tranexamic acid on death, vascular occlusive events, and blood transfusion in trauma patients with significant haemorrhage (CRASH-2): a randomised, placebo-controlled trial. Lancet, The, 2010, 376, 23-32.   | 13.7 | 3,188     |
| 2  | Increasing response rates to postal questionnaires: systematic review. BMJ: British Medical Journal, 2002, 324, 1183-1183.  | 2.3  | 1,428     |
| 3  | Interpretation of the evidence for the efficacy and safety of statin therapy. Lancet, The, 2016, 388, 2532-2561.  | 13.7 | 1,399     |
| 4  | Effect of intravenous corticosteroids on death within 14 days in 10â€^008 adults with clinically<br>significant head injury (MRC CRASH trial): randomised placebo-controlled trial. Lancet, The, 2004, 364,<br>1321-1328. | 13.7 | 1,016     |
| 5  | Predicting outcome after traumatic brain injury: practical prognostic models based on large cohort of international patients. BMJ: British Medical Journal, 2008, 336, 425-429.   | 2.3  | 950       |
| 6  | The importance of early treatment with tranexamic acid in bleeding trauma patients: an exploratory analysis of the CRASH-2 randomised controlled trial. Lancet, The, 2011, 377, 1096-1101.e2.                             | 13.7 | 950       |
| 7  | Public health benefits of strategies to reduce greenhouse-gas emissions: urban land transport. Lancet,<br>The, 2009, 374, 1930-1943.  | 13.7 | 856       |
| 8  | Biomedical research: increasing value, reducing waste. Lancet, The, 2014, 383, 101-104.   | 13.7 | 750       |
| 9  | Final results of MRC CRASH, a randomised placebo-controlled trial of intravenous corticosteroid in adults with head injury—outcomes at 6 months. Lancet, The, 2005, 365, 1957-1959.                                       | 13.7 | 739       |
| 10 | Effect of tranexamic acid on surgical bleeding: systematic review and cumulative meta-analysis. BMJ,<br>The, 2012, 344, e3054-e3054.  | 6.0  | 713       |
| 11 | Smoking cessation support delivered via mobile phone text messaging (txt2stop): a single-blind, randomised trial. Lancet, The, 2011, 378, 49-55.  | 13.7 | 674       |
| 12 | Comparison of treatment effects between animal experiments and clinical trials: systematic review.<br>BMJ: British Medical Journal, 2007, 334, 197.   | 2.3  | 630       |
| 13 | Energy and transport. Lancet, The, 2007, 370, 1078-1088.  | 13.7 | 530       |
| 14 | Public health benefits of strategies to reduce greenhouse-gas emissions: overview and implications for policy makers. Lancet, The, 2009, 374, 2104-2114.  | 13.7 | 451       |
| 15 | Where is the evidence that animal research benefits humans?. BMJ: British Medical Journal, 2004, 328, 514-517.  | 2.3  | 409       |
| 16 | Public health benefits of strategies to reduce greenhouse-gas emissions: food and agriculture. Lancet,<br>The, 2009, 374, 2016-2025.  | 13.7 | 393       |
| 17 | Land use, transport, and population health: estimating the health benefits of compact cities. Lancet,<br>The, 2016, 388, 2925-2935.   | 13.7 | 369       |
| 18 | Tranexamic acid for hyperacute primary IntraCerebral Haemorrhage (TICH-2): an international randomised, placebo-controlled, phase 3 superiority trial. Lancet, The, 2018, 391, 2107-2115.                                 | 13.7 | 309       |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Effect of treatment delay on the effectiveness and safety of antifibrinolytics in acute severe<br>haemorrhage: a meta-analysis of individual patient-level data from 40â€^138 bleeding patients. Lancet, The,<br>2018, 391, 125-132. | 13.7 | 261       |
| 20 | The WOMAN Trial (World Maternal Antifibrinolytic Trial): tranexamic acid for the treatment of postpartum haemorrhage: an international randomised, double blind placebo controlled trial. Trials, 2010, 11, 40.                      | 1.6  | 247       |
| 21 | Effect of consent rituals on mortality in emergency care research. Lancet, The, 2011, 377, 1071-1072.  | 13.7 | 188       |
| 22 | Safety education of pedestrians for injury prevention: a systematic review of randomised controlled trials. BMJ: British Medical Journal, 2002, 324, 1129-1129.  | 2.3  | 175       |
| 23 | Fluid Resuscitation Strategies: A Systematic Review of Animal Trials. Journal of Trauma, 2003, 55, 571-589.  | 2.3  | 169       |
| 24 | Effect of increasing active travel in urban England and Wales on costs to the National Health Service.<br>Lancet, The, 2012, 379, 2198-2205.   | 13.7 | 163       |
| 25 | The science of clinical practice: disease diagnosis or patient prognosis? Evidence about "what is likely<br>to happen―should shape clinical practice. BMC Medicine, 2015, 13, 20.  | 5.5  | 163       |
| 26 | ls the normalisation of blood pressure in bleeding trauma patients harmful?. Lancet, The, 2001, 357, 385-387.  | 13.7 | 157       |
| 27 | Antibiotics for preventing infection in open limb fractures. The Cochrane Library, 2004, , CD003764.   | 2.8  | 153       |
| 28 | Cost-Effectiveness Analysis of Administering Tranexamic Acid to Bleeding Trauma Patients Using Evidence from the CRASH-2 Trial. PLoS ONE, 2011, 6, e18987.   | 2.5  | 150       |
| 29 | CRASH-3 - tranexamic acid for the treatment of significant traumatic brain injury: study protocol for an international randomized, double-blind, placebo-controlled trial. Trials, 2012, 13, 87.                                     | 1.6  | 149       |
| 30 | Human albumin solution for resuscitation and volume expansion in critically ill patients. The Cochrane Library, 2011, , CD001208.  | 2.8  | 148       |
| 31 | Follow-up by mail in clinical trials: does questionnaire length matter?. Contemporary Clinical Trials, 2004, 25, 31-52.  | 1.9  | 138       |
| 32 | Barbiturates for acute traumatic brain injury. The Cochrane Library, 2012, 12, CD000033.   | 2.8  | 128       |
| 33 | The risk of transfusionâ€ŧransmitted infections in sub‣aharan Africa. Transfusion, 2010, 50, 433-442.  | 1.6  | 123       |
| 34 | Effect of tranexamic acid on mortality in patients with traumatic bleeding: prespecified analysis of data from randomised controlled trial. BMJ, The, 2012, 345, e5839-e5839.  | 6.0  | 120       |
| 35 | Systematic reviews of animal experiments. Lancet, The, 2002, 360, 586.   | 13.7 | 117       |
| 36 | Meta-analysis of randomised trials of monetary incentives and response to mailed questionnaires.<br>Journal of Epidemiology and Community Health, 2005, 59, 987-999.   | 3.7  | 116       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Intracranial bleeding in patients with traumatic brain injury: A prognostic study. BMC Emergency<br>Medicine, 2009, 9, 15.   | 1.9 | 116       |
| 38 | Does animal experimentation inform human healthcare? Observations from a systematic review of international animal experiments on fluid resuscitation. BMJ: British Medical Journal, 2002, 324, 474-476.                           | 2.3 | 112       |
| 39 | Antifibrinolytic drugs for acute traumatic injury. The Cochrane Library, 2015, 2015, CD004896.   | 2.8 | 110       |
| 40 | The knowledge system underpinning healthcare is not fit for purpose and must change. BMJ, The, 2015, 350, h2463-h2463.   | 6.0 | 103       |
| 41 | Statin treatment and muscle symptoms: series of randomised, placebo controlled n-of-1 trials. BMJ,<br>The, 2021, 372, n135.  | 6.0 | 102       |
| 42 | What concentration of tranexamic acid is needed to inhibit fibrinolysis? A systematic review of pharmacodynamics studies. Blood Coagulation and Fibrinolysis, 2019, 30, 1-10.  | 1.0 | 101       |
| 43 | Post-licence driver education for the prevention of road traffic crashes: a systematic review of randomised controlled trials. Accident Analysis and Prevention, 2005, 37, 305-313.  | 5.7 | 95        |
| 44 | Avoidable mortality from giving tranexamic acid to bleeding trauma patients: an estimation based on<br>WHO mortality data, a systematic literature review and data from the CRASH-2 trial. BMC Emergency<br>Medicine, 2012, 12, 3. | 1.9 | 95        |
| 45 | Antifibrinolytic drugs for acute traumatic injury. , 2011, , CD004896.   |     | 82        |
| 46 | Mechanism of action of tranexamic acid in bleeding trauma patients: an exploratory analysis of data from the CRASH-2 trial. Critical Care, 2014, 18, 685.  | 5.8 | 80        |
| 47 | Predicting early death in patients with traumatic bleeding: development and validation of prognostic model. BMJ, The, 2012, 345, e5166-e5166.  | 6.0 | 79        |
| 48 | HALT-IT - tranexamic acid for the treatment of gastrointestinal bleeding: study protocol for a randomised controlled trial. Trials, 2014, 15, 450.   | 1.6 | 79        |
| 49 | Tranexamic acid: less bleeding and less thrombosis?. Critical Care, 2012, 16, 135.   | 5.8 | 70        |
| 50 | Differential effects of the Glasgow Coma Scale Score and its Components: An analysis of 54,069 patients with traumatic brain injury. Injury, 2017, 48, 1932-1943.  | 1.7 | 66        |
| 51 | Effect of tranexamic acid on thrombotic events and seizures in bleeding patients: a systematic review and meta-analysis. Critical Care, 2021, 25, 380.   | 5.8 | 63        |
| 52 | Barbiturates for acute traumatic brain injury. , 1999, , CD000033.   |     | 60        |
| 53 | Yoga-Based Cardiac Rehabilitation After Acute Myocardial Infarction. Journal of the American College of Cardiology, 2020, 75, 1551-1561.   | 2.8 | 55        |
| 54 | Walking, Cycling and Transport Safety: An Analysis of Child Road Deaths. Journal of the Royal Society of Medicine, 2006, 99, 402-405.  | 2.0 | 54        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | How systematic reviews cause research waste. Lancet, The, 2015, 386, 1536.   | 13.7 | 54        |
| 56 | Hydroxyethyl starch solutions and patient harm. Lancet, The, 2018, 391, 736.   | 13.7 | 51        |
| 57 | Risk factors for peripartum hysterectomy among women with postpartum haemorrhage: analysis of data from the WOMAN trial. BMC Pregnancy and Childbirth, 2018, 18, 186.  | 2.4  | 51        |
| 58 | The Urban Traffic Environment and the Risk of Child Pedestrian Injury. Epidemiology, 1995, 6, 169-171.   | 2.7  | 50        |
| 59 | Intravenous tranexamic acid for hyperacute primary intracerebral hemorrhage: Protocol for a randomized, placebo-controlled trial. International Journal of Stroke, 2016, 11, 683-694.                              | 5.9  | 50        |
| 60 | Red Blood Cell Transfusion and Mortality in Trauma Patients: Risk-Stratified Analysis of an<br>Observational Study. PLoS Medicine, 2014, 11, e1001664.   | 8.4  | 48        |
| 61 | Giving tranexamic acid to reduce surgical bleeding in sub-Saharan Africa: an economic evaluation.<br>Cost Effectiveness and Resource Allocation, 2010, 8, 1.   | 1.5  | 44        |
| 62 | Doubts over head injury studies. BMJ: British Medical Journal, 2007, 334, 392-394.   | 2.3  | 41        |
| 63 | The importance of health co-benefits in macroeconomic assessments of UK Greenhouse Gas emission reduction strategies. Climatic Change, 2013, 121, 223-237.   | 3.6  | 40        |
| 64 | Aligning climate change and public health policies. Lancet, The, 2009, 374, 2035-2038.   | 13.7 | 39        |
| 65 | Tranexamic acid for the prevention of postpartum bleeding in women with anaemia: study protocol<br>for an international, randomised, double-blind, placebo-controlled trial. Trials, 2018, 19, 712.                | 1.6  | 39        |
| 66 | Pharmacokinetics of intramuscular tranexamic acid in bleeding trauma patients: a clinical trial.<br>British Journal of Anaesthesia, 2021, 126, 201-209.  | 3.4  | 35        |
| 67 | Tranexamic acid in bleeding trauma patients: an exploration of benefits and harms. Trials, 2017, 18, 48.   | 1.6  | 34        |
| 68 | Tranexamic acid for treatment of women with post-partum haemorrhage in Nigeria and Pakistan: a<br>cost-effectiveness analysis of data from the WOMAN trial. The Lancet Global Health, 2018, 6, e222-e228.          | 6.3  | 33        |
| 69 | Applying results from clinical trials: tranexamic acid in trauma patients. Journal of Intensive Care, 2014, 2, 56.   | 2.9  | 32        |
| 70 | Can text messages increase safer sex behaviours in young people? Intervention development and pilot randomised controlled trial. Health Technology Assessment, 2016, 20, 1-82.                                     | 2.8  | 30        |
| 71 | Pharmacokinetics of tranexamic acid after intravenous, intramuscular, and oral routes: a<br>prospective, randomised, crossover trial in healthy volunteers. British Journal of Anaesthesia, 2022,<br>128, 465-472. | 3.4  | 30        |
| 72 | Fibrinolytic shutdown: fascinating theory but randomized controlled trial data are needed.<br>Transfusion, 2016, 56, S115-8.   | 1.6  | 29        |

| #  | Article  | IF                 | CITATIONS                  |
|----|--|--------------------|----------------------------|
| 73 | Tranexamic acid for post-partum haemorrhage: What, who and when. Best Practice and Research in<br>Clinical Obstetrics and Gynaecology, 2019, 61, 66-74.  | 2.8                | 29                         |
| 74 | Car manufacturers and global road safety: a word frequency analysis of road safety documents.<br>Injury Prevention, 2006, 12, 320-322.   | 2.4                | 28                         |
| 75 | Dangers of non-specific composite outcome measures in clinical trials. BMJ, The, 2013, 347, f6782-f6782.   | 6.0                | 28                         |
| 76 | Ebola virus disease: clinical care and patient-centred research. Lancet, The, 2014, 384, 2001-2002.  | 13.7               | 28                         |
| 77 | Haematological and fibrinolytic status of Nigerian women with post-partum haemorrhage. BMC<br>Pregnancy and Childbirth, 2018, 18, 143.   | 2.4                | 28                         |
| 78 | Tranexamic acid for significant traumatic brain injury (The CRASH-3 trial): Statistical analysis plan for<br>an international, randomised, double-blind, placebo-controlled trial. Wellcome Open Research, 2018,<br>3, 86.   | 1.8                | 28                         |
| 79 | Between-centre differences and treatment effects in randomized controlled trials: A case study in traumatic brain injury. Trials, 2011, 12, 201.   | 1.6                | 26                         |
| 80 | Tranexamic acid for surgical bleeding. BMJ, The, 2014, 349, g4934.   | 6.0                | 26                         |
| 81 | Effect of tranexamic acid by baseline risk of death in acute bleeding patients: a meta-analysis of<br>individual patient-level data from 28 333 patients. British Journal of Anaesthesia, 2020, 124, 676-683.  | 3.4                | 26                         |
| 82 | Outcome measures in clinical trials of treatments for acute severe haemorrhage. Trials, 2018, 19, 533.   | 1.6                | 25                         |
| 83 | Central and statistical data monitoring in the Clinical Randomisation of an Antifibrinolytic in<br>Significant Haemorrhage (CRASH-2) trial. Clinical Trials, 2014, 11, 336-343.  | 1.6                | 24                         |
| 84 | Understanding the neuroprotective effect of tranexamic acid: an exploratory analysis of the CRASH-3 randomised trial. Critical Care, 2020, 24, 560.  | 5.8                | 24                         |
| 85 | Effect of tranexamic acid on coagulation and fibrinolysis in women with postpartum haemorrhage<br>(WOMAN-ETAC): a single-centre, randomised, double-blind, placebo-controlled trial. Wellcome Open<br>Research, 2018, 3, 100.  | 1.8                | 24                         |
| 86 | Guide to the design and review of emergency research when it is proposed that consent and consultation be waived: TableÂ1. Emergency Medicine Journal, 2014, 31, 794-795.  | 1.0                | 22                         |
| 87 | A nested mechanistic sub-study into the effect of tranexamic acid versus placebo on intracranial haemorrhage and cerebral ischaemia in isolated traumatic brain injury: study protocol for a randomised controlled trial (CRASH-3 Trial Intracranial Bleeding Mechanistic Sub-Study [CRASH-3) Tj ETQq1 1 0 | .78 <b>43</b> 14 r | gBT <sup>21</sup> Overlock |
| 88 | Tranexamic acid through intravenous, intramuscular and oral routes: an individual participant data<br>metaâ€analysis of pharmacokinetic studies in healthy volunteers. Fundamental and Clinical<br>Pharmacology, 2019, 33, 670-678.  | 1.9                | 21                         |
| 89 | Effectiveness and cost-effectiveness of a Yoga-based Cardiac Rehabilitation (Yoga-CaRe) program following acute myocardial infarction: Study rationale and design of a multi-center randomized controlled trial. International Journal of Cardiology, 2019, 280, 14-18.                                    | 1.7                | 21                         |
| 90 | The WOMAN trial: clinical and contextual factors surrounding the deaths of 483 women following post-partum haemorrhage in developing countries. BMC Pregnancy and Childbirth, 2020, 20, 409.   | 2.4                | 20                         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Use of tranexamic acid in major trauma: a sex-disaggregated analysis of the Clinical Randomisation of<br>an Antifibrinolytic in Significant Haemorrhage (CRASH-2 and CRASH-3) trialsÂand UK trauma registry<br>(Trauma and Audit Research Network) data. British Journal of Anaesthesia, 2022, 129, 191-199. | 3.4 | 19        |
| 92  | The effect of tranexamic acid on the risk of death and hysterectomy in women with post-partum haemorrhage: statistical analysis plan for the WOMAN trial. Trials, 2016, 17, 249.   | 1.6 | 18        |
| 93  | Yoga and Cardiovascular Health Trial (YACHT): a UK-based randomised mechanistic study of a yoga<br>intervention plus usual care versus usual care alone following an acute coronary event. BMJ Open,<br>2019, 9, e030119.  | 1.9 | 17        |
| 94  | Outcomes in Antiplateletâ€Associated Intracerebral Hemorrhage in the TICHâ€2 Randomized Controlled<br>Trial. Journal of the American Heart Association, 2021, 10, e019130.   | 3.7 | 17        |
| 95  | Physiologically based modelling of tranexamic acid pharmacokinetics following intravenous,<br>intramuscular, sub-cutaneous and oral administration in healthy volunteers. European Journal of<br>Pharmaceutical Sciences, 2021, 164, 105893.   | 4.0 | 17        |
| 96  | Tranexamic acid to improve functional status in adults with spontaneous intracerebral haemorrhage: the TICH-2 RCT. Health Technology Assessment, 2019, 23, 1-48.   | 2.8 | 17        |
| 97  | Traumatic injury clinical trial evaluating tranexamic acid in children (TIC-TOC): study protocol for a pilot randomized controlled trial. Trials, 2018, 19, 593.   | 1.6 | 16        |
| 98  | Derivation and validation of an easy-to-compute trauma score that improves prognostication of<br>mortality or the Trauma Rating Index in Age, Glasgow Coma Scale, Respiratory rate and Systolic blood<br>pressure (TRIAGES) score. Critical Care, 2019, 23, 365.   | 5.8 | 16        |
| 99  | The health co-benefits of climate change policies: doctors have a responsibility to future generations.<br>Clinical Medicine, 2009, 9, 212-213.  | 1.9 | 15        |
| 100 | Postâ€partum haemorrhage and tranexamic acid: a global issue. British Journal of Haematology, 2018,<br>180, 799-807.   | 2.5 | 15        |
| 101 | Implementation of tranexamic acid for bleeding trauma patients: a longitudinal and cross-sectional study. Emergency Medicine Journal, 2019, 36, emermed-2018-207693.   | 1.0 | 15        |
| 102 | Validation of the BATT score for prehospital risk stratification of traumatic haemorrhagic death:<br>usefulness for tranexamic acid treatment criteria. Scandinavian Journal of Trauma, Resuscitation and<br>Emergency Medicine, 2021, 29, 6.  | 2.6 | 15        |
| 103 | Study protocol for statin web-based investigation of side effects (StatinWISE): a series of randomised controlled N-of-1 trials comparing atorvastatin and placebo in UK primary care. BMJ Open, 2017, 7, e016604.   | 1.9 | 14        |
| 104 | Cost-effectiveness analysis of tranexamic acid for the treatment of traumatic brain injury, based on<br>the results of the CRASH-3 randomised trial: a decision modelling approach. BMJ Global Health, 2020, 5,<br>e002716.  | 4.7 | 14        |
| 105 | Time for sharing data to become routine: the seven excuses for not doing so are all invalid.<br>F1000Research, 2016, 5, 781.   | 1.6 | 14        |
| 106 | Tranexamic acid for significant traumatic brain injury (The CRASH-3 trial): Statistical analysis plan for<br>an international, randomised, double-blind, placebo-controlled trial. Wellcome Open Research, 2018,<br>3, 86.   | 1.8 | 14        |
| 107 | The World Bank's Global Road Safety Partnership. Traffic Injury Prevention, 2002, 3, 190-194.  | 1.4 | 13        |
| 108 | Tranexamic acid for postpartum bleeding. International Journal of Gynecology and Obstetrics, 2011, 115, 220-221.   | 2.3 | 13        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | Exploring redundant research into the effect of tranexamic acid on surgical bleeding: further analysis of a systematic review of randomised controlled trials. BMJ Open, 2015, 5, e009460.   | 1.9  | 12        |
| 110 | Tranexamic acid for acute gastrointestinal bleeding (the HALT-IT trial): statistical analysis plan for an international, randomised, double-blind, placebo-controlled trial. Trials, 2019, 20, 467.  | 1.6  | 12        |
| 111 | Risk factors for blood transfusion in traumatic and postpartum hemorrhage patients: Analysis of the CRASH-2 and WOMAN trials. PLoS ONE, 2020, 15, e0233274.  | 2.5  | 12        |
| 112 | Effect of tranexamic acid on intracranial haemorrhage and infarction in patients with traumatic<br>brain injury: a pre-planned substudy in a sample of CRASH-3 trial patients. Emergency Medicine Journal,<br>2021, 38, 270-278.   | 1.0  | 12        |
| 113 | The Potential Effectiveness of COVID-Related Smoking Cessation Messages in Three Countries. Nicotine and Tobacco Research, 2021, 23, 1254-1258.  | 2.6  | 12        |
| 114 | Aminosteroids for acute traumatic brain injury. The Cochrane Library, 1999, , CD001527.  | 2.8  | 11        |
| 115 | Climate change: the implications for policy on injury control and health promotion. Injury Prevention, 2005, 11, 326-329.  | 2.4  | 11        |
| 116 | The economics of tackling climate change. BMJ: British Medical Journal, 2008, 336, 165-166.  | 2.3  | 11        |
| 117 | Does tranexamic acid improve outcomes in traumatic brain injury?. BMJ, The, 2016, 354, i4814.  | 6.0  | 11        |
| 118 | Cochrane: the unfinished symphony of research synthesis. Systematic Reviews, 2016, 5, 115.   | 5.3  | 11        |
| 119 | Tranexamic acid to reduce head injury death in people with traumatic brain injury: the CRASH-3 international RCT. Health Technology Assessment, 2021, 25, 1-76.  | 2.8  | 11        |
| 120 | Ebola care and research protocols. Intensive Care Medicine, 2015, 41, 111-114.   | 8.2  | 10        |
| 121 | Prognostic model for traumatic death due to bleeding: cross-sectional international study. BMJ Open, 2019, 9, e026823.   | 1.9  | 10        |
| 122 | The Effect of Tranexamic Acid on Functional Outcomes: An Exploratory Analysis of the CRASH-2<br>Randomized Controlled Trial. Annals of Emergency Medicine, 2019, 74, 79-87.  | 0.6  | 10        |
| 123 | WOMAN-PharmacoTXA trial: Study protocol for a randomised controlled trial to assess the pharmacokinetics and pharmacodynamics of intramuscular, intravenous and oral administration of tranexamic acid in women giving birth by caesarean section. Wellcome Open Research, 2021, 6, 157. | 1.8  | 10        |
| 124 | The CRASH trial: the first large-scale, randomised, controlled trial in head injury. Critical Care, 2001, 5, 292.  | 5.8  | 9         |
| 125 | Policy at the crossroads: climate change and injury control. Injury Prevention, 2007, 13, 222-223.   | 2.4  | 9         |
| 126 | Doctors and climate change. Lancet, The, 2010, 376, 1801-1802.   | 13.7 | 9         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Risk Factors for Vascular Occlusive Events and Death Due to Bleeding in Trauma Patients; an Analysis<br>of the CRASH-2 Cohort. PLoS ONE, 2012, 7, e50603.  | 2.5  | 9         |
| 128 | Beyond disease burden: towards solution-oriented population health. Lancet, The, 2013, 381, 2219-2221.   | 13.7 | 9         |
| 129 | Safetxt: a pilot randomised controlled trial of an intervention delivered by mobile phone to increase safer sex behaviours in young people. BMJ Open, 2016, 6, e013045.  | 1.9  | 9         |
| 130 | The impact of early outcome events on the effect of tranexamic acid in post-partum haemorrhage: an exploratory subgroup analysis of the WOMAN trial. BMC Pregnancy and Childbirth, 2018, 18, 215.  | 2.4  | 9         |
| 131 | Safetxt: a safer sex intervention delivered by mobile phone messaging on sexually transmitted<br>infections (STI) among young people in the UK - protocol for a randomised controlled trial. BMJ Open,<br>2020, 10, e031635.   | 1.9  | 9         |
| 132 | Menstruation should not be overlooked in control of anaemia. Lancet, The, 2021, 397, 26.   | 13.7 | 9         |
| 133 | Effect of Tranexamic Acid Administration on Remote Cerebral Ischemic Lesions in Acute Spontaneous<br>Intracerebral Hemorrhage. JAMA Neurology, 2022, 79, 468.  | 9.0  | 9         |
| 134 | Simple steps to develop trial follow-up procedures. Trials, 2016, 17, 28.  | 1.6  | 8         |
| 135 | Women's work in UK clinical trials is undervalued. Lancet, The, 2018, 392, 732.  | 13.7 | 8         |
| 136 | No effect of tranexamic acid on platelet function and thrombin generation (ETAPlaT) in postpartum<br>haemorrhage: a randomised placebo-controlled trial. Wellcome Open Research, 2019, 4, 21.  | 1.8  | 8         |
| 137 | Secondary analysis of the <scp>WOMAN</scp> trial to explore the risk of sepsis after invasive treatments for postpartum hemorrhage. International Journal of Gynecology and Obstetrics, 2019, 146, 231-237.  | 2.3  | 8         |
| 138 | Effect of tranexamic acid on coagulation and fibrinolysis in women with postpartum haemorrhage<br>(WOMAN-ETAC): protocol and statistical analysis plan for a randomized controlled trial. Wellcome<br>Open Research, 2016, 1, 31.                                    | 1.8  | 8         |
| 139 | Postpartum haemorrhage in anaemic women: assessing outcome measures for clinical trials. Trials, 2022, 23, 220.  | 1.6  | 8         |
| 140 | Formula One and global road safety. Journal of the Royal Society of Medicine, 2007, 100, 360-362.  | 2.0  | 7         |
| 141 | Corporate capture and Coca-Cola. Lancet, The, 2008, 372, 1934-1935.  | 13.7 | 7         |
| 142 | Scientific letter: Could tranexamic acid use in surgery reduce perioperative myocardial infarction?.<br>Heart, 2013, 99, 1785-1785.  | 2.9  | 7         |
| 143 | Does tranexamic acid lead to changes in MRI measures of brain tissue health in patients with<br>spontaneous intracerebral haemorrhage? Protocol for a MRI substudy nested within the double-blind<br>randomised controlled TICH-2 trial. BMJ Open, 2018, 8, e019930. | 1.9  | 7         |
| 144 | Trial management: we need a cadre of high-class triallists to deliver the answers that patients need.<br>Trials, 2019, 20, 354.  | 1.6  | 7         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | The effect of statins on muscle symptoms in primary care: the StatinWISE series of 200 N-of-1 RCTs.<br>Health Technology Assessment, 2021, 25, 1-62.   | 2.8  | 6         |
| 146 | Tranexamic Acid Treatment for Trauma Victims. Seminars in Thrombosis and Hemostasis, 2021, 47, 520-526.  | 2.7  | 6         |
| 147 | Effects of tranexamic acid on platelet function and thrombin generation (ETAPlaT): WOMAN trial sub-study. Wellcome Open Research, 2016, 1, 29.   | 1.8  | 6         |
| 148 | Clinical Validation of a Volumetric Absorptive Micro-Sampling Device for Pharmacokinetic Studies<br>With Tranexamic Acid. Frontiers in Pharmacology, 2021, 12, 764379.   | 3.5  | 6         |
| 149 | Brief Consent Methods Enable Rapid Enrollment in Acute Stroke Trial: Results From the TICH-2<br>Randomized Controlled Trial. Stroke, 2022, 53, 1141-1148.  | 2.0  | 5         |
| 150 | Tranexamic acid for the prevention of postpartum hemorrhage in women undergoing cesarean delivery. American Journal of Obstetrics and Gynecology, 2022, 226, 755-756.  | 1.3  | 5         |
| 151 | The role of tranexamic acid in trauma — a life-saving drug with proven benefit. Nature Reviews Disease<br>Primers, 2022, 8, .  | 30.5 | 5         |
| 152 | Antifibrinolytic Agents in Traumatic Hemorrhage. Annals of Epidemiology, 2006, 16, 113-114.  | 1.9  | 4         |
| 153 | Say no to global guzzling. New Scientist, 2007, 194, 21.   | 0.0  | 4         |
| 154 | Finding Better Ways to Prevent Postpartum Hemorrhage. New England Journal of Medicine, 2018, 379,<br>790-792.  | 27.0 | 4         |
| 155 | Making miscarriage matter. Lancet, The, 2021, 398, 743-744.  | 13.7 | 4         |
| 156 | A high-dose 24-hour tranexamic acid infusion for the treatment of significant gastrointestinal bleeding: HALT-IT RCT. Health Technology Assessment, 2021, 25, 1-86.  | 2.8  | 4         |
| 157 | The effectiveness and safety of antifibrinolytics in patients with acute intracranial haemorrhage:<br>statistical analysis plan for an individual patient data meta-analysis. Wellcome Open Research, 0, 2, 120. | 1.8  | 4         |
| 158 | Alternative routes to intravenous tranexamic acid for postpartum hemorrhage: A systematic search and narrative review. International Journal of Gynecology and Obstetrics, 2022, 158, 40-45.                     | 2.3  | 4         |
| 159 | Antifibrinolytic Agents in Traumatic Haemorrhage. PLoS Medicine, 2005, 2, e64.   | 8.4  | 3         |
| 160 | Accuracy of time to treatment estimates in the CRASH-3 clinical trial: impact on the trial results.<br>Trials, 2020, 21, 681.  | 1.6  | 3         |
| 161 | Tranexamic acid quantification in human whole blood using liquid samples or volumetric absorptive microsampling devices. Bioanalysis, 2020, 12, 835-844.   | 1.5  | 3         |
| 162 | Statistical analysis plan for the WOMAN-ETAPIaT study: Effect of tranexamic acid on platelet function and thrombin generation. Wellcome Open Research, 0, 1, 30.   | 1.8  | 3         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | The effectiveness and safety of anti-fibrinolytics in patients with acute intracranial haemorrhage:<br>statistical analysis plan for an individual patient data meta-analysis. Wellcome Open Research, 2017, 2,<br>120.  | 1.8  | 3         |
| 164 | Tranexamic acid for trauma in the USA: is prejudice a barrier to saving lives?. Lancet, The, 2022, , .   | 13.7 | 3         |
| 165 | Effects of tranexamic acid treatment in severely and nonâ€severely injured trauma patients.<br>Transfusion, 2022, 62, .  | 1.6  | 3         |
| 166 | The World Health Organization and the prevention of road injuries: phone book analysis. BMJ: British<br>Medical Journal, 2001, 323, 1485-1485.   | 2.3  | 2         |
| 167 | Interventions for preventing injuries caused by impaired alertness in individuals with jet lag and shift work disorder. , 2009, , .  |      | 2         |
| 168 | Tranexamic acida recipe for saving lives in traumatic bleeding. International Journal of Epidemiology, 2011, 40, 1145-1145.  | 1.9  | 2         |
| 169 | Blood pressure lowering and cardiovascular risk. Lancet, The, 2014, 384, 1745.   | 13.7 | 2         |
| 170 | Tranexamic acid for post-partum haemorrhage in the WOMAN trial – Authors' reply. Lancet, The, 2017,<br>390, 1584.  | 13.7 | 2         |
| 171 | Statistical analysis plan for the WOMAN-ETAPlaT study: Effect of tranexamic acid on platelet function and thrombin generation. Wellcome Open Research, 2016, 1, 30.  | 1.8  | 2         |
| 172 | A nested randomised trial of the effect of tranexamic acid on intracranial haemorrhage and<br>infarction in traumatic brain injury (CRASH-3 trial intracranial bleeding mechanistic study): Statistical<br>analysis plan. Wellcome Open Research, 2018, 3, 99. | 1.8  | 2         |
| 173 | The effectiveness and safety of antifibrinolytics in patients with acute intracranial haemorrhage:<br>statistical analysis plan for an individual patient data meta-analysis. Wellcome Open Research, 2017, 2,<br>120.   | 1.8  | 2         |
| 174 | Traumatic injury clinical trial evaluating tranexamic acid in children ( <scp>TICâ€TOC</scp> ): A pilot<br>randomized trial. Academic Emergency Medicine, 2022, 29, 862-873.   | 1.8  | 2         |
| 175 | Tranexamic acid – A recipe for saving lives in traumatic bleeding. Alexandria Journal of Medicine, 2012,<br>48, 1-2.   | 0.6  | 1         |
| 176 | Importance of "acknowledging and reducing treatment uncertainty" in appraisal and revalidation. BMJ,<br>The, 2014, 348, g2851-g2851.   | 6.0  | 1         |
| 177 | Effect of emotional content on online video sharing among health care professionals and<br>researchers (DIFFUSION): results and lessons learnt from a randomised controlled trial. BMJ Open,<br>2018, 8, e019419.  | 1.9  | 1         |
| 178 | Should hydroxyethyl starch be banned? â $\in$ " Authors' reply. Lancet, The, 2018, 392, 119.   | 13.7 | 1         |
| 179 | Stillbirths and neonatal deaths among 18Â942 women with postpartum hemorrhage: Analysis of<br>perinatal outcomes in the WOMAN trial. International Journal of Gynecology and Obstetrics, 2021, 153,<br>146-153.  | 2.3  | 1         |
| 180 | Development of a patient reported outcome questionnaire to measure the impact of postpartum blood<br>loss in women with moderate and severe anaemia: A study using a multi-faceted approach. Wellcome<br>Open Research, 0, 4, 85.                              | 1.8  | 1         |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 181 | What's in a number? Problems with counting traumatic brain injuries. Emergency Medicine Journal, 2021, , emermed-2021-212076.   | 1.0  | 1         |
| 182 | Effect of early tranexamic acid treatment on fatigue in patients with mild traumatic brain injury: data from the CRASH-3 clinical trial. Wellcome Open Research, 0, 6, 346.   | 1.8  | 1         |
| 183 | CRASH trial: The first large-scale randomized controlled trial in head injury. ANZ Journal of Surgery, 2002, 72, 600-600.   | 0.7  | 0         |
| 184 | Fat chance for Cancún. Journal of the Royal Society of Medicine, 2011, 104, 43-44.  | 2.0  | 0         |
| 185 | Why petrol tanks and stomachs are competing to be filled. Journal of Public Health, 2011, 33, 170-171.  | 1.8  | 0         |
| 186 | Tranexamic acid for traumatic brain injury – Authors' reply. Lancet, The, 2020, 396, 165-166.   | 13.7 | 0         |
| 187 | The Energy Glut: Transport and the Politics of Fatness and Thinness. Springer Transactions in Civil and Environmental Engineering, 2021, , 283-301.   | 0.4  | 0         |
| 188 | It's all about money. Bulletin of the World Health Organization, 2009, 87, 400-401.   | 3.3  | 0         |
| 189 | Tranexamic acid and trauma. Medical Journal of Australia, 2014, 200, 254-255.   | 1.7  | 0         |
| 190 | Development of a patient reported outcome questionnaire to measure the impact of postpartum blood<br>loss in women with moderate and severe anaemia: A study using a multi-faceted approach. Wellcome<br>Open Research, 0, 4, 85. | 1.8  | 0         |
| 191 | Tranexamic acid reduces trauma-related death: A lesson from CRASH trials. Japanese Journal of<br>Thrombosis and Hemostasis, 2020, 31, 325-333.  | 0.1  | 0         |
| 192 | Tranexamic Acid - a recipe for saving lives in traumatic bleeding. Journal of Tehran University Heart<br>Center, 2011, 6, 178.  | 0.2  | 0         |
| 193 | Tranexamic Acid: a recipe for saving lives in traumatic bleeding. Scientia Africana, 2012, 18, 1.   | 0.1  | 0         |
| 194 | Tranexamic acida recipe for saving lives in traumatic bleeding. Journal of Primary Health Care, 2011, 3, 331.   | 0.6  | 0         |
| 195 | A cost-effectiveness and value of information analysis to inform future research of tranexamic acid for older adults experiencing mild traumatic brain injury. Trials, 2022, 23, 370.   | 1.6  | 0         |
| 196 | Decolonising knowledge production: our experience researching tranexamic acid for trauma victims.<br>BMJ, The, 0, , o1338.  | 6.0  | 0         |