
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7945460/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Brief Consent Methods Enable Rapid Enrollment in Acute Stroke Trial: Results From the TICH-2 Randomized Controlled Trial. Stroke, 2022, 53, 1141-1148.	1.0	5
2	Pharmacokinetics of tranexamic acid after intravenous, intramuscular, and oral routes: a prospective, randomised, crossover trial in healthy volunteers. British Journal of Anaesthesia, 2022, 128, 465-472.	1.5	30
3	Effect of Tranexamic Acid Administration on Remote Cerebral Ischemic Lesions in Acute Spontaneous Intracerebral Hemorrhage. JAMA Neurology, 2022, 79, 468.	4.5	9
4	Postpartum haemorrhage in anaemic women: assessing outcome measures for clinical trials. Trials, 2022, 23, 220.	0.7	8
5	Traumatic injury clinical trial evaluating tranexamic acid in children (<scp>TICâ€TOC</scp>): A pilot randomized trial. Academic Emergency Medicine, 2022, 29, 862-873.	0.8	2
6	Tranexamic acid for the prevention of postpartum hemorrhage in women undergoing cesarean delivery. American Journal of Obstetrics and Gynecology, 2022, 226, 755-756.	0.7	5
7	Tranexamic acid for trauma in the USA: is prejudice a barrier to saving lives?. Lancet, The, 2022, , .	6.3	3
8	A cost-effectiveness and value of information analysis to inform future research of tranexamic acid for older adults experiencing mild traumatic brain injury. Trials, 2022, 23, 370.	0.7	0
9	Use of tranexamic acid in major trauma: a sex-disaggregated analysis of the Clinical Randomisation of an Antifibrinolytic in Significant Haemorrhage (CRASH-2 and CRASH-3) trialsÂand UK trauma registry (Trauma and Audit Research Network) data. British Journal of Anaesthesia, 2022, 129, 191-199.	1.5	19
10	The role of tranexamic acid in trauma — a life-saving drug with proven benefit. Nature Reviews Disease Primers, 2022, 8, .	18.1	5
11	Effects of tranexamic acid treatment in severely and nonâ€severely injured trauma patients. Transfusion, 2022, 62, .	0.8	3
12	Alternative routes to intravenous tranexamic acid for postpartum hemorrhage: A systematic search and narrative review. International Journal of Gynecology and Obstetrics, 2022, 158, 40-45.	1.0	4
13	Pharmacokinetics of intramuscular tranexamic acid in bleeding trauma patients: a clinical trial. British Journal of Anaesthesia, 2021, 126, 201-209.	1.5	35
14	Stillbirths and neonatal deaths among 18Â942 women with postpartum hemorrhage: Analysis of perinatal outcomes in the WOMAN trial. International Journal of Gynecology and Obstetrics, 2021, 153, 146-153.	1.0	1
15	Effect of tranexamic acid on intracranial haemorrhage and infarction in patients with traumatic brain injury: a pre-planned substudy in a sample of CRASH-3 trial patients. Emergency Medicine Journal, 2021, 38, 270-278.	0.4	12
16	Validation of the BATT score for prehospital risk stratification of traumatic haemorrhagic death: usefulness for tranexamic acid treatment criteria. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2021, 29, 6.	1.1	15
17	Menstruation should not be overlooked in control of anaemia. Lancet, The, 2021, 397, 26.	6.3	9
18	Statin treatment and muscle symptoms: series of randomised, placebo controlled n-of-1 trials. BMJ, The, 2021, 372, n135.	3.0	102

#	Article	IF	CITATIONS
19	Outcomes in Antiplateletâ€Associated Intracerebral Hemorrhage in the TICHâ€2 Randomized Controlled Trial. Journal of the American Heart Association, 2021, 10, e019130.	1.6	17
20	The effect of statins on muscle symptoms in primary care: the StatinWISE series of 200 N-of-1 RCTs. Health Technology Assessment, 2021, 25, 1-62.	1.3	6
21	The Potential Effectiveness of COVID-Related Smoking Cessation Messages in Three Countries. Nicotine and Tobacco Research, 2021, 23, 1254-1258.	1.4	12
22	Tranexamic acid to reduce head injury death in people with traumatic brain injury: the CRASH-3 international RCT. Health Technology Assessment, 2021, 25, 1-76.	1.3	11
23	Tranexamic Acid Treatment for Trauma Victims. Seminars in Thrombosis and Hemostasis, 2021, 47, 520-526.	1.5	6
24	WOMAN-PharmacoTXA trial: Study protocol for a randomised controlled trial to assess the pharmacokinetics and pharmacodynamics of intramuscular, intravenous and oral administration of tranexamic acid in women giving birth by caesarean section. Wellcome Open Research, 2021, 6, 157.	0.9	10
25	Making miscarriage matter. Lancet, The, 2021, 398, 743-744.	6.3	4
26	Physiologically based modelling of tranexamic acid pharmacokinetics following intravenous, intramuscular, sub-cutaneous and oral administration in healthy volunteers. European Journal of Pharmaceutical Sciences, 2021, 164, 105893.	1.9	17
27	The Energy Glut: Transport and the Politics of Fatness and Thinness. Springer Transactions in Civil and Environmental Engineering, 2021, , 283-301.	0.3	0
28	A high-dose 24-hour tranexamic acid infusion for the treatment of significant gastrointestinal bleeding: HALT-IT RCT. Health Technology Assessment, 2021, 25, 1-86.	1.3	4
29	Effect of tranexamic acid on thrombotic events and seizures in bleeding patients: a systematic review and meta-analysis. Critical Care, 2021, 25, 380.	2.5	63
30	Clinical Validation of a Volumetric Absorptive Micro-Sampling Device for Pharmacokinetic Studies With Tranexamic Acid. Frontiers in Pharmacology, 2021, 12, 764379.	1.6	6
31	What's in a number? Problems with counting traumatic brain injuries. Emergency Medicine Journal, 2021, , emermed-2021-212076.	0.4	1
32	Tranexamic acid for traumatic brain injury – Authors' reply. Lancet, The, 2020, 396, 165-166.	6.3	0
33	The WOMAN trial: clinical and contextual factors surrounding the deaths of 483 women following post-partum haemorrhage in developing countries. BMC Pregnancy and Childbirth, 2020, 20, 409.	0.9	20
34	Understanding the neuroprotective effect of tranexamic acid: an exploratory analysis of the CRASH-3 randomised trial. Critical Care, 2020, 24, 560.	2.5	24
35	Accuracy of time to treatment estimates in the CRASH-3 clinical trial: impact on the trial results. Trials, 2020, 21, 681.	0.7	3
36	Cost-effectiveness analysis of tranexamic acid for the treatment of traumatic brain injury, based on the results of the CRASH-3 randomised trial: a decision modelling approach. BMJ Global Health, 2020, 5, e002716.	2.0	14

#	Article	IF	CITATIONS
37	Risk factors for blood transfusion in traumatic and postpartum hemorrhage patients: Analysis of the CRASH-2 and WOMAN trials. PLoS ONE, 2020, 15, e0233274.	1.1	12
38	Tranexamic acid quantification in human whole blood using liquid samples or volumetric absorptive microsampling devices. Bioanalysis, 2020, 12, 835-844.	0.6	3
39	Effect of tranexamic acid by baseline risk of death in acute bleeding patients: a meta-analysis of individual patient-level data from 28 333 patients. British Journal of Anaesthesia, 2020, 124, 676-683.	1.5	26
40	Yoga-Based Cardiac Rehabilitation After Acute Myocardial Infarction. Journal of the American College of Cardiology, 2020, 75, 1551-1561.	1.2	55
41	Safetxt: a safer sex intervention delivered by mobile phone messaging on sexually transmitted infections (STI) among young people in the UK - protocol for a randomised controlled trial. BMJ Open, 2020, 10, e031635.	0.8	9
42	Tranexamic acid reduces trauma-related death: A lesson from CRASH trials. Japanese Journal of Thrombosis and Hemostasis, 2020, 31, 325-333.	0.1	0
43	Implementation of tranexamic acid for bleeding trauma patients: a longitudinal and cross-sectional study. Emergency Medicine Journal, 2019, 36, emermed-2018-207693.	0.4	15
44	Tranexamic acid for acute gastrointestinal bleeding (the HALT-IT trial): statistical analysis plan for an international, randomised, double-blind, placebo-controlled trial. Trials, 2019, 20, 467.	0.7	12
45	No effect of tranexamic acid on platelet function and thrombin generation (ETAPlaT) in postpartum haemorrhage: a randomised placebo-controlled trial. Wellcome Open Research, 2019, 4, 21.	0.9	8
46	Prognostic model for traumatic death due to bleeding: cross-sectional international study. BMJ Open, 2019, 9, e026823.	0.8	10
47	Trial management: we need a cadre of high-class triallists to deliver the answers that patients need. Trials, 2019, 20, 354.	0.7	7
48	What concentration of tranexamic acid is needed to inhibit fibrinolysis? A systematic review of pharmacodynamics studies. Blood Coagulation and Fibrinolysis, 2019, 30, 1-10.	0.5	101
49	Secondary analysis of the <scp>WOMAN</scp> trial to explore the risk of sepsis after invasive treatments for postpartum hemorrhage. International Journal of Gynecology and Obstetrics, 2019, 146, 231-237.	1.0	8
50	Tranexamic acid through intravenous, intramuscular and oral routes: an individual participant data metaâ€analysis of pharmacokinetic studies in healthy volunteers. Fundamental and Clinical Pharmacology, 2019, 33, 670-678.	1.0	21
51	Tranexamic acid for post-partum haemorrhage: What, who and when. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2019, 61, 66-74.	1.4	29
52	Yoga and Cardiovascular Health Trial (YACHT): a UK-based randomised mechanistic study of a yoga intervention plus usual care versus usual care alone following an acute coronary event. BMJ Open, 2019, 9, e030119.	0.8	17
53	Derivation and validation of an easy-to-compute trauma score that improves prognostication of mortality or the Trauma Rating Index in Age, Glasgow Coma Scale, Respiratory rate and Systolic blood pressure (TRIAGES) score. Critical Care, 2019, 23, 365.	2.5	16
54	The Effect of Tranexamic Acid on Functional Outcomes: An Exploratory Analysis of the CRASH-2 Randomized Controlled Trial. Annals of Emergency Medicine, 2019, 74, 79-87.	0.3	10

#	Article	IF	CITATIONS
55	Effectiveness and cost-effectiveness of a Yoga-based Cardiac Rehabilitation (Yoga-CaRe) program following acute myocardial infarction: Study rationale and design of a multi-center randomized controlled trial. International Journal of Cardiology, 2019, 280, 14-18.	0.8	21
56	Tranexamic acid to improve functional status in adults with spontaneous intracerebral haemorrhage: the TICH-2 RCT. Health Technology Assessment, 2019, 23, 1-48.	1.3	17
57	Does tranexamic acid lead to changes in MRI measures of brain tissue health in patients with spontaneous intracerebral haemorrhage? Protocol for a MRI substudy nested within the double-blind randomised controlled TICH-2 trial. BMJ Open, 2018, 8, e019930.	0.8	7
58	Hydroxyethyl starch solutions and patient harm. Lancet, The, 2018, 391, 736.	6.3	51
59	Tranexamic acid for treatment of women with post-partum haemorrhage in Nigeria and Pakistan: a cost-effectiveness analysis of data from the WOMAN trial. The Lancet Global Health, 2018, 6, e222-e228.	2.9	33
60	Postâ€partum haemorrhage and tranexamic acid: a global issue. British Journal of Haematology, 2018, 180, 799-807.	1.2	15
61	Effect of emotional content on online video sharing among health care professionals and researchers (DIFFUSION): results and lessons learnt from a randomised controlled trial. BMJ Open, 2018, 8, e019419.	0.8	1
62	Effect of treatment delay on the effectiveness and safety of antifibrinolytics in acute severe haemorrhage: a meta-analysis of individual patient-level data from 40â€^138 bleeding patients. Lancet, The, 2018, 391, 125-132.	6.3	261
63	Outcome measures in clinical trials of treatments for acute severe haemorrhage. Trials, 2018, 19, 533.	0.7	25
64	Tranexamic acid for the prevention of postpartum bleeding in women with anaemia: study protocol for an international, randomised, double-blind, placebo-controlled trial. Trials, 2018, 19, 712.	0.7	39
65	Traumatic injury clinical trial evaluating tranexamic acid in children (TIC-TOC): study protocol for a pilot randomized controlled trial. Trials, 2018, 19, 593.	0.7	16
66	Women's work in UK clinical trials is undervalued. Lancet, The, 2018, 392, 732.	6.3	8
67	Tranexamic acid for hyperacute primary IntraCerebral Haemorrhage (TICH-2): an international randomised, placebo-controlled, phase 3 superiority trial. Lancet, The, 2018, 391, 2107-2115.	6.3	309
68	The impact of early outcome events on the effect of tranexamic acid in post-partum haemorrhage: an exploratory subgroup analysis of the WOMAN trial. BMC Pregnancy and Childbirth, 2018, 18, 215.	0.9	9
69	Should hydroxyethyl starch be banned? – Authors' reply. Lancet, The, 2018, 392, 119.	6.3	1
70	Risk factors for peripartum hysterectomy among women with postpartum haemorrhage: analysis of data from the WOMAN trial. BMC Pregnancy and Childbirth, 2018, 18, 186.	0.9	51
71	Haematological and fibrinolytic status of Nigerian women with post-partum haemorrhage. BMC Pregnancy and Childbirth, 2018, 18, 143.	0.9	28
72	Finding Better Ways to Prevent Postpartum Hemorrhage. New England Journal of Medicine, 2018, 379, 790-792.	13.9	4

#	Article	IF	CITATIONS
73	Tranexamic acid for significant traumatic brain injury (The CRASH-3 trial): Statistical analysis plan for an international, randomised, double-blind, placebo-controlled trial. Wellcome Open Research, 2018, 3, 86.	0.9	14
74	Tranexamic acid for significant traumatic brain injury (The CRASH-3 trial): Statistical analysis plan for an international, randomised, double-blind, placebo-controlled trial. Wellcome Open Research, 2018, 3, 86.	0.9	28
75	Effect of tranexamic acid on coagulation and fibrinolysis in women with postpartum haemorrhage (WOMAN-ETAC): a single-centre, randomised, double-blind, placebo-controlled trial. Wellcome Open Research, 2018, 3, 100.	0.9	24
76	A nested randomised trial of the effect of tranexamic acid on intracranial haemorrhage and infarction in traumatic brain injury (CRASH-3 trial intracranial bleeding mechanistic study): Statistical analysis plan. Wellcome Open Research, 2018, 3, 99.	0.9	2
77	Tranexamic acid in bleeding trauma patients: an exploration of benefits and harms. Trials, 2017, 18, 48.	0.7	34
78	Tranexamic acid for post-partum haemorrhage in the WOMAN trial – Authors' reply. Lancet, The, 2017, 390, 1584.	6.3	2
79	A nested mechanistic sub-study into the effect of tranexamic acid versus placebo on intracranial haemorrhage and cerebral ischaemia in isolated traumatic brain injury: study protocol for a randomised controlled trial (CRASH-3 Trial Intracranial Bleeding Mechanistic Sub-Study [CRASH-3) Tj ETQq1 1 C).78 43⁷14 r	gBT ² /Overloc
80	Study protocol for statin web-based investigation of side effects (StatinWISE): a series of randomised controlled N-of-1 trials comparing atorvastatin and placebo in UK primary care. BMJ Open, 2017, 7, e016604.	0.8	14
81	Differential effects of the Glasgow Coma Scale Score and its Components: An analysis of 54,069 patients with traumatic brain injury. Injury, 2017, 48, 1932-1943.	0.7	66
82	The effectiveness and safety of antifibrinolytics in patients with acute intracranial haemorrhage: statistical analysis plan for an individual patient data meta-analysis. Wellcome Open Research, 2017, 2, 120.	0.9	2
83	The effectiveness and safety of anti-fibrinolytics in patients with acute intracranial haemorrhage: statistical analysis plan for an individual patient data meta-analysis. Wellcome Open Research, 2017, 2, 120.	0.9	3
84	Intravenous tranexamic acid for hyperacute primary intracerebral hemorrhage: Protocol for a randomized, placebo-controlled trial. International Journal of Stroke, 2016, 11, 683-694.	2.9	50
85	Does tranexamic acid improve outcomes in traumatic brain injury?. BMJ, The, 2016, 354, i4814.	3.0	11
86	Land use, transport, and population health: estimating the health benefits of compact cities. Lancet, The, 2016, 388, 2925-2935.	6.3	369
87	Fibrinolytic shutdown: fascinating theory but randomized controlled trial data are needed. Transfusion, 2016, 56, S115-8.	0.8	29
88	Interpretation of the evidence for the efficacy and safety of statin therapy. Lancet, The, 2016, 388, 2532-2561.	6.3	1,399
89	The effect of tranexamic acid on the risk of death and hysterectomy in women with post-partum haemorrhage: statistical analysis plan for the WOMAN trial. Trials, 2016, 17, 249.	0.7	18
90	Safetxt: a pilot randomised controlled trial of an intervention delivered by mobile phone to increase safer sex behaviours in young people. BMJ Open, 2016, 6, e013045.	0.8	9

IAN ROBERTS

#	Article	IF	CITATIONS
91	Cochrane: the unfinished symphony of research synthesis. Systematic Reviews, 2016, 5, 115.	2.5	11
92	Simple steps to develop trial follow-up procedures. Trials, 2016, 17, 28.	0.7	8
93	Statistical analysis plan for the WOMAN-ETAPIaT study: Effect of tranexamic acid on platelet function and thrombin generation. Wellcome Open Research, 2016, 1, 30.	0.9	2
94	Time for sharing data to become routine: the seven excuses for not doing so are all invalid. F1000Research, 2016, 5, 781.	0.8	14
95	Effect of tranexamic acid on coagulation and fibrinolysis in women with postpartum haemorrhage (WOMAN-ETAC): protocol and statistical analysis plan for a randomized controlled trial. Wellcome Open Research, 2016, 1, 31.	0.9	8
96	Effects of tranexamic acid on platelet function and thrombin generation (ETAPIaT): WOMAN trial sub-study. Wellcome Open Research, 2016, 1, 29.	0.9	6
97	Can text messages increase safer sex behaviours in young people? Intervention development and pilot randomised controlled trial. Health Technology Assessment, 2016, 20, 1-82.	1.3	30
98	Antifibrinolytic drugs for acute traumatic injury. The Cochrane Library, 2015, 2015, CD004896.	1.5	110
99	Exploring redundant research into the effect of tranexamic acid on surgical bleeding: further analysis of a systematic review of randomised controlled trials. BMJ Open, 2015, 5, e009460.	0.8	12
100	The knowledge system underpinning healthcare is not fit for purpose and must change. BMJ, The, 2015, 350, h2463-h2463.	3.0	103
101	The science of clinical practice: disease diagnosis or patient prognosis? Evidence about "what is likely to happen―should shape clinical practice. BMC Medicine, 2015, 13, 20.	2.3	163
102	How systematic reviews cause research waste. Lancet, The, 2015, 386, 1536.	6.3	54
103	Ebola care and research protocols. Intensive Care Medicine, 2015, 41, 111-114.	3.9	10
104	Importance of "acknowledging and reducing treatment uncertainty" in appraisal and revalidation. BMJ, The, 2014, 348, g2851-g2851.	3.0	1
105	Guide to the design and review of emergency research when it is proposed that consent and consultation be waived: TableÂ1. Emergency Medicine Journal, 2014, 31, 794-795.	0.4	22
106	Red Blood Cell Transfusion and Mortality in Trauma Patients: Risk-Stratified Analysis of an Observational Study. PLoS Medicine, 2014, 11, e1001664.	3.9	48
107	Ebola virus disease: clinical care and patient-centred research. Lancet, The, 2014, 384, 2001-2002.	6.3	28
108	HALT-IT - tranexamic acid for the treatment of gastrointestinal bleeding: study protocol for a randomised controlled trial. Trials, 2014, 15, 450.	0.7	79

#	Article	IF	CITATIONS
109	Mechanism of action of tranexamic acid in bleeding trauma patients: an exploratory analysis of data from the CRASH-2 trial. Critical Care, 2014, 18, 685.	2.5	80
110	Applying results from clinical trials: tranexamic acid in trauma patients. Journal of Intensive Care, 2014, 2, 56.	1.3	32
111	Central and statistical data monitoring in the Clinical Randomisation of an Antifibrinolytic in Significant Haemorrhage (CRASH-2) trial. Clinical Trials, 2014, 11, 336-343.	0.7	24
112	Blood pressure lowering and cardiovascular risk. Lancet, The, 2014, 384, 1745.	6.3	2
113	Tranexamic acid for surgical bleeding. BMJ, The, 2014, 349, g4934.	3.0	26
114	Biomedical research: increasing value, reducing waste. Lancet, The, 2014, 383, 101-104.	6.3	750
115	Tranexamic acid and trauma. Medical Journal of Australia, 2014, 200, 254-255.	0.8	0
116	The importance of health co-benefits in macroeconomic assessments of UK Greenhouse Gas emission reduction strategies. Climatic Change, 2013, 121, 223-237.	1.7	40
117	Beyond disease burden: towards solution-oriented population health. Lancet, The, 2013, 381, 2219-2221.	6.3	9
118	Scientific letter: Could tranexamic acid use in surgery reduce perioperative myocardial infarction?. Heart, 2013, 99, 1785-1785.	1.2	7
119	Dangers of non-specific composite outcome measures in clinical trials. BMJ, The, 2013, 347, f6782-f6782.	3.0	28
120	Predicting early death in patients with traumatic bleeding: development and validation of prognostic model. BMJ, The, 2012, 345, e5166-e5166.	3.0	79
121	Effect of increasing active travel in urban England and Wales on costs to the National Health Service. Lancet, The, 2012, 379, 2198-2205.	6.3	163
122	Effect of tranexamic acid on surgical bleeding: systematic review and cumulative meta-analysis. BMJ, The, 2012, 344, e3054-e3054.	3.0	713
123	Tranexamic acid: less bleeding and less thrombosis?. Critical Care, 2012, 16, 135.	2.5	70
124	Effect of tranexamic acid on mortality in patients with traumatic bleeding: prespecified analysis of data from randomised controlled trial. BMJ, The, 2012, 345, e5839-e5839.	3.0	120
125	Tranexamic acid – A recipe for saving lives in traumatic bleeding. Alexandria Journal of Medicine, 2012, 48, 1-2.	0.4	1
126	CRASH-3 - tranexamic acid for the treatment of significant traumatic brain injury: study protocol for an international randomized, double-blind, placebo-controlled trial. Trials, 2012, 13, 87.	0.7	149

IAN ROBERTS

#	Article	IF	CITATIONS
127	Barbiturates for acute traumatic brain injury. The Cochrane Library, 2012, 12, CD000033.	1.5	128
128	Risk Factors for Vascular Occlusive Events and Death Due to Bleeding in Trauma Patients; an Analysis of the CRASH-2 Cohort. PLoS ONE, 2012, 7, e50603.	1.1	9
129	Avoidable mortality from giving tranexamic acid to bleeding trauma patients: an estimation based on WHO mortality data, a systematic literature review and data from the CRASH-2 trial. BMC Emergency Medicine, 2012, 12, 3.	0.7	95
130	Tranexamic Acid: a recipe for saving lives in traumatic bleeding. Scientia Africana, 2012, 18, 1.	0.0	0
131	Tranexamic acid for postpartum bleeding. International Journal of Gynecology and Obstetrics, 2011, 115, 220-221.	1.0	13
132	The importance of early treatment with tranexamic acid in bleeding trauma patients: an exploratory analysis of the CRASH-2 randomised controlled trial. Lancet, The, 2011, 377, 1096-1101.e2.	6.3	950
133	Effect of consent rituals on mortality in emergency care research. Lancet, The, 2011, 377, 1071-1072.	6.3	188
134	Smoking cessation support delivered via mobile phone text messaging (txt2stop): a single-blind, randomised trial. Lancet, The, 2011, 378, 49-55.	6.3	674
135	Cost-Effectiveness Analysis of Administering Tranexamic Acid to Bleeding Trauma Patients Using Evidence from the CRASH-2 Trial. PLoS ONE, 2011, 6, e18987.	1.1	150
136	Between-centre differences and treatment effects in randomized controlled trials: A case study in traumatic brain injury. Trials, 2011, 12, 201.	0.7	26
137	Fat chance for Cancún. Journal of the Royal Society of Medicine, 2011, 104, 43-44.	1.1	0
138	Tranexamic acida recipe for saving lives in traumatic bleeding. International Journal of Epidemiology, 2011, 40, 1145-1145.	0.9	2
139	Why petrol tanks and stomachs are competing to be filled. Journal of Public Health, 2011, 33, 170-171.	1.0	0
140	Human albumin solution for resuscitation and volume expansion in critically ill patients. The Cochrane Library, 2011, , CD001208.	1.5	148
141	Antifibrinolytic drugs for acute traumatic injury. , 2011, , CD004896.		82
142	Tranexamic Acid - a recipe for saving lives in traumatic bleeding. Journal of Tehran University Heart Center, 2011, 6, 178.	0.2	0
143	Tranexamic acida recipe for saving lives in traumatic bleeding. Journal of Primary Health Care, 2011, 3, 331.	0.2	0
144	Giving tranexamic acid to reduce surgical bleeding in sub-Saharan Africa: an economic evaluation. Cost Effectiveness and Resource Allocation, 2010, 8, 1.	0.6	44

#	Article	IF	CITATIONS
145	The WOMAN Trial (World Maternal Antifibrinolytic Trial): tranexamic acid for the treatment of postpartum haemorrhage: an international randomised, double blind placebo controlled trial. Trials, 2010, 11, 40.	0.7	247
146	The risk of transfusionâ€ŧransmitted infections in sub‣aharan Africa. Transfusion, 2010, 50, 433-442.	0.8	123
147	Doctors and climate change. Lancet, The, 2010, 376, 1801-1802.	6.3	9
148	Effects of tranexamic acid on death, vascular occlusive events, and blood transfusion in trauma patients with significant haemorrhage (CRASH-2): a randomised, placebo-controlled trial. Lancet, The, 2010, 376, 23-32.	6.3	3,188
149	The health co-benefits of climate change policies: doctors have a responsibility to future generations. Clinical Medicine, 2009, 9, 212-213.	0.8	15
150	Intracranial bleeding in patients with traumatic brain injury: A prognostic study. BMC Emergency Medicine, 2009, 9, 15.	0.7	116
151	Aligning climate change and public health policies. Lancet, The, 2009, 374, 2035-2038.	6.3	39
152	Public health benefits of strategies to reduce greenhouse-gas emissions: urban land transport. Lancet, The, 2009, 374, 1930-1943.	6.3	856
153	Public health benefits of strategies to reduce greenhouse-gas emissions: food and agriculture. Lancet, The, 2009, 374, 2016-2025.	6.3	393
154	Public health benefits of strategies to reduce greenhouse-gas emissions: overview and implications for policy makers. Lancet, The, 2009, 374, 2104-2114.	6.3	451
155	Interventions for preventing injuries caused by impaired alertness in individuals with jet lag and shift work disorder. , 2009, , .		2
156	It's all about money. Bulletin of the World Health Organization, 2009, 87, 400-401.	1.5	0
157	Corporate capture and Coca-Cola. Lancet, The, 2008, 372, 1934-1935.	6.3	7
158	Predicting outcome after traumatic brain injury: practical prognostic models based on large cohort of international patients. BMJ: British Medical Journal, 2008, 336, 425-429.	2.4	950
159	The economics of tackling climate change. BMJ: British Medical Journal, 2008, 336, 165-166.	2.4	11
160	Formula One and global road safety. Journal of the Royal Society of Medicine, 2007, 100, 360-362.	1.1	7
161	Policy at the crossroads: climate change and injury control. Injury Prevention, 2007, 13, 222-223.	1.2	9
162	Doubts over head injury studies. BMJ: British Medical Journal, 2007, 334, 392-394.	2.4	41

#	Article	IF	CITATIONS
163	Energy and transport. Lancet, The, 2007, 370, 1078-1088.	6.3	530
164	Say no to global guzzling. New Scientist, 2007, 194, 21.	0.0	4
165	Comparison of treatment effects between animal experiments and clinical trials: systematic review. BMJ: British Medical Journal, 2007, 334, 197.	2.4	630
166	Antifibrinolytic Agents in Traumatic Hemorrhage. Annals of Epidemiology, 2006, 16, 113-114.	0.9	4
167	Walking, Cycling and Transport Safety: An Analysis of Child Road Deaths. Journal of the Royal Society of Medicine, 2006, 99, 402-405.	1.1	54
168	Car manufacturers and global road safety: a word frequency analysis of road safety documents. Injury Prevention, 2006, 12, 320-322.	1.2	28
169	Post-licence driver education for the prevention of road traffic crashes: a systematic review of randomised controlled trials. Accident Analysis and Prevention, 2005, 37, 305-313.	3.0	95
170	Antifibrinolytic Agents in Traumatic Haemorrhage. PLoS Medicine, 2005, 2, e64.	3.9	3
171	Climate change: the implications for policy on injury control and health promotion. Injury Prevention, 2005, 11, 326-329.	1.2	11
172	Meta-analysis of randomised trials of monetary incentives and response to mailed questionnaires. Journal of Epidemiology and Community Health, 2005, 59, 987-999.	2.0	116
173	Final results of MRC CRASH, a randomised placebo-controlled trial of intravenous corticosteroid in adults with head injury—outcomes at 6 months. Lancet, The, 2005, 365, 1957-1959.	6.3	739
174	Where is the evidence that animal research benefits humans?. BMJ: British Medical Journal, 2004, 328, 514-517.	2.4	409
175	Follow-up by mail in clinical trials: does questionnaire length matter?. Contemporary Clinical Trials, 2004, 25, 31-52.	2.0	138
176	Effect of intravenous corticosteroids on death within 14 days in 10â€^008 adults with clinically significant head injury (MRC CRASH trial): randomised placebo-controlled trial. Lancet, The, 2004, 364, 1321-1328.	6.3	1,016
177	Antibiotics for preventing infection in open limb fractures. The Cochrane Library, 2004, , CD003764.	1.5	153
178	Fluid Resuscitation Strategies: A Systematic Review of Animal Trials. Journal of Trauma, 2003, 55, 571-589.	2.3	169
179	The World Bank's Global Road Safety Partnership. Traffic Injury Prevention, 2002, 3, 190-194.	0.6	13
180	Increasing response rates to postal questionnaires: systematic review. BMJ: British Medical Journal, 2002, 324, 1183-1183.	2.4	1,428

IAN ROBERTS

#	Article	IF	CITATIONS
181	Safety education of pedestrians for injury prevention: a systematic review of randomised controlled trials. BMJ: British Medical Journal, 2002, 324, 1129-1129.	2.4	175
182	Does animal experimentation inform human healthcare? Observations from a systematic review of international animal experiments on fluid resuscitation. BMJ: British Medical Journal, 2002, 324, 474-476.	2.4	112
183	Systematic reviews of animal experiments. Lancet, The, 2002, 360, 586.	6.3	117
184	CRASH trial: The first large-scale randomized controlled trial in head injury. ANZ Journal of Surgery, 2002, 72, 600-600.	0.3	0
185	Is the normalisation of blood pressure in bleeding trauma patients harmful?. Lancet, The, 2001, 357, 385-387.	6.3	157
186	The CRASH trial: the first large-scale, randomised, controlled trial in head injury. Critical Care, 2001, 5, 292.	2.5	9
187	The World Health Organization and the prevention of road injuries: phone book analysis. BMJ: British Medical Journal, 2001, 323, 1485-1485.	2.4	2
188	Barbiturates for acute traumatic brain injury. , 1999, , CD000033.		60
189	Aminosteroids for acute traumatic brain injury. The Cochrane Library, 1999, , CD001527.	1.5	11
190	The Urban Traffic Environment and the Risk of Child Pedestrian Injury. Epidemiology, 1995, 6, 169-171.	1.2	50
191	Development of a patient reported outcome questionnaire to measure the impact of postpartum blood loss in women with moderate and severe anaemia: A study using a multi-faceted approach. Wellcome Open Research, 0, 4, 85.	0.9	1
192	Statistical analysis plan for the WOMAN-ETAPIaT study: Effect of tranexamic acid on platelet function and thrombin generation. Wellcome Open Research, 0, 1, 30.	0.9	3
193	The effectiveness and safety of antifibrinolytics in patients with acute intracranial haemorrhage: statistical analysis plan for an individual patient data meta-analysis. Wellcome Open Research, 0, 2, 120.	0.9	4
194	Development of a patient reported outcome questionnaire to measure the impact of postpartum blood loss in women with moderate and severe anaemia: A study using a multi-faceted approach. Wellcome Open Research, 0, 4, 85.	0.9	0
195	Effect of early tranexamic acid treatment on fatigue in patients with mild traumatic brain injury: data from the CRASH-3 clinical trial. Wellcome Open Research, 0, 6, 346.	0.9	1
196	Decolonising knowledge production: our experience researching tranexamic acid for trauma victims. BMJ, The, 0, , o1338.	3.0	0