

Jian Zhou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/794656/jian-zhou-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

1,375
citations

20
h-index

36
g-index

63
ext. papers

1,718
ext. citations

5.7
avg, IF

4.78
L-index

#	Paper	IF	Citations
53	Coaxial Thermoplastic Elastomer-Wrapped Carbon Nanotube Fibers for Deformable and Wearable Strain Sensors. <i>Advanced Functional Materials</i> , 2018 , 28, 1705591	15.6	163
52	Ultrasensitive, Stretchable Strain Sensors Based on Fragmented Carbon Nanotube Papers. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 4835-4842	9.5	141
51	The temperature-dependent microstructure of PEDOT/PSS films: insights from morphological, mechanical and electrical analyses. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 9903-9910	7.1	140
50	Semi-metallic, strong and stretchable wet-spun conjugated polymer microfibers. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 2528-2538	7.1	100
49	Flexible surface acoustic wave resonators built on disposable plastic film for electronics and lab-on-a-chip applications. <i>Scientific Reports</i> , 2013 , 3, 2140	4.9	94
48	High-capacity conductive polymer microfibers as fast response wearable heaters and electromechanical actuators. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 1238-1249	7.1	80
47	Deformable and wearable carbon nanotube microwire-based sensors for ultrasensitive monitoring of strain, pressure and torsion. <i>Nanoscale</i> , 2017 , 9, 604-612	7.7	62
46	Unraveling the Order and Disorder in Poly(3,4-ethylenedioxythiophene)/Poly(styrenesulfonate) Nanofilms. <i>Macromolecules</i> , 2015 , 48, 5688-5696	5.5	40
45	Bendable transparent ZnO thin film surface acoustic wave strain sensors on ultra-thin flexible glass substrates. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 9109-9114	7.1	35
44	Making a Bilateral Compression/Tension Sensor by Pre-Stretching Open-Crack Networks in Carbon Nanotube Papers. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 33507-33515	9.5	33
43	Ultrathin Glass-Based Flexible, Transparent, and Ultrasensitive Surface Acoustic Wave Humidity Sensor with ZnO Nanowires and Graphene Quantum Dots. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 39817-39825	9.5	30
42	Influence of Substrate Temperature on Structural Properties and Deposition Rate of AlN Thin Film Deposited by Reactive Magnetron Sputtering. <i>Journal of Electronic Materials</i> , 2012 , 41, 1948-1954	1.9	28
41	Transparent Surface Acoustic Wave Devices on ZnO/Glass Using Al-Doped ZnO as the Electrode. <i>IEEE Electron Device Letters</i> , 2013 , 34, 1319-1321	4.4	27
40	Crystalline structure effect on the performance of flexible ZnO/polyimide surface acoustic wave devices. <i>Journal of Applied Physics</i> , 2013 , 114, 044502	2.5	27
39	Wrinkle-Enabled Highly Stretchable Strain Sensors for Wide-Range Health Monitoring with a Big Data Cloud Platform. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 43009-43017	9.5	27
38	30 GHz surface acoustic wave transducers with extremely high mass sensitivity. <i>Applied Physics Letters</i> , 2020 , 116, 123502	3.4	25
37	Hierarchical Nanotexturing Enables Acoustofluidics on Slippery yet Sticky, Flexible Surfaces. <i>Nano Letters</i> , 2020 , 20, 3263-3270	11.5	23

36	A highly stretchable strain-insensitive temperature sensor exploits the Seebeck effect in nanoparticle-based printed circuits. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 24493-24501	13	22
35	Buckled Conductive Polymer Ribbons in Elastomer Channels as Stretchable Fiber Conductor. <i>Advanced Functional Materials</i> , 2020 , 30, 1907316	15.6	21
34	Investigating the Inter-Tube Conduction Mechanism in Polycarbonate Nanocomposites Prepared with Conductive Polymer-Coated Carbon Nanotubes. <i>Nanoscale Research Letters</i> , 2015 , 10, 485	5	20
33	The interfaces of lanthanum oxide-based subnanometer EOT gate dielectrics. <i>Nanoscale Research Letters</i> , 2014 , 9, 472	5	20
32	Ultrahigh-Frequency Surface Acoustic Wave Sensors with Giant Mass-Loading Effects on Electrodes. <i>ACS Sensors</i> , 2020 , 5, 1657-1664	9.2	19
31	Three-Dimensional Tetrapodal ZnO Microstructured Network Based Flexible Surface Acoustic Wave Device for Ultraviolet and Respiration Monitoring Applications. <i>ACS Applied Nano Materials</i> , 2020 , 3, 1468-1478	5.6	16
30	Enhanced performance of 17.7 GHz SAW devices based on AlN/diamond/Si layered structure with embedded nanotransducer. <i>Applied Physics Letters</i> , 2017 , 111, 253502	3.4	15
29	Electrically tunable film bulk acoustic resonator based on Au/ZnO/Al structure. <i>Applied Physics Letters</i> , 2013 , 103, 062904	3.4	15
28	Nebulization using ZnO/Si surface acoustic wave devices with focused interdigitated transducers. <i>Surface and Coatings Technology</i> , 2019 , 367, 127-134	4.4	13
27	High performance 33.7 GHz surface acoustic wave nanotransducers based on AlScN/diamond/Si layered structures. <i>Applied Physics Letters</i> , 2018 , 113, 093503	3.4	13
26	Graphene-Based Fully Transparent Thin Film Surface Acoustic Wave Devices for Sensing and Lab-on-Chip Applications. <i>Journal of the Electrochemical Society</i> , 2019 , 166, B432-B440	3.9	11
25	Development of Low-Cost DDGS-Based Activated Carbons and Their Applications in Environmental Remediation and High-Performance Electrodes for Supercapacitors. <i>Journal of Polymers and the Environment</i> , 2015 , 23, 595-605	4.5	11
24	Annealing Effect on Structural, Functional, and Device Properties of Flexible ZnO Acoustic Wave Sensors Based on Commercially Available Al Foil. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 4535-4541	2.9	11
23	Enhancing the sensitivity of flexible acoustic wave ultraviolet photodetector with graphene-quantum-dots decorated ZnO nanowires. <i>Sensors and Actuators A: Physical</i> , 2021 , 321, 112590	3.9	11
22	Stability studies of ZnO and AlN thin film acoustic wave devices in acid and alkali harsh environments.. <i>RSC Advances</i> , 2020 , 10, 19178-19184	3.7	9
21	Engineering inclined orientations of piezoelectric films for integrated acoustofluidics and lab-on-a-chip operated in liquid environments. <i>Lab on A Chip</i> , 2021 , 21, 254-271	7.2	9
20	Laser Doppler velocimeter for vehicle application with improved signal-to-noise ratio. <i>Applied Physics B: Lasers and Optics</i> , 2014 , 116, 637-641	1.9	8
19	High Performance Acoustic Wave Nitrogen Dioxide Sensor with Ultraviolet Activated 3D Porous Architecture of Ag-Decorated Reduced Graphene Oxide and Polypyrrole Aerogel. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 42094-42103	9.5	8

18	Monocular trajectory intersection method for 3D motion measurement of a point target. <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 3454-3463		6
17	Distribution of Side Abutment Stress in Roadway Subjected to Dynamic Pressure and Its Engineering Application. <i>Shock and Vibration</i> , 2015 , 2015, 1-11	1.1	5
16	Surface acoustic wave devices with graphene interdigitated transducers. <i>Journal of Micromechanics and Microengineering</i> , 2019 , 29, 015006	2	5
15	A high performance surface acoustic wave visible light sensor using novel materials: BiS nanobelts.. <i>RSC Advances</i> , 2020 , 10, 8936-8940	3.7	4
14	A novel laser Doppler velocimeter. <i>Journal of Modern Optics</i> , 2010 , 57, 2170-2176	1.1	4
13	Flexible thin-film acoustic wave devices with off-axis bending characteristics for multisensing applications.. <i>Microsystems and Nanoengineering</i> , 2021 , 7, 97	7.7	4
12	Particle contact characteristics of coarse-grained soils under normal contact. <i>European Journal of Environmental and Civil Engineering</i> , 2018 , 22, s114-s129	1.5	3
11	Thermodynamics Controlled Sharp Transformation from InP to GaP Nanowires via Introducing Trace Amount of Gallium. <i>Nanoscale Research Letters</i> , 2021 , 16, 49	5	3
10	A novel quartz-crystal microbalance humidity sensor based on solution-processible indium oxide quantum dots.. <i>RSC Advances</i> , 2019 , 9, 38531-38537	3.7	2
9	Application of differential weighting function to spatial filtering velocimetry. <i>Optik</i> , 2015 , 126, 5678-5681	1.5	1
8	Effects of High-Temperature Treatment on the Reaction Between Sn-3%Ag-0.5%Cu Solder and Sputtered Ni-V Film on Ferrite Substrate. <i>Journal of Electronic Materials</i> , 2012 , 41, 3145-3151	1.9	1
7	Estimation of parameters of a laser Doppler velocimeter and their Cramer-Rao lower bounds. <i>Applied Optics</i> , 2011 , 50, 4594-603	0.2	1
6	Effect of film thickness on properties of Al-doped ZnO film as transparent conducting electrodes in OLEDs 2012 ,		1
5	MediaSoC: a system-on-chip architecture for multimedia application		1
4	Rayleigh and shear-horizontal surface acoustic waves simultaneously generated in inclined ZnO films for acoustofluidic lab-on-a-chip. <i>Surface and Coatings Technology</i> , 2022 , 128336	4.4	0
3	Liquid biopsy to identify biomarkers for immunotherapy in hepatocellular carcinoma.. <i>Biomarker Research</i> , 2021 , 9, 91	8	0
2	Single-Crystalline LiTaO ₃ Film-Based High-Frequency Surface Acoustic Wave Resonators and Electronics Applications. <i>IEEE Microwave and Wireless Components Letters</i> , 2021 , 1-4	2.6	
1	ZnO/glass thin film surface acoustic waves for efficient digital acoustofluidics and active surface cleaning. <i>Materials Chemistry and Physics</i> , 2022 , 287, 126290	4.4	

