

Dongcheng Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7946744/dongcheng-chen-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

3,071
citations

31
h-index

55
g-index

65
ext. papers

3,523
ext. citations

9.8
avg, IF

5.24
L-index

#	Paper	IF	Citations
64	Spiral Donor Design Strategy for Blue Thermally Activated Delayed Fluorescence Emitters. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 5302-5311	9.5	32
63	Co-Interlayer Engineering toward Efficient Green Quasi-Two-Dimensional Perovskite Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2020 , 30, 1910167	15.6	26
62	J-Aggregation Enhances the Electroluminescence Performance of a Sky-Blue Thermally Activated Delayed-Fluorescence Emitter in Nondoped Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 2717-2723	9.5	27
61	Non-noble-metal-based organic emitters for OLED applications. <i>Materials Science and Engineering Reports</i> , 2020 , 142, 100581	30.9	24
60	High-performance and stable CsPbBr light-emitting diodes based on polymer additive treatment.. <i>RSC Advances</i> , 2019 , 9, 27684-27691	3.7	17
59	A highly soluble, crystalline covalent organic framework compatible with device implementation. <i>Chemical Science</i> , 2019 , 10, 1023-1028	9.4	102
58	Incorporation of rubidium cations into blue perovskite quantum dot light-emitting diodes via FABR-modified multi-cation hot-injection method. <i>Nanoscale</i> , 2019 , 11, 1295-1303	7.7	26
57	Tri-Spiral Donor for High Efficiency and Versatile Blue Thermally Activated Delayed Fluorescence Materials. <i>Angewandte Chemie</i> , 2019 , 131, 11423	3.6	1
56	The dibenzothiophene-S,S-dioxide and spirobifluorene based small molecules promote Low roll-off and Blue organic light-emitting diodes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019 , 382, 111946	4.7	3
55	TICT based fluorescent probe with excellent photostability for real-time and long-term imaging of lipid droplets. <i>Tetrahedron Letters</i> , 2019 , 60, 1880-1884	2	6
54	Tri-Spiral Donor for High Efficiency and Versatile Blue Thermally Activated Delayed Fluorescence Materials. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 11301-11305	16.4	128
53	Interlayer Interaction Enhancement in Ruddlesden-Popper Perovskite Solar Cells toward High Efficiency and Phase Stability. <i>ACS Energy Letters</i> , 2019 , 4, 1025-1033	20.1	50
52	Nonaromatic Amine Containing Exciplex for Thermally Activated Delayed Fluorescent Electroluminescence. <i>Advanced Optical Materials</i> , 2019 , 7, 1801554	8.1	19
51	Predicting Operational Stability for Organic Light-Emitting Diodes with Exciplex Cohosts. <i>Advanced Science</i> , 2019 , 6, 1802246	13.6	27
50	Adamantane-Substituted Acridine Donor for Blue Dual Fluorescence and Efficient Organic Light-Emitting Diodes. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 582-586	16.4	78
49	An Effective Strategy toward High-Efficiency Fluorescent OLEDs by Radiative Coupling of Spatially Separated Electron-Hole Pairs. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1800025	4.6	26
48	Synthesis, Properties, Calculations and Applications of Small Molecular Host Materials Containing Oxadiazole Units with Different Nitrogen and Oxygen Atom Orientations for Solution-Processable Blue Phosphorescent OLEDs. <i>Electronic Materials Letters</i> , 2018 , 14, 89-100	2.9	3

47	Achieving Efficient Triplet Exciton Utilization with Large Γ and Nonobvious Delayed Fluorescence by Adjusting Excited State Energy Levels. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 4725-4731	6.4	52
46	Recombination Dynamics Study on Nanostructured Perovskite Light-Emitting Devices. <i>Advanced Materials</i> , 2018 , 30, e1801370	24	60
45	Enhanced performances of planar heterojunction organic light-emitting diodes via diluting an n-type transporter into a carbazole-based matrix. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 29-35	7.1	5
44	Sky-blue thermally activated delayed fluorescence material employing a diphenylethyne acceptor for organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 36-42	7.1	19
43	Adamantane-Substituted Acridine Donor for Blue Dual Fluorescence and Efficient Organic Light-Emitting Diodes. <i>Angewandte Chemie</i> , 2018 , 131, 592	3.6	1
42	Efficient solution-processed red all-fluorescent organic light-emitting diodes employing thermally activated delayed fluorescence materials as assistant hosts: molecular design strategy and exciton dynamic analysis. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 5223-5231	7.1	37
41	Combined optimization of emission layer morphology and hole-transport layer for enhanced performance of perovskite light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 6169-6175	7.1	24
40	High-Performance Color-Tunable Perovskite Light Emitting Devices through Structural Modulation from Bulk to Layered Film. <i>Advanced Materials</i> , 2017 , 29, 1603157	24	172
39	Influence of fullerene-based acceptor materials on the performance of indacenodithiophene-cored small molecule bulk heterojunction organic solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 5006-5013	2.1	1
38	Engineering the excited-state properties of purely organic intramolecular and intermolecular charge transfer emitters towards high-performance fluorescent OLEDs. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 10991-11000	7.1	11
37	Horizontally Orientated Sticklike Emitters: Enhancement of Intrinsic Out-Coupling Factor and Electroluminescence Performance. <i>Chemistry of Materials</i> , 2017 , 29, 8630-8636	9.6	119
36	An ideal universal host for highly efficient full-color, white phosphorescent and TADF OLEDs with a simple and unified structure. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 10406-10416	7.1	47
35	Structure-simplified and highly efficient deep blue organic light-emitting diodes with reduced efficiency roll-off at extremely high luminance. <i>Chemical Communications</i> , 2016 , 52, 14454-14457	5.8	28
34	Modulation of Exciton Generation in Organic Active Planar pn Heterojunction: Toward Low Driving Voltage and High-Efficiency OLEDs Employing Conventional and Thermally Activated Delayed Fluorescent Emitters. <i>Advanced Materials</i> , 2016 , 28, 6758-65	24	68
33	High-Efficiency WOLEDs with High Color-Rendering Index based on a Chromaticity-Adjustable Yellow Thermally Activated Delayed Fluorescence Emitter. <i>Advanced Materials</i> , 2016 , 28, 4614-9	24	103
32	Rational utilization of intramolecular and intermolecular hydrogen bonds to achieve desirable electron transporting materials with high mobility and high triplet energy. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 1482-1489	7.1	22
31	"Rate-limited effect" of reverse intersystem crossing process: the key for tuning thermally activated delayed fluorescence lifetime and efficiency roll-off of organic light emitting diodes. <i>Chemical Science</i> , 2016 , 7, 4264-4275	9.4	178
30	Structure-Performance Investigation of Thioxanthone Derivatives for Developing Color Tunable Highly Efficient Thermally Activated Delayed Fluorescence Emitters. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 8627-36	9.5	70

29	Fluorescent Organic Planar pn Heterojunction Light-Emitting Diodes with Simplified Structure, Extremely Low Driving Voltage, and High Efficiency. <i>Advanced Materials</i> , 2016 , 28, 239-44	24	104
28	Highly efficient blue and warm white organic light-emitting diodes with a simplified structure. <i>Nanotechnology</i> , 2016 , 27, 124001	3.4	25
27	Evaporation- and Solution-Process-Feasible Highly Efficient Thianthrene-9,9S10,10STetraoxide-Based Thermally Activated Delayed Fluorescence Emitters with Reduced Efficiency Roll-Off. <i>Advanced Materials</i> , 2016 , 28, 181-7	24	253
26	Tuning color-correlated temperature and color rendering index of phosphorescent white polymer light-emitting diodes: Towards healthy solid-state lighting. <i>Organic Electronics</i> , 2016 , 34, 18-22	3.5	10
25	Polarity-Tunable Host Materials and Their Applications in Thermally Activated Delayed Fluorescence Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 27920-27930	9.5	47
24	Efficient exciplex organic light-emitting diodes with a bipolar acceptor. <i>Organic Electronics</i> , 2015 , 25, 79-84	3.5	40
23	Highly Improved Efficiency of Deep-Blue Fluorescent Polymer Light-Emitting Device Based on a Novel Hole Interface Modifier with 1,3,5-Triazine Core. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 26405-13	9.5	20
22	Blue thermally activated delayed fluorescence materials based on bis(phenylsulfonyl)benzene derivatives. <i>Chemical Communications</i> , 2015 , 51, 16353-6	5.8	97
21	9,9-Diphenyl-thioxanthene derivatives as host materials for highly efficient blue phosphorescent organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 9999-10006	7.1	32
20	Deep blue fluorophores incorporating sulfone-locked triphenylamine: the key for highly efficient phosphorescence hybrid white OLEDs with simplified structure. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 6986-6996	7.1	44
19	Highly efficient non-doped single-layer blue organic light-emitting diodes based on light-emitting conjugated polymers containing trifluorene-2-ylamine and dibenzothiophene-S,S-dioxide. <i>Synthetic Metals</i> , 2015 , 205, 228-235	3.6	4
18	Study of Configuration Differentia and Highly Efficient, Deep-Blue, Organic Light-Emitting Diodes Based on Novel Naphtho[1,2-d]imidazole Derivatives. <i>Advanced Functional Materials</i> , 2015 , 25, 5190-5198	15.6	81
17	Alternative carrier injection/extraction inspired by electrode interlayers based on peripheral modification of the electron-rich skeleton. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 3133-41	9.5	4
16	Highly Efficient Spiro[fluorene-9,9'-thioxanthene] Core Derived Blue Emitters and Fluorescent/Phosphorescent Hybrid White Organic Light-Emitting Diodes. <i>Chemistry of Materials</i> , 2015 , 27, 1100-1109	9.6	94
15	Three pyrido[2,3,4,5-lmn]phenanthridine derivatives and their large band gap copolymers for organic solar cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 321-325	13	23
14	Improving the efficiency and spectral stability of white-emitting polycarbazoles by introducing a dibenzothiophene-S,S-dioxide unit into the backbone. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 7881	7.1	17
13	Nitrogen heterocycle-containing materials for highly efficient phosphorescent OLEDs with low operating voltage. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 9565-9578	7.1	129
12	Phosphor-doping enhanced efficiency in bilayer organic solar cells due to longer exciton diffusion length. <i>Journal of Luminescence</i> , 2014 , 151, 193-196	3.8	13

11	Dibenzothiophene- S,S -dioxide based medium-band-gap polymers for efficient bulk heterojunction solar cells. <i>Organic Electronics</i> , 2014 , 15, 2950-2958	3.5	8
10	Solution-processed cathode-interlayer-free deep blue organic light-emitting diodes. <i>Organic Electronics</i> , 2014 , 15, 1197-1204	3.5	8
9	Pyridine-Containing Electron-Transport Materials for Highly Efficient Blue Phosphorescent OLEDs with Ultralow Operating Voltage and Reduced Efficiency Roll-Off. <i>Advanced Functional Materials</i> , 2014 , 24, 3268-3275	15.6	106
8	A water-processable organic electron-selective layer for solution-processed inverted organic solar cells. <i>Applied Physics Letters</i> , 2014 , 104, 053304	3.4	11
7	Synthesis and optoelectronic properties of amino-functionalized carbazole-based conjugated polymers. <i>Science China Chemistry</i> , 2013 , 56, 1119-1128	7.9	14
6	Pyridinium salt-based molecules as cathode interlayers for enhanced performance in polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 3387	13	35
5	Conjugated polymers containing trifluorene-2-ylamine, trifluorene-2-ylbenzene and trifluorene-2-yltriazine for electroluminescence. <i>Polymer</i> , 2013 , 54, 162-173	3.9	4
4	Novel cathode interlayers based on neutral alcohol-soluble small molecules with a triphenylamine core featuring polar phosphonate side chains for high-performance polymer light-emitting and photovoltaic devices. <i>Macromolecular Rapid Communications</i> , 2013 , 34, 595-603	4.8	41
3	A series of new medium-bandgap conjugated polymers based on naphtho[1,2-c:5,6-c']bis(2-octyl-[1,2,3]triazole) for high-performance polymer solar cells. <i>Advanced Materials</i> , 2013 , 25, 3683-8	24	118
2	Highly efficient and solution-processed iridium complex for single-layer yellow electrophosphorescent diodes. <i>Journal of Materials Chemistry</i> , 2012 , 22, 23005		35
1	Electrochemical biosensing platforms using poly-cyclodextrin and carbon nanotube composite. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 295-8	11.8	42