

# Anders Oldner

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7947490/anders-oldner-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67  
papers

4,254  
citations

24  
h-index

65  
g-index

70  
ext. papers

5,029  
ext. citations

5.7  
avg, IF

5.46  
L-index

#	Paper	IF	Citations
67	Mortality after surgery in Europe: a 7 day cohort study. <i>Lancet, The</i> , <b>2012</b> , 380, 1059-65	40	1278
66	Neutrophil gelatinase-associated lipocalin in adult septic patients with and without acute kidney injury. <i>Intensive Care Medicine</i> , <b>2010</b> , 36, 1333-40	14.5	681
65	Lower versus higher hemoglobin threshold for transfusion in septic shock. <i>New England Journal of Medicine</i> , <b>2014</b> , 371, 1381-91	59.2	553
64	Global patient outcomes after elective surgery: prospective cohort study in 27 low-, middle- and high-income countries. <i>British Journal of Anaesthesia</i> , <b>2016</b> , 117, 601-609	5.4	242
63	Effects of levosimendan, a novel inotropic calcium-sensitizing drug, in experimental septic shock. <i>Critical Care Medicine</i> , <b>2001</b> , 29, 2185-93	1.4	159
62	Prevalence and outcome of gastrointestinal bleeding and use of acid suppressants in acutely ill adult intensive care patients. <i>Intensive Care Medicine</i> , <b>2015</b> , 41, 833-45	14.5	134
61	The endothelin system in septic and endotoxin shock. <i>European Journal of Pharmacology</i> , <b>2000</b> , 407, 1-15	5.3	126
60	Critical care admission following elective surgery was not associated with survival benefit: prospective analysis of data from 27 countries. <i>Intensive Care Medicine</i> , <b>2017</b> , 43, 971-979	14.5	68
59	Comparison of a single indicator and gravimetric technique for estimation of extravascular lung water in endotoxemic pigs. <i>Critical Care Medicine</i> , <b>2006</b> , 34, 1437-43	1.4	66
58	Acute kidney injury following severe trauma: Risk factors and long-term outcome. <i>Journal of Trauma and Acute Care Surgery</i> , <b>2015</b> , 79, 407-12	3.3	61
57	Stress ulcer prophylaxis in the intensive care unit: an international survey of 97 units in 11 countries. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2015</b> , 59, 576-85	1.9	60
56	Renal effects of levosimendan: a consensus report. <i>Cardiovascular Drugs and Therapy</i> , <b>2013</b> , 27, 581-90	3.9	55
55	The surgical safety checklist and patient outcomes after surgery: a prospective observational cohort study, systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , <b>2018</b> , 120, 146-155	5.4	50
54	Socio-economic status and co-morbidity as risk factors for trauma. <i>European Journal of Epidemiology</i> , <b>2015</b> , 30, 151-7	12.1	43
53	Transfusion requirements in septic shock (TRISS) trial - comparing the effects and safety of liberal versus restrictive red blood cell transfusion in septic shock patients in the ICU: protocol for a randomised controlled trial. <i>Trials</i> , <b>2013</b> , 14, 150	2.8	37
52	Cardiopulmonary dysfunction during porcine endotoxin shock is effectively counteracted by the endothelin receptor antagonist bosentan. <i>Shock</i> , <b>1997</b> , 7, 364-70	3.4	37
51	Impact of sepsis on levels of plasma cystatin C in AKI and non-AKI patients. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 576-81	4.3	35

50	Use of failure-to-rescue to identify international variation in postoperative care in low-, middle- and high-income countries: a 7-day cohort study of elective surgery. <i>British Journal of Anaesthesia</i> , <b>2017</b> , 119, 258-266	5.4	29
49	Effects on haemodynamics by selective endothelin ET(B) receptor and combined endothelin ET(A)/ET(B) receptor antagonism during endotoxin shock. <i>European Journal of Pharmacology</i> , <b>1999</b> , 386, 235-45	5.3	29
48	Tissue hypoxanthine reflects gut vulnerability in porcine endotoxin shock. <i>Critical Care Medicine</i> , <b>1999</b> , 27, 790-7	1.4	28
47	Characteristics and outcomes of patients with COVID-19 admitted to ICU in a tertiary hospital in Stockholm, Sweden. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 76-81	1.9	28
46	Novel continuous capnodynamic method for cardiac output assessment during mechanical ventilation. <i>British Journal of Anaesthesia</i> , <b>2014</b> , 112, 824-31	5.4	26
45	Differentiated and dose-related cardiovascular effects of a dual endothelin receptor antagonist in endotoxin shock. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1192-9	1.4	26
44	Tezosentan counteracts endotoxin-induced pulmonary edema and improves gas exchange. <i>Shock</i> , <b>2004</b> , 21, 543-8	3.4	26
43	Higher vs. lower haemoglobin threshold for transfusion in septic shock: subgroup analyses of the TRISS trial. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2017</b> , 61, 166-175	1.9	22
42	Endotoxemic pulmonary hypertension is largely mediated by endothelin-induced venous constriction. <i>Intensive Care Medicine</i> , <b>2008</b> , 34, 873-80	14.5	20
41	Differentiated effects on splanchnic homeostasis by selective and non-selective endothelin receptor antagonism in porcine endotoxaemia. <i>British Journal of Pharmacology</i> , <b>1999</b> , 127, 1793-804	8.6	20
40	Gut microcirculatory and mitochondrial effects of hyperdynamic endotoxaemic shock and norepinephrine treatment. <i>British Journal of Anaesthesia</i> , <b>2012</b> , 108, 254-61	5.4	19
39	High incidence of post-injury pneumonia in intensive care-treated trauma patients. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2013</b> , 57, 848-54	1.9	18
38	Nonelective surgery at night and in-hospital mortality: Prospective observational data from the European Surgical Outcomes Study. <i>European Journal of Anaesthesiology</i> , <b>2015</b> , 32, 477-85	2.3	18
37	Time dependent influence of host factors on outcome after trauma. <i>European Journal of Epidemiology</i> , <b>2012</b> , 27, 233-41	12.1	17
36	Angiotensin II receptor antagonism increases gut oxygen delivery but fails to improve intestinal mucosal acidosis in porcine endotoxin shock. <i>Shock</i> , <b>1999</b> , 11, 127-35	3.4	17
35	Swedish surgical outcomes study (SweSOS): An observational study on 30-day and 1-year mortality after surgery. <i>European Journal of Anaesthesiology</i> , <b>2016</b> , 33, 317-25	2.3	15
34	A novel continuous capnodynamic method for cardiac output assessment in a porcine model of lung lavage. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2015</b> , 59, 1022-31	1.9	14
33	Effects of endothelin receptor antagonism on acute lung injury induced by chlorine gas. <i>Critical Care Medicine</i> , <b>2006</b> , 34, 1731-7	1.4	14

32	SPLANCHNIC HOMEOSTATIS DURING ENDOTOXIN CHALLENGE IN THE PIG AS ASSESSED BY MICRODIALYSIS AND TONOMETRY. <i>Shock</i> , <b>1996</b> , 6, 188-193	3.4	14
31	Clinical review is essential to evaluate 30-day mortality after trauma. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , <b>2014</b> , 22, 18	3.6	12
30	Heparin-binding protein (HBP): an early marker of respiratory failure after trauma?. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2013</b> , 57, 580-6	1.9	12
29	A modified breathing pattern improves the performance of a continuous capnodynamic method for estimation of effective pulmonary blood flow. <i>Journal of Clinical Monitoring and Computing</i> , <b>2017</b> , 31, 717-725	2	11
28	Performance of a capnodynamic method estimating effective pulmonary blood flow during transient and sustained hypercapnia. <i>Journal of Clinical Monitoring and Computing</i> , <b>2018</b> , 32, 311-319	2	11
27	Capnodynamic assessment of effective lung volume during cardiac output manipulations in a porcine model. <i>Journal of Clinical Monitoring and Computing</i> , <b>2016</b> , 30, 761-769	2	11
26	Heparin-binding protein (HBP/CAP37) - a link to endothelin-1 in endotoxemia-induced pulmonary oedema?. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2014</b> , 58, 549-59	1.9	11
25	Inhaled tezosentan reduces pulmonary hypertension in endotoxin-induced lung injury. <i>Shock</i> , <b>2009</b> , 32, 427-34	3.4	10
24	Thromboembolism, Hypercoagulopathy, and Antiphospholipid Antibodies in Critically Ill Coronavirus Disease 2019 Patients: A Before and After Study of Enhanced Anticoagulation <b>2020</b> , 2, e0308		10
23	Platelet Count Rose While D-Dimer Levels Dropped as Deaths and Thrombosis Declined-An Observational Study on Anticoagulation Shift in COVID-19. <i>Thrombosis and Haemostasis</i> , <b>2021</b> , 121, 1610-1621	7	9
22	Thioredoxin a novel biomarker of post-injury sepsis. <i>Free Radical Biology and Medicine</i> , <b>2017</b> , 104, 138-143	3.8	8
21	Causes of excessive late death after trauma compared with a matched control cohort. <i>British Journal of Surgery</i> , <b>2016</b> , 103, 1282-9	5.3	8
20	Accuracy of low-dose chest CT in intensive care patients. <i>Emergency Radiology</i> , <b>2011</b> , 18, 17-21	3	7
19	Post-trauma morbidity, measured as sick leave, is substantial and influenced by factors unrelated to injury: a retrospective matched observational cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , <b>2017</b> , 25, 100	3.6	5
18	Performance of a capnodynamic method estimating cardiac output during respiratory failure - before and after lung recruitment. <i>Journal of Clinical Monitoring and Computing</i> , <b>2020</b> , 34, 1199-1207	2	5
17	Impact of gender on post- traumatic intensive care and outcomes. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , <b>2019</b> , 27, 115	3.6	5
16	Heparin-binding protein as a biomarker of post-injury sepsis in trauma patients. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2018</b> , 62, 962-973	1.9	4
15	Shock treatment in a cohort of Scandinavian intensive care units in 2014. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2016</b> , 60, 945-57	1.9	4

14	Opioid Use After Intensive Care: A Nationwide Cohort Study. <i>Critical Care Medicine</i> , <b>2021</b> , 49, 462-471	1.4	4
13	Comparison of the sepsis-2 and sepsis-3 definitions in severely injured trauma patients. <i>Journal of Critical Care</i> , <b>2019</b> , 54, 125-129	4	3
12	In-hospital clinical outcomes after upper gastrointestinal surgery: Data from an international observational study. <i>European Journal of Surgical Oncology</i> , <b>2017</b> , 43, 2324-2332	3.6	3
11	Temporal patterns of organ dysfunction after severe trauma. <i>Critical Care</i> , <b>2021</b> , 25, 165	10.8	3
10	Clinical and experimental validation of a capnodynamic method for end-expiratory lung volume assessment. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2020</b> , 64, 670-676	1.9	2
9	Glycemic lability index and mortality in critically ill patients-A multicenter cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 1267-1275	1.9	2
8	Predicting prolonged sick leave among trauma survivors. <i>Scientific Reports</i> , <b>2019</b> , 9, 58	4.9	2
7	Prevalence and impact of chronic dysglycemia in intensive care unit patients-A retrospective cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 82-91	1.9	2
6	Nationwide case-control study of risk factors and outcomes for community-acquired sepsis. <i>Scientific Reports</i> , <b>2021</b> , 11, 15118	4.9	2
5	Treatment with angiotensin II in COVID-19 patients may not be beneficial. <i>Critical Care</i> , <b>2020</b> , 24, 546	10.8	1
4	Comparison between capnodynamic and thermodilution method for cardiac output monitoring during major abdominal surgery: An observational study. <i>European Journal of Anaesthesiology</i> , <b>2021</b> , 38, 1242-1252	2.3	1
3	Postinjury Sepsis-Associations With Risk Factors, Impact on Clinical Course, and Mortality: A Retrospective Observational Study <b>2021</b> , 3, e0495		1
2	Trauma patients in the ICU need antimicrobial prophylaxis to prevent pneumonia: in reply. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2014</b> , 58, 1288	1.9	
1	Re: Assessment of acute kidney injury following severe trauma. <i>Journal of Trauma and Acute Care Surgery</i> , <b>2016</b> , 80, 552-3	3.3	