

Jong Hoon Ryu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7948153/publications.pdf>

Version: 2024-02-01

117
papers

2,996
citations

159525

30
h-index

233338

45
g-index

119
all docs

119
docs citations

119
times ranked

4187
citing authors

#	ARTICLE	IF	CITATIONS
1	4-Methoxycinnamic acid attenuates schizophrenia-like behaviors induced by MK-801 in mice. <i>Journal of Ethnopharmacology</i> , 2022, 285, 114864.	2.0	12
2	Role of extracellular signal-regulated kinase in rubrofusarin-enhanced cognitive functions and neurite outgrowth. <i>Biomedicine and Pharmacotherapy</i> , 2022, 147, 112663.	2.5	2
3	Effects of repetitive training on learning and memory performance of TLR2 KO mice. <i>Behavioural Brain Research</i> , 2022, 426, 113836.	1.2	1
4	Akt and calcium-permeable AMPA receptor are involved in the effect of pinoresinol on amyloid β -induced synaptic plasticity and memory deficits. <i>Biochemical Pharmacology</i> , 2021, 184, 114366.	2.0	10
5	R (α)-methoxetamine exerts rapid and sustained antidepressant effects and fewer behavioral side effects relative to S (+)-methoxetamine. <i>Neuropharmacology</i> , 2021, 193, 108619.	2.0	9
6	Hydrangeae Dulcis Folium Attenuates Physical Stress by Suppressing ACTH-Induced Cortisol in Zebrafish. <i>Chinese Journal of Integrative Medicine</i> , 2020, 26, 130-137.	0.7	9
7	Immunostimulatory effects of polysaccharides isolated from young barley leaves (<i>Hordeum vulgare</i>) Tj ETQq1 1 0.784314 rgBT /Overl immunosuppressed mice. <i>International Journal of Biological Macromolecules</i> , 2020, 147, 954-964.	3.6	26
8	The effect of fecal microbiota transplantation on autistic-like behaviors in Fmr1 KO mice. <i>Life Sciences</i> , 2020, 262, 118497.	2.0	27
9	REDD1 Is Involved in Amyloid β -Induced Synaptic Dysfunction and Memory Impairment. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9482.	1.8	5
10	Rubrofusarin Attenuates Chronic Restraint Stress-Induced Depressive Symptoms. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3454.	1.8	11
11	Casticin ameliorates scopolamine-induced cognitive dysfunction in mice. <i>Journal of Ethnopharmacology</i> , 2020, 259, 112843.	2.0	25
12	Green tea extract containing enhanced levels of epimerized catechins attenuates scopolamine-induced memory impairment in mice. <i>Journal of Ethnopharmacology</i> , 2020, 258, 112923.	2.0	21
13	The effect of maslinic acid on cognitive dysfunction induced by cholinergic blockade in mice. <i>British Journal of Pharmacology</i> , 2020, 177, 3197-3209.	2.7	19
14	Maturational delay and asymmetric information flow of brain connectivity in SHR model of ADHD revealed by topological analysis of metabolic networks. <i>Scientific Reports</i> , 2020, 10, 3197.	1.6	18
15	<i>Dracocephalum moldavica</i> attenuates scopolamine-induced cognitive impairment through activation of hippocampal ERK-CREB signaling in mice. <i>Journal of Ethnopharmacology</i> , 2020, 253, 112651.	2.0	11
16	Roles of GABAA receptor α 5 subunit on locomotion and working memory in transient forebrain ischemia in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 102, 109962.	2.5	6
17	The Atxn7-overexpressing mice showed hyperactivity and impulsivity which were ameliorated by atomoxetine treatment: A possible animal model of the hyperactive-impulsive phenotype of ADHD. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 88, 311-319.	2.5	19
18	Aster glehni Extract Ameliorates Scopolamine-Induced Cognitive Impairment in Mice. <i>Journal of Medicinal Food</i> , 2019, 22, 685-695.	0.8	13

#	ARTICLE	IF	CITATIONS
19	Rubrofusarin inhibits A β aggregation and ameliorates memory loss in an A β -induced Alzheimer's disease-like mouse model. Food and Chemical Toxicology, 2019, 132, 110698.	1.8	9
20	A botanical drug composed of three herbal materials attenuates the sensorimotor gating deficit and cognitive impairment induced by MK-801 in mice. Journal of Pharmacy and Pharmacology, 2019, 72, 149-160.	1.2	11
21	Danshensu attenuates scopolamine and amyloid- β -induced cognitive impairments through the activation of PKA-CREB signaling in mice. Neurochemistry International, 2019, 131, 104537.	1.9	19
22	The effects of pinoresinol on cholinergic dysfunction-induced memory impairments and synaptic plasticity in mice. Food and Chemical Toxicology, 2019, 125, 376-382.	1.8	14
23	New Depsides and Neuroactive Phenolic Glucosides from the Flower Buds of Rugosa Rose (<i>Rosa</i>) Tj ETQq1 1 0.784314 rgBT /Overl	2.4	7
24	The ethanol extract of Zizyphus jujuba var. spinosa seeds ameliorates the memory deficits in Alzheimer's disease model mice. Journal of Ethnopharmacology, 2019, 233, 73-79.	2.0	20
25	Fluoxetine Inhibits Natural Decay of Long-Term Memory via Akt/GSK-3 β Signaling. Molecular Neurobiology, 2018, 55, 7453-7462.	1.9	14
26	Functions of the Signal Transducer and Activator of Transcription 6 in a Behavioral Animal Model of Depression. Pharmacology, 2018, 101, 285-289.	0.9	2
27	Activation of Glucagon-Like Peptide-1 Receptor Promotes Neuroprotection in Experimental Autoimmune Encephalomyelitis by Reducing Neuroinflammatory Responses. Molecular Neurobiology, 2018, 55, 3007-3020.	1.9	73
28	Direct pharmacological Akt activation rescues Alzheimer's disease like memory impairments and aberrant synaptic plasticity. Neuropharmacology, 2018, 128, 282-292.	2.0	66
29	The memory ameliorating effects of DHP1402, an herbal mixture, on cholinergic blockade-induced cognitive dysfunction in mice. Journal of Ethnopharmacology, 2018, 211, 38-46.	2.0	8
30	Eclalbasaponin II Ameliorates the Cognitive Impairment Induced by Cholinergic Blockade in Mice. Neurochemical Research, 2018, 43, 351-362.	1.6	8
31	Neuroprotective effect of the ethanol extract of Artemisia capillaris on transient forebrain ischemia in mice via nicotinic cholinergic receptor. Chinese Journal of Natural Medicines, 2018, 16, 428-435.	0.7	7
32	Activation of the dopamine D1 receptor can extend long-term spatial memory persistence via PKA signaling in mice. Neurobiology of Learning and Memory, 2018, 155, 568-577.	1.0	10
33	The enhancing effect of Aubang Gahl Soo on the hippocampal synaptic plasticity and memory through enhancing cholinergic system in mice. Journal of Ethnopharmacology, 2018, 224, 91-99.	2.0	4
34	Ethanol extract of the seed of Zizyphus jujuba var. spinosa potentiates hippocampal synaptic transmission through mitogen-activated protein kinase, adenylyl cyclase, and protein kinase A pathways. Journal of Ethnopharmacology, 2017, 200, 16-21.	2.0	9
35	The ameliorating effect of 1-palmitoyl-2-linoleoyl-3-acetyl-glycerol on scopolamine-induced memory impairment via acetylcholinesterase inhibition and LTP activation. Behavioural Brain Research, 2017, 324, 58-65.	1.2	10
36	Cognitive Ameliorating Effect of <i>Acanthopanax koreanum</i> Against Scopolamine-Induced Memory Impairment in Mice. Phytotherapy Research, 2017, 31, 425-432.	2.8	23

#	ARTICLE	IF	CITATIONS
37	Maslinic acid ameliorates NMDA receptor blockade-induced schizophrenia-like behaviors in mice. <i>Neuropharmacology</i> , 2017, 126, 168-178.	2.0	29
38	Methylphenidate and Atomoxetine-Responsive Prefrontal Cortical Genetic Overlaps in "Impulsive" SHR/NCrI and Wistar Rats. <i>Behavior Genetics</i> , 2017, 47, 564-580.	1.4	16
39	Swertisin ameliorates pre-pulse inhibition deficits and cognitive impairment induced by MK-801 in mice. <i>Journal of Psychopharmacology</i> , 2017, 31, 250-259.	2.0	18
40	Oleanolic acid ameliorates cognitive dysfunction caused by cholinergic blockade via TrkB-dependent BDNF signaling. <i>Neuropharmacology</i> , 2017, 113, 100-109.	2.0	38
41	Protection Against Electroshock- and Pentylentetrazol-induced Seizures by the Water Extract of <i>Rehmannia glutinosa</i> be Mediated through GABA Receptor-chloride Channel Complexes. <i>Natural Product Sciences</i> , 2017, 23, 40.	0.2	2
42	Eupatilin exerts neuroprotective effects in mice with transient focal cerebral ischemia by reducing microglial activation. <i>PLoS ONE</i> , 2017, 12, e0171479.	1.1	56
43	Valproic Acid Induces Telomerase Reverse Transcriptase Expression during Cortical Development. <i>Experimental Neurobiology</i> , 2017, 26, 252-265.	0.7	8
44	Altered Translational Control of Fragile X Mental Retardation Protein on Myelin Proteins in Neuropsychiatric Disorders. <i>Biomolecules and Therapeutics</i> , 2017, 25, 231-238.	1.1	7
45	Biflorin Ameliorates Memory Impairments Induced by Cholinergic Blockade in Mice. <i>Biomolecules and Therapeutics</i> , 2017, 25, 249-258.	1.1	6
46	Early immature neuronal death is partially involved in memory impairment induced by cerebral ischemia. <i>Behavioural Brain Research</i> , 2016, 308, 75-82.	1.2	4
47	Spinisin, a C-glycoside flavonoid, enhances cognitive performance and adult hippocampal neurogenesis in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 145, 9-16.	1.3	55
48	<i>Ginkgo biloba</i> Extract (EGb 761 [®]) Inhibits Glutamate-induced Up-regulation of Tissue Plasminogen Activator Through Inhibition of c-Fos Translocation in Rat Primary Cortical Neurons. <i>Phytotherapy Research</i> , 2016, 30, 58-65.	2.8	8
49	Infliximab ameliorates AD-associated object recognition memory impairment. <i>Behavioural Brain Research</i> , 2016, 311, 384-391.	1.2	27
50	The ethanolic extract of the <i>Eclipta prostrata</i> L. ameliorates the cognitive impairment in mice induced by scopolamine. <i>Journal of Ethnopharmacology</i> , 2016, 190, 165-173.	2.0	28
51	MeCP2 Modulates Sex Differences in the Postsynaptic Development of the Valproate Animal Model of Autism. <i>Molecular Neurobiology</i> , 2016, 53, 40-56.	1.9	49
52	The memory-enhancing effect of erucic acid on scopolamine-induced cognitive impairment in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 142, 85-90.	1.3	36
53	<i>Cassia obtusifolia</i> seed ameliorates amyloid β^2 -induced synaptic dysfunction through anti-inflammatory and Akt/GSK-3 β^2 pathways. <i>Journal of Ethnopharmacology</i> , 2016, 178, 50-57.	2.0	40
54	Swertisin, a C-glucosylflavone, ameliorates scopolamine-induced memory impairment in mice with its adenosine A1 receptor antagonistic property. <i>Behavioural Brain Research</i> , 2016, 306, 137-145.	1.2	28

#	ARTICLE	IF	CITATIONS
55	Evidences of the role of the rodent hippocampus in the non-spatial recognition memory. Behavioural Brain Research, 2016, 297, 141-149.	1.2	18
56	Matrix Metalloproteinase-8 is a Novel Pathogenetic Factor in Focal Cerebral Ischemia. Molecular Neurobiology, 2016, 53, 231-239.	1.9	28
57	Standardized <i>Prunella vulgaris</i> var. <i>ilicina</i> Extract Enhances Cognitive Performance in Normal Naive Mice. Phytotherapy Research, 2015, 29, 1814-1821.	2.8	4
58	Synthesis and Evaluation of Neuroprotective Selenoflavanones. International Journal of Molecular Sciences, 2015, 16, 29574-29582.	1.8	9
59	Spinosin, a C-Glucosylflavone, from <i>Zizyphus jujuba</i> var. <i>spinosa</i> Ameliorates A β 42 Oligomer-Induced Memory Impairment in Mice. Biomolecules and Therapeutics, 2015, 23, 156-164.	1.1	44
60	Exogenous S1P Exposure Potentiates Ischemic Stroke Damage That Is Reduced Possibly by Inhibiting S1P Receptor Signaling. Mediators of Inflammation, 2015, 2015, 1-12.	1.4	40
61	Effect of a Traditional Herbal Prescription, Kyung-Ok-Ko, on Male Mouse Spermatogenic Ability after Heat-Induced Damage. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-7.	0.5	5
62	Nodakenin Enhances Cognitive Function and Adult Hippocampal Neurogenesis in Mice. Neurochemical Research, 2015, 40, 1438-1447.	1.6	28
63	Danggui-Jakyak-San enhances hippocampal long-term potentiation through the ERK/CREB/BDNF cascade. Journal of Ethnopharmacology, 2015, 175, 481-489.	2.0	18
64	High sucrose consumption during pregnancy induced ADHD-like behavioral phenotypes in mice offspring. Journal of Nutritional Biochemistry, 2015, 26, 1520-1526.	1.9	28
65	Toll-like receptor-2 deficiency induces schizophrenia-like behaviors in mice. Scientific Reports, 2015, 5, 8502.	1.6	72
66	Positive effects of β -amyryn on pentobarbital-induced sleep in mice via GABAergic neurotransmitter system. Behavioural Brain Research, 2015, 291, 232-236.	1.2	15
67	Exogenous insulin-like growth factor 2 administration enhances memory consolidation and persistence in a time-dependent manner. Brain Research, 2015, 1622, 466-473.	1.1	24
68	Ursolic acid enhances pentobarbital-induced sleeping behaviors via GABAergic neurotransmission in mice. European Journal of Pharmacology, 2015, 762, 443-448.	1.7	27
69	Cigarette smoke exposure during adolescence enhances sensitivity to the rewarding effects of nicotine in adulthood, even after a long period of abstinence. Neuropharmacology, 2015, 99, 9-14.	2.0	21
70	Pretreatment with 5-hydroxymethyl-2-furaldehyde blocks scopolamine-induced learning deficit in contextual and spatial memory in male mice. Pharmacology Biochemistry and Behavior, 2015, 134, 57-64.	1.3	11
71	4-Hydroxybenzyl methyl ether improves learning and memory in mice via the activation of dopamine D1 receptor signaling. Neurobiology of Learning and Memory, 2015, 121, 30-38.	1.0	10
72	A sensitive LC-MS/MS method for the quantitative determination of biflorin in rat plasma and its application to pharmacokinetic studies. Journal of Pharmaceutical and Biomedical Analysis, 2015, 115, 272-276.	1.4	8

#	ARTICLE	IF	CITATIONS
73	Proteinase 3 Induces Neuronal Cell Death Through Microglial Activation. <i>Neurochemical Research</i> , 2015, 40, 2242-2251.	1.6	11
74	Synthesis of aminoalkyl-substituted aurone derivatives as acetylcholinesterase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 231-240.	1.4	31
75	Oriental Medicine Kyung-Ok-Ko Prevents and Alleviates Dehydroepiandrosterone-Induced Polycystic Ovarian Syndrome in Rats. <i>PLoS ONE</i> , 2014, 9, e87623.	1.1	42
76	Effects of ginsenoside Rg3, an Rg3-enriched fraction, on scopolamine-induced memory impairment and learning deficit in mice. <i>Journal of Ginseng Research</i> , 2014, 38, 1-7.	3.0	26
77	Ameliorating effect of spinosin, a C-glycoside flavonoid, on scopolamine-induced memory impairment in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 120, 88-94.	1.3	62
78	Distinct roles of the hippocampus and perirhinal cortex in GABAA receptor blockade-induced enhancement of object recognition memory. <i>Brain Research</i> , 2014, 1552, 17-25.	1.1	28
79	Synthesis of aminoalkyl-substituted coumarin derivatives as acetylcholinesterase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 1262-1267.	1.4	23
80	tPA Regulates Neurite Outgrowth by Phosphorylation of LRP5/6 in Neural Progenitor Cells. <i>Molecular Neurobiology</i> , 2014, 49, 199-215.	1.9	33
81	Anxiolytic-like effect of danshensu [(3-(3,4-dihydroxyphenyl)-lactic acid)] in mice. <i>Life Sciences</i> , 2014, 101, 73-78.	2.0	28
82	Oroxylin A enhances memory consolidation through the brain-derived neurotrophic factor in mice. <i>Brain Research Bulletin</i> , 2014, 108, 67-73.	1.4	22
83	The effects of atomoxetine and methylphenidate on the prepulse inhibition of the acoustic startle response in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 54, 206-215.	2.5	4
84	Oleanolic acid attenuates MK-801-induced schizophrenia-like behaviors in mice. <i>Neuropharmacology</i> , 2014, 86, 49-56.	2.0	55
85	Effects of allantoin on cognitive function and hippocampal neurogenesis. <i>Food and Chemical Toxicology</i> , 2014, 64, 210-216.	1.8	50
86	Spicatoside A enhances memory consolidation through the brain-derived neurotrophic factor in mice. <i>Neuroscience Letters</i> , 2014, 572, 58-62.	1.0	16
87	The ameliorating effects of 5,7-dihydroxy-6-methoxy-2-(4-phenoxyphenyl)-4H-chromene-4-one, an oroxylin A derivative, against memory impairment and sensorimotor gating deficit in mice. <i>Archives of Pharmacal Research</i> , 2013, 36, 854-863.	2.7	10
88	Kami-ondam-tang, a traditional herbal prescription, attenuates the prepulse inhibition deficits and cognitive impairments induced by MK-801 in mice. <i>Journal of Ethnopharmacology</i> , 2013, 146, 600-607.	2.0	17
89	Danggui-Jakyak-San ameliorates memory impairment and increase neurogenesis induced by transient forebrain ischemia in mice. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 324.	3.7	14
90	<i>Prunella vulgaris</i> Attenuates Prepulse Inhibition Deficit and Attention Disruption induced by MK-801 in Mice. <i>Phytotherapy Research</i> , 2013, 27, 1763-1769.	2.8	9

#	ARTICLE	IF	CITATIONS
91	The effects of a standardized <i>Acanthopanax koreanum</i> extract on stress-induced behavioral alterations in mice. <i>Journal of Ethnopharmacology</i> , 2013, 148, 826-834.	2.0	18
92	Effects of Sun Ginseng on Memory Enhancement and Hippocampal Neurogenesis. <i>Phytotherapy Research</i> , 2013, 27, 1293-1299.	2.8	25
93	GSK-3 β activity in the hippocampus is required for memory retrieval. <i>Neurobiology of Learning and Memory</i> , 2012, 98, 122-129.	1.0	26
94	The memory ameliorating effects of INM-176, an ethanolic extract of <i>Angelica gigas</i> , against scopolamine- or A β 1-42-induced cognitive dysfunction in mice. <i>Journal of Ethnopharmacology</i> , 2012, 143, 611-620.	2.0	56
95	Neuroprotective effects of INM-176 against lipopolysaccharide-induced neuronal injury. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 101, 427-433.	1.3	19
96	The memory-enhancing effects of Kami-ondam-tang in mice. <i>Journal of Ethnopharmacology</i> , 2011, 137, 251-256.	2.0	12
97	Neuroprotective effect of forsythiaside against transient cerebral global ischemia in gerbil. <i>European Journal of Pharmacology</i> , 2011, 660, 326-333.	1.7	47
98	The effects of daidzin and its aglycon, daidzein, on the scopolamine-induced memory impairment in male mice. <i>Archives of Pharmacal Research</i> , 2010, 33, 1685-1690.	2.7	25
99	Oroxylin A, a Flavonoid, Stimulates Adult Neurogenesis in the Hippocampal Dentate Gyrus Region of Mice. <i>Neurochemical Research</i> , 2010, 35, 1725-1732.	1.6	35
100	Mismatch between changes in baicalein-induced memory-related biochemical parameters and behavioral consequences in mouse. <i>Brain Research</i> , 2010, 1355, 141-150.	1.1	20
101	Early-activated microglia play a role in transient forebrain ischemia-induced neural precursor proliferation in the dentate gyrus of mice. <i>Neuroscience Letters</i> , 2010, 475, 74-79.	1.0	16
102	Antidepressant-like activity of the aqueous extract of <i>Allium macrostemon</i> in mice. <i>Journal of Ethnopharmacology</i> , 2010, 131, 386-395.	2.0	46
103	The n-butanolic extract of <i>Opuntia ficus-indica</i> var. <i>saboten</i> enhances long-term memory in the passive avoidance task in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1011-1017.	2.5	23
104	Quercetin impairs learning and memory in normal mice via suppression of hippocampal phosphorylated cyclic AMP response element-binding protein expression. <i>Toxicology Letters</i> , 2010, 197, 97-105.	0.4	17
105	Tanshinone I enhances learning and memory, and ameliorates memory impairment in mice via the extracellular signal-regulated kinase signalling pathway. <i>British Journal of Pharmacology</i> , 2009, 158, 1131-1142.	2.7	59
106	The neuroprotective effects of the seeds of <i>Cassia obtusifolia</i> on transient cerebral global ischemia in mice. <i>Food and Chemical Toxicology</i> , 2009, 47, 1473-1479.	1.8	62
107	Sub-chronic administration of rimonabant causes loss of antidepressive activity and decreases doublecortin immunoreactivity in the mouse hippocampus. <i>Neuroscience Letters</i> , 2009, 467, 111-116.	1.0	29
108	Chronic hypoperfusion increases claudin-3 immunoreactivity in rat brain. <i>Neuroscience Letters</i> , 2008, 445, 144-148.	1.0	11

#	ARTICLE	IF	CITATIONS
109	The effects of acute and repeated oroxylin A treatments on A β ²⁵⁻³⁵ -induced memory impairment in mice. <i>Neuropharmacology</i> , 2008, 55, 639-647.	2.0	67
110	<i>Schizandra chinensis</i> and <i>Scutellaria baicalensis</i> counter stress behaviors in mice. <i>Phytotherapy Research</i> , 2007, 21, 1187-1192.	2.8	20
111	Anxiolytic effects of the aqueous extract of <i>Uncaria rhynchophylla</i> . <i>Journal of Ethnopharmacology</i> , 2006, 108, 193-197.	2.0	46
112	Gomisin A improves scopolamine-induced memory impairment in mice. <i>European Journal of Pharmacology</i> , 2006, 542, 129-135.	1.7	111
113	Effect of the flavonoid, oroxylin A, on transient cerebral hypoperfusion-induced memory impairment in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 85, 658-668.	1.3	71
114	Anxiolytic-like effects of extracts from <i>Albizia julibrissin</i> bark in the elevated plus-maze in rats. <i>Life Sciences</i> , 2004, 75, 2787-2795.	2.0	41
115	Microglial activation and tyrosine hydroxylase immunoreactivity in the substantia nigral region following transient focal ischemia in rats. <i>Neuroscience Letters</i> , 2003, 349, 63-67.	1.0	37
116	Hwangryun-Hae-Dok-tang (Huanglian-Jie-Du-Tang) extract and its constituents reduce ischemia-reperfusion brain injury and neutrophil infiltration in rats. <i>Life Sciences</i> , 2002, 71, 2105-2117.	2.0	99
117	Depletion of intracellular glutathione mediates zinc-induced cell death in rat primary astrocytes. <i>Experimental Brain Research</i> , 2002, 143, 257-263.	0.7	52