Mirjam B Zeisel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7949922/publications.pdf Version: 2024-02-01



MIDIAM R 7FISFI

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Targeting clinical epigenetic reprogramming for chemoprevention of metabolic and viral hepatocellular carcinoma. Gut, 2021, 70, 157-169. | 12.1 | 57 |
| 2 | Host Epigenetic Alterations and Hepatitis B Virus-Associated Hepatocellular Carcinoma. Journal of Clinical Medicine, 2021, 10, 1715. | 2.4 | 12 |
| 3 | The IncRNAs in HBV-Related HCCs: Targeting Chromatin Dynamics and Beyond. Cancers, 2021, 13, 3115. | 3.7 | 6 |
| 4 | A human liver cell-based system modeling a clinical prognostic liver signature for therapeutic discovery. Nature Communications, 2021, 12, 5525. | 12.8 | 21 |
| 5 | Functional microRNA screen uncovers O-linked N-acetylglucosamine transferase as a host factor modulating hepatitis C virus morphogenesis and infectivity. Gut, 2020, 69, 380-392. | 12.1 | 20 |
| 6 | Combined small molecule and loss-of-function screen uncovers estrogen receptor alpha and CAD as host factors for HDV infection and antiviral targets. Gut, 2020, 69, 158-167. | 12.1 | 31 |
| 7 | Hepatitis C Virus Entry: An Intriguingly Complex and Highly Regulated Process. International Journal of Molecular Sciences, 2020, 21, 2091. | 4.1 | 24 |
| 8 | Hepatitis B protein HBx binds the DLEU2 IncRNA to sustain cccDNA and host cancer-related gene transcription. Gut, 2020, 69, 2016-2024. | 12.1 | 92 |
| 9 | Combined Analysis of Metabolomes, Proteomes, and Transcriptomes of Hepatitis C Virus–Infected Cells and Liver to Identify Pathways Associated With Disease Development. Gastroenterology, 2019, 157, 537-551.e9. | 1.3 | 71 |
| 10 | Interleukinâ€32 Contributes to Human Nonalcoholic Fatty Liver Disease and Insulin Resistance. Hepatology Communications, 2019, 3, 1205-1220. | 4.3 | 38 |
| 11 | Interferonâ€Induced Transmembrane Proteins Mediate Viral Evasion in Acute and Chronic Hepatitis C Virus Infection. Hepatology, 2019, 70, 1506-1520. | 7.3 | 21 |
| 12 | HCV-Induced Epigenetic Changes Associated With Liver Cancer Risk Persist After Sustained Virologic Response. Gastroenterology, 2019, 156, 2313-2329.e7. | 1.3 | 184 |
| 13 | In vivo combination of human anti-envelope glycoprotein E2 and -Claudin-1 monoclonal antibodies for prevention of hepatitis C virus infection. Antiviral Research, 2019, 162, 136-141. | 4.1 | 4 |
| 14 | Tight junction proteins in gastrointestinal and liver disease. Gut, 2019, 68, 547-561. | 12.1 | 201 |
| 15 | Hepatitis B Virus Evasion From Cyclic Guanosine Monophosphate–Adenosine Monophosphate Synthase Sensing in Human Hepatocytes. Hepatology, 2018, 68, 1695-1709. | 7.3 | 66 |
| 16 | Host-targeting therapies for hepatitis C virus infection: current developments and future applications. Therapeutic Advances in Gastroenterology, 2018, 11, 175628481875948. | 3.2 | 32 |
| 17 | miR-135a-5p-mediated downregulation of protein tyrosine phosphatase receptor delta is a candidate driver of HCV-associated hepatocarcinogenesis. Gut, 2018, 67, 953-962. | 12.1 | 59 |
| 18 | miR-122-regulated metabolic circuits: micro-management of lipid metabolism in the human liver. Non-coding RNA Investigation, 2018, 2, 45-45. | 0.6 | 1 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Non-Coding RNAs and Hepatitis C Virus-Induced Hepatocellular Carcinoma. Viruses, 2018, 10, 591. | 3.3 | 30 |
| 20 | A microRNA screen uncovers O-Linked N-Acetylglucosamine transferase as a host factor involved in hepatitis C virus morphogenesis. Journal of Hepatology, 2018, 68, S62-S63. | 3.7 | 0 |
| 21 | Estrogen receptor R1 and CAD are host factors for HDV replication and antiviral targets. Journal of Hepatology, 2018, 68, S787-S788. | 3.7 | 0 |
| 22 | Hepatitis C Virus (HCV)–Apolipoprotein Interactions and Immune Evasion and Their Impact on HCV Vaccine Design. Frontiers in Immunology, 2018, 9, 1436. | 4.8 | 38 |
| 23 | Clinical development of hepatitis C virus host-targeting agents. Lancet, The, 2017, 389, 674-675. | 13.7 | 14 |
| 24 | Toward novel immunocompetent animal models for hepatitis B virus infection. Hepatology, 2017, 66, 691-693. | 7.3 | 1 |
| 25 | Humanisation of a claudin-1-specific monoclonal antibody for clinical prevention and cure of HCV infection without escape. Gut, 2017, 67, gutjnl-2016-312577. | 12.1 | 23 |
| 26 | Plasmodium P36 determines host cell receptor usage during sporozoite invasion. ELife, 2017, 6, . | 6.0 | 91 |
| 27 | Circulating microRNAs for early detection of hepatitis B-related hepatocellular carcinoma. Hepatobiliary Surgery and Nutrition, 2016, 5, 198-200. | 1.5 | 1 |
| 28 | Cell Culture Models for the Investigation of Hepatitis B and D Virus Infection. Viruses, 2016, 8, 261. | 3.3 | 44 |
| 29 | Translation and protein expression of IncRNAs: Impact for liver disease and hepatocellular carcinoma. Hepatology, 2016, 64, 671-674. | 7.3 | 12 |
| 30 | Hepatitis C Virus-Induced Upregulation of MicroRNA miR-146a-5p in Hepatocytes Promotes Viral Infection and Deregulates Metabolic Pathways Associated with Liver Disease Pathogenesis. Journal of Virology, 2016, 90, 6387-6400. | 3.4 | 97 |
| 31 | Broad neutralization of hepatitis C virusâ€resistant variants by Civacir hepatitis C immunoglobulin. Hepatology, 2016, 64, 1495-1506. | 7.3 | 8 |
| 32 | Chronic hepatitis C virus infection and pathogenesis of hepatocellular carcinoma. Current Opinion in Virology, 2016, 20, 99-105. | 5.4 | 62 |
| 33 | Solute Carrier NTCP Regulates Innate Antiviral Immune Responses Targeting Hepatitis C Virus Infection of Hepatocytes. Cell Reports, 2016, 17, 1357-1368. | 6.4 | 34 |
| 34 | Hepatitis B virus: is a cure possible?. Expert Review of Clinical Pharmacology, 2016, 9, 1129-1130. | 3.1 | 1 |
| 35 | Addressing the next challenges: A summary of the 22nd international symposium on hepatitis C virus and related viruses. Journal of Hepatology, 2016, 64, 968-973. | 3.7 | 7 |
| 36 | A targeted functional RNA interference screen uncovers glypican 5 as an entry factor for hepatitis B and D viruses. Hepatology, 2016, 63, 35-48. | 7.3 | 131 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Apolipoprotein E Mediates Evasion From Hepatitis C Virus Neutralizing Antibodies. Gastroenterology, 2016, 150, 206-217.e4. | 1.3 | 64 |
| 38 | Acute hepatitis C virus infection induces antiâ€host cell receptor antibodies with virusâ€neutralizing properties. Hepatology, 2015, 62, 726-736. | 7.3 | 4 |
| 39 | Host-Targeting Agents to Prevent and Cure Hepatitis C Virus Infection. Viruses, 2015, 7, 5659-5685. | 3.3 | 54 |
| 40 | Towards an HBV cure: state-of-the-art and unresolved questions—report of the ANRS workshop on HBV cure. Gut, 2015, 64, 1314-1326. | 12.1 | 234 |
| 41 | Synergy of entry inhibitors with direct-acting antivirals uncovers novel combinations for prevention and treatment of hepatitis C. Gut, 2015, 64, 483-494. | 12.1 | 83 |
| 42 | Clearance of persistent hepatitis C virus infection in humanized mice using a claudin-1-targeting monoclonal antibody. Nature Biotechnology, 2015, 33, 549-554. | 17.5 | 129 |
| 43 | Claudins and pathogenesis of viral infection. Seminars in Cell and Developmental Biology, 2015, 42, 39-46. | 5.0 | 11 |
| 44 | When one receptor closes, another opens: Claudins and the hepatitis C virus E1 glycoprotein. Hepatology, 2015, 62, 991-993. | 7.3 | 2 |
| 45 | Host-targeting agents for treatment of hepatitis B virus infection. Current Opinion in Virology, 2015, 14, 41-46. | 5.4 | 33 |
| 46 | Functional and Biochemical Characterization of Hepatitis C Virus (HCV) Particles Produced in a Humanized Liver Mouse Model. Journal of Biological Chemistry, 2015, 290, 23173-23187. | 3.4 | 26 |
| 47 | miR-122 – A key factor and therapeutic target in liver disease. Journal of Hepatology, 2015, 62, 448-457. | 3.7 | 487 |
| 48 | Molecular Mechanisms of Hepatitis C Virus Entry – Impact of Host Cell Factors for Initiation of Viral Infection. , 2015, , 189-202. | | 0 |
| 49 | CD81-Receptor Associations — Impact for Hepatitis C Virus Entry and Antiviral Therapies. Viruses, 2014, 6, 875-892. | 3.3 | 33 |
| 50 | Hepatitis C Virus Cell-Cell Transmission and Resistance to Direct-Acting Antiviral Agents. PLoS Pathogens, 2014, 10, e1004128. | 4.7 | 97 |
| 51 | Critical interaction between E1 and E2 glycoproteins determines binding and fusion properties of hepatitis C virus during cell entry. Hepatology, 2014, 59, 776-788. | 7.3 | 83 |
| 52 | Genetically humanized mice recapitulate the entire hepatitis C virus life cycle. Journal of Hepatology, 2014, 60, 671-673. | 3.7 | 2 |
| 53 | Role of Hypervariable Region 1 for the Interplay of Hepatitis C Virus with Entry Factors and Lipoproteins. Journal of Virology, 2014, 88, 12644-12655. | 3.4 | 42 |
| 54 | IFN-λ receptor 1 expression is induced in chronic hepatitis C and correlates with the <i>IFN-λ3</i> genotype and with nonresponsiveness to IFN-α therapies. Journal of Experimental Medicine, 2014, 211, 857-868. | 8.5 | 58 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | miR-122 acts as a tumor suppressor in hepatocarcinogenesis in vivo. Journal of Hepatology, 2013, 58, 821-823. | 3.7 | 45 |
| 56 | Hepatitis C Virus Envelope Glycoprotein Signatures Are Associated With Treatment Failure and Modulation of Viral Entry and Neutralization. Journal of Infectious Diseases, 2013, 207, 1306-1315. | 4.0 | 9 |
| 57 | Host-targeting agents for prevention and treatment of chronic hepatitis C – Perspectives and challenges. Journal of Hepatology, 2013, 58, 375-384. | 3.7 | 88 |
| 58 | Hepatitis C Virus Entry. Current Topics in Microbiology and Immunology, 2013, 369, 87-112. | 1.1 | 130 |
| 59 | HRas Signal Transduction Promotes Hepatitis C Virus Cell Entry by Triggering Assembly of the Host Tetraspanin Receptor Complex. Cell Host and Microbe, 2013, 13, 302-313. | 11.0 | 141 |
| 60 | Synthetic anti-lipopolysaccharide peptides and hepatitis C virus infection. Expert Opinion on Investigational Drugs, 2013, 22, 853-862. | 4.1 | 1 |
| 61 | Functional Analysis of Claudin-6 and Claudin-9 as Entry Factors for Hepatitis C Virus Infection of Human Hepatocytes by Using Monoclonal Antibodies. Journal of Virology, 2013, 87, 10405-10410. | 3.4 | 28 |
| 62 | The postbinding activity of scavenger receptor class B type I mediates initiation of hepatitis C virus infection and viral dissemination. Hepatology, 2013, 57, 492-504. | 7.3 | 66 |
| 63 | Epidermal growth factor receptor signaling impairs the antiviral activity of interferon-alpha. Hepatology, 2013, 58, 1225-1235. | 7.3 | 71 |
| 64 | A Novel Monoclonal Anti-CD81 Antibody Produced by Genetic Immunization Efficiently Inhibits Hepatitis C Virus Cell-Cell Transmission. PLoS ONE, 2013, 8, e64221. | 2.5 | 53 |
| 65 | Genotype 1 Hepatitis C Virus Envelope Features That Determine Antiviral Response Assessed through Optimal Covariance Networks. PLoS ONE, 2013, 8, e67254. | 2.5 | 8 |
| 66 | Hepatitis C virus infection and related liver disease: the quest for the best animal model. Frontiers in Microbiology, 2013, 4, 213. | 3.5 | 32 |
| 67 | Hepatitis C virus internalization. Virologie, 2013, 17, 401-413. | 0.1 | 3 |
| 68 | Neutralizing Antibodies and Pathogenesis of Hepatitis C Virus Infection. Viruses, 2012, 4, 2016-2030. | 3.3 | 23 |
| 69 | Reconstitution of the Entire Hepatitis C Virus Life Cycle in Nonhepatic Cells. Journal of Virology, 2012, 86, 11919-11925. | 3.4 | 83 |
| 70 | Characterization of Hepatitis C Virus Particle Subpopulations Reveals Multiple Usage of the Scavenger Receptor BI for Entry Steps. Journal of Biological Chemistry, 2012, 287, 31242-31257. | 3.4 | 104 |
| 71 | A New Class of Synthetic Peptide Inhibitors Blocks Attachment and Entry of Human Pathogenic Viruses. Journal of Infectious Diseases, 2012, 205, 1654-1664. | 4.0 | 75 |
| 72 | Mutations That Alter Use of Hepatitis C Virus Cell Entry Factors Mediate Escape From Neutralizing Antibodies. Gastroenterology, 2012, 143, 223-233.e9. | 1.3 | 66 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Small molecule scavenger receptor BI antagonists are potent HCV entry inhibitors. Journal of Hepatology, 2011, 54, 48-55. | 3.7 | 129 |
| 74 | Hepatitis C virus entry into hepatocytes: Molecular mechanisms and targets for antiviral therapies. Journal of Hepatology, 2011, 54, 566-576. | 3.7 | 161 |
| 75 | EGFR and EphA2 are host factors for hepatitis C virus entry and possible targets for antiviral therapy. Nature Medicine, 2011, 17, 589-595. | 30.7 | 631 |
| 76 | Opening the door for hepatitis C virus infection in genetically humanized mice. Hepatology, 2011, 54, 1873-1875. | 7.3 | 3 |
| 77 | Tight junctions and viral entry. Future Virology, 2010, 5, 263-271. | 1.8 | 3 |
| 78 | Apolipoprotein E interacts with hepatitis C virus nonstructural protein 5A and determines assembly of infectious particles. Hepatology, 2010, 51, 43-53. | 7.3 | 191 |
| 79 | Inhibition of hepatitis C virus infection by anti-claudin-1 antibodies is mediated by neutralization of E2-CD81-Claudin-1 associations. Hepatology, 2010, 51, 1144-1157. | 7.3 | 144 |
| 80 | Mutations within a Conserved Region of the Hepatitis C Virus E2 Glycoprotein That Influence Virus-Receptor Interactions and Sensitivity to Neutralizing Antibodies. Journal of Virology, 2010, 84, 5494-5507. | 3.4 | 65 |
| 81 | Hepatitis C Virus Hypervariable Region 1 Modulates Receptor Interactions, Conceals the CD81 Binding Site, and Protects Conserved Neutralizing Epitopes. Journal of Virology, 2010, 84, 5751-5763. | 3.4 | 201 |
| 82 | Adaptation of Hepatitis C Virus to Mouse CD81 Permits Infection of Mouse Cells in the Absence of Human Entry Factors. PLoS Pathogens, 2010, 6, e1000978. | 4.7 | 109 |
| 83 | Virus–host interactions in hepatitis C virus infection: implications for molecular pathogenesis and antiviral strategies. Trends in Molecular Medicine, 2010, 16, 277-286. | 6.7 | 62 |
| 84 | Getting closer to the patient: Upgrade of hepatitis C virus infection in primary human hepatocytes. Journal of Hepatology, 2010, 53, 388-389. | 3.7 | 2 |
| 85 | Hepatitis C virus entry: molecular mechanisms and targets for antiviral therapy. Frontiers in Bioscience - Landmark, 2009, Volume, 3274. | 3.0 | 38 |
| 86 | Adaptive Immunity to Hepatitis C Virus. Viruses, 2009, 1, 276-297. | 3.3 | 3 |
| 87 | Development of hepatitis C virus vaccines: challenges and progress. Expert Review of Vaccines, 2009, 8, 333-345. | 4.4 | 82 |
| 88 | Toll-Like Receptor 2 Senses Hepatitis C Virus Core Protein but Not Infectious Viral Particles. Journal of Innate Immunity, 2009, 1, 446-454. | 3.8 | 27 |
| 89 | HCV entry and neutralizing antibodies: lessons from viral variants. Future Microbiology, 2009, 4, 511-517. | 2.0 | 7 |
| 90 | Virus-host interactions during hepatitis C virus entry — implications for pathogenesis and novel treatment approaches. Virologica Sinica, 2008, 23, 124-131. | 3.0 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Host neutralizing responses and pathogenesis of hepatitis C virus infection. Hepatology, 2008, 48, 299-307. | 7.3 | 44 |
| 92 | Neutralizing Host Responses in Hepatitis C Virus Infection Target Viral Entry at Postbinding Steps and Membrane Fusion. Gastroenterology, 2008, 135, 1719-1728.e1. | 1.3 | 65 |
| 93 | Scavenger Receptor Class B Is Required for Hepatitis C Virus Uptake and Cross-Presentation by Human Dendritic Cells. Journal of Virology, 2008, 82, 3466-3479. | 3.4 | 79 |
| 94 | Hepatitis C Virus Infection Sensitizes Human Hepatocytes to TRAIL-Induced Apoptosis in a Caspase 9-Dependent Manner. Journal of Immunology, 2008, 181, 4926-4935. | 0.8 | 66 |
| 95 | Rapid induction of virus-neutralizing antibodies and viral clearance in a single-source outbreak of hepatitis C. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 6025-6030. | 7.1 | 478 |
| 96 | Scavenger receptor class B type I is a key host factor for hepatitis C virus infection required for an entry step closely linked to CD81. Hepatology, 2007, 46, 1722-1731. | 7.3 | 222 |
| 97 | Neutralizing antibodies in hepatitis C virus infection. World Journal of Gastroenterology, 2007, 13, 4824. | 3.3 | 40 |
| 98 | 449 Hepatitis C virus structural proteins and activation of Toll-like receptors 2 and 4. Journal of Hepatology, 2006, 44, S167-S168. | 3.7 | 0 |
| 99 | Production of infectious hepatitis C virus in tissue culture: A breakthrough for basic and applied research. Journal of Hepatology, 2006, 44, 436-439. | 3.7 | 21 |
| 100 | Host cell responses induced by hepatitis C virus binding. Hepatology, 2006, 43, 1326-1336. | 7.3 | 20 |
| 101 | Cross Talk between MyD88 and Focal Adhesion Kinase Pathways. Journal of Immunology, 2005, 174, 7393-7397. | 0.8 | 64 |
| 102 | MMP-3 expression and release by rheumatoid arthritis fibroblast-like synoviocytes induced with a bacterial ligand of integrin alpha5beta1. Arthritis Research, 2005, 7, R118. | 2.0 | 26 |
| 103 | Impaired release of IL-18 from fibroblast-like synoviocytes activated with protein I/II, a pathogen-associated molecular pattern from oral streptococci, results from defective translation of IL-18 mRNA in pro-IL-18. Cellular Microbiology, 2004, 6, 593-598. | 2.1 | 7 |
| 104 | Geraniol, a component of plant essential oils, modulates DNA synthesis and potentiates 5-fluorouracil efficacy on human colon tumor xenografts. Cancer Letters, 2004, 215, 53-59. | 7.2 | 135 |
| 105 | ERK 1/2- and JNKs-dependent Synthesis of Interleukins 6 and 8 by Fibroblast-like Synoviocytes Stimulated with Protein I/II, a Modulin from Oral Streptococci, Requires Focal Adhesion Kinase. Journal of Biological Chemistry, 2003, 278, 27721-27728. | 3.4 | 39 |
| 106 | NF-kappaB and the MAP kinases/AP-1 pathways are both involved in interleukin-6 and interleukin-8 expression in fibroblast-like synoviocytes stimulated by protein I/II, a modulin from oral streptococci. Cellular Microbiology, 2001, 3, 703-712. | 2.1 | 71 |