

Ethan M Shevach

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7950605/ethan-m-shevach-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

171
papers

30,739
citations

75
h-index

174
g-index

174
ext. papers

32,932
ext. citations

11.4
avg, IF

7.58
L-index

#	Paper	IF	Citations
171	IL-35 promotes CD4 ⁺ Foxp3 ⁺ Tregs and inhibits atherosclerosis via maintaining CCR5-amplified Treg-suppressive mechanisms. <i>JCI Insight</i> , 2021 , 6,	9.9	4
170	Helios represses megakaryocyte priming in hematopoietic stem and progenitor cells. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	1
169	T Follicular Regulatory Cell Suppression of T Follicular Helper Cell Function Is Context-Dependent. <i>Frontiers in Immunology</i> , 2020 , 11, 637	8.4	7
168	Cutting Edge: Inhibition of the Interaction of NK Inhibitory Receptors with MHC Class I Augments Antiviral and Antitumor Immunity. <i>Journal of Immunology</i> , 2020 , 205, 567-572	5.3	0
167	Regulatory T cells: Master thieves of the immune system. <i>Cellular Immunology</i> , 2020 , 355, 104160	4.4	12
166	Salt Sensing by Serum/Glucocorticoid-Regulated Kinase 1 Promotes Th17-like Inflammatory Adaptation of Foxp3 Regulatory T Cells. <i>Cell Reports</i> , 2020 , 30, 1515-1529.e4	10.6	13
165	Type I IFN signaling in T regulatory cells modulates chemokine production and myeloid derived suppressor cells trafficking during EAE. <i>Journal of Autoimmunity</i> , 2020 , 115, 102525	15.5	2
164	Control of regulatory T cell homeostasis. <i>Current Opinion in Immunology</i> , 2020 , 67, 18-26	7.8	6
163	Helios Deficiency Predisposes the Differentiation of CD4 ⁺ Foxp3 ⁺ T Cells into Peripherally Derived Regulatory T Cells. <i>Journal of Immunology</i> , 2019 , 203, 370-378	5.3	7
162	Selective deletion of Eos (Ikzf4) in T-regulatory cells leads to loss of suppressive function and development of systemic autoimmunity. <i>Journal of Autoimmunity</i> , 2019 , 105, 102300	15.5	12
161	Helios: still behind the clouds. <i>Immunology</i> , 2019 , 158, 161-170	7.8	38
160	IKZF2 Drives Leukemia Stem Cell Self-Renewal and Inhibits Myeloid Differentiation. <i>Cell Stem Cell</i> , 2019 , 24, 153-165.e7	18	37
159	Helios and Helios Treg subpopulations are phenotypically and functionally distinct and express dissimilar TCR repertoires. <i>European Journal of Immunology</i> , 2019 , 49, 398-412	6.1	69
158	Regulatory T cells mediate specific suppression by depleting peptide-MHC class II from dendritic cells. <i>Nature Immunology</i> , 2019 , 20, 218-231	19.1	96
157	PD-1 Inhibitory Receptor Downregulates Asparaginyl Endopeptidase and Maintains Foxp3 Transcription Factor Stability in Induced Regulatory T Cells. <i>Immunity</i> , 2018 , 49, 247-263.e7	32.3	64
156	Foxp3 T Regulatory Cells: Still Many Unanswered Questions-A Perspective After 20 Years of Study. <i>Frontiers in Immunology</i> , 2018 , 9, 1048	8.4	86
155	SAMHD1 Posttranscriptionally Controls the Expression of Foxp3 and Helios in Human T Regulatory Cells. <i>Journal of Immunology</i> , 2018 , 201, 1671-1680	5.3	4

154	Type I interferon signaling attenuates regulatory T cell function in viral infection and in the tumor microenvironment. <i>PLoS Pathogens</i> , 2018 , 14, e1006985	7.6	42
153	CD47 Expression in Natural Killer Cells Regulates Homeostasis and Modulates Immune Response to Lymphocytic Choriomeningitis Virus. <i>Frontiers in Immunology</i> , 2018 , 9, 2985	8.4	27
152	TCR Signaling and CD28/CTLA-4 Signaling Cooperatively Modulate T Regulatory Cell Homeostasis. <i>Journal of Immunology</i> , 2017 , 198, 1503-1511	5.3	23
151	Ex-vivo iTreg differentiation revisited: Convenient alternatives to existing strategies. <i>Journal of Immunological Methods</i> , 2017 , 441, 67-71	2.5	7
150	Garp as a therapeutic target for modulation of T regulatory cell function. <i>Expert Opinion on Therapeutic Targets</i> , 2017 , 21, 191-200	6.4	11
149	The role of platelet and endothelial GARP in thrombosis and hemostasis. <i>PLoS ONE</i> , 2017 , 12, e0173329	3.7	19
148	A Simple, Versatile Antibody-Based Barcoding Method for Flow Cytometry. <i>Journal of Immunology</i> , 2016 , 197, 2027-38	5.3	23
147	IT Cells Protect the Liver and Lungs of Mice from Autoimmunity Induced by Scurfy Lymphocytes. <i>Journal of Immunology</i> , 2016 , 196, 1517-28	5.3	11
146	Transcriptome profiling of human FoxP3+ regulatory T cells. <i>Human Immunology</i> , 2016 , 77, 201-13	2.3	45
145	Helios Controls a Limited Subset of Regulatory T Cell Functions. <i>Journal of Immunology</i> , 2016 , 196, 144-55	5.3	106
144	Cardiac myosin-Th17 responses promote heart failure in human myocarditis. <i>JCI Insight</i> , 2016 , 1,	9.9	89
143	Tregs, Helios and tumor immunity: the sun has not yet risen. <i>Translational Cancer Research</i> , 2016 , 5, S672-S674	2	
142	The GARP/Latent TGF- β complex on Treg cells modulates the induction of peripherally derived Treg cells during oral tolerance. <i>European Journal of Immunology</i> , 2016 , 46, 1480-9	6.1	31
141	Engineered antigen-specific human regulatory T cells: immunosuppression of FVIII-specific T- and B-cell responses. <i>Blood</i> , 2015 , 125, 1107-15	2.2	105
140	IFN- γ Receptor signaling promotes regulatory T cell development and function under stress conditions. <i>Journal of Immunology</i> , 2015 , 194, 4265-76	5.3	48
139	Coexpression of TIGIT and FCRL3 identifies Helios+ human memory regulatory T cells. <i>Journal of Immunology</i> , 2015 , 194, 3687-96	5.3	85
138	William E. Paul 1936-2015. <i>Nature Immunology</i> , 2015 , 16, 1205	19.1	
137	Foxp3-mediated inhibition of Akt inhibits Glut1 (glucose transporter 1) expression in human T regulatory cells. <i>Journal of Leukocyte Biology</i> , 2015 , 97, 279-83	6.5	43

136	Eos Is Redundant for Regulatory T Cell Function but Plays an Important Role in IL-2 and Th17 Production by CD4+ Conventional T Cells. <i>Journal of Immunology</i> , 2015 , 195, 553-63	5.3	21
135	TCR signaling fuels T(reg) cell suppressor function. <i>Nature Immunology</i> , 2014 , 15, 1002-3	19.1	13
134	Release of active TGF- β from the latent TGF- β /GARP complex on T regulatory cells is mediated by integrin β . <i>Journal of Immunology</i> , 2014 , 193, 2843-9	5.3	61
133	tTregs, pTregs, and iTregs: similarities and differences. <i>Immunological Reviews</i> , 2014 , 259, 88-102	11.3	349
132	Regulatory T cells: recommendations to simplify the nomenclature. <i>Nature Immunology</i> , 2013 , 14, 307-8	19.1	433
131	Modulation of Treg cells/T effector function by GITR signaling is context-dependent. <i>European Journal of Immunology</i> , 2013 , 43, 2421-9	6.1	69
130	Antigen-specific induced T regulatory cells impair dendritic cell function via an IL-10/MARCH1-dependent mechanism. <i>Journal of Immunology</i> , 2013 , 191, 5875-84	5.3	56
129	Absence of signaling into CD4+ cells via C3aR and C5aR enables autoinductive TGF- β signaling and induction of Foxp3+ regulatory T cells. <i>Nature Immunology</i> , 2013 , 14, 162-71	19.1	215
128	Regulation of the expression of GARP/latent TGF- β complexes on mouse T cells and their role in regulatory T cell and Th17 differentiation. <i>Journal of Immunology</i> , 2013 , 190, 5506-15	5.3	74
127	Oligodeoxynucleotides stabilize Helios-expressing Foxp3+ human T regulatory cells during in vitro expansion. <i>Blood</i> , 2012 , 119, 2810-8	2.2	93
126	Application of IL-2 therapy to target T regulatory cell function. <i>Trends in Immunology</i> , 2012 , 33, 626-32	14.4	70
125	Biological functions of regulatory T cells. <i>Advances in Immunology</i> , 2011 , 112, 137-76	5.6	116
124	Highlights of 10 years of immunology in Nature Reviews Immunology. <i>Nature Reviews Immunology</i> , 2011 , 11, 693-702	36.5	75
123	Polyclonal Treg cells modulate T effector cell trafficking. <i>European Journal of Immunology</i> , 2011 , 41, 2862-70	6.1	35
122	IL-2 controls the stability of Foxp3 expression in TGF-beta-induced Foxp3+ T cells in vivo. <i>Journal of Immunology</i> , 2011 , 186, 6329-37	5.3	187
121	Regulatory T-cell expansion during chronic viral infection is dependent on endogenous retroviral superantigens. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 3677-82	11.5	71
120	The resurrection of T cell-mediated suppression. <i>Journal of Immunology</i> , 2011 , 186, 3805-7	5.3	18
119	Simvastatin induces Foxp3+ T regulatory cells by modulation of transforming growth factor-beta signal transduction. <i>Immunology</i> , 2010 , 130, 484-93	7.8	66

118	Polyclonal Treg cells enhance the activity of a mucosal adjuvant. <i>Immunology and Cell Biology</i> , 2010 , 88, 698-706	5	19
117	Autoantibodies in scurfy mice and IPEX patients recognize keratin 14. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 1391-9	4.3	27
116	Expression of Helios, an Ikaros transcription factor family member, differentiates thymic-derived from peripherally induced Foxp3+ T regulatory cells. <i>Journal of Immunology</i> , 2010 , 184, 3433-41	5.3	978
115	CD4+CD25+ T regulatory cells limit effector T cells and favor the progression of brucellosis in BALB/c mice. <i>Microbes and Infection</i> , 2010 , 12, 3-10	9.3	18
114	TGF-Beta to the rescue. <i>Immunity</i> , 2010 , 32, 585-7	32.3	4
113	Role of Regulatory/Suppressor T Cells in Immune Responses 2010 , 203-213		
112	GARP (LRRC32) is essential for the surface expression of latent TGF-beta on platelets and activated FOXP3+ regulatory T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 13445-50	11.5	323
111	Analysis of adhesion molecules, target cells, and role of IL-2 in human FOXP3+ regulatory T cell suppressor function. <i>Journal of Immunology</i> , 2009 , 182, 2929-38	5.3	83
110	Engagement of TLR2 does not reverse the suppressor function of mouse regulatory T cells, but promotes their survival. <i>Journal of Immunology</i> , 2009 , 183, 4458-66	5.3	75
109	Mechanisms of foxp3+ T regulatory cell-mediated suppression. <i>Immunity</i> , 2009 , 30, 636-45	32.3	1328
108	Pre-differentiated Th1 and Th17 effector T cells in autoimmune gastritis: Ag-specific regulatory T cells are more potent suppressors than polyclonal regulatory T cells. <i>International Immunopharmacology</i> , 2009 , 9, 540-5	5.8	12
107	Therapeutic potential of FOXP3(+) regulatory T cells and their interactions with dendritic cells. <i>Human Immunology</i> , 2009 , 70, 294-9	2.3	42
106	Selective expression of latency-associated peptide (LAP) and IL-1 receptor type I/II (CD121a/CD121b) on activated human FOXP3+ regulatory T cells allows for their purification from expansion cultures. <i>Blood</i> , 2009 , 113, 5125-33	2.2	150
105	T-cell-expressed proprotein convertase furin is essential for maintenance of peripheral immune tolerance. <i>Nature</i> , 2008 , 455, 246-50	50.4	161
104	Special regulatory T cell review: How I became a T suppressor/regulatory cell maven. <i>Immunology</i> , 2008 , 123, 3-5	7.8	14
103	Immunology. Regulating suppression. <i>Science</i> , 2008 , 322, 202-3	33.3	16
102	Costimulatory effects of IL-1 on the expansion/differentiation of CD4+CD25+Foxp3+ and CD4+CD25+Foxp3- T cells. <i>Journal of Leukocyte Biology</i> , 2008 , 84, 480-7	6.5	22
101	Cutting edge: antigen-specific TGF beta-induced regulatory T cells suppress Th17-mediated autoimmune disease. <i>Journal of Immunology</i> , 2008 , 181, 8209-13	5.3	103

100	Th1, Th2, and Th17 effector T cell-induced autoimmune gastritis differs in pathological pattern and in susceptibility to suppression by regulatory T cells. <i>Journal of Immunology</i> , 2008 , 181, 1908-16	5.3	131
99	CD4+ FoxP3+ regulatory T cells confer infectious tolerance in a TGF-beta-dependent manner. <i>Journal of Experimental Medicine</i> , 2008 , 205, 1975-81	16.6	256
98	Cutting edge: CD4 T cell-mast cell interactions alter IgE receptor expression and signaling. <i>Journal of Immunology</i> , 2008 , 180, 2039-43	5.3	75
97	Response: Anti-human FOXP3 mAb PCH101 stains activated human naive T cells nonspecifically. <i>Blood</i> , 2008 , 111, 464-466	2.2	20
96	Role of TGF-Beta in the induction of Foxp3 expression and T regulatory cell function. <i>Journal of Clinical Immunology</i> , 2008 , 28, 640-6	5.7	73
95	The critical contribution of TGF-beta to the induction of Foxp3 expression and regulatory T cell function. <i>European Journal of Immunology</i> , 2008 , 38, 915-7	6.1	81
94	TGF-beta-induced Foxp3+ regulatory T cells rescue scurfy mice. <i>European Journal of Immunology</i> , 2008 , 38, 1814-21	6.1	110
93	Human FOXP3+ T regulatory cells suppress mouse T cell activation by targeting mouse dendritic cells via a human LFA-1/mouse ICAM-1 mediated interaction. <i>FASEB Journal</i> , 2008 , 22, 848.3	0.9	1
92	Antigen-specific TGF-beta-induced regulatory T cells modulate mouse splenic dendritic cell function. <i>FASEB Journal</i> , 2008 , 22, 848.20	0.9	
91	CD4+FoxP3+ regulatory T cells confer infectious tolerance in a TGF-β-dependent manner. <i>FASEB Journal</i> , 2008 , 22, 848.8	0.9	
90	CD4+ CD25+ [corrected] regulatory T cells render naive CD4+ CD25- T cells anergic and suppressive. <i>Immunology</i> , 2007 , 120, 447-55	7.8	39
89	Cutting Edge: IL-2 is essential for TGF-beta-mediated induction of Foxp3+ T regulatory cells. <i>Journal of Immunology</i> , 2007 , 178, 4022-6	5.3	392
88	Autoantigen-specific TGFbeta-induced Foxp3+ regulatory T cells prevent autoimmunity by inhibiting dendritic cells from activating autoreactive T cells. <i>Journal of Immunology</i> , 2007 , 179, 4685-93	5.3	170
87	Distinct subsets of FoxP3+ regulatory T cells participate in the control of immune responses. <i>Journal of Immunology</i> , 2007 , 178, 6901-11	5.3	79
86	CD4+CD25+ regulatory T cells are activated in vivo by recognition of self. <i>International Immunology</i> , 2007 , 19, 557-66	4.9	25
85	Nonredundant roles for Stat5a/b in directly regulating Foxp3. <i>Blood</i> , 2007 , 109, 4368-75	2.2	436
84	Induction of FOXP3 expression in naive human CD4+FOXP3 T cells by T-cell receptor stimulation is transforming growth factor-beta dependent but does not confer a regulatory phenotype. <i>Blood</i> , 2007 , 110, 2983-90	2.2	634
83	Interleukin-2 signaling via STAT5 constrains T helper 17 cell generation. <i>Immunity</i> , 2007 , 26, 371-81	32.3	1138

82	From vanilla to 28 flavors: multiple varieties of T regulatory cells. <i>Immunity</i> , 2006 , 25, 195-201	32.3	440
81	Activated CD4+CD25+ T cells selectively kill B lymphocytes. <i>Blood</i> , 2006 , 107, 3925-32	2.2	366
80	TNF downmodulates the function of human CD4+CD25hi T-regulatory cells. <i>Blood</i> , 2006 , 108, 253-61	2.2	638
79	The lifestyle of naturally occurring CD4+ CD25+ Foxp3+ regulatory T cells. <i>Immunological Reviews</i> , 2006 , 212, 60-73	11.3	392
78	Activated T cells express the OX40 ligand: requirements for induction and costimulatory function. <i>Immunology</i> , 2006 , 117, 196-204	7.8	34
77	The GITR-GITRL interaction: co-stimulation or contrasuppression of regulatory activity?. <i>Nature Reviews Immunology</i> , 2006 , 6, 613-8	36.5	226
76	Recognition of a new ARTC1 peptide ligand uniquely expressed in tumor cells by antigen-specific CD4+ regulatory T cells. <i>Journal of Immunology</i> , 2005 , 174, 2661-70	5.3	142
75	TGF-beta1 production by CD4+ CD25+ regulatory T cells is not essential for suppression of intestinal inflammation. <i>European Journal of Immunology</i> , 2005 , 35, 2886-95	6.1	105
74	CD4+CD25+ T cells prevent the development of organ-specific autoimmune disease by inhibiting the differentiation of autoreactive effector T cells. <i>Journal of Immunology</i> , 2005 , 175, 7135-42	5.3	101
73	Bone marrow-derived dendritic cells reverse the anergic state of CD4+CD25+ T cells without reversing their suppressive function. <i>Journal of Immunology</i> , 2005 , 175, 7332-40	5.3	49
72	In vivo expansion of CD4CD45RO-CD25 T cells expressing foxP3 in IL-2-treated HIV-infected patients. <i>Journal of Clinical Investigation</i> , 2005 , 115, 1839-47	15.9	94
71	Cutting edge: IL-2 is critically required for the in vitro activation of CD4+CD25+ T cell suppressor function. <i>Journal of Immunology</i> , 2004 , 172, 6519-23	5.3	449
70	Engagement of glucocorticoid-induced TNFR family-related receptor on effector T cells by its ligand mediates resistance to suppression by CD4+CD25+ T cells. <i>Journal of Immunology</i> , 2004 , 173, 5008-20	5.3	394
69	Spontaneous organ-specific Th2-mediated autoimmunity in TCR transgenic mice. <i>Journal of Immunology</i> , 2004 , 172, 2917-24	5.3	28
68	The pathogenesis of schistosomiasis is controlled by cooperating IL-10-producing innate effector and regulatory T cells. <i>Journal of Immunology</i> , 2004 , 172, 3157-66	5.3	297
67	A novel protective model against experimental allergic encephalomyelitis in mice expressing a transgenic TCR-specific for myelin oligodendrocyte glycoprotein. <i>Journal of Neuroimmunology</i> , 2004 , 149, 10-21	3.5	12
66	Activation requirements for the induction of CD4+CD25+ T cell suppressor function. <i>European Journal of Immunology</i> , 2004 , 34, 366-76	6.1	254
65	Proliferative assays for T cell function. <i>Current Protocols in Immunology</i> , 2004 , Chapter 3, Unit 3.12	4	66

64	Naturally-occurring CD4+CD25+ immunoregulatory T cells: central players in the arena of peripheral tolerance. <i>Seminars in Immunology</i> , 2004 , 16, 81-8	10.7	313
63	Tumor-specific human CD4+ regulatory T cells and their ligands: implications for immunotherapy. <i>Immunity</i> , 2004 , 20, 107-18	32.3	464
62	Control of T-cell responses by regulatory/suppressor T cells. <i>Experimental Dermatology</i> , 2003 , 12, 913-914		2
61	Control of T cell activation by CD4+CD25+ suppressor T cells. <i>Novartis Foundation Symposium</i> , 2003 , 252, 24-36; discussion 36-44, 106-14		19
60	The IL-10-producing competence of Th2 cells generated in vitro is IL-4 dependent. <i>European Journal of Immunology</i> , 2002 , 32, 3216-24	6.1	26
59	CD4+CD25+ regulatory T cells control Leishmania major persistence and immunity. <i>Nature</i> , 2002 , 420, 502-7	50.4	1380
58	CD4+ CD25+ suppressor T cells: more questions than answers. <i>Nature Reviews Immunology</i> , 2002 , 2, 389-409		1804
57	Cutting edge: depletion of CD4+CD25+ regulatory T cells is necessary, but not sufficient, for induction of organ-specific autoimmune disease. <i>Journal of Immunology</i> , 2002 , 168, 5979-83	5.3	280
56	Constitutive presentation of a natural tissue autoantigen exclusively by dendritic cells in the draining lymph node. <i>Journal of Experimental Medicine</i> , 2002 , 196, 1079-90	16.6	326
55	CD4(+)CD25(+) regulatory T cells can mediate suppressor function in the absence of transforming growth factor beta1 production and responsiveness. <i>Journal of Experimental Medicine</i> , 2002 , 196, 237-46	16.6	515
54	The role of suppressor T cells in regulation of immune responses. <i>Journal of Allergy and Clinical Immunology</i> , 2002 , 110, 693-702	11.5	146
53	CD4(+)CD25(+) immunoregulatory T cells: gene expression analysis reveals a functional role for the glucocorticoid-induced TNF receptor. <i>Immunity</i> , 2002 , 16, 311-23	32.3	1176
52	Inhibition of the function of the FcγRIIB by a monoclonal antibody to thymic shared antigen-1, a Ly-6 family antigen. <i>Immunology</i> , 2001 , 104, 28-36	7.8	6
51	Control of T-cell activation by CD4+ CD25+ suppressor T cells. <i>Immunological Reviews</i> , 2001 , 182, 58-67	11.3	461
50	Control of organ-specific autoimmunity by immunoregulatory CD4(+)CD25(+) T cells. <i>Microbes and Infection</i> , 2001 , 3, 919-27	9.3	52
49	Certified professionals: CD4(+)CD25(+) suppressor T cells. <i>Journal of Experimental Medicine</i> , 2001 , 193, F41-6	16.6	461
48	Cutting edge: control of CD8+ T cell activation by CD4+CD25+ immunoregulatory cells. <i>Journal of Immunology</i> , 2001 , 167, 1137-40	5.3	606
47	The costimulatory effect of IL-18 on the induction of antigen-specific IFN-γ production by resting T cells is IL-12 dependent and is mediated by up-regulation of the IL-12 receptor beta2 subunit. <i>European Journal of Immunology</i> , 2000 , 30, 1113-9	6.1	126

46	Regulatory T cells in autoimmunity*. <i>Annual Review of Immunology</i> , 2000 , 18, 423-49	34.7	1125
45	Suppressor effector function of CD4+CD25+ immunoregulatory T cells is antigen nonspecific. <i>Journal of Immunology</i> , 2000 , 164, 183-90	5.3	1011
44	The costimulatory effect of IL-18 on the induction of antigen-specific IFN- γ production by resting T cells is IL-12 dependent and is mediated by up-regulation of the IL-12 receptor β subunit 2000 , 30, 1113		1
43	The critical role of IL-12 and the IL-12R beta 2 subunit in the generation of pathogenic autoreactive Th1 cells. <i>Seminars in Immunopathology</i> , 1999 , 21, 249-62		30
42	Post-thymectomy autoimmune gastritis: fine specificity and pathogenicity of anti-H/K ATPase-reactive T cells. <i>European Journal of Immunology</i> , 1999 , 29, 669-77	6.1	114
41	Post-thymectomy autoimmune gastritis: fine specificity and pathogenicity of anti-H/K ATPase-reactive T cells 1999 , 29, 669		5
40	Expression of Ly-6, a marker for highly malignant murine tumor cells, is regulated by growth conditions and stress. <i>International Journal of Cancer</i> , 1998 , 77, 306-13	7.5	30
39	CD4+CD25+ immunoregulatory T cells suppress polyclonal T cell activation in vitro by inhibiting interleukin 2 production. <i>Journal of Experimental Medicine</i> , 1998 , 188, 287-96	16.6	2130
38	An interleukin (IL)-10/IL-12 immunoregulatory circuit controls susceptibility to autoimmune disease. <i>Journal of Experimental Medicine</i> , 1998 , 187, 537-46	16.6	385
37	T lymphocyte-mediated control of autoimmunity. <i>Novartis Foundation Symposium</i> , 1998 , 215, 200-11; discussion 211-30		22
36	Immune deviation--the third dimension of nondeletional T cell tolerance. <i>Immunological Reviews</i> , 1996 , 149, 175-94	11.3	72
35	Post-thymectomy autoimmunity: abnormal T-cell homeostasis. <i>Trends in Immunology</i> , 1995 , 16, 61-7		84
34	Activation of CD4+ T cells by delivery of the B7 costimulatory signal on bystander antigen-presenting cells (trans-costimulation). <i>European Journal of Immunology</i> , 1994 , 24, 859-66	6.1	77
33	Influence of prolactin and growth hormone on the activation of dwarf mouse lymphocytes in vivo. <i>Experimental Biology and Medicine</i> , 1993 , 204, 224-30	3.7	22
32	Post-thymectomy organ-specific autoimmunity: enhancement by cyclosporine A and inhibition by IL-2. <i>Autoimmunity</i> , 1993 , 15, 55-9	3	9
31	Molecular characterization of the early activation antigen CD69: a type II membrane glycoprotein related to a family of natural killer cell activation antigens. <i>European Journal of Immunology</i> , 1993 , 23, 1643-8	6.1	117
30	Infection breaks T-cell tolerance. <i>Nature</i> , 1992 , 359, 79-82	50.4	144
29	Mouse autoreactive gamma/delta T cells. I. Functional properties of autoreactive T cell hybridomas. <i>European Journal of Immunology</i> , 1992 , 22, 483-9	6.1	26

28	Mouse autoreactive gamma/delta T cells. II. Molecular characterization of the T cell receptor. <i>European Journal of Immunology</i> , 1992 , 22, 491-8	6.1	25
27	Very early (VEA) and very late (VLA) activation antigens have distinct functions in T lymphocyte activation. <i>Immunological Reviews</i> , 1989 , 109, 153-76	11.3	32
26	Characterization of T cell receptors on resident murine dendritic epidermal T cells. <i>European Journal of Immunology</i> , 1988 , 18, 1323-8	6.1	62
25	Monoclonal antibodies identify three epitope clusters on the mouse p55 subunit of the interleukin 2 receptor: relationship to the interleukin 2-binding site. <i>European Journal of Immunology</i> , 1987 , 17, 929-35	6.1	84
24	Thy-1-mediated T-cell activation requires co-expression of CD3/Ti complex. <i>Nature</i> , 1987 , 326, 505-7	50.4	157
23	Thy-1 functions as a signal transduction molecule in T lymphocytes and transfected B lymphocytes. <i>Nature</i> , 1986 , 322, 181-4	50.4	172
22	Analysis of autoreactive I region-restricted T cell colonies isolated from the guinea pig syngeneic mixed leukocyte reaction and from immune responses to conventional foreign antigens. <i>European Journal of Immunology</i> , 1985 , 15, 466-72	6.1	23
21	Role of the Ly 1 antigen in interleukin 1-induced thymocyte activation. <i>European Journal of Immunology</i> , 1985 , 15, 1007-13	6.1	24
20	Monoclonal antibodies directed against human Ia antigens detect an evolutionary conserved epitope on guinea pig Ia antigens with unique functional properties. <i>Journal of Leukocyte Biology</i> , 1984 , 35, 101-13	6.5	3
19	The cellular compartmentalization of macrophage-associated nominal antigen: immunologically relevant macrophage-associated antigen may not require an intracellular phase of macrophage handling. <i>European Journal of Immunology</i> , 1983 , 13, 810-5	6.1	12
18	Nature of the antigenic complex recognized by T lymphocytes. VIII. Specific inhibition of the stimulatory capacity of antigen-pulsed hapten-modified peritoneal exudate cells by anti-hapten antibody. <i>European Journal of Immunology</i> , 1982 , 12, 819-24	6.1	10
17	Nature of the antigenic complex recognized by T lymphocytes. IX. Direct immunochemical demonstration of nominal antigen on the macrophage cell surface. <i>European Journal of Immunology</i> , 1982 , 12, 825-31	6.1	9
16	T-cell colonies recognize antigen in association with specific epitopes on Ia molecules. <i>Nature</i> , 1982 , 295, 412-4	50.4	33
15	Guinea pig Ia antigens are not derivatised on trinitrophenyl-modified cells. <i>Nature</i> , 1978 , 274, 592-4	50.4	10
14	T lymphocyte stimulation by hapten-conjugated macrophages: a model system for the study of immunocompetent cell interactions. <i>Immunological Reviews</i> , 1978 , 40, 181-204	11.3	64
13	The role of Ia antigens in T cell activation. <i>Immunological Reviews</i> , 1977 , 35, 95-120	11.3	103
12	Guinea-pig Ia antigens: functional significance and chemical characterization. <i>Immunological Reviews</i> , 1976 , 30, 174-96	11.3	14
11	Discussion paper: loss of antigenicity associated with deletion of Ia alloantigens in a mutant line of guinea pig L2C leukemia. <i>Annals of the New York Academy of Sciences</i> , 1976 , 276, 381-5	6.5	

10	Transplantation and preliminary characterisation of lymphocyte surface markers of Abelson virus-induced lymphomas. <i>Nature</i> , 1975 , 253, 550-2	50.4	69
9	Alloantiserum-induced inhibition of immune response gene product function. I. Cellular distribution of target antigens. <i>Journal of Experimental Medicine</i> , 1974 , 139, 661-78	16.6	18
8	Alloantiserum-induced inhibition of migration inhibition factor production in immune response gene-controlled immune systems. <i>Journal of Experimental Medicine</i> , 1974 , 140, 383-95	16.6	22
7	Alloantiserum-induced inhibition of immune response gene product function. II. Genetic analysis of target antigens. <i>Journal of Experimental Medicine</i> , 1974 , 139, 679-95	16.6	58
6	Receptors for complement and immunoglobulin on human and animal lymphoid cells. <i>Immunological Reviews</i> , 1973 , 16, 3-28	11.3	53
5	Function of macrophages in antigen recognition by guinea pig T lymphocytes. II. Role of the macrophage in the regulation of genetic control of the immune response. <i>Journal of Experimental Medicine</i> , 1973 , 138, 1213-29	16.6	479
4	Function of macrophages in antigen recognition by guinea pig T lymphocytes. I. Requirement for histocompatible macrophages and lymphocytes. <i>Journal of Experimental Medicine</i> , 1973 , 138, 1194-212	16.6	979
3	Histocompatibility-linked immune response gene function in guinea pigs. Specific inhibition of antigen-induced lymphocyte proliferation by alloantisera. <i>Journal of Experimental Medicine</i> , 1972 , 136, 1207-21	16.6	174
2	The uropod-bearing lymphocyte of the guinea pig. Evidence for thymic origin. <i>Journal of Experimental Medicine</i> , 1972 , 135, 1037-48	16.6	44
1	Heterologous antiserum to thymus-derived cells in the guinea-pig. <i>Nature: New Biology</i> , 1972 , 235, 19-21		21