

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7950739/ghader-faraji-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131 papers	2,419 citations	27 h-index	43 g-index
134 ext. papers	2,877 ext. citations	3.1 avg, IF	5.66 L-index

#	Paper	IF	Citations
131	Producing of AZ91/SiC composite by friction stir processing (FSP). <i>International Journal of Advanced Manufacturing Technology</i> , 2010 , 51, 247-260	3.2	157
130	Characterization of AZ91/alumina nanocomposite produced by FSP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 2431-2440	5.3	133
129	Tubular channel angular pressing (TCAP) as a novel severe plastic deformation method for cylindrical tubes. <i>Materials Letters</i> , 2011 , 65, 3009-3012	3.3	124
128	Experimental Investigation of Magnesium-Base Nanocomposite Produced by Friction Stir Processing: Effects of Particle Types and Number of Friction Stir Processing Passes. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011 , 42, 2820-2832	2.3	84
127	Parallel tubular channel angular pressing (PTCAP) as a new severe plastic deformation method for cylindrical tubes. <i>Materials Letters</i> , 2012 , 77, 82-85	3.3	82
126	Review of principles and methods of severe plastic deformation for producing ultrafine-grained tubes. <i>Materials Science and Technology</i> , 2017 , 33, 905-923	1.5	71
125	Effect of Process Parameters on Microstructure and Micro-hardness of AZ91/Al ₂ O ₃ Surface Composite Produced by FSP. <i>Journal of Materials Engineering and Performance</i> , 2011 , 20, 1583-1590	1.6	62
124	Microstructure inhomogeneity in ultra-fine grained bulk AZ91 produced by accumulative back extrusion (ABE). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4312-4317	5.3	62
123	Producing Ultrafine-Grained AZ91 from As-Cast AZ91 by FSP. <i>Materials and Manufacturing Processes</i> , 2010 , 25, 1219-1226	4.1	59
122	Mechanical and Microstructural Properties of Ultra-fine Grained AZ91 Magnesium Alloy Tubes Processed via Multi Pass Tubular Channel Angular Pressing (TCAP). <i>Journal of Materials Science and Technology</i> , 2014 , 30, 134-138	9.1	57
121	Cyclic extrusion compression angular pressing (CECAP) as a novel severe plastic deformation method for producing bulk ultrafine grained metals. <i>Materials Letters</i> , 2017 , 197, 12-16	3.3	48
120	Microstructure and mechanical properties of Al/Cu/Mg laminated composite sheets produced by the ARB proces. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2018 , 25, 564-572	3.1	44
119	Numerical and experimental investigation of the deformation behavior during the accumulative back extrusion of an AZ91 magnesium alloy. <i>Materials & Design</i> , 2012 , 35, 251-258		43
118	Microstructure and hardness inhomogeneity of fine-grained AM60 magnesium alloy subjected to cyclic expansion extrusion (CEE). <i>Journal of Manufacturing Processes</i> , 2017 , 28, 197-208	5	42
117	A combined method for producing high strength and ductility magnesium microtubes for biodegradable vascular stents application. <i>Journal of Alloys and Compounds</i> , 2017 , 723, 467-476	5.7	37
116	TEM analysis and determination of dislocation densities in nanostructured copper tube produced via parallel tubular channel angular pressing process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 563, 193-198	5.3	36
115	Mechanical properties and microstructural evolution during multi-pass ECAR of Al 1100 alloy. <i>Materials & Design</i> , 2012 , 42, 388-394		36

114	Characterization of nanostructured pure aluminum tubes produced by tubular channel angular pressing (TCAP). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 590, 289-294	5.3	34
113	Development of a novel method for the backward extrusion. <i>Materials & Design</i> , 2014 , 62, 361-366		32
112	A novel combined severe plastic deformation method for producing thin-walled ultrafine grained cylindrical tubes. <i>Materials Letters</i> , 2015 , 143, 167-171	3.3	31
111	Application of the hydroforming strain- and stress-limit diagrams to predict necking in metal bellows forming process. <i>International Journal of Advanced Manufacturing Technology</i> , 2010 , 46, 551-561	3.2	31
110	TiO ₂ nanotube coating on stainless steel 304 for biomedical applications. <i>Ceramics International</i> , 2015 , 41, 2785-2793	5.1	30
109	Severe mechanical anisotropy of high-strength ultrafine grained CuZn tubes processed by parallel tubular channel angular pressing (PTCAP). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 625, 50-55	5.3	29
108	Microstructural Evolution of UFG Magnesium Alloy Produced by Accumulative Back Extrusion (ABE). <i>Materials and Manufacturing Processes</i> , 2012 , 27, 267-272	4.1	29
107	Surface modification of severe plastically deformed ultrafine grained pure titanium by plasma electrolytic oxidation. <i>Surface and Coatings Technology</i> , 2017 , 316, 113-121	4.4	27
106	Processing and characterization of nanostructured Grade 2 Ti processed by combination of warm isothermal ECAP and extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 703, 551-558	5.3	27
105	Deformation Behavior in Tubular Channel Angular Pressing (TCAP) Using Triangular and Semicircular Channels. <i>Materials Transactions</i> , 2012 , 53, 8-12	1.3	27
104	Repetitive forging (RF) using inclined punches as a new bulk severe plastic deformation method. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 558, 150-157	5.3	26
103	Experimental and finite element analysis of parameters in manufacturing of metal bellows. <i>International Journal of Advanced Manufacturing Technology</i> , 2008 , 38, 641-648	3.2	26
102	Hot tensile deformation and fracture behavior of ultrafine-grained AZ31 magnesium alloy processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 674, 9-17	5.3	26
101	Nanomaterials by severe plastic deformation: review of historical developments and recent advances. <i>Materials Research Letters</i> , 2022 , 10, 163-256	7.4	26
100	Applicability of a modified backward extrusion process on commercially pure aluminum. <i>Materials & Design</i> , 2015 , 65, 521-528		25
99	Characterization of ultra-fine grained aluminum produced by accumulative back extrusion (ABE). <i>Materials Characterization</i> , 2012 , 68, 14-21	3.9	25
98	Hot tensile deformation behavior of Mg-Zn-Al magnesium alloy tubes processed by severe plastic deformation. <i>Journal of Alloys and Compounds</i> , 2018 , 742, 442-453	5.7	24
97	Mathematical modeling and optimization of friction stir welding process parameters in AA5083 and AA7075 aluminum alloy joints. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2016 , 230, 1284-1294	2.4	24

96	Effect of nanofiller geometry on the energy absorption capability of coiled carbon nanotube composite material. <i>Composites Science and Technology</i> , 2017 , 153, 222-231	8.6	21
95	Evaluation of Microstructure and Mechanical Properties of Multilayer Al5052/Cu Composite Produced by Accumulative Roll Bonding. <i>Powder Metallurgy and Metal Ceramics</i> , 2018 , 57, 144-153	0.8	20
94	Nano-mechanical properties and microstructure of UFG brass tubes processed by parallel tubular channel angular pressing. <i>Metals and Materials International</i> , 2016 , 22, 1098-1107	2.4	19
93	Evaluation of mechanical and metallurgical properties of AZ91 seamless tubes produced by radial-forward extrusion method. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 666, 176-183	5.3	19
92	A new designed incremental high pressure torsion process for producing long nanostructured rod samples. <i>Journal of Alloys and Compounds</i> , 2017 , 695, 1539-1546	5.7	18
91	Recrystallization and mechanical properties of WE43 magnesium alloy processed via cyclic expansion extrusion. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2018 , 25, 672-681	3.1	18
90	Processing and Properties of Biodegradable Magnesium Microtubes for Using as Vascular Stents: A Brief Review. <i>Metals and Materials International</i> , 2019 , 25, 1341-1359	2.4	17
89	The Effects of the Multi-pass Parallel Tubular Channel Angular Pressing on the Microstructure and Mechanical Properties of the Cu/Zn Tubes. <i>Transactions of the Indian Institute of Metals</i> , 2015 , 68, 873-879	1.2	17
88	Deformation behavior in the tubular channel angular pressing (TCAP) as a noble SPD method for cylindrical tubes. <i>Applied Physics A: Materials Science and Processing</i> , 2012 , 107, 819-827	2.6	17
87	Microstructures and mechanical properties of Al ₂ O ₃ /AZ91 surface nanocomposite layer produced by friction stir processing. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2011 , 225, 1331-1345	2.4	17
86	Combined effects of ECAP and subsequent heating parameters on semi-solid microstructure of 7075 aluminum alloy. <i>Transactions of Nonferrous Metals Society of China</i> , 2016 , 26, 3091-3101	3.3	17
85	A Combined Analytical/Numerical Investigation on Photosensitive Hydrogel Micro-Valves. <i>International Journal of Applied Mechanics</i> , 2017 , 09, 1750103	2.4	16
84	An Overview on the Continuous Severe Plastic Deformation Methods. <i>Materials Transactions</i> , 2019 , 60, 1316-1330	1.3	16
83	Using the finite element method for achieving an extra high limiting drawing ratio (LDR) of 9 for cylindrical components. <i>CIRP Journal of Manufacturing Science and Technology</i> , 2010 , 3, 262-267	3.4	16
82	Development of a novel bulk plastic deformation method: hydrostatic backward extrusion. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 82, 1823-1830	3.2	15
81	Evaluation of the microstructure and mechanical properties of the ultrafine grained thin-walled tubes processed by severe plastic deformation. <i>Metals and Materials International</i> , 2015 , 21, 1068-1073	2.4	15
80	Hydrostatic cyclic expansion extrusion (HCEE) as a novel severe plastic deformation process for producing long nanostructured metals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 718, 412-417	5.3	15
79	Microstructure and Mechanical Properties of Ultra-fine-Grained Al-Mg-Si Tubes Produced by Parallel Tubular Channel Angular Pressing Process. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015 , 46, 1805-1813	2.3	14

78	Cyclic Flaring and Sinking (CFS) as a New Severe Plastic Deformation Method for Thin-walled Cylindrical Tubes. <i>Transactions of the Indian Institute of Metals</i> , 2016 , 69, 1217-1222	1.2	14
77	Hydrostatic tube cyclic expansion extrusion (HTCEE) as a new severe plastic deformation method for producing long nanostructured tubes. <i>Journal of Alloys and Compounds</i> , 2019 , 785, 163-168	5.7	14
76	Severe Plastic Deformation of Commercial Pure Titanium (CP-Ti) for Biomedical Applications: A Brief Review. <i>Jom</i> , 2019 , 71, 256-263	2.1	14
75	Fundamentals of Severe Plastic Deformation 2018 , 19-36		13
74	Ultrasonic assisted tubular channel angular pressing process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 599, 10-15	5.3	13
73	A numerical and experimental study on tubular channel angular pressing (TCAP) process. <i>Journal of Mechanical Science and Technology</i> , 2012 , 26, 3463-3468	1.6	13
72	Accumulative Torsion Back (ATB) Processing as a New Plastic Deformation Technique. <i>Materials and Manufacturing Processes</i> , 2012 , 27, 507-511	4.1	13
71	Hydrostatic radial forward tube extrusion as a new plastic deformation method for producing seamless tubes. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 88, 291-301	3.2	12
70	Hot deformation behavior of Mg-Zn-Al alloy tube processed by severe plastic deformation. <i>Archives of Metallurgy and Materials</i> , 2017 , 62, 159-166		12
69	Evaluation of the Mechanical Properties of AA 6063 Processed by Severe Plastic Deformation. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015 , 46, 2172-2184	2.3	12
68	Electron back-scattered diffraction and nanoindentation analysis of nanostructured Al tubes processed by multipass tubular-channel angular pressing. <i>Metals and Materials International</i> , 2016 , 22, 288-294	2.4	11
67	Manufacturing and mechanical characterization of Mg-4Y-2Nd-0.4Zr-0.25La magnesium microtubes by combined severe plastic deformation process for biodegradable vascular stents. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2019 , 233, 1196-1205	2.4	11
66	Excellent energy absorption capacity of nanostructured Cu ₂ Ni thin-walled tube. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 599, 141-144	5.3	11
65	Microstructure and homogeneity of semi-solid 7075 aluminum tubes processed by parallel tubular channel angular pressing. <i>Metals and Materials International</i> , 2017 , 23, 1019-1028	2.4	11
64	Microstructure and Mechanical Properties of Al Tube Processed by Friction Stir Tube Back Extrusion (FSTBE). <i>Transactions of the Indian Institute of Metals</i> , 2017 , 70, 1849-1856	1.2	11
63	Producing high strength aluminum alloy by combination of equal channel angular pressing and bake hardening. <i>Materials Letters</i> , 2015 , 140, 196-199	3.3	10
62	A novel approach for preparation of aligned electrospun polyacrylonitrile nanofibers. <i>Chemical Physics Letters</i> , 2013 , 590, 231-234	2.5	10
61	Processing of AM60 magnesium alloy by hydrostatic cyclic expansion extrusion at elevated temperature as a new severe plastic deformation method. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2020 , 27, 669-677	3.1	9

60	Rubber pad tube straining as a new severe plastic deformation method for thin-walled cylindrical tubes. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2016 , 230, 1845-1854	2.4	9
59	Microstructure and mechanical properties of fine-grained thin-walled AZ91 tubes processed by a novel combined SPD process. <i>Bulletin of Materials Science</i> , 2017 , 40, 1471-1479	1.7	9
58	A methodology for determination of extended strain-based forming limit curve considering the effects of strain path and normal stress. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2015 , 229, 1537-1547	1.3	8
57	Friction Study in Equal Channel Multi Angular Pressing: Load Curve and Ring Compression tests. <i>Transactions of the Indian Institute of Metals</i> , 2016 , 69, 1793-1800	1.2	8
56	Interface sheet-constrained groove pressing as a modified severe plastic deformation process. <i>Materials Science and Technology</i> , 2018 , 34, 1669-1678	1.5	8
55	Preform Shape Design in Tube Hydroforming Process Using Equi-Potential Line Method. <i>Materials and Manufacturing Processes</i> , 2013 , 28, 260-264	4.1	8
54	Evaluation of residual stress in ultrafine-grained aluminum tubes using shearography. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2015 , 229, 953-962 ²⁻⁴		7
53	Synergistic enhancement of photocatalytic antibacterial effects in high-strength aluminum/TiO ₂ nanoarchitectures. <i>Ceramics International</i> , 2020 , 46, 24267-24280	5.1	7
52	Enhanced Hot Tensile Ductility of Mg-3Al-1Zn Alloy Thin-Walled Tubes Processed Via a Combined Severe Plastic Deformation. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 2330-2337	1.6	7
51	Severe Plastic Deformation Methods for Sheets 2018 , 113-129		7
50	Severe Plastic Deformation Methods for Bulk Samples 2018 , 37-112		7
49	Evaluation of Hot Tensile Behavior of Fine-Grained Mg9Al1Zn Alloy Tube Processed by Severe Plastic Deformation. <i>Transactions of the Indian Institute of Metals</i> , 2017 , 70, 1369-1376	1.2	7
48	In-vivo study of ultrafine-grained CP-Ti dental implants surface modified by SLActive with excellent wettability. <i>International Journal of Adhesion and Adhesives</i> , 2020 , 102, 102684	3.4	7
47	Microstructure, mechanical properties and bio-corrosion properties of Mg-HA bionanocomposites fabricated by a novel severe plastic deformation process. <i>Ceramics International</i> , 2020 , 46, 2836-2844	5.1	7
46	Investigation on thermal stresses in FGM hyperelastic thick-walled cylinders. <i>Journal of Thermal Stresses</i> , 2018 , 41, 204-221	2.2	7
45	Processing characterization of binary Mg-Zn alloys fabricated by a new powder consolidation combined severe plastic deformation method. <i>Journal of Alloys and Compounds</i> , 2020 , 832, 154922	5.7	6
44	Deformation speed and temperature effects on magnesium AZ91 during tubular channel angular pressing. <i>Materials Science and Technology</i> , 2015 , 31, 1879-1885	1.5	6
43	Experimental and Modelling Study of Ultra-Fine Grained ZK60 Magnesium Alloy with Simultaneously Improved Strength and Ductility Processed by Parallel Tubular Channel Angular Pressing. <i>Metals and Materials International</i> , 2021 , 27, 277-297	2.4	6

42	Mechanical properties and in vivo biodegradability of Mg ₇₀ Zn ₁₀ Al ₁₀ magnesium alloy produced by a combined severe plastic deformation. <i>Rare Metals</i> , 2021 , 40, 651-662	5.5	6
41	The stress intensity factors (SIFs) of cracked half-plane specimen in contact with semi-circular object. <i>Theoretical and Applied Fracture Mechanics</i> , 2015 , 75, 104-112	3.7	5
40	An Enhanced Steady-State Constitutive Model for Semi-solid Forming of Al7075 Based on Cross Model. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017 , 48, 4275-4285	2.3	5
39	Hydroironing: A Novel Ironing Method with a Higher Thickness Reduction. <i>Materials and Manufacturing Processes</i> , 2015 , 30, 99-103	4.1	5
38	Analysis of lateral extrusion of gear-like form parts. <i>Journal of Mechanical Science and Technology</i> , 2012 , 26, 3243-3252	1.6	5
37	Surface characterization of nanostructured commercially pure titanium modified by sandblasting and acid-etching for implant applications. <i>Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology</i> , 2020 , 234, 414-423	1.4	5
36	Investigation of the property hull for solid oxide fuel cell microstructures. <i>Computational Materials Science</i> , 2017 , 127, 1-7	3.2	4
35	Microstructural, Mechanical and Corrosion Properties of AZ91 Magnesium Alloy Processed by a Severe Plastic Deformation Method of Hydrostatic Cyclic Expansion Extrusion. <i>Metals and Materials International</i> , 2021 , 27, 2933-2946	2.4	4
34	A Novel Ironing Process with Extra High Thickness Reduction: Constrained Ironing. <i>Materials and Manufacturing Processes</i> , 2015 , 30, 1324-1328	4.1	3
33	Severe Plastic Deformation for Industrial Applications 2018 , 165-186		3
32	Hydrostatic cyclic extrusion compression (HCEC) process; a new CEC counterpart for processing long ultrafine-grained metals. <i>Archives of Civil and Mechanical Engineering</i> , 2020 , 20, 1	3.4	3
31	Microstructure and Mechanical Properties of AM60 Magnesium Alloy Processed by a New Severe Plastic Deformation Technique. <i>Metals and Materials International</i> , 2021 , 27, 2957-2967	2.4	3
30	Effective Parameters for the Success of Severe Plastic Deformation Methods 2018 , 187-222		2
29	Severe Plastic Deformation Methods for Tubular Samples 2018 , 131-164		2
28	Applications of Ultrafine-Grained and Nanograined Metals 2018 , 275-306		2
27	Deformation Behavior, Microstructure and Microhardness of Mg ₈₀ Al ₁₀ Zn ₁₀ Microtubes Processed by Isothermal Micro-Backward Extrusion. <i>Transactions of the Indian Institute of Metals</i> , 2019 , 72, 2851-2860	1.2	2
26	Surface and Bulk Modification of Titanium Grade 2 Substrates for Enhanced Biological Activity. <i>Jom</i> , 2020 , 72, 721-729	2.1	2
25	Processing of long ultrafine-grained AM60 magnesium alloy tube by hydrostatic tube cyclic expansion extrusion (HTCEE) under high fluid pressure. <i>International Journal of Advanced Manufacturing Technology</i> , 2020 , 111, 3535-3544	3.2	2

24	Microstructure and Mechanical Properties of the Commercially Pure Copper Tube After Processing by Hydrostatic Tube Cyclic Expansion Extrusion (HTCEE). <i>Metals and Materials International</i> , 2021 , 27, 1686-1700	2.4	2
23	Properties inhomogeneity of AM60 magnesium alloy processed by cyclic extrusion compression angular pressing followed by extrusion. <i>Transactions of Nonferrous Metals Society of China</i> , 2021 , 31, 655-665	3.3	2
22	Mechanical Properties of Ultrafine-Grained and Nanostructured Metals 2018 , 223-257		2
21	Properties and Mechanism of Al/St Bimetal Tube Bonding Produced by Cold Spin-Bonding (CSB) Process. <i>Transactions of the Indian Institute of Metals</i> , 2017 , 70, 2673-2682	1.2	1
20	Microstructure and Mechanical Properties of CP-Titanium Processed by ECAP Followed by Warm Caliber Rolling. <i>Transactions of the Indian Institute of Metals</i> , 2018 , 71, 1083-1090	1.2	1
19	Analytical and experimental investigations on the novel hydro ironing process. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 84, 2003-2017	3.2	1
18	Fretting fatigue life investigation of AL7075-T6 alloy coated by multilayer thin solid films of TiCr/TiN/CrN and Ti/Cr/TiN/Cr/CrN/TiCrN. <i>Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology</i> , 2017 , 231, 686-692	1.4	1
17	Study on the deformation behavior of polyamide under the backward extrusion process. <i>Journal of Polymer Engineering</i> , 2015 , 35, 675-687	1.4	1
16	An upper-bound analysis for frictionless TCAP process. <i>Archive of Applied Mechanics</i> , 2012 , 83, 483	2.2	1
15	Producing Ultrafine Grain Al6061 Alloy by Accumulative Back Extrusion Process. <i>Journal of Materials Engineering and Performance</i> , 2012 , 21, 1220-1225	1.6	1
14	Influences of the constrained groove pressing on microstructural, mechanical, and fracture properties of brass sheets. <i>Materials Research Express</i> , 2020 , 7, 116526	1.7	1
13	Development of a new integrated severe plastic deformation method. <i>Materials Science and Technology</i> , 2020 , 36, 468-476	1.5	1
12	Processing and characterization of AZ91 magnesium alloys via a novel severe plastic deformation method: Hydrostatic cyclic extrusion compression (HCEC). <i>Transactions of Nonferrous Metals Society of China</i> , 2021 , 31, 1303-1321	3.3	1
11	Processing of commercially pure copper tubes by hydrostatic tube cyclic extrusion compression (HTCEC) as a new SPD method. <i>Archives of Civil and Mechanical Engineering</i> , 2021 , 21, 1	3.4	1
10	Hydrostatic Tube Cyclic Extrusion Compression as a Novel Severe Plastic Deformation Method for Fabricating Long Nanostructured Tubes. <i>Metals and Materials International</i> , 1	2.4	1
9	Fabrication of functionally graded W Cu composite via variable speed induction sintering and subsequent infiltration. <i>International Journal of Refractory Metals and Hard Materials</i> , 2022 , 106, 105857 ^{4.1}		1
8	A New Approach for Consolidation of Pure Magnesium Powder Using an Integrated Severe Plastic Deformation Route. <i>Journal of Materials Engineering and Performance</i> , 2019 , 28, 5586-5594	1.6	0
7	Fabrication of Al/Mg Bimetallic Thin-Walled Ultrafine-Grained Tube by Severe Plastic Deformation. <i>Journal of Materials Engineering and Performance</i> , 1	1.6	0

6	A New Modified Cyclic Extrusion Channel Angular Pressing (CECAP) Process for Producing Ultrafine-Grained Mg Alloy. <i>Transactions of the Indian Institute of Metals</i> , 2020 , 73, 2447-2456	1.2	0
5	PRODUCING NANOCOMPOSITE LAYER ON THE SURFACE OF AS-CAST AZ91 MAGNESIUM ALLOY BY FRICTION STIR PROCESSING. <i>International Journal of Modern Physics Conference Series</i> , 2012 , 05, 375-382	0.7	
4	Processing and properties of ultrafine-grained Mg-3Al-1Zn magnesium alloy microtubes fabricated via isothermal hot microforming of SPD processed precursors. <i>International Journal of Materials Research</i> , 2020 , 111, 146-152	0.5	
3	A Numerical and Experimental Study of Constrained Ironing Process as a Novel High Thickness Reduction Ironing Method. <i>Transactions of the Indian Institute of Metals</i> , 2016 , 69, 1843-1849	1.2	
2	Physical, Chemical, and Functional Properties of UFG and NS Metals 2018 , 259-274		
1	Formability enhancement of ultrafine-grained pure copper sheets produced by accumulative roll bonding aided by electromagnetic forming. <i>International Journal of Advanced Manufacturing Technology</i> , 1	3.2	