

Xingmei

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7950785/xingmei-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

3,471
citations

30
h-index

58
g-index

85
ext. papers

4,180
ext. citations

6.1
avg, IF

5.41
L-index

#	Paper	IF	Citations
78	Recycling of full components of polyester/cotton blends catalyzed by betaine-based deep eutectic solvents. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 10, 107512	6.8	1
77	Rapid alcoholysis of PET enhanced by its swelling under high temperature. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 10, 107823	6.8	1
76	Multiple Hydrogen Bonds Promote the Nonmetallic Degradation Process of Polyethylene Terephthalate with an Amino Acid Ionic Liquid Catalyst. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 4180-4188	3.9	2
75	Ion-Exchange Resins for Efficient Removal of Colorants in Bis(hydroxyethyl) Terephthalate. <i>ACS Omega</i> , 2021 , 6, 12351-12360	3.9	5
74	Progress in the catalytic glycolysis of polyethylene terephthalate. <i>Journal of Environmental Management</i> , 2021 , 296, 113267	7.9	13
73	Metal-free and mild photo-thermal synergism in ionic liquids for lignin C-C bond cleavage to provide aldehydes. <i>Green Chemistry</i> , 2021 , 23, 5524-5534	10	0
72	Selective Deoxygenation of Lignin-Derived Phenols and Dimeric Ethers with Protic Ionic Liquids. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 4864-4871	3.9	5
71	Densities and Viscosities of Binary Mixtures Containing the Polyhydric Protic Ionic Liquid(2-hydroxy-N-(2-hydroxyethyl)-N-methylethanaminium methanesulfonate) and Water or Alcohols. <i>Journal of Solution Chemistry</i> , 2020 , 49, 423-457	1.8	3
70	Weak Bonds Joint Effects Catalyze the Cleavage of Strong C-C Bond of Lignin-Inspired Compounds and Lignin in Air by Ionic Liquids. <i>ChemSusChem</i> , 2020 , 13, 5945-5953	8.3	3
69	A renewable co-solvent promoting the selective removal of lignin by increasing the total number of hydrogen bonds. <i>Green Chemistry</i> , 2020 , 22, 6393-6403	10	5
68	Degradation of poly(ethylene terephthalate) catalyzed by metal-free choline-based ionic liquids. <i>Green Chemistry</i> , 2020 , 22, 3122-3131	10	43
67	Efficient hydrodeoxygenation of lignin-derived phenols and dimeric ethers with synergistic [Bmim]PF ₆ -Ru/SBA-15 catalysis under acid free conditions. <i>Green Chemistry</i> , 2019 , 21, 597-605	10	25
66	Preparation of the Catalytic Chitin/Zn Composite by Combined Ionic Liquid/Inorganic Salt Aqueous Solution from Shrimp Shells. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 ,	8.3	5
65	High Aluminum Content Beta Zeolite as an Active Lewis Acid Catalyst for Valerolactone Decarboxylation. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 11841-11848	3.9	4
64	The molecular mechanism study of insulin on proliferation and differentiation of osteoblasts under high glucose conditions. <i>Cell Biochemistry and Function</i> , 2019 , 37, 385-394	4.2	3
63	Cascade utilization of lignocellulosic biomass to high-value products. <i>Green Chemistry</i> , 2019 , 21, 3499-3525	10	139
62	The molecular mechanism study of insulin in promoting wound healing under high-glucose conditions. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 16244-16253	4.7	3

61	Inhibiting degradation of cellulose dissolved in ionic liquids via amino acids. <i>Green Chemistry</i> , 2019 , 21, 2777-2787	10	25
60	Highly Efficient Oxidation of 5-Hydroxymethylfurfural to 2,5-Furandicarboxylic Acid with Heteropoly Acids and Ionic Liquids. <i>ChemSusChem</i> , 2019 , 12, 2715-2724	8.3	36
59	Physicochemical Properties of Various 2-Hydroxyethylammonium Sulfonate -Based Protic Ionic Liquids and Their Potential Application in Hydrodeoxygenation. <i>Frontiers in Chemistry</i> , 2019 , 7, 196	5	9
58	A facile ionic liquid approach to prepare cellulose-rich aerogels directly from corn stalks. <i>Green Chemistry</i> , 2019 , 21, 2699-2708	10	21
57	Alcoholysis of polyethylene terephthalate to produce dioctyl terephthalate using choline chloride-based deep eutectic solvents as efficient catalysts. <i>Green Chemistry</i> , 2019 , 21, 897-906	10	44
56	Metal-Free Photochemical Degradation of Lignin-Derived Aryl Ethers and Lignin by Autologous Radicals through Ionic Liquid Induction. <i>ChemSusChem</i> , 2019 , 12, 4005-4013	8.3	17
55	Lewis Acid-Base Synergistic Catalysis for Polyethylene Terephthalate Degradation by 1,3-Dimethylurea/Zn(OAc) ₂ Deep Eutectic Solvent. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 3292-3300	8.3	57
54	Direct conversion of shrimp shells to O-acylated chitin with antibacterial and anti-tumor effects by natural deep eutectic solvents. <i>Green Chemistry</i> , 2019 , 21, 87-98	10	45
53	Direct conversion of cellulose to sorbitol via an enhanced pretreatment with ionic liquids. <i>Journal of Chemical Technology and Biotechnology</i> , 2018 , 93, 2617-2624	3.5	14
52	Theoretical studies on glycolysis of poly(ethylene terephthalate) in ionic liquids.. <i>RSC Advances</i> , 2018 , 8, 8209-8219	3.7	17
51	Base-free preparation of low molecular weight chitin from crab shell. <i>Carbohydrate Polymers</i> , 2018 , 190, 148-155	10.3	20
50	One-step preparation of an antibacterial chitin/Zn composite from shrimp shells using urea-Zn(OAc) ₂ ·2H ₂ O aqueous solution. <i>Green Chemistry</i> , 2018 , 20, 2212-2217	10	19
49	One-Pot Synthesis of 2,5-Furandicarboxylic Acid from Fructose in Ionic Liquids. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 1851-1858	3.9	26
48	One-Step Conversion of Biomass-Derived Furanics into Aromatics by Brønsted Acid Ionic Liquids at Room Temperature. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 2541-2551	8.3	40
47	Separation and characterization of cellulose I material from corn straw by low-cost polyhydric protic ionic liquids. <i>Cellulose</i> , 2018 , 25, 3241-3254	5.5	18
46	Fe ₂ O ₃ catalyzed base-free aerobic oxidation of 5-HMF to 2,5-FDCA as a bio-based polyester monomer. <i>Catalysis Science and Technology</i> , 2018 , 8, 164-175	5.5	62
45	High-efficiency glycolysis of poly(ethylene terephthalate) by sandwich-structure polyoxometalate catalyst with two active sites. <i>Polymer Degradation and Stability</i> , 2018 , 156, 22-31	4.7	20
44	Nanoscale Observation of Microfibril Swelling and Dissolution in Ionic Liquids. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 909-917	8.3	12

43	Ultrafast Homogeneous Glycolysis of Waste Polyethylene Terephthalate via a Dissolution-Degradation Strategy. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 16239-16245	3.9	42
42	Facile Synthesis of Cellulose/ZnO Aerogel with Uniform and Tunable Nanoparticles Based on Ionic Liquid and Polyhydric Alcohol. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 16248-16254	8.3	8
41	A Simple and Mild Approach for the Synthesis of p-Xylene from Bio-Based 2,5-Dimethylfuran by Using Metal Triflates. <i>ChemSusChem</i> , 2017 , 10, 2394-2401	8.3	28
40	Electrodeposition of Al from chloroaluminate ionic liquids with different cations. <i>Ionics</i> , 2017 , 23, 2449-2455	2.7	9
39	Rapid and productive extraction of high purity cellulose material via selective depolymerization of the lignin-carbohydrate complex at mild conditions. <i>Green Chemistry</i> , 2017 , 19, 2234-2243	10	30
38	In Situ Catalytic Pyrolysis of Low-Rank Coal for the Conversion of Heavy Oils into Light Oils. <i>Advances in Materials Science and Engineering</i> , 2017 , 2017, 1-8	1.5	8
37	Electrodeposition in Ionic Liquids. <i>ChemPhysChem</i> , 2016 , 17, 335-51	3.2	88
36	Using Sub/Supercritical CO ₂ as Phase Separation Switch for the Efficient Production of 5-Hydroxymethylfurfural from Fructose in an Ionic Liquid/Organic Biphasic System. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 557-563	8.3	33
35	Conversion of lignin model compounds under mild conditions in pseudo-homogeneous systems. <i>Green Chemistry</i> , 2016 , 18, 2341-2352	10	58
34	Conversion of bis(2-hydroxyethylene terephthalate) into 1,4-cyclohexanedimethanol by selective hydrogenation using RuPtSn/Al ₂ O ₃ . <i>RSC Advances</i> , 2016 , 6, 48737-48744	3.7	5
33	A piperidinium-based ionic liquid electrolyte to enhance the electrochemical properties of LiFePO ₄ battery. <i>Ionics</i> , 2015 , 21, 2109-2117	2.7	19
32	Fast and effective glycolysis of poly(ethylene terephthalate) catalyzed by polyoxometalate. <i>Polymer Degradation and Stability</i> , 2015 , 117, 30-36	4.7	41
31	Conversion of biomass derived valerolactone into high octane number gasoline with an ionic liquid. <i>Green Chemistry</i> , 2015 , 17, 1065-1070	10	43
30	An effective two-step ionic liquids method for cornstalk pretreatment. <i>Journal of Chemical Technology and Biotechnology</i> , 2015 , 90, 2057-2065	3.5	5
29	Aluminum Deposition from Lewis Acidic 1-Butyl-3-Methylimidazolium Chloroaluminate Ionic Liquid ([Bmim]Cl/AlCl ₃) Modified with Methyl Nicotinate. <i>ChemElectroChem</i> , 2015 , 2, 1794-1798	4.3	19
28	Preparation of 1,4-cyclohexanedimethanol by selective hydrogenation of a waste PET monomer bis(2-hydroxyethylene terephthalate). <i>RSC Advances</i> , 2015 , 5, 485-492	3.7	8
27	Deep eutectic solvents as highly active catalysts for the fast and mild glycolysis of poly(ethylene terephthalate)(PET). <i>Green Chemistry</i> , 2015 , 17, 2473-2479	10	108
26	First-Row Transition Metal-Containing Ionic Liquids as Highly Active Catalysts for the Glycolysis of Poly(ethylene terephthalate) (PET). <i>ACS Sustainable Chemistry and Engineering</i> , 2015 , 3, 340-348	8.3	98

25	Physicochemical Properties of Ionic Liquids 2014 , 275-307		5
24	Enhanced delignification of cornstalk by employing superbase TBD in ionic liquids. <i>RSC Advances</i> , 2014 , 4, 27430-27438	3.7	8
23	Formation of C-C bonds for the production of bio-alkanes under mild conditions. <i>Green Chemistry</i> , 2014 , 16, 3589-3595	10	59
22	Effect of nicotinamide on electrodeposition of Al from aluminium chloride (AlCl ₃)-1-butyl-3-methylimidazolium chloride ([Bmim]Cl) ionic liquids. <i>Journal of Solid State Electrochemistry</i> , 2014 , 18, 257-267	2.6	33
21	Densities and Viscosities of Binary Mixtures Containing 1,3-Dimethylimidazolium Dimethylphosphate and Alcohols. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 2377-2388	2.8	41
20	Vinyl-functionalized imidazolium ionic liquids as new electrolyte additives for high-voltage Li-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2013 , 17, 2839-2848	2.6	29
19	Triethylbutylammonium bis(trifluoromethanesulphonyl)imide ionic liquid as an effective electrolyte additive for Li-ion batteries. <i>Ionics</i> , 2013 , 19, 887-894	2.7	17
18	1-Allyl-3-methylimidazolium halometallate ionic liquids as efficient catalysts for the glycolysis of poly(ethylene terephthalate). <i>Journal of Applied Polymer Science</i> , 2013 , 129, 3574-3581	2.9	32
17	Synthesis, Characterisation and Magnetic Behaviour of Ionic Metalloporphyrins: Metallo-tetrakis(N-Octyl-4-Pyridinium)Porphyrins with Tetrabromoferrate(III) Anions. <i>Journal of Chemical Research</i> , 2013 , 37, 445-450	0.6	1
16	Coagulation of Chitin and Cellulose from 1-Ethyl-3-methylimidazolium Acetate Ionic-Liquid Solutions Using Carbon Dioxide. <i>Angewandte Chemie</i> , 2013 , 125, 12576-12579	3.6	16
15	Urea as an efficient and reusable catalyst for the glycolysis of poly(ethylene terephthalate) wastes and the role of hydrogen bond in this process. <i>Green Chemistry</i> , 2012 , 14, 2559	10	86
14	Effective catalysis of poly(ethylene terephthalate) (PET) degradation by metallic acetate ionic liquids. <i>Pure and Applied Chemistry</i> , 2012 , 84, 789-801	2.1	44
13	Characterization of Solid Acid Catalysts and Their Reactivity in the Glycolysis of Poly(ethylene terephthalate). <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 11659-11666	3.9	24
12	Chlorine-free alternatives to the synthesis of ionic liquids for biomass processing. <i>Pure and Applied Chemistry</i> , 2012 , 84, 745-754	2.1	21
11	Electrodeposition of zinc coatings from the solutions of zinc oxide in imidazolium chloride/urea mixtures. <i>Science China Chemistry</i> , 2012 , 55, 1587-1597	7.9	32
10	Investigation of solid catalysts for glycolysis of polyethylene terephthalate. <i>Chemical Engineering Journal</i> , 2012 , 185-186, 168-177	14.7	50
9	Rapid dissolution of lignocellulosic biomass in ionic liquids using temperatures above the glass transition of lignin. <i>Green Chemistry</i> , 2011 , 13, 2038	10	177
8	Rheological properties of cotton pulp cellulose dissolved in 1-butyl-3-methylimidazolium chloride solutions. <i>Polymer Engineering and Science</i> , 2011 , 51, 2381-2386	2.3	8

7	Composite fibers spun directly from solutions of raw lignocellulosic biomass dissolved in ionic liquids. <i>Green Chemistry</i> , 2011 , 13, 1158	10	54
6	Dissolution or extraction of crustacean shells using ionic liquids to obtain high molecular weight purified chitin and direct production of chitin films and fibers. <i>Green Chemistry</i> , 2010 , 12, 968	10	320
5	A promising method for electrodeposition of aluminium on stainless steel in ionic liquid. <i>AICHE Journal</i> , 2009 , 55, 783-796	3.6	42
4	Simple and safe synthesis of microporous aluminophosphate molecular sieves by ionothermal approach. <i>AICHE Journal</i> , 2008 , 54, 280-288	3.6	30
3	Periodicity and map for discovery of new ionic liquids. <i>Science in China Series B: Chemistry</i> , 2006 , 49, 103-115		6
2	Physical Properties of Ionic Liquids: Database and Evaluation. <i>Journal of Physical and Chemical Reference Data</i> , 2006 , 35, 1475-1517	4.3	920
1	A techno-economic analysis of bio-gasoline production from corn stover via catalytic conversion. <i>Clean Technologies and Environmental Policy</i> , 1	4.3	0