Young-Mi Ah

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7950851/publications.pdf

Version: 2024-02-01

38	568 citations	933447 10 h-index	642732 23 g-index
papers	Citations	II-IIIdex	g-mdex
38 all docs	38 docs citations	38 times ranked	1020 citing authors

#	Article	IF	CITATIONS
1	Colistin resistance in Klebsiella pneumoniae. International Journal of Antimicrobial Agents, 2014, 44, 8-15.	2.5	144
2	Effects of probiotics for the treatment of atopic dermatitis: a meta-analysis of randomized controlled trials. Annals of Allergy, Asthma and Immunology, 2014, 113, 217-226.	1.0	141
3	Development of an Anticholinergic Burden Scale specific for Korean older adults. Geriatrics and Gerontology International, 2019, 19, 628-634.	1.5	41
4	Clinical and economic impact of pharmacists' intervention in a large volume chemotherapy preparation unit. International Journal of Clinical Pharmacy, 2016, 38, 1124-1132.	2.1	33
5	Antiepileptic drug adherence and persistence in children with epilepsy attending a large tertiary care children's hospital. Epileptic Disorders, 2016, 18, 408-417.	1.3	25
6	Effect of anticholinergic burden on treatment modification, delirium and mortality in newly diagnosed dementia patients starting a cholinesterase inhibitor: A populationâ€based study. Basic and Clinical Pharmacology and Toxicology, 2019, 124, 741-748.	2.5	25
7	Persistence with Antihypertensive Medications in Uncomplicated Treatment-Naìve Patients: Effects of Initial Therapeutic Classes. Journal of Korean Medical Science, 2015, 30, 1800.	2.5	21
8	Impact of anticholinergic burden on emergency department visits among older adults in Korea: A national population cohort study. Archives of Gerontology and Geriatrics, 2019, 85, 103912.	3.0	17
9	Real-world prevalence of potential drug-drug interactions involving oral antineoplastic agents: a population-based study. Supportive Care in Cancer, 2020, 28, 3617-3626.	2.2	12
10	Dose response relationship of cumulative anticholinergic exposure with incident dementia: validation study of Korean anticholinergic burden scale. BMC Geriatrics, 2020, 20, 265.	2.7	11
11	Trends in Antiepileptic Drug Prescriptions for Childhood Epilepsy at a Tertiary Children's Hospital in Korea, 2001–2012. Paediatric Drugs, 2015, 17, 487-496.	3.1	10
12	Implication of different initial beta blockers on treatment persistence: atenolol vs newâ€generation beta blocker, a populationâ€based study. Cardiovascular Therapeutics, 2016, 34, 268-275.	2.5	7
13	Persistence with antihypertensives in uncomplicated treatment-naÃ-ve very elderly patients: a nationwide population-based study. BMC Cardiovascular Disorders, 2017, 17, 232.	1.7	7
14	Age- and sex-specific risk of urogenital infections in patients with type 2 diabetes treated with sodium-glucose co-transporter 2 inhibitors: A population-based self-controlled case-series study. Maturitas, 2021, 150, 30-36.	2.4	7
15	Awareness of the use of hyponatraemia-inducing medications in older adults with hyponatraemia: a study of their prevalent use and association with recurrent symptomatic or severe hyponatraemia. Age and Ageing, 2021, 50, 1137-1143.	1.6	6
16	Association of inappropriate polypharmacy with emergency department visits in older patients receiving anti-neoplastic therapy: a population-based study. Supportive Care in Cancer, 2021, 29, 3025-3034.	2.2	6
17	Efficacy and Safety of Clinically Driven Low-Dose Treatment with Direct Oral Anticoagulants in Asians with Atrial Fibrillation: a Systematic Review and Meta-analysis. Cardiovascular Drugs and Therapy, 2022, 36, 333-345.	2.6	5
18	Risk factors of chronic opioid use after surgical procedures in noncancer patients. European Journal of Anaesthesiology, 2022, 39, 161-169.	1.7	5

#	Article	IF	CITATIONS
19	Potential Impact of the Involvement of Clinical Pharmacists in Antimicrobial Stewardship Programs on the Incidence of Antimicrobial-Related Adverse Events in Hospitalized Patients: A Multicenter Retrospective Study. Antibiotics, 2021, 10, 853.	3.7	5
20	Comparative safety and efficacy of low- or moderate-intensity statin plus ezetimibe combination therapy and high-intensity statin monotherapy: A meta-analysis of randomized controlled studies. PLoS ONE, 2022, 17, e0264437.	2.5	5
21	Trends in potentially inappropriate opioid prescribing and associated risk factors among Korean noncancer patients prescribed non-injectable opioid analgesics. Therapeutic Advances in Drug Safety, 2022, 13, 204209862210910.	2.4	5
22	Change in sedative burden after dementia onset using difference-in-difference estimations. PLoS ONE, 2019, 14, e0220582.	2.5	3
23	The association of angiotensin receptor blocker-based combination therapy with persistence and adherence in newly treated, uncomplicated hypertensive patients Patient Preference and Adherence, 2019, Volume 13, 241-248.	1.8	3
24	Prevalence of anticholinergic burden and risk factors amongst the older population: analysis of insurance claims data of Korean patients. International Journal of Clinical Pharmacy, 2020, 42, 453-461.	2.1	3
25	Development and validation of a risk-score model for opioid overdose using a national claims database. Scientific Reports, 2022, 12, 4974.	3.3	3
26	Rebamipide as a Potential Alternative Gastroprotective Agent to Proton Pump Inhibitor in Elderly Chronic Nonsteroidal Anti-Inflammatory Drug Users without Risk Factors. International Journal of General Medicine, 2022, Volume 15, 2835-2845.	1.8	3
27	Influence of initial angiotensin receptor blockers on treatment persistence in uncomplicated hypertension: A nation-wide population-based study. Clinical and Experimental Hypertension, 2016, 38, 325-330.	1.3	2
28	Realâ€world safety evaluation of topical corticosteroid use: A community pharmacyâ€based, prospective, observational study. Basic and Clinical Pharmacology and Toxicology, 2019, 125, 405-413.	2.5	2
29	Comparative associations between anticholinergic burden and emergency department visits for anticholinergic adverse events in older Korean adults: a nested case-control study using national claims data for validation of a novel country-specific scale. BMC Pharmacology & Discology, 2021, 22, 2.	2.4	2
30	Comparison on Efficacy of Administration Time of Levothyroxine in Patients with Hypothyroidism: A Meta-analysis. Korean Journal of Clinical Pharmacy, 2020, 30, 87-91.	0.3	2
31	Impact of Preventive Strategies on Gastrointestinal Complications in Elderly Patients on Concomitant Use of Oral Anticoagulants and Nonsteroidal Anti-Inflammatory Drugs: A Nationwide Cohort Study. Drug Safety, 2022, 45, 297-304.	3.2	2
32	Developing national level high alert medication lists for acute care setting in Korea. Korean Journal of Clinical Pharmacy, 2022, 32, 116-124.	0.3	2
33	Underutilization of gastrointestinal prophylaxis in high-risk chronic nonsteroidal anti-inflammatory drug users in Korea. International Journal of Clinical Pharmacy, 2021, 43, 645-653.	2.1	1
34	Development and Validation of a Trigger Tool for Identifying Drug-Related Emergency Department Visits. International Journal of Environmental Research and Public Health, 2021, 18, 8572.	2.6	1
35	Evaluation of Information Consistency of Clinically Significant Drug Interactions in Tyrosine Kinase Inhibitors. Korean Journal of Clinical Pharmacy, 2020, 30, 44-50.	0.3	1
36	Interrupted Time Series Analysis of Changes in Zolpidem Use Due to Media Broadcasts. International Journal of Environmental Research and Public Health, 2021, 18, 5114.	2.6	0

#	Article	IF	CITATIONS
37	A Survey on the Use and Education of Self-Injectable Medications. Journal of Korean Society of Health-System Pharmacists, 2021, 38, 488-497.	0.1	0
38	Developing national level high alert medication lists for acute care setting in Korea. Korean Journal of Clinical Pharmacy, 2022, 32, 116-124.	0.3	0