

# Young-Mi Ah

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7950851/publications.pdf>

Version: 2024-02-01

38  
papers

568  
citations

933447

10  
h-index

642732

23  
g-index

38  
all docs

38  
docs citations

38  
times ranked

1020  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Efficacy and Safety of Clinically Driven Low-Dose Treatment with Direct Oral Anticoagulants in Asians with Atrial Fibrillation: a Systematic Review and Meta-analysis. <i>Cardiovascular Drugs and Therapy</i> , 2022, 36, 333-345.   | 2.6 | 5         |
| 2  | Risk factors of chronic opioid use after surgical procedures in noncancer patients. <i>European Journal of Anaesthesiology</i> , 2022, 39, 161-169.   | 1.7 | 5         |
| 3  | Impact of Preventive Strategies on Gastrointestinal Complications in Elderly Patients on Concomitant Use of Oral Anticoagulants and Nonsteroidal Anti-Inflammatory Drugs: A Nationwide Cohort Study. <i>Drug Safety</i> , 2022, 45, 297-304.  | 3.2 | 2         |
| 4  | Development and validation of a risk-score model for opioid overdose using a national claims database. <i>Scientific Reports</i> , 2022, 12, 4974.  | 3.3 | 3         |
| 5  | Comparative safety and efficacy of low- or moderate-intensity statin plus ezetimibe combination therapy and high-intensity statin monotherapy: A meta-analysis of randomized controlled studies. <i>PLoS ONE</i> , 2022, 17, e0264437.  | 2.5 | 5         |
| 6  | Rebamipide as a Potential Alternative Gastroprotective Agent to Proton Pump Inhibitor in Elderly Chronic Nonsteroidal Anti-Inflammatory Drug Users without Risk Factors. <i>International Journal of General Medicine</i> , 2022, Volume 15, 2835-2845.   | 1.8 | 3         |
| 7  | Trends in potentially inappropriate opioid prescribing and associated risk factors among Korean noncancer patients prescribed non-injectable opioid analgesics. <i>Therapeutic Advances in Drug Safety</i> , 2022, 13, 204209862210910.   | 2.4 | 5         |
| 8  | Developing national level high alert medication lists for acute care setting in Korea. <i>Korean Journal of Clinical Pharmacy</i> , 2022, 32, 116-124.  | 0.3 | 2         |
| 9  | Developing national level high alert medication lists for acute care setting in Korea. <i>Korean Journal of Clinical Pharmacy</i> , 2022, 32, 116-124.  | 0.3 | 0         |
| 10 | Awareness of the use of hyponatraemia-inducing medications in older adults with hyponatraemia: a study of their prevalent use and association with recurrent symptomatic or severe hyponatraemia. <i>Age and Ageing</i> , 2021, 50, 1137-1143.  | 1.6 | 6         |
| 11 | Underutilization of gastrointestinal prophylaxis in high-risk chronic nonsteroidal anti-inflammatory drug users in Korea. <i>International Journal of Clinical Pharmacy</i> , 2021, 43, 645-653.  | 2.1 | 1         |
| 12 | Association of inappropriate polypharmacy with emergency department visits in older patients receiving anti-neoplastic therapy: a population-based study. <i>Supportive Care in Cancer</i> , 2021, 29, 3025-3034.   | 2.2 | 6         |
| 13 | Comparative associations between anticholinergic burden and emergency department visits for anticholinergic adverse events in older Korean adults: a nested case-control study using national claims data for validation of a novel country-specific scale. <i>BMC Pharmacology &amp; Toxicology</i> , 2021, 22, 2. | 2.4 | 2         |
| 14 | Interrupted Time Series Analysis of Changes in Zolpidem Use Due to Media Broadcasts. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5114.   | 2.6 | 0         |
| 15 | Potential Impact of the Involvement of Clinical Pharmacists in Antimicrobial Stewardship Programs on the Incidence of Antimicrobial-Related Adverse Events in Hospitalized Patients: A Multicenter Retrospective Study. <i>Antibiotics</i> , 2021, 10, 853.   | 3.7 | 5         |
| 16 | Age- and sex-specific risk of urogenital infections in patients with type 2 diabetes treated with sodium-glucose co-transporter 2 inhibitors: A population-based self-controlled case-series study. <i>Maturitas</i> , 2021, 150, 30-36.  | 2.4 | 7         |
| 17 | Development and Validation of a Trigger Tool for Identifying Drug-Related Emergency Department Visits. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8572.   | 2.6 | 1         |
| 18 | A Survey on the Use and Education of Self-Injectable Medications. <i>Journal of Korean Society of Health-System Pharmacists</i> , 2021, 38, 488-497.  | 0.1 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Real-world prevalence of potential drug-drug interactions involving oral antineoplastic agents: a population-based study. <i>Supportive Care in Cancer</i> , 2020, 28, 3617-3626.  | 2.2 | 12        |
| 20 | Dose response relationship of cumulative anticholinergic exposure with incident dementia: validation study of Korean anticholinergic burden scale. <i>BMC Geriatrics</i> , 2020, 20, 265.  | 2.7 | 11        |
| 21 | Prevalence of anticholinergic burden and risk factors amongst the older population: analysis of insurance claims data of Korean patients. <i>International Journal of Clinical Pharmacy</i> , 2020, 42, 453-461.   | 2.1 | 3         |
| 22 | Evaluation of Information Consistency of Clinically Significant Drug Interactions in Tyrosine Kinase Inhibitors. <i>Korean Journal of Clinical Pharmacy</i> , 2020, 30, 44-50.   | 0.3 | 1         |
| 23 | Comparison on Efficacy of Administration Time of Levothyroxine in Patients with Hypothyroidism: A Meta-analysis. <i>Korean Journal of Clinical Pharmacy</i> , 2020, 30, 87-91.   | 0.3 | 2         |
| 24 | Change in sedative burden after dementia onset using difference-in-difference estimations. <i>PLoS ONE</i> , 2019, 14, e0220582.   | 2.5 | 3         |
| 25 | Impact of anticholinergic burden on emergency department visits among older adults in Korea: A national population cohort study. <i>Archives of Gerontology and Geriatrics</i> , 2019, 85, 103912.   | 3.0 | 17        |
| 26 | Development of an Anticholinergic Burden Scale specific for Korean older adults. <i>Geriatrics and Gerontology International</i> , 2019, 19, 628-634.  | 1.5 | 41        |
| 27 | Real-world safety evaluation of topical corticosteroid use: A community pharmacy-based, prospective, observational study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 125, 405-413.  | 2.5 | 2         |
| 28 | <p>The association of angiotensin receptor blocker-based combination therapy with persistence and adherence in newly treated, uncomplicated hypertensive patients</p>. <i>Patient Preference and Adherence</i> , 2019, Volume 13, 241-248.                         | 1.8 | 3         |
| 29 | Effect of anticholinergic burden on treatment modification, delirium and mortality in newly diagnosed dementia patients starting a cholinesterase inhibitor: A population-based study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 741-748. | 2.5 | 25        |
| 30 | Persistence with antihypertensives in uncomplicated treatment-naïve very elderly patients: a nationwide population-based study. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 232.   | 1.7 | 7         |
| 31 | Implication of different initial beta blockers on treatment persistence: atenolol vs new-generation beta blocker, a population-based study. <i>Cardiovascular Therapeutics</i> , 2016, 34, 268-275.  | 2.5 | 7         |
| 32 | Antiepileptic drug adherence and persistence in children with epilepsy attending a large tertiary care children's hospital. <i>Epileptic Disorders</i> , 2016, 18, 408-417.  | 1.3 | 25        |
| 33 | Influence of initial angiotensin receptor blockers on treatment persistence in uncomplicated hypertension: A nation-wide population-based study. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 325-330.  | 1.3 | 2         |
| 34 | Clinical and economic impact of pharmacists' intervention in a large volume chemotherapy preparation unit. <i>International Journal of Clinical Pharmacy</i> , 2016, 38, 1124-1132.  | 2.1 | 33        |
| 35 | Persistence with Antihypertensive Medications in Uncomplicated Treatment-Naïve Patients: Effects of Initial Therapeutic Classes. <i>Journal of Korean Medical Science</i> , 2015, 30, 1800.  | 2.5 | 21        |
| 36 | Trends in Antiepileptic Drug Prescriptions for Childhood Epilepsy at a Tertiary Children's Hospital in Korea, 2001-2012. <i>Paediatric Drugs</i> , 2015, 17, 487-496.  | 3.1 | 10        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Colistin resistance in <i>Klebsiella pneumoniae</i> . <i>International Journal of Antimicrobial Agents</i> , 2014, 44, 8-15.   | 2.5 | 144       |
| 38 | Effects of probiotics for the treatment of atopic dermatitis: a meta-analysis of randomized controlled trials. <i>Annals of Allergy, Asthma and Immunology</i> , 2014, 113, 217-226. | 1.0 | 141       |