

Cristina Carrera

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7951294/publications.pdf>

Version: 2024-02-01

237
papers

7,810
citations

76326

40
h-index

69250

77
g-index

243
all docs

243
docs citations

243
times ranked

10900
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | T-cell invigoration to tumour burden ratio associated with anti-PD-1 response. <i>Nature</i> , 2017, 545, 60-65. | 27.8 | 1,280 |
| 2 | Results of the 2016 International Skin Imaging Collaboration International Symposium on Biomedical Imaging challenge: Comparison of the accuracy of computer algorithms to dermatologists for the diagnosis of melanoma from dermoscopic images. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 270-277.e1. | 1.2 | 236 |
| 3 | Genome-wide association study identifies three new melanoma susceptibility loci. <i>Nature Genetics</i> , 2011, 43, 1108-1113. | 21.4 | 230 |
| 4 | Dermoscopy Improves Accuracy of Primary Care Physicians to Triage Lesions Suggestive of Skin Cancer. <i>Journal of Clinical Oncology</i> , 2006, 24, 1877-1882. | 1.6 | 227 |
| 5 | Standardization of terminology in dermoscopy/dermatoscopy: Results of the third consensus conference of the International Society of Dermoscopy. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 1093-1106. | 1.2 | 207 |
| 6 | TERT Promoter Mutation Status as an Independent Prognostic Factor in Cutaneous Melanoma. <i>Journal of the National Cancer Institute</i> , 2014, 106, . | 6.3 | 204 |
| 7 | Genome-wide association study identifies novel loci predisposing to cutaneous melanoma. <i>Human Molecular Genetics</i> , 2011, 20, 5012-5023. | 2.9 | 187 |
| 8 | Benefits of total body photography and digital dermatoscopy (a two-step method of digital) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46</i> <i>American Academy of Dermatology</i> , 2012, 67, e17-e27. | 1.2 | 176 |
| 9 | Development of a two-step method for the diagnosis of melanoma by reflectance confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , 2009, 61, 216-229. | 1.2 | 168 |
| 10 | In Vivo Confocal Microscopic and Histopathologic Correlations of Dermoscopic Features in 202 Melanocytic Lesions. <i>Archives of Dermatology</i> , 2008, 144, 1597-608. | 1.4 | 155 |
| 11 | Impact of <i>in vivo</i> reflectance confocal microscopy on the number needed to treat melanoma in doubtful lesions. <i>British Journal of Dermatology</i> , 2014, 170, 802-808. | 1.5 | 137 |
| 12 | Association of MC1R Variants and Host Phenotypes With Melanoma Risk in CDKN2A Mutation Carriers: A GenoMEL Study. <i>Journal of the National Cancer Institute</i> , 2010, 102, 1568-1583. | 6.3 | 108 |
| 13 | Validity and Reliability of Dermoscopic Criteria Used to Differentiate Nevi From Melanoma. <i>JAMA Dermatology</i> , 2016, 152, 798. | 4.1 | 104 |
| 14 | Human Poisoning from Marine Toxins: Unknowns for Optimal Consumer Protection. <i>Toxins</i> , 2018, 10, 324. | 3.4 | 104 |
| 15 | Update in genetic susceptibility in melanoma. <i>Annals of Translational Medicine</i> , 2015, 3, 210. | 1.7 | 100 |
| 16 | Characterization of 1152 lesions excised over 10 years using total-body photography and digital dermatoscopy in the surveillance of patients at high risk for melanoma. <i>Journal of the American Academy of Dermatology</i> , 2012, 67, 836-845. | 1.2 | 98 |
| 17 | Dendritic Cells in Pigmented Basal Cell Carcinoma. <i>Archives of Dermatology</i> , 2007, 143, 883-6. | 1.4 | 91 |
| 18 | Association between sleep disordered breathing and aggressiveness markers of malignant cutaneous melanoma. <i>European Respiratory Journal</i> , 2014, 43, 1661-1668. | 6.7 | 89 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A 4-year follow-up study of atopic dermatitis therapy with 0.1% tacrolimus ointment in children and adult patients. <i>British Journal of Dermatology</i> , 2008, 159, 942-951. | 1.5 | 71 |
| 20 | Fast Evaluation of 69 Basal Cell Carcinomas With Ex Vivo Fluorescence Confocal Microscopy. <i>JAMA Dermatology</i> , 2013, 149, 839. | 4.1 | 71 |
| 21 | Genetic Abnormalities in Large to Giant Congenital Nevi: Beyond NRAS Mutations. <i>Journal of Investigative Dermatology</i> , 2019, 139, 900-908. | 0.7 | 67 |
| 22 | Performance of diagnostic tests in an intensive follow-up protocol for patients with American Joint Committee on Cancer (AJCC) stage IIB, IIC, and III localized primary melanoma: A prospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 516-524. | 1.2 | 61 |
| 23 | Clinical and dermoscopic clues to differentiate pigmented nail bands: an International Dermoscopy Society study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 732-736. | 2.4 | 61 |
| 24 | In vivo reflectance confocal microscopy to monitor the response of lentigo maligna to imiquimod. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 49-55. | 1.2 | 59 |
| 25 | In vivo reflectance confocal microscopy of equivocal melanocytic lesions detected by digital dermoscopy follow-up. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1918-1925. | 2.4 | 59 |
| 26 | Sleep-Disordered Breathing Is Independently Associated With Increased Aggressiveness of Cutaneous Melanoma. <i>Chest</i> , 2018, 154, 1348-1358. | 0.8 | 58 |
| 27 | Dermoscopic Clues for Diagnosing Melanomas That Resemble Seborrheic Keratosis. <i>JAMA Dermatology</i> , 2017, 153, 544. | 4.1 | 57 |
| 28 | Dermoscopy vs. reflectance confocal microscopy for the diagnosis of lentigo maligna. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1284-1291. | 2.4 | 57 |
| 29 | Increased prevalence of lung, breast, and pancreatic cancers in addition to melanoma risk in families bearing the cyclin-dependent kinase inhibitor 2A mutation: Implications for genetic counseling. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 888-895. | 1.2 | 52 |
| 30 | Erythema elevatum diutinum and HIV infection: a report of five cases. <i>British Journal of Dermatology</i> , 1999, 141, 335-338. | 1.5 | 51 |
| 31 | Genetic alterations in RAS-regulated pathway in acral lentiginous melanoma. <i>Experimental Dermatology</i> , 2013, 22, 148-150. | 2.9 | 49 |
| 32 | Recurrent Melanocytic Nevi and Melanomas in Dermoscopy. <i>JAMA Dermatology</i> , 2014, 150, 138. | 4.1 | 48 |
| 33 | Clinical and dermoscopic features of atypical Spitz tumors: A multicenter, retrospective, case-control study. <i>Journal of the American Academy of Dermatology</i> , 2015, 73, 777-784. | 1.2 | 48 |
| 34 | Immune checkpoint-mediated psoriasis: A multicenter European study of 115 patients from the European Network for Cutaneous Adverse Event to Oncologic Drugs (ENCADO) group. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 1310-1320. | 1.2 | 48 |
| 35 | Clinical and Dermoscopic Characteristics of Desmoplastic Melanomas. <i>JAMA Dermatology</i> , 2013, 149, 413. | 4.1 | 46 |
| 36 | Pruritus characteristics in a large Italian cohort of psoriatic patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1316-1324. | 2.4 | 46 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Noninvasive management of non-melanoma skin cancer in patients with cancer predisposition genodermatosis: a role for confocal microscopy and photodynamic therapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011, 25, 819-827. | 2.4 | 45 |
| 38 | Prevalence and predictors of germline CDKN2A mutations for melanoma cases from Australia, Spain and the United Kingdom. <i>Hereditary Cancer in Clinical Practice</i> , 2014, 12, 20. | 1.5 | 45 |
| 39 | MC1R gene variants and non-melanoma skin cancer: a pooled-analysis from the M-SKIP project. <i>British Journal of Cancer</i> , 2015, 113, 354-363. | 6.4 | 43 |
| 40 | Mutational status of naevus-associated melanomas. <i>British Journal of Dermatology</i> , 2015, 173, 671-680. | 1.5 | 42 |
| 41 | Survival analysis and sentinel lymph node status in thin cutaneous melanoma: A multicenter observational study. <i>Cancer Medicine</i> , 2019, 8, 4235-4244. | 2.8 | 42 |
| 42 | Melanomas Detected in a Follow-up Program Compared With Melanomas Referred to a Melanoma Unit. <i>Archives of Dermatology</i> , 2011, 147, 549. | 1.4 | 41 |
| 43 | Prevalence of <i>MITF</i> p.E318K in Patients With Melanoma Independent of the Presence of <i>CDKN2A</i> Causative Mutations. <i>JAMA Dermatology</i> , 2016, 152, 405. | 4.1 | 41 |
| 44 | Early Stages of Melanoma on the Limbs of High-risk Patients: Clinical, Dermoscopic, Reflectance Confocal Microscopy and Histopathological Characterization for Improved Recognition. <i>Acta Dermato-Venereologica</i> , 2011, 91, 137-146. | 1.3 | 40 |
| 45 | Pigmented Spindle Cell Nevus. <i>American Journal of Surgical Pathology</i> , 2011, 35, 1733-1742. | 3.7 | 38 |
| 46 | Patterns of distribution of giant congenital melanocytic nevi (GCMN): The 6B rule. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 689-694. | 1.2 | 38 |
| 47 | Clinical and dermoscopic characterization of pediatric and adolescent melanomas: Multicenter study of 52 cases. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 278-288. | 1.2 | 38 |
| 48 | Validation of artificial intelligence prediction models for skin cancer diagnosis using dermoscopy images: the 2019 International Skin Imaging Collaboration Grand Challenge. <i>The Lancet Digital Health</i> , 2022, 4, e330-e339. | 12.3 | 38 |
| 49 | High nevus counts confer a favorable prognosis in melanoma patients. <i>International Journal of Cancer</i> , 2015, 137, 1691-1698. | 5.1 | 37 |
| 50 | Growth-Curve Modeling of Nevi With a Peripheral Globular Pattern. <i>JAMA Dermatology</i> , 2015, 151, 1338. | 4.1 | 37 |
| 51 | <i>POT1</i> germline mutations but not <i>TERT</i> promoter mutations are implicated in melanoma susceptibility in a large cohort of Spanish melanoma families. <i>British Journal of Dermatology</i> , 2019, 181, 105-113. | 1.5 | 37 |
| 52 | In vivo confocal reflectance microscopy in melanoma. <i>Dermatologic Therapy</i> , 2012, 25, 410-422. | 1.7 | 36 |
| 53 | <i>TERT</i> gene amplification is associated with poor outcome in acral lentiginous melanoma. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 839-841. | 1.2 | 35 |
| 54 | Benefits of oral <i>Polypodium Leucotomos</i> extract in MM high-risk patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 1095-1100. | 2.4 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Early outcome of a 31-gene expression profile test in 86 AJCC stage IB-III melanoma patients. A prospective multicentre cohort study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 857-862. | 2.4 | 34 |
| 56 | Dermoscopic patterns of melanoma metastases: interobserver consistency and accuracy for metastasis recognition. <i>British Journal of Dermatology</i> , 2013, 169, 91-99. | 1.5 | 33 |
| 57 | Discriminating Nevi from Melanomas. <i>Dermatologic Clinics</i> , 2016, 34, 395-409. | 1.7 | 33 |
| 58 | Efficacy of novel immunotherapy regimens in patients with metastatic melanoma with germline <i>CDKN2A</i> mutations. <i>Journal of Medical Genetics</i> , 2020, 57, 316-321. | 3.2 | 33 |
| 59 | Shiny White Streaks: A Sign of Malignancy at Dermoscopy of Pigmented Skin Lesions. <i>Acta Dermato-Venereologica</i> , 2014, 94, 132-137. | 1.3 | 31 |
| 60 | Characterization of individuals at high risk of developing melanoma in Latin America: bases for genetic counseling in melanoma. <i>Genetics in Medicine</i> , 2016, 18, 727-736. | 2.4 | 31 |
| 61 | Diverse Large HIV-1 Non-subtype B Clusters Are Spreading Among Men Who Have Sex With Men in Spain. <i>Frontiers in Microbiology</i> , 2019, 10, 655. | 3.5 | 31 |
| 62 | Squamous Cell Carcinoma: An Update on Diagnosis and Treatment. <i>Dermatology Practical and Conceptual</i> , 2020, 10, e2020066. | 0.9 | 31 |
| 63 | Acute Cardiotoxicity Evaluation of the Marine Biotoxins OA, DTX-1 and YTX. <i>Toxins</i> , 2015, 7, 1030-1047. | 3.4 | 29 |
| 64 | Tungiasis Has Reached Europe. <i>Dermatology</i> , 2000, 201, 382-382. | 2.1 | 28 |
| 65 | Genetic counseling in melanoma. <i>Dermatologic Therapy</i> , 2012, 25, 397-402. | 1.7 | 28 |
| 66 | TERT and AURKA Gene Copy Number Gains Enhance the Detection of Acral Lentiginous Melanomas by Fluorescence in Situ Hybridization. <i>Journal of Molecular Diagnostics</i> , 2014, 16, 198-206. | 2.8 | 28 |
| 67 | Dermoscopy of Naevus-associated Melanomas. <i>Acta Dermato-Venereologica</i> , 2015, 95, 671-675. | 1.3 | 28 |
| 68 | Melanocortin 1 receptor (<i>MC1R</i>) polymorphisms influence on size and dermoscopic features of nevi. <i>Pigment Cell and Melanoma Research</i> , 2018, 31, 39-50. | 3.3 | 28 |
| 69 | Dermoscopic features and patterns of poromas: a multicentre observational case-control study conducted by the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1263-1271. | 2.4 | 28 |
| 70 | Skin Manifestations in COVID-19: Prevalence and Relationship with Disease Severity. <i>Journal of Clinical Medicine</i> , 2020, 9, 3261. | 2.4 | 28 |
| 71 | A new deep learning approach integrated with clinical data for the dermoscopic differentiation of early melanomas from atypical nevi. <i>Journal of Dermatological Science</i> , 2021, 101, 115-122. | 1.9 | 28 |
| 72 | Dermoscopy Improves the Diagnostic Accuracy of Melanomas Clinically Resembling Seborrheic Keratosis: Cross-Sectional Study of the Ability to Detect Seborrheic Keratosis-Like Melanomas by a Group of Dermatologists with Varying Degrees of Experience. <i>Dermatology</i> , 2017, 233, 471-479. | 2.1 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Dermoscopic criteria associated with <i>BRAF</i> and <i>NRAS</i> mutation status in primary cutaneous melanoma. <i>British Journal of Dermatology</i> , 2014, 171, 754-759. | 1.5 | 26 |
| 74 | Clinical and dermoscopic features of cutaneous BAP1-inactivated melanocytic tumors: Results of a multicenter case-control study by the International Dermoscopy Society. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 1585-1593. | 1.2 | 26 |
| 75 | Cutaneous larva migrans with folliculitis: a new clinical presentation of this infestation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2005, 19, 628-630. | 2.4 | 25 |
| 76 | Low β -Lactamase-Negative Ampicillin-Resistant <i>Haemophilus influenzae</i> Strains Are Best Detected by Testing Amoxicillin Susceptibility by the Broth Microdilution Method. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 2407-2414. | 3.2 | 25 |
| 77 | Adult Xanthogranuloma Mimicking Basal Cell Carcinoma: Dermoscopy, Reflectance Confocal Microscopy and Pathological Correlation. <i>Dermatology</i> , 2010, 220, 66-70. | 2.1 | 25 |
| 78 | Rapid Diagnosis of Two Facial Papules Using Ex Vivo Fluorescence Confocal Microscopy: Toward a Rapid Bedside Pathology. <i>Dermatologic Surgery</i> , 2012, 38, 1548-1551. | 0.8 | 25 |
| 79 | Distribution of <i>MC1R</i> variants among melanoma subtypes: p.R163Q is associated with lentigo maligna melanoma in a Mediterranean population. <i>British Journal of Dermatology</i> , 2013, 169, 804-811. | 1.5 | 25 |
| 80 | In vivo arrhythmogenicity of the marine biotoxin azaspiracid-2 in rats. <i>Archives of Toxicology</i> , 2014, 88, 425-434. | 4.2 | 25 |
| 81 | Genetic and biochemical characterization of 16 acute intermittent porphyria cases with a high prevalence of the R173W mutation. <i>Journal of Inherited Metabolic Disease</i> , 2006, 29, 580-585. | 3.6 | 24 |
| 82 | Seborrheic Keratosislike Melanoma With Folliculotropism. <i>Archives of Dermatology</i> , 2007, 143, 373-6. | 1.4 | 24 |
| 83 | Serum 25-hydroxyvitamin D3 levels and vitamin D receptor variants in melanoma patients from the Mediterranean area of Barcelona. <i>BMC Medical Genetics</i> , 2013, 14, 26. | 2.1 | 24 |
| 84 | Effect of time to sentinel-node biopsy on the prognosis of cutaneous melanoma. <i>European Journal of Cancer</i> , 2015, 51, 1780-1793. | 2.8 | 24 |
| 85 | Cutaneous toxicities of new treatments for melanoma. <i>Clinical and Translational Oncology</i> , 2018, 20, 1373-1384. | 2.4 | 24 |
| 86 | Correlation among Dermoscopy, Confocal Reflectance Microscopy, and Histologic Features of Melanoma and Basal Cell Carcinoma Collision Tumor. <i>Dermatologic Surgery</i> , 2011, 37, 275-279. | 0.8 | 23 |
| 87 | Inverted Follicular Keratosis: Dermoscopic and Reflectance Confocal Microscopic Features. <i>Dermatology</i> , 2013, 227, 62-66. | 2.1 | 23 |
| 88 | Melanoma Incidence Increases in the Elderly of Catalonia But Not in the Younger Population: Effect of Prevention or Consequence of Immigration?. <i>Acta Dermato-Venereologica</i> , 2015, 95, 422-426. | 1.3 | 23 |
| 89 | A prospective multicenter cohort study of cutaneous melanoma: clinical staging and potential associations with HIF-1 α and VEGF expressions. <i>Melanoma Research</i> , 2017, 27, 558-564. | 1.2 | 23 |
| 90 | Prognostic role of the histological subtype of melanoma on the hands and feet in Caucasians. <i>Melanoma Research</i> , 2017, 27, 315-320. | 1.2 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Cost-effectiveness analysis of imaging strategy for an intensive follow-up of patients with American Joint Committee on Cancer stage <scp>IIB</scp> , <scp>IIC</scp> and <scp>III</scp> malignant melanoma. British Journal of Dermatology, 2019, 180, 1190-1197. | 1.5 | 23 |
| 92 | The integration of dermoscopy and reflectance confocal microscopy improves the diagnosis of lentigo maligna. Journal of the European Academy of Dermatology and Venereology, 2019, 33, e372-e374. | 2.4 | 23 |
| 93 | Subacute Cardiovascular Toxicity of the Marine Phycotoxin Azaspiracid-1 in Rats. Toxicological Sciences, 2016, 151, 104-114. | 3.1 | 22 |
| 94 | Ultrasound-based follow-up does not increase survival in early-stage melanoma patients: A comparative cohort study. European Journal of Cancer, 2017, 85, 59-66. | 2.8 | 22 |
| 95 | Not all lesions with a verrucous surface are seborrheic keratoses. Journal of the American Academy of Dermatology, 2014, 70, e121-e123. | 1.2 | 20 |
| 96 | Sentinel lymph node biopsy versus observation in thick melanoma: A multicenter propensity score matching study. International Journal of Cancer, 2018, 142, 641-648. | 5.1 | 20 |
| 97 | Construction and Phenotypic Characterization of HIV Type 1 Functional Envelope Clones of Subtypes G and F. AIDS Research and Human Retroviruses, 2011, 27, 889-901. | 1.1 | 19 |
| 98 | Dermoscopic Rosettes as a Clue for Pigmented Incipient Melanoma. Dermatology, 2014, 228, 31-33. | 2.1 | 19 |
| 99 | Morphological features of naevoid melanoma: results of a multicentre study of the International Dermoscopy Society. British Journal of Dermatology, 2015, 172, 961-967. | 1.5 | 19 |
| 100 | Validation of an integrated dermoscopic scoring method in an European teledermoscopy web platform: the iDScore project for early detection of melanoma. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 640-647. | 2.4 | 19 |
| 101 | Dermoscopy structures as predictors of sentinel lymph node positivity in cutaneous melanoma. British Journal of Dermatology, 2015, 172, 1269-1277. | 1.5 | 18 |
| 102 | Improvement of diagnostic confidence and management of equivocal skin lesions by integration of reflectance confocal microscopy in daily practice: Prospective study in 2 referral skin cancer centers. Journal of the American Academy of Dermatology, 2020, 83, 1057-1063. | 1.2 | 18 |
| 103 | Biochemotherapy with temozolomide, cisplatin, vinblastine, subcutaneous interleukin-2 and interferon- γ in patients with metastatic melanoma. Melanoma Research, 2006, 16, 59-64. | 1.2 | 17 |
| 104 | Pyoderma Vegetans Associated with Severe Psoriatic Arthritis: Good Response to Etanercept. Dermatology, 2007, 214, 77-81. | 2.1 | 17 |
| 105 | Electroquimioterapia en metástasis cutáneas de melanoma: Experiencia en 31 casos. Actas Dermo-sifiliográficas, 2015, 106, 285-291. | 0.4 | 17 |
| 106 | Practice Gaps in Dermatology. Dermatologic Clinics, 2016, 34, 353-362. | 1.7 | 17 |
| 107 | Incidence of Melanoma in Catalonia, Spain, Is Rapidly Increasing in the Elderly Population. A Multicentric Cohort Study. Journal of Clinical Medicine, 2020, 9, 3396. | 2.4 | 17 |
| 108 | Multiple primary melanomas: do they look the same?. British Journal of Dermatology, 2013, 168, 1267-1272. | 1.5 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Association of Melanocortin-1 Receptor Variants with Pigmentary Traits in Humans: A Pooled Analysis from the M-Skip Project. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1914-1917. | 0.7 | 16 |
| 110 | HIV-1 Genetic Diversity in Recently Diagnosed Infections in Moscow: Predominance of A ₁ FSU, Frequent Branching in Clusters, and Circulation of the Iberian Subtype G Variant. <i>AIDS Research and Human Retroviruses</i> , 2018, 34, 629-634. | 1.1 | 16 |
| 111 | MC1R variants in childhood and adolescent melanoma: a retrospective pooled analysis of a multicentre cohort. <i>The Lancet Child and Adolescent Health</i> , 2019, 3, 332-342. | 5.6 | 16 |
| 112 | Factors associated with sentinel lymph node status and prognostic role of completion lymph node dissection for thick melanoma. <i>European Journal of Surgical Oncology</i> , 2020, 46, 263-271. | 1.0 | 16 |
| 113 | Multiple <i>BRAF</i> Wild-Type Melanomas During Dabrafenib Treatment for Metastatic <i>BRAF</i> -Mutant Melanoma. <i>JAMA Dermatology</i> , 2015, 151, 544. | 4.1 | 15 |
| 114 | Association between dermoscopic and reflectance confocal microscopy features of cutaneous melanoma with <i>BRAF</i> mutational status. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 643-649. | 2.4 | 15 |
| 115 | Dermoscopy in Epidermodysplasia Verruciformis. <i>Dermatologic Surgery</i> , 2006, 32, 103-106. | 0.8 | 14 |
| 116 | Compound blue naevus: a potential simulator of melanoma. <i>British Journal of Dermatology</i> , 2006, 155, 207-208. | 1.5 | 14 |
| 117 | Impact of Sunscreens on Preventing UVR-Induced Effects in Nevi. <i>JAMA Dermatology</i> , 2013, 149, 803. | 4.1 | 14 |
| 118 | In vivo Confocal Microscopy Features of Cutaneous Leishmaniasis. <i>Dermatology</i> , 2014, 228, 121-124. | 2.1 | 14 |
| 119 | Utilidad clínica de la microscopia confocal de reflectancia en el manejo del lentigo maligno melanoma. <i>Actas Dermo-sifiligráficas</i> , 2014, 105, e13-e17. | 0.4 | 14 |
| 120 | Clinical and Dermoscopic Features of Cutaneous Melanoacanthoma. <i>JAMA Dermatology</i> , 2015, 151, 1129. | 4.1 | 14 |
| 121 | Inherited functional variants of the lymphocyte receptor CD5 influence melanoma survival. <i>International Journal of Cancer</i> , 2016, 139, 1297-1302. | 5.1 | 14 |
| 122 | Identification of an HIV-1 BG Intersubtype Recombinant Form (CRF73_BG), Partially Related to CRF14_BG, Which Is Circulating in Portugal and Spain. <i>PLoS ONE</i> , 2016, 11, e0148549. | 2.5 | 14 |
| 123 | Identification of Unusual and Novel HIV Type 1 Spliced Transcripts Generated in Vivo. <i>AIDS Research and Human Retroviruses</i> , 2010, 26, 815-820. | 1.1 | 13 |
| 124 | Ex Vivo Dermoscopy for Biobank-Oriented Sampling of Melanoma. <i>JAMA Dermatology</i> , 2013, 149, 1060. | 4.1 | 13 |
| 125 | Pigmented mammary Paget disease mimicking cutaneous malignant melanoma. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, e97-e98. | 1.2 | 13 |
| 126 | Subacute Cardiotoxicity of Yessotoxin: <i>In Vitro</i> and <i>In Vivo</i> Studies. <i>Chemical Research in Toxicology</i> , 2016, 29, 981-990. | 3.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Association Between Confocal Morphologic Classification and Clinical Phenotypes of Multiple Primary and Familial Melanomas. <i>JAMA Dermatology</i> , 2016, 152, 1099. | 4.1 | 13 |
| 128 | The Role of Reflectance Confocal Microscopy in Clinical Trials for Tumor Monitoring. <i>Dermatologic Clinics</i> , 2016, 34, 519-526. | 1.7 | 13 |
| 129 | Initial Stage of Cutaneous Primary Melanoma Plays a Key Role in the Pattern and Timing of Disease Recurrence. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00502. | 1.3 | 13 |
| 130 | Eczema herpeticum during treatment of atopic dermatitis with 1% pimecrolimus cream. <i>Acta Dermato-Venereologica</i> , 2005, 85, 524-525. | 1.3 | 13 |
| 131 | Homogeneous Blue Pattern in an Acral Congenital Melanocytic Nevus. <i>Dermatology</i> , 2008, 217, 315-317. | 2.1 | 12 |
| 132 | Differences in cutaneous melanoma survival between the 7th and 8th edition of the American Joint Committee on Cancer (AJCC). A multicentric population-based study. <i>European Journal of Cancer</i> , 2021, 145, 29-37. | 2.8 | 12 |
| 133 | Electrochemotherapy in the Treatment of Melanoma Skin Metastases: A Report on 31 Cases. <i>Actas Dermo-sifiliográficas</i> , 2015, 106, 285-291. | 0.4 | 11 |
| 134 | <i>IRF4</i> rs12203592 functional variant and melanoma survival. <i>International Journal of Cancer</i> , 2017, 140, 1845-1849. | 5.1 | 11 |
| 135 | Variation in dermoscopic features of basal cell carcinoma as a function of anatomical location and pigmentation status. <i>British Journal of Dermatology</i> , 2018, 178, e136-e137. | 1.5 | 11 |
| 136 | The Comparative Use of Multiple Electronic Devices in the Teledermoscopic Diagnosis of Early Melanoma. <i>Telemedicine Journal and E-Health</i> , 2021, 27, 495-502. | 2.8 | 11 |
| 137 | Cancer immunotherapy in special challenging populations: recommendations of the Advisory Committee of Spanish Melanoma Group (GEM). , 2021, 9, e001664. | | 11 |
| 138 | Noninvasive imaging for nonmelanoma skin cancer. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2016, 35, 31-41. | 1.6 | 11 |
| 139 | Deep learning-level melanoma detection by interpretable machine learning and imaging biomarker cues. <i>Journal of Biomedical Optics</i> , 2020, 25, . | 2.6 | 11 |
| 140 | Dermoscopy in Epidermodysplasia Verruciformis. <i>Dermatologic Surgery</i> , 2008, 32, 103-106. | 0.8 | 10 |
| 141 | Development of a Human in vivo Method to Study the Effect of Ultraviolet Radiation and Sunscreens in Melanocytic Nevi. <i>Dermatology</i> , 2008, 217, 124-136. | 2.1 | 10 |
| 142 | Multiple Primary Acral Melanomas in Two Young Caucasian Patients. <i>Dermatology</i> , 2014, 228, 307-310. | 2.1 | 10 |
| 143 | The challenging diagnosis of eccrine poromas. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, e113-e115. | 1.2 | 10 |
| 144 | Clinical, Epidemiological, and Molecular Heterogeneity in Acral Melanoma. <i>Journal of Investigative Dermatology</i> , 2018, 138, 254-255. | 0.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Diagnostic accuracy of imaging studies for initial staging of T2b to T4b melanoma patients: A cross-sectional study. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 1330-1338. | 1.2 | 10 |
| 146 | Inherited MC 1R variants in patients with melanoma are associated with better survival in women. <i>British Journal of Dermatology</i> , 2020, 182, 138-146. | 1.5 | 10 |
| 147 | The Analysis of Near Full-Length Genome Sequences of HIV Type 1 Subtype A Viruses from Russia Supports the Monophyly of Major Intrasubtype Clusters. <i>AIDS Research and Human Retroviruses</i> , 2012, 28, 1340-1343. | 1.1 | 9 |
| 148 | Desmoplastic melanoma on the nose: electrochemotherapy as an alternative treatment to local advanced disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 424-432. | 2.4 | 9 |
| 149 | Verrucous melanoma simulating melanoacanthoma: Dermoscopic, reflectance confocal microscopic and high-definition optical coherence tomography presentation of a rare melanoma variant. <i>Australasian Journal of Dermatology</i> , 2016, 57, 72-73. | 0.7 | 9 |
| 150 | Amelanotic melanoma in oculocutaneous albinism: a genetic, dermoscopic and reflectance confocal microscopy study. <i>British Journal of Dermatology</i> , 2017, 177, e333-e335. | 1.5 | 9 |
| 151 | Familial Melanoma Associated with Li-Fraumeni Syndrome and Atypical Mole Syndrome: Total-body Digital Photography, Dermoscopy and Confocal Microscopy. <i>Acta Dermato-Venereologica</i> , 2017, 97, 720-723. | 1.3 | 9 |
| 152 | Development of Cutaneous Toxicities During Selective Anti-BRAF Therapies: Preventive Role of Combination with MEK Inhibitors. <i>Acta Dermato-Venereologica</i> , 2017, 97, 258-260. | 1.3 | 9 |
| 153 | Histiocytoid Sweet's syndrome during combined therapy with BRAF and MEK inhibitors for metastatic melanoma. <i>Melanoma Research</i> , 2018, 28, 256-257. | 1.2 | 9 |
| 154 | Sex as a predictor of response to cancer immunotherapy. <i>Lancet Oncology</i> , The, 2018, 19, e375. | 10.7 | 9 |
| 155 | Monthly changes in serum levels of S100B protein as a predictor of metastasis development in high-risk melanoma patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1482-1488. | 2.4 | 9 |
| 156 | The impact of anatomical location and sun exposure on the dermoscopic recognition of atypical nevi and early melanomas: usefulness of an integrated clinical-dermoscopic method (<i>i</i> IDS <i>core</i>). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 650-657. | 2.4 | 9 |
| 157 | Sequence Analysis of In Vivo-Expressed HIV-1 Spliced RNAs Reveals the Usage of New and Unusual Splice Sites by Viruses of Different Subtypes. <i>PLoS ONE</i> , 2016, 11, e0158525. | 2.5 | 9 |
| 158 | Semiology and Pattern Analysis in Nonmelanocytic Lesions. , 2012, , 239-252. | | 8 |
| 159 | Green colour as a novel dermoscopic finding in the diagnosis of haemosiderotic dermatofibroma. <i>Australasian Journal of Dermatology</i> , 2014, 55, 196-197. | 0.7 | 8 |
| 160 | Subacute immunotoxicity of the marine phycotoxin yessotoxin in rats. <i>Toxicol</i> , 2017, 129, 74-80. | 1.6 | 8 |
| 161 | In vivo cardiomyocyte response to YTX- and AZA-1-induced damage: autophagy versus apoptosis. <i>Archives of Toxicology</i> , 2017, 91, 1859-1870. | 4.2 | 8 |
| 162 | Machine Learning in Melanoma Diagnosis. Limitations About to be Overcome. <i>Actas Dermo-sifiliográficas</i> , 2020, 111, 313-316. | 0.4 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Dermoscopy comparative approach for early diagnosis in familial melanoma: influence of <i>MC1R</i> genotype. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 403-410. | 2.4 | 8 |
| 164 | The Distinctive Genomic Landscape of Giant Congenital Melanocytic Nevi. <i>Journal of Investigative Dermatology</i> , 2021, 141, 692-695.e2. | 0.7 | 8 |
| 165 | Rupoid psoriasis induced by pembrolizumab. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2020, 86, 580. | 0.6 | 8 |
| 166 | Identification of New Splice Sites Used for Generation of rev Transcripts in Human Immunodeficiency Virus Type 1 Subtype C Primary Isolates. <i>PLoS ONE</i> , 2012, 7, e30574. | 2.5 | 7 |
| 167 | Evaluation of <i>PAX3</i> genetic variants and nevus number. <i>Pigment Cell and Melanoma Research</i> , 2013, 26, 666-676. | 3.3 | 7 |
| 168 | Clinical and Histopathological Characteristics between Familial and Sporadic Melanoma in Barcelona, Spain. <i>Journal of Clinical & Experimental Dermatology Research</i> , 2014, 05, 231. | 0.1 | 7 |
| 169 | Pembrolizumab in a <i>BRAF</i> -mutant metastatic melanoma patient following a severe immune-related adverse event with ipilimumab. <i>Immunotherapy</i> , 2016, 8, 687-692. | 2.0 | 7 |
| 170 | Induced Vitiligo due to Talimogene Laherparepvec Injection for Metastatic Melanoma Associated with Long-term Complete Response. <i>Acta Dermato-Venereologica</i> , 2019, 99, 232-233. | 1.3 | 7 |
| 171 | Detection of cell-free circulating <i>BRAF</i> ^{V600E} by droplet digital polymerase chain reaction in patients with and without melanoma under dermatological surveillance. <i>British Journal of Dermatology</i> , 2020, 182, 382-389. | 1.5 | 7 |
| 172 | ANCA-associated vasculitic neuropathy during treatment with ipilimumab. <i>Rheumatology</i> , 2020, 59, 251-252. | 1.9 | 7 |
| 173 | Sutton Naevi as Melanoma Simulators: Can Confocal Microscopy Help in the Diagnosis?. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00134-6. | 1.3 | 7 |
| 174 | Timeline of Adverse Events during Immune Checkpoint Inhibitors for Advanced Melanoma and Their Impacts on Survival. <i>Cancers</i> , 2022, 14, 1237. | 3.7 | 7 |
| 175 | Erythema multiforme presenting as cholestatic acute hepatitis caused by Epstein-Barr virus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 1350-1352. | 2.4 | 6 |
| 176 | Plantar basal cell carcinoma in a patient with xeroderma pigmentosum: importance of dermoscopy for early diagnosis of nonpigmented skin cancer. <i>British Journal of Dermatology</i> , 2011, 165, 1143-1145. | 1.5 | 6 |
| 177 | Relationship between type 2 diabetes mellitus and markers of cutaneous melanoma aggressiveness: an observational multicentric study in 443 patients with melanoma. <i>British Journal of Dermatology</i> , 2021, 185, 756-763. | 1.5 | 6 |
| 178 | Common genetic variants associated with melanoma risk or naevus count in patients with wildtype <i>MC1R</i> melanoma. <i>British Journal of Dermatology</i> , 2022, 187, 753-764. | 1.5 | 6 |
| 179 | Basal cell carcinoma with spontaneous regression: Added value of reflectance confocal microscopy when the dermoscopic diagnosis is uncertain. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, e7-e9. | 1.2 | 5 |
| 180 | Clinical Usefulness of Reflectance Confocal Microscopy in the Management of Facial Lentigo Maligna Melanoma. <i>Actas Dermo-sifiligráficas</i> , 2014, 105, e13-e17. | 0.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Melanocortinâ€1 receptor (<i>MC1R</i>) genotypes do not correlate with size in two cohorts of mediumâ€toâ€giant congenital melanocytic nevi. <i>Pigment Cell and Melanoma Research</i> , 2020, 33, 685-694. | 3.3 | 5 |
| 182 | Histologic features of melanoma associated with germline mutations of CDKN2A, CDK4, and POT1 in melanoma-prone families from the United States, Italy, and Spain. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 860-869. | 1.2 | 5 |
| 183 | Palbociclibâ€induced histiocytoid Sweet syndrome. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 348-350. | 1.3 | 5 |
| 184 | Clinicopathological, Genetic and Survival Advantages of Naevus-associated Melanomas: A Cohort Study. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00425. | 1.3 | 5 |
| 185 | An international 3â€center training and reading study to assess basal cell carcinoma surgical margins with ex vivo fluorescence confocal microscopy. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 1010-1019. | 1.3 | 5 |
| 186 | Dermoscopy of early melanomas: variation according to the anatomic site. <i>Archives of Dermatological Research</i> , 2021, , 1. | 1.9 | 5 |
| 187 | COVID-19 in melanoma patients: Results of the Spanish Melanoma Group Registry, GRAVID study. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 1412-1415. | 1.2 | 5 |
| 188 | Inherited duplications of PPP2R3B predispose to nevi and melanoma via a C21orf91-driven proliferative phenotype. <i>Genetics in Medicine</i> , 2021, 23, 1636-1647. | 2.4 | 5 |
| 189 | Las posibles mil caras de las queratosis seborreicas. <i>Actas Dermo-sifilogrÃficas</i> , 2019, 110, 338. | 0.4 | 5 |
| 190 | Atypical Clinical Presentation of Xeroderma Pigmentosum in a Patient Harboring a Novel Missense Mutation in the <i>XPC</i> Gene: The Importance of Clinical Suspicion. <i>Dermatology</i> , 2015, 231, 217-221. | 2.1 | 4 |
| 191 | High-risk melanoma patients: can unnecessary naevi biopsies be avoided?. <i>British Journal of Dermatology</i> , 2015, 172, 313-315. | 1.5 | 4 |
| 192 | Efficacy of a Daily Protective Moisturizer with High UVB and UVA Photoprotection in Decreasing Ultraviolet Damage: Evaluation by Reflectance Confocal Microscopy. <i>Acta Dermato-Venereologica</i> , 2017, 97, 1196-1201. | 1.3 | 4 |
| 193 | Genome-wide linkage analysis in Spanish melanoma-prone families identifies a new familial melanoma susceptibility locus at 11q. <i>European Journal of Human Genetics</i> , 2018, 26, 1188-1193. | 2.8 | 4 |
| 194 | Uso del aprendizaje automÃtico en el diagnÃstico del melanoma. Limitaciones por superar. <i>Actas Dermo-sifilogrÃficas</i> , 2020, 111, 313-316. | 0.4 | 4 |
| 195 | Stevensâ€Johnson syndrome/toxic epidermal necrolysisâ€like cutaneous lupus erythematosus. A case series with longâ€term followâ€up. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, . | 2.4 | 4 |
| 196 | Long-term complete remission of cutaneous melanoma metastases in association with a folk remedy. <i>Journal of the American Academy of Dermatology</i> , 2005, 52, 713-715. | 1.2 | 3 |
| 197 | Identification of New and Unusual<i>rev</i> and<i>nef</i> Transcripts Expressed by an HIV Type 1 Primary Isolate. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 1075-1078. | 1.1 | 3 |
| 198 | Aged-looking skin and encorafenib: an adverse event of BRAF inhibitors. <i>Melanoma Research</i> , 2018, 28, 160-162. | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Visual Impact of Large and Giant Congenital Naevi: Comparison of Surgical Scars with Naevi Before Surgery. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00470. | 1.3 | 3 |
| 200 | Microblotches on Dermoscopy of Melanocytic Lesions are Associated with Melanoma: A Cross-sectional Study. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00106-4. | 1.3 | 3 |
| 201 | Epidermis, Dermis and Epidermal Appendages. , 2012, , 23-31. | | 2 |
| 202 | Time and tumor type (primary or metastatic) do not influence the detection of BRAF/NRAS mutations in formalin fixed paraffin embedded samples from melanomas. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1733-1738. | 2.3 | 2 |
| 203 | Evaluating polygenic risk score prediction model for melanoma prognosis. <i>Annals of Oncology</i> , 2019, 30, v557-v558. | 1.2 | 2 |
| 204 | Multiple primary melanoma with the Meyerson phenomenon in a young patient. <i>Melanoma Research</i> , 2019, 29, 325-327. | 1.2 | 2 |
| 205 | Dermal fillers may induce late-onset adverse skin reactions in patients under BRAF inhibitors. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e732-e734. | 2.4 | 2 |
| 206 | DNA Repair and Immune Response Pathways Are Deregulated in Melanocyte-Keratinocyte Co-cultures Derived From the Healthy Skin of Familial Melanoma Patients. <i>Frontiers in Medicine</i> , 2021, 8, 692341. | 2.6 | 2 |
| 207 | Influence of germline genetic variants on dermoscopic features of melanoma. <i>Pigment Cell and Melanoma Research</i> , 2021, 34, 618-628. | 3.3 | 2 |
| 208 | Bronquiolitis obliterante y pÃ©nfigo paraneoplÃ¡sico: un sÃ©ndrome paraneoplÃ¡sico autoinmune multiorgÃ¡nico. <i>Archivos De Bronconeumologia</i> , 2004, 40, 240-243. | 0.8 | 2 |
| 209 | Peripheral blood T cell subset phenotype analysis in melanoma patients treated with combination nivolumab + ipilimumab compared to ipilimumab alone.. <i>Journal of Clinical Oncology</i> , 2016, 34, 3073-3073. | 1.6 | 2 |
| 210 | Sentinel Lymph Node Biopsy vs. Observation in Thin Melanoma: A Multicenter Propensity Score Matching Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5878. | 2.4 | 2 |
| 211 | Does acral melanoma need a distinctive prognostic staging system?. <i>British Journal of Dermatology</i> , 2022, 186, 923-924. | 1.5 | 2 |
| 212 | Successful treatment of facial cutaneous leishmaniasis with photodynamic therapy. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 0, 88, 667-670. | 0.6 | 2 |
| 213 | Relationships between the molecular basis of impulsivity and suicidal behavior. <i>Forensic Science International: Genetics Supplement Series</i> , 2015, 5, e530-e531. | 0.3 | 1 |
| 214 | Hedgehog-like moustache trichomegaly during treatment with vismodegib. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e11-e13. | 2.4 | 1 |
| 215 | Basal cell carcinoma and balloon cell nevus collision mimicking a melanoma on reflectance confocal microscopy. <i>JAAD Case Reports</i> , 2020, 6, 339-340. | 0.8 | 1 |
| 216 | Dermoscopic, confocal and histopathologic characteristics of small-diameter melanomas (minimelanoma): a cross sectional study. <i>Australasian Journal of Dermatology</i> , 2021, 62, e256-e261. | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Mutational profile of skin lesions in hepatocellular carcinoma patients under tyrosine kinase inhibition: a repercussion of a wide-spectrum activity. <i>Oncotarget</i> , 2021, 12, 440-449. | 1.8 | 1 |
| 218 | Sutton's naevi as a pitfall for reflectance confocal microscopy: marked inflamed naevi could not be suitable for teleconfocal examination. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e688-e690. | 2.4 | 1 |
| 219 | Identification of Relevant Knowledge for Characterizing the Melanoma Domain. <i>Advances in Soft Computing</i> , 2009, , 55-59. | 0.4 | 1 |
| 220 | Nevi in patients with Bap1 germ line mutation, red-hair polymorphism, and albinism. , 2016, , 61-62. | | 1 |
| 221 | Clinical and Dermoscopic Evaluation of Melanocytic Lesions in Patients with Chronic Graft Versus Host Disease. <i>Acta Dermato-Venereologica</i> , 2019, 99, 777-782. | 1.3 | 1 |
| 222 | Blue nevi and variants. , 2012, , 181-188. | | 1 |
| 223 | Sample CME Manuscript Submission " Response to Pham et al. "Review BRAF inhibition and the spectrum of granulomatous reactions". <i>Journal of the American Academy of Dermatology</i> , 2022, , . | 1.2 | 1 |
| 224 | Oncogenic properties via <i>MAPK</i> signaling of the <i>SOX5</i> - <i>RAF1</i> fusion gene identified in a <i>wild-type</i> <i>NRAS</i> / <i>BRAF</i> giant congenital nevus. <i>Pigment Cell and Melanoma Research</i> , 2022, 35, 450-460. | 3.3 | 1 |
| 225 | Diagnóstico del carcinoma basocelular mediante dermatoscopia y otras técnicas no invasivas. <i>Piel</i> , 2013, 28, 227-234. | 0.0 | 0 |
| 226 | Diagnóstico "por los pelos". <i>Actas Dermo-sifilográficas</i> , 2015, 106, 425-426. | 0.4 | 0 |
| 227 | Discrepant mutational status between naevi and melanomas in naevus-associated melanomas: about mutation-specific immunohistochemistry: reply from the authors. <i>British Journal of Dermatology</i> , 2016, 175, 435-435. | 1.5 | 0 |
| 228 | Actinic Keratosis "Can Dermoscopy or RCM Differentiate AK (Not Full Thickness Atypia) from Full-Thickness Atypia/Invasive SCC?. <i>Current Dermatology Reports</i> , 2018, 7, 75-83. | 2.1 | 0 |
| 229 | The Many Faces of Seborrheic Keratosis. <i>Actas Dermo-sifilográficas</i> , 2019, 110, 338. | 0.4 | 0 |
| 230 | Dermoscopy training course improves podiatrists' accuracy in diagnosing lesions suggestive of acral melanoma: A cross-sectional study. <i>Australasian Journal of Dermatology</i> , 2022, 63, . | 0.7 | 0 |
| 231 | Nodular Melanoma. , 2012, , 197-212. | | 0 |
| 232 | Acral Volar Skin, Facial Skin and Mucous Membrane. , 2012, , 33-38. | | 0 |
| 233 | Spitz Nevi. , 2015, , 911-920. | | 0 |
| 234 | Role of Dermoscopy. , 2017, , 27-38. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Nodular Nonpigmented Lesion on the Face. , 2018, , 69-74. | | 0 |
| 236 | Zosteriform Cutaneous Distant Metastases as Onset of Relapsing Melanoma. Dermatology Practical and Conceptual, 2020, 10, e2020007. | 0.9 | 0 |
| 237 | Dermoscopy of Congenital Langerhans Cell Histiocytosis. Dermatology Practical and Conceptual, 2020, 10, e2020063. | 0.9 | 0 |