

Stephen Sutton

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7951822/stephen-sutton-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

213
papers

7,753
citations

43
h-index

81
g-index

228
ext. papers

8,887
ext. citations

4.6
avg, IF

6.26
L-index

#	Paper	IF	Citations
213	Will 'the feeling of abandonment' remain? Persisting impacts of the Covid-19 pandemic on rheumatology patients and clinicians.. <i>Rheumatology</i> , 2022 ,	3.9	1
212	The effect of nicotine dependence and withdrawal symptoms on use of nicotine replacement therapy: Secondary analysis of a randomized controlled trial in primary care. <i>Journal of Substance Abuse Treatment</i> , 2022 , 132, 108591	4.2	0
211	Patient and practitioner views on a combined face-to-face and digital intervention to support medication adherence in hypertension: a qualitative study within primary care.. <i>BMJ Open</i> , 2022 , 12, e053183	3.183	0
210	A systematic review and meta-analysis of studies of reactivity to digital in-the-moment measurement of health behaviour.. <i>Health Psychology Review</i> , 2022 , 1-98	7.1	1
209	Telemedicine in rheumatology: A mixed methods study exploring acceptability, preferences and experiences among patients and clinicians. <i>Rheumatology</i> , 2021 ,	3.9	8
208	The impact of the COVID-19 pandemic on the medical care and health-care behaviour of patients with lupus and other systemic autoimmune diseases: a mixed methods longitudinal study. <i>Rheumatology Advances in Practice</i> , 2021 , 5, rkaa072	1.1	11
207	Randomised controlled trial of a just-in-time adaptive intervention (JITAI) smoking cessation smartphone app: the Quit Sense feasibility trial protocol. <i>BMJ Open</i> , 2021 , 11, e048204	3	2
206	The feasibility of the PAM intervention to support treatment-adherence in people with hypertension in primary care: a randomised clinical controlled trial. <i>Scientific Reports</i> , 2021 , 11, 8897	4.9	1
205	Device-assessed total and prolonged sitting time: associations with anxiety, depression, and health-related quality of life in adults. <i>Journal of Affective Disorders</i> , 2021 , 287, 107-114	6.6	5
204	Does self-monitoring diet and physical activity behaviors using digital technology support adults with obesity or overweight to lose weight? A systematic literature review with meta-analysis. <i>Obesity Reviews</i> , 2021 , 22, e13306	10.6	5
203	Promoting physical activity in a multi-ethnic population at high risk of diabetes: the 48-month PROPELS randomised controlled trial. <i>BMC Medicine</i> , 2021 , 19, 130	11.4	1
202	Medication decision-making and adherence in lupus: Patient-physician discordance and the impact of previous 'Adverse Medical Experiences'. <i>Rheumatology</i> , 2021 ,	3.9	2
201	Effectiveness of Acceptance and Commitment Therapy (ACT) interventions for promoting physical activity: a systematic review and meta-analysis. <i>Health Psychology Review</i> , 2021 , 15, 159-184	7.1	8
200	Acceptability of the Medication Adherence for Patients Support intervention to improve adherence to patients prescribed medications for hypertension or comorbidities, as an adjunct to primary care: A qualitative study. <i>Journal of Health Psychology</i> , 2021 , 26, 168-180	3.1	2
199	'But you don't look sick': a qualitative analysis of the LUPUS UK online forum. <i>Rheumatology International</i> , 2021 , 41, 721-732	3.6	3
198	Measuring patient experience of diagnostic care and acceptability of testing. <i>Diagnosis</i> , 2021 , 8, 317-321	4.2	0
197	Effectiveness of Minimal Contact Interventions: An RCT. <i>American Journal of Preventive Medicine</i> , 2021 , 60, e111-e121	6.1	1

196	Reducing bias in trials from reactions to measurement: the MERIT study including developmental work and expert workshop. <i>Health Technology Assessment</i> , 2021 , 25, 1-72	4.4	6
195	Reducing bias in trials due to reactions to measurement: experts produced recommendations informed by evidence. <i>Journal of Clinical Epidemiology</i> , 2021 , 139, 130-139	5.7	8
194	Incorporating a brief intervention for personalised cancer risk assessment to promote behaviour change into primary care: a multi-methods pilot study. <i>BMC Public Health</i> , 2021 , 21, 205	4.1	1
193	Preventing Alcohol Use Among Adolescents by Targeting Parents: A Qualitative Study of the Views of Facilitators, Parents, and Teachers on a Universal Prevention Program "Effekt". <i>Journal of Studies on Alcohol and Drugs</i> , 2021 , 82, 330-338	1.9	
192	Process Evaluation of MAPS: A Highly Tailored Digital Intervention to Support Medication Adherence in Primary Care Setting.. <i>Frontiers in Public Health</i> , 2021 , 9, 806168	6	0
191	Behavioural interventions to promote physical activity in a multiethnic population at high risk of diabetes: PROPELS three-arm RCT.. <i>Health Technology Assessment</i> , 2021 , 25, 1-190	4.4	0
190	Characteristics of smartphone-based dietary assessment tools: A systematic review. <i>Health Psychology Review</i> , 2021 , 1-99	7.1	1
189	Assessing the acceptability of a text messaging service and smartphone app to support patient adherence to medications prescribed for high blood pressure: a pilot study. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 134	1.9	1
188	A randomised controlled trial of the effect of providing online risk information and lifestyle advice for the most common preventable cancers. <i>Preventive Medicine</i> , 2020 , 138, 106154	4.3	4
187	Medically explained symptoms: a mixed methods study of diagnostic, symptom and support experiences of patients with lupus and related systemic autoimmune diseases. <i>Rheumatology Advances in Practice</i> , 2020 , 4, rkaa006	1.1	11
186	Evaluation of a very brief pedometer-based physical activity intervention delivered in NHS Health Checks in England: The VBI randomised controlled trial. <i>PLoS Medicine</i> , 2020 , 17, e1003046	11.6	6
185	Do mobile device apps designed to support medication adherence demonstrate efficacy? A systematic review of randomised controlled trials, with meta-analysis. <i>BMJ Open</i> , 2020 , 10, e032045	3	31
184	Medication and Treatment Beliefs as Determinants of Treatment Engagement 2020 , 203-222		1
183	A Highly Tailored Text and Voice Messaging Intervention to Improve Medication Adherence in Patients With Either or Both Hypertension and Type 2 Diabetes in a UK Primary Care Setting: Feasibility Randomized Controlled Trial of Clinical Effectiveness. <i>Journal of Medical Internet Research</i> , 2020 , 22, e19128	7.6	8
182	Assessment of the Effectiveness and Cost-Effectiveness of Tailored Web- and Text-Based Smoking Cessation Support in Primary Care (iQuit in Practice II): Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020 , 9, e17160	2	2
181	Improving Primary Care After Stroke (IPCAS) randomised controlled trial: protocol for a multidimensional process evaluation. <i>BMJ Open</i> , 2020 , 10, e036879	3	0
180	Is it me? The impact of patient-physician interactions on lupus patients' psychological well-being, cognition and health-care-seeking behaviour. <i>Rheumatology Advances in Practice</i> , 2020 , 4, rkaa037	1.1	9
179	A general method for elicitation, imputation, and sensitivity analysis for incomplete repeated binary data. <i>Statistics in Medicine</i> , 2020 , 39, 2921-2935	2.3	2

178	Interest in and Use of Smoking Cessation Support Across Pregnancy and Postpartum. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 1178-1186	4.9	3
177	Effect of interventions including provision of personalised cancer risk information on accuracy of risk perception and psychological responses: A systematic review and meta-analysis. <i>Patient Education and Counseling</i> , 2020 , 103, 83-95	3.1	4
176	A parent-oriented alcohol prevention program "Effekt" had no impact on adolescents' alcohol use: Findings from a cluster-randomized controlled trial in Estonia. <i>Drug and Alcohol Dependence</i> , 2019 , 194, 279-287	4.9	3
175	Evaluating diagnostic strategies for early detection of cancer: the CanTest framework. <i>BMC Cancer</i> , 2019 , 19, 586	4.8	21
174	An exploration of the barriers to attendance at the English Stop Smoking Services. <i>Addictive Behaviors Reports</i> , 2019 , 9, 005-5	3.7	3
173	Effectiveness and cost-effectiveness of a tailored text-message programme (MiQuit) for smoking cessation in pregnancy: study protocol for a randomised controlled trial (RCT) and meta-analysis. <i>Trials</i> , 2019 , 20, 280	2.8	3
172	Do cognitive heuristics underpin symptom appraisal for symptoms of cancer?: A secondary qualitative analysis across seven cancers. <i>Psycho-Oncology</i> , 2019 , 28, 1041-1047	3.9	7
171	Differences in objectively measured physical activity and sedentary behaviour between white Europeans and south Asians recruited from primary care: cross-sectional analysis of the PROPELS trial. <i>BMC Public Health</i> , 2019 , 19, 95	4.1	15
170	Behavioural analysis of postnatal physical activity in the UK according to the COM-B model: a multi-methods study. <i>BMJ Open</i> , 2019 , 9, e028682	3	13
169	Development and piloting of a highly tailored digital intervention to support adherence to antihypertensive medications as an adjunct to primary care consultations. <i>BMJ Open</i> , 2019 , 9, e024121	3	10
168	Interactive voice response interventions targeting behaviour change: a systematic literature review with meta-analysis and meta-regression. <i>BMJ Open</i> , 2018 , 8, e018974	3	21
167	Cost-effectiveness of personal tailored risk information and taster sessions to increase the uptake of the NHS stop smoking services: the Start2quit randomized controlled trial. <i>Addiction</i> , 2018 , 113, 708-718	4.6	7
166	Evaluating practical support stroke survivors get with medicines and unmet needs in primary care: a survey. <i>BMJ Open</i> , 2018 , 8, e019874	3	6
165	Automated telecommunication interventions to promote adherence to cardio-metabolic medications: meta-analysis of effectiveness and meta-regression of behaviour change techniques. <i>Health Psychology Review</i> , 2018 , 12, 25-42	7.1	43
164	Cost-Effectiveness and Value of Information Analysis of Brief Interventions to Promote Physical Activity in Primary Care. <i>Value in Health</i> , 2018 , 21, 18-26	3.3	11
163	A randomised controlled trial of the effect of providing online risk information and lifestyle advice for the most common preventable cancers: study protocol. <i>BMC Public Health</i> , 2018 , 18, 796	4.1	4
162	E-cigarette adverts and children's perceptions of tobacco smoking harms: an experimental study and meta-analysis. <i>BMJ Open</i> , 2018 , 8, e020247	3	4
161	Uptake of Tailored Text Message Smoking Cessation Support in Pregnancy When Advertised on the Internet (MiQuit): Observational Study. <i>Journal of Medical Internet Research</i> , 2018 , 20, e146	7.6	8

160	Relapse to smoking and health-related quality of life: Secondary analysis of data from a study of smoking relapse prevention. <i>PLoS ONE</i> , 2018 , 13, e0205992	3.7	3
159	Bias due to MEasurement Reactions In Trials to improve health (MERIT): protocol for research to develop MRC guidance. <i>Trials</i> , 2018 , 19, 653	2.8	12
158	Factors influencing the impact of pharmacogenomic prescribing on adherence to nicotine replacement therapy: A qualitative study of participants from a randomized controlled trial. <i>Translational Behavioral Medicine</i> , 2018 , 8, 18-28	3.2	4
157	Effectiveness of personalised risk information and taster sessions to increase the uptake of smoking cessation services (Start2quit): a randomised controlled trial. <i>Lancet, The</i> , 2017 , 389, 823-833	4.0	28
156	Large multi-centre pilot randomized controlled trial testing a low-cost, tailored, self-help smoking cessation text message intervention for pregnant smokers (MiQuit). <i>Addiction</i> , 2017 , 112, 1238-1249	4.6	43
155	What do we know about brief interventions for physical activity that could be delivered in primary care consultations? A systematic review of reviews. <i>Preventive Medicine</i> , 2017 , 99, 152-163	4.3	41
154	Cognitive and Behavioral Predictors of Quit Attempts and Biochemically-Validated Abstinence During Pregnancy. <i>Nicotine and Tobacco Research</i> , 2017 , 19, 547-554	4.9	9
153	Effect of a mobile app intervention on vegetable consumption in overweight adults: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 125	8.4	38
152	The TIPPME intervention typology for changing environments to change behaviour. <i>Nature Human Behaviour</i> , 2017 , 1,	12.8	176
151	Barriers and facilitators to adherence to secondary stroke prevention medications after stroke: analysis of survivors and caregivers views from an online stroke forum. <i>BMJ Open</i> , 2017 , 7, e016814	3	22
150	Reasons for non-adherence to cardiometabolic medications, and acceptability of an interactive voice response intervention in patients with hypertension and type 2 diabetes in primary care: a qualitative study. <i>BMJ Open</i> , 2017 , 7, e015597	3	18
149	Smoking and quit attempts during pregnancy and postpartum: a longitudinal UK cohort. <i>BMJ Open</i> , 2017 , 7, e018746	3	35
148	Start2quit: a randomised clinical controlled trial to evaluate the effectiveness and cost-effectiveness of using personal tailored risk information and taster sessions to increase the uptake of the NHS Stop Smoking Services. <i>Health Technology Assessment</i> , 2017 , 21, 1-206	4.4	6
147	Are Nurses and Auxiliary Healthcare Workers Equally Effective in Delivering Smoking Cessation Support in Primary Care?. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1054-60	4.9	6
146	Differences in Longer-Term Smoking Abstinence After Treatment by Specialist or Nonspecialist Advisors: Secondary Analysis of Data From a Relapse Prevention Trial. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1061-6	4.9	12
145	Is the intention-behaviour gap greater amongst the more deprived? A meta-analysis of five studies on physical activity, diet, and medication adherence in smoking cessation. <i>British Journal of Health Psychology</i> , 2016 , 21, 11-30	8.3	17
144	Iterative development of Vegethon: a theory-based mobile app intervention to increase vegetable consumption. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 90	8.4	44
143	A randomised controlled trial of three very brief interventions for physical activity in primary care. <i>BMC Public Health</i> , 2016 , 16, 1033	4.1	69

142	Impact of self-funding on patient experience of oral anticoagulation self-monitoring: a qualitative study. <i>BMJ Open</i> , 2016 , 6, e013123	3	0
141	Response Parameters for SMS Text Message Assessments Among Pregnant and General Smokers Participating in SMS Cessation Trials. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1210-4	4.9	14
140	IDEAS (Integrate, Design, Assess, and Share): A Framework and Toolkit of Strategies for the Development of More Effective Digital Interventions to Change Health Behavior. <i>Journal of Medical Internet Research</i> , 2016 , 18, e317	7.6	127
139	Mobile Technology for Vegetable Consumption: A Randomized Controlled Pilot Study in Overweight Adults. <i>JMIR MHealth and UHealth</i> , 2016 , 4, e51	5.5	39
138	A Context-Sensing Mobile Phone App (Q Sense) for Smoking Cessation: A Mixed-Methods Study. <i>JMIR MHealth and UHealth</i> , 2016 , 4, e106	5.5	113
137	The impact of communicating genetic risks of disease on risk-reducing health behaviour: systematic review with meta-analysis. <i>BMJ, The</i> , 2016 , 352, i1102	5.9	270
136	Effectiveness and cost-effectiveness of a very brief physical activity intervention delivered in NHS Health Checks (VBI Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 303	2.8	4
135	Lifestyle Advice Combined with Personalized Estimates of Genetic or Phenotypic Risk of Type 2 Diabetes, and Objectively Measured Physical Activity: A Randomized Controlled Trial. <i>PLoS Medicine</i> , 2016 , 13, e1002185	11.6	36
134	Are brief interventions to increase physical activity cost-effective? A systematic review. <i>British Journal of Sports Medicine</i> , 2016 , 50, 408-17	10.3	53
133	The effect of a brief action planning intervention on adherence to double-blind study medication, compared to a standard trial protocol, in the Atorvastatin in Factorial with Omega EE90 Risk Reduction in Diabetes (AFORRD) clinical trial: A cluster randomised sub-study. <i>Diabetes Research and Clinical Practice</i> , 2016 , 120, 56-64	7.4	9
132	Supporting patients to self-monitor their oral anticoagulation therapy: recommendations based on a qualitative study of patients' experiences. <i>British Journal of General Practice</i> , 2015 , 65, e438-46	1.6	1
131	Lack of attentional retraining effects in cigarette smokers attempting cessation: a proof of concept double-blind randomised controlled trial. <i>Drug and Alcohol Dependence</i> , 2015 , 149, 158-65	4.9	23
130	Pilot study to evaluate a tailored text message intervention for pregnant smokers (MiQuit): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 29	2.8	14
129	Protocol for Get Moving: a randomised controlled trial to assess the effectiveness of three minimal contact interventions to promote fitness and physical activity in working adults. <i>BMC Public Health</i> , 2015 , 15, 296	4.1	10
128	Development and feasibility study of very brief interventions for physical activity in primary care. <i>BMC Public Health</i> , 2015 , 15, 333	4.1	61
127	Are predictors of making a quit attempt the same as predictors of 3-month abstinence from smoking? Findings from a sample of smokers recruited for a study of computer-tailored smoking cessation advice in primary care. <i>Addiction</i> , 2015 , 110, 1653-64	4.6	26
126	Which behavior change techniques are associated with changes in physical activity, diet and body mass index in people with recently diagnosed diabetes?. <i>Annals of Behavioral Medicine</i> , 2015 , 49, 7-17	4.5	71
125	Self-help educational booklets for the prevention of smoking relapse following smoking cessation treatment: a randomized controlled trial. <i>Addiction</i> , 2015 , 110, 2006-14	4.6	13

124	Adaptation and uptake evaluation of an SMS text message smoking cessation programme (MiQuit) for use in antenatal care. <i>BMJ Open</i> , 2015 , 5, e008871	3	13
123	Cohort study of Anticoagulation Self-Monitoring (CASM): a prospective study of its effectiveness in the community. <i>British Journal of General Practice</i> , 2015 , 65, e428-37	1.6	9
122	PROMotion Of Physical activity through structured Education with differing Levels of ongoing Support for people at high risk of type 2 diabetes (PROPELS): study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 289	2.8	16
121	Adherence to medication in stroke survivors dependent on caregivers. <i>British Journal of General Practice</i> , 2015 , 65, e789-91	1.6	7
120	Use and effectiveness of lapse prevention strategies among pregnant smokers. <i>Journal of Health Psychology</i> , 2015 , 20, 1427-33	3.1	7
119	Computer-tailored smoking cessation advice matched to reading ability: Perceptions of participants from the ESCAPE trial. <i>Patient Education and Counseling</i> , 2015 , 98, 1577-1577	3.1	5
118	A Text-Messaging and Pedometer Program to Promote Physical Activity in People at High Risk of Type 2 Diabetes: The Development of the PROPELS Follow-On Support Program. <i>JMIR MHealth and UHealth</i> , 2015 , 3, e105	5.5	23
117	Effectiveness and economic evaluation of self-help educational materials for the prevention of smoking relapse: randomised controlled trial. <i>Health Technology Assessment</i> , 2015 , 19, 1-70, v-vi	4.4	13
116	Does electronic monitoring influence adherence to medication? Randomized controlled trial of measurement reactivity. <i>Annals of Behavioral Medicine</i> , 2014 , 48, 293-9	4.5	46
115	Multiple behaviour change intervention and outcomes in recently diagnosed type 2 diabetes: the ADDITION-Plus randomised controlled trial. <i>Diabetologia</i> , 2014 , 57, 1308-19	10.3	23
114	Cost-effectiveness of computer-tailored smoking cessation advice in primary care: a randomized trial (ESCAPE). <i>Nicotine and Tobacco Research</i> , 2014 , 16, 270-8	4.9	13
113	Longitudinal cohort survey of women's smoking behaviour and attitudes in pregnancy: study methods and baseline data. <i>BMJ Open</i> , 2014 , 4, e004915	3	18
112	Psychological impact of family history risk assessment in primary care: a mixed methods study. <i>Family Practice</i> , 2014 , 31, 409-18	1.9	7
111	Understanding perceived risk of type 2 diabetes in healthy middle-aged adults: a cross-sectional study of associations with modelled risk, clinical risk factors, and psychological factors. <i>Diabetes Research and Clinical Practice</i> , 2014 , 106, 412-9	7.4	16
110	One-week recall of health risk information and individual differences in attention to bar charts. <i>Health, Risk and Society</i> , 2014 , 16, 136-153	2	9
109	Randomized controlled trial to assess the short-term effectiveness of tailored web- and text-based facilitation of smoking cessation in primary care (iQuit in practice). <i>Addiction</i> , 2014 , 109, 1184-93	4.6	61
108	A general method for handling missing binary outcome data in randomized controlled trials. <i>Addiction</i> , 2014 , 109, 1986-93	4.6	19
107	Study protocol for iQuit in Practice: a randomised controlled trial to assess the feasibility, acceptability and effectiveness of tailored web- and text-based facilitation of smoking cessation in primary care. <i>BMC Public Health</i> , 2013 , 13, 324	4.1	16

106	Adherence to and consumption of nicotine replacement therapy and the relationship with abstinence within a smoking cessation trial in primary care. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 1537-44	4.9	32
105	Attentional bias retraining in cigarette smokers attempting smoking cessation (ARTS): study protocol for a double blind randomised controlled trial. <i>BMC Public Health</i> , 2013 , 13, 1176	4.1	7
104	Predictors of change in objectively measured and self-reported health behaviours among individuals with recently diagnosed type 2 diabetes: longitudinal results from the ADDITION-Plus trial cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 118	8.4	5
103	Delivering Smoking Cessation Support by Mobile Phone Text Message: What Information do Smokers Want? A Focus Group Study. <i>Journal of Applied Biobehavioral Research</i> , 2013 , 18, 1-23	1.7	12
102	Constructing multiplicative measures of beliefs in the theory of planned behaviour. <i>British Journal of Health Psychology</i> , 2013 , 18, 122-38	8.3	7
101	Republished research: effectiveness of physical activity promotion based in primary care: systematic review and meta-analysis of randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2013 , 47, 27	10.3	10
100	Attitudes towards SMS text message smoking cessation support: a qualitative study of pregnant smokers. <i>Health Education Research</i> , 2013 , 28, 911-22	1.8	52
99	Dissonance and disengagement in pregnant smokers: a qualitative study. <i>Journal of Smoking Cessation</i> , 2013 , 8, 24-32	0.5	19
98	ESCAPE: a randomised controlled trial of computer-tailored smoking cessation advice in primary care. <i>Addiction</i> , 2013 , 108, 811-9	4.6	16
97	Development and evaluation of a brief self-completed family history screening tool for common chronic disease prevention in primary care. <i>British Journal of General Practice</i> , 2013 , 63, e393-400	1.6	18
96	Impact of personalised feedback about physical activity on change in objectively measured physical activity (the FAB study): a randomised controlled trial. <i>PLoS ONE</i> , 2013 , 8, e75398	3.7	19
95	Delivering Tailored Smoking Cessation Support via Mobile Phone Text Messaging: A Feasibility and Acceptability Evaluation of the Quittext Program. <i>Journal of Applied Biobehavioral Research</i> , 2012 , 17, 38-58	1.7	7
94	Effectiveness of web-based tailored smoking cessation advice reports (iQuit): a randomized trial. <i>Addiction</i> , 2012 , 107, 2183-90	4.6	26
93	Predictors of suboptimal glycaemic control in type 2 diabetes patients: the role of medication adherence and body mass index in the relationship between glycaemia and age. <i>Diabetes Research and Clinical Practice</i> , 2012 , 96, 119-28	7.4	28
92	An explanatory randomised controlled trial of a nurse-led, consultation-based intervention to support patients with adherence to taking glucose lowering medication for type 2 diabetes. <i>BMC Family Practice</i> , 2012 , 13, 30	2.6	41
91	Effect of communicating genetic and phenotypic risk for type 2 diabetes in combination with lifestyle advice on objectively measured physical activity: protocol of a randomised controlled trial. <i>BMC Public Health</i> , 2012 , 12, 444	4.1	20
90	Self-help materials for the prevention of smoking relapse: study protocol for a randomized controlled trial. <i>Trials</i> , 2012 , 13, 69	2.8	9
89	An exploration of the missing data mechanism in an Internet based smoking cessation trial. <i>BMC Medical Research Methodology</i> , 2012 , 12, 157	4.7	9

88	Evaluating the effectiveness of using personal tailored risk information and taster sessions to increase the uptake of smoking cessation services: study protocol for a randomised controlled trial. <i>Trials</i> , 2012 , 13, 195	2.8	8
87	Effect on adherence to nicotine replacement therapy of informing smokers their dose is determined by their genotype: a randomised controlled trial. <i>PLoS ONE</i> , 2012 , 7, e35249	3.7	35
86	Effectiveness of physical activity promotion based in primary care: systematic review and meta-analysis of randomised controlled trials. <i>BMJ, The</i> , 2012 , 344, e1389	5.9	412
85	Randomized controlled trial evaluation of a tailored leaflet and SMS text message self-help intervention for pregnant smokers (MiQuit). <i>Nicotine and Tobacco Research</i> , 2012 , 14, 569-77	4.9	100
84	Factors predicting recruitment to a UK wide primary care smoking cessation study (the ESCAPE trial). <i>Family Practice</i> , 2012 , 29, 110-7	1.9	27
83	Theory of planned behaviour cognitions do not predict self-reported or objective physical activity levels or change in the ProActive trial. <i>British Journal of Health Psychology</i> , 2011 , 16, 135-50	8.3	29
82	Psychometric properties of the processes of change scale for smoking cessation in UK adolescents. <i>International Journal of Behavioral Medicine</i> , 2011 , 18, 71-8	2.6	4
81	Protocol for the ADDITION-Plus study: a randomised controlled trial of an individually-tailored behaviour change intervention among people with recently diagnosed type 2 diabetes under intensive UK general practice care. <i>BMC Public Health</i> , 2011 , 11, 211	4.1	21
80	Do increases in physical activity encourage positive beliefs about further change in the ProActive cohort?. <i>Psychology and Health</i> , 2011 , 26, 899-914	2.9	4
79	Impact on decisions to start or continue medicines of providing information to patients about possible benefits and/or harms: a systematic review and meta-analysis. <i>Medical Decision Making</i> , 2011 , 31, 767-77	2.5	6
78	The contribution of behavioural science to primary care research: development and evaluation of behaviour change interventions. <i>Primary Health Care Research and Development</i> , 2011 , 12, 284-92	1.6	9
77	Commentary on Collins et al. (2010): Why readiness to change may not predict behaviour. <i>Addiction</i> , 2010 , 105, 1910-1	4.6	1
76	Mediation of personality influences on physical activity within the theory of planned behaviour. <i>Journal of Health Psychology</i> , 2010 , 15, 1170-80	3.1	26
75	Impact of an informed choice invitation on uptake of screening for diabetes in primary care (DICISION): randomised trial. <i>BMJ, The</i> , 2010 , 340, c2138	5.9	39
74	Overestimation of physical activity level is associated with lower BMI: a cross-sectional analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 68	8.4	55
73	Effects of communicating DNA-based disease risk estimates on risk-reducing behaviours. <i>The Cochrane Library</i> , 2010 , CD007275	5.2	174
72	Using computer-tailored smoking-cessation advice in community pharmacy: A feasibility study. <i>International Journal of Pharmacy Practice</i> , 2010 , 17, 365-368	1.7	3
71	Reactivity of measurement in health psychology: how much of a problem is it? What can be done about it?. <i>British Journal of Health Psychology</i> , 2010 , 15, 453-68	8.3	122

70	Randomised controlled trial of the effects of physical activity feedback on awareness and behaviour in UK adults: the FAB study protocol [ISRCTN92551397]. <i>BMC Public Health</i> , 2010 , 10, 144	4.1	16
69	Who will increase their physical activity? Predictors of change in objectively measured physical activity over 12 months in the ProActive cohort. <i>BMC Public Health</i> , 2010 , 10, 226	4.1	13
68	Trial Protocol: Using genotype to tailor prescribing of nicotine replacement therapy: a randomised controlled trial assessing impact of communication upon adherence. <i>BMC Public Health</i> , 2010 , 10, 680	4.1	17
67	Impact of informed-choice invitations on diabetes screening knowledge, attitude and intentions: an analogue study. <i>BMC Public Health</i> , 2010 , 10, 768	4.1	7
66	Are people with negative diabetes screening tests falsely reassured? Parallel group cohort study embedded in the ADDITION (Cambridge) randomised controlled trial. <i>BMJ, The</i> , 2009 , 339, b4535	5.9	29
65	Assessing unrealistic optimism: impact of different approaches to measuring susceptibility to diabetes. <i>Journal of Health Psychology</i> , 2009 , 14, 372-7	3.1	12
64	Impact of an informed choice invitation on uptake of screening for diabetes in primary care (DICISION): trial protocol. <i>BMC Public Health</i> , 2009 , 9, 63	4.1	9
63	The factor structure and factorial invariance for the decisional balance scale for adolescent smoking. <i>International Journal of Behavioral Medicine</i> , 2009 , 16, 158-63	2.6	15
62	Do the Transtheoretical Model processes of change, decisional balance and temptation predict stage movement? Evidence from smoking cessation in adolescents. <i>Addiction</i> , 2009 , 104, 828-38	4.6	18
61	Some of These Words I Can't Pronounce—A Qualitative Exploration of the Readability of Generic and Tailored Self-help Material for Quitting Smoking. <i>Journal of Applied Biobehavioral Research</i> , 2009 , 14, 1-14	1.7	3
60	Perception of Computer-tailored Feedback for Smoking Cessation: Qualitative Findings from Focus Groups. <i>Journal of Applied Biobehavioral Research</i> , 2009 , 14, 15-29	1.7	1
59	Completing a postal health questionnaire did not affect anxiety or related measures: randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 74-80	5.7	5
58	Impact of a physical activity intervention program on cognitive predictors of behaviour among adults at risk of Type 2 diabetes (ProActive randomised controlled trial). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009 , 6, 16	8.4	33
57	Using latent class and latent transition analysis to examine the transtheoretical model staging algorithm and sequential stage transition in adolescent smoking. <i>Substance Use and Misuse</i> , 2009 , 44, 2028-42	2.2	19
56	Using computer-tailored smoking-cessation advice in community pharmacy: a feasibility study. <i>International Journal of Pharmacy Practice</i> , 2009 , 17, 365-368	1.7	
55	Self-help smoking cessation interventions in pregnancy: a systematic review and meta-analysis. <i>Addiction</i> , 2008 , 103, 566-79	4.6	45
54	Efficacy of a theory-based behavioural intervention to increase physical activity in an at-risk group in primary care (ProActive UK): a randomised trial. <i>Lancet, The</i> , 2008 , 371, 41-8	4.0	145
53	Testing the convergent and discriminant validity of the Decisional Balance Scale of the Transtheoretical Model using the Multi-Trait Multi-Method approach. <i>Psychology of Addictive Behaviors</i> , 2008 , 22, 288-94	3.4	20

52	Evaluation of an informed choice invitation for type 2 diabetes screening. <i>Patient Education and Counseling</i> , 2008 , 72, 232-8	3.1	24
51	Protocol for SAMS (Support and Advice for Medication Study): a randomised controlled trial of an intervention to support patients with type 2 diabetes with adherence to medication. <i>BMC Family Practice</i> , 2008 , 9, 20	2.6	16
50	Effectiveness of computer-tailored Smoking Cessation Advice in Primary Care (ESCAPE): a randomised trial. <i>Trials</i> , 2008 , 9, 23	2.8	17
49	Perceptions of absolute versus relative differences between personal and comparison health risk. <i>Health Psychology</i> , 2008 , 27, 87-92	5	9
48	Effectiveness of individually tailored smoking cessation advice letters as an adjunct to telephone counselling and generic self-help materials: randomized controlled trial. <i>Addiction</i> , 2007 , 102, 994-1000	4.6	44
47	Study comparing two types of screening provision for people with von Hippel-Lindau disease. <i>Familial Cancer</i> , 2007 , 6, 103-11	3	5
46	Assessing the feasibility of proactive recruitment of smokers to an intervention in general practice for smoking cessation using computer-tailored feedback reports. <i>Family Practice</i> , 2007 , 24, 395-400	1.9	20
45	Psychological impact of screening for type 2 diabetes: controlled trial and comparative study embedded in the ADDITION (Cambridge) randomised controlled trial. <i>BMJ, The</i> , 2007 , 335, 486	5.9	100
44	What do people think about when they answer theory of planned behaviour questionnaires? A 'think aloud' study. <i>Journal of Health Psychology</i> , 2007 , 12, 672-87	3.1	73
43	Allowing for correlations between correlations in random-effects meta-analysis of correlation matrices. <i>Psychological Methods</i> , 2007 , 12, 434-450	7.1	10
42	Planning to change diet: a controlled trial of an implementation intentions training intervention to reduce saturated fat intake among patients after myocardial infarction. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 491-7	4.1	41
41	Personal and social comparison information about health risk: reaction to information and information search. <i>Journal of Health Psychology</i> , 2006 , 11, 497-510	3.1	12
40	Evaluating the effectiveness of proactive telephone counselling for smoking cessation in a randomized controlled trial. <i>Addiction</i> , 2006 , 101, 590-8	4.6	48
39	Needed: more match-mismatch studies of well-specified stage theories. A commentary on Dijkstra et al. (2006). <i>Addiction</i> , 2006 , 101, 915	4.6	4
38	Perceived difficulty in the theory of planned behaviour: perceived behavioural control or affective attitude?. <i>British Journal of Social Psychology</i> , 2005 , 44, 479-96	6.8	198
37	Another nail in the coffin of the transtheoretical model? A comment on West (2005). <i>Addiction</i> , 2005 , 100, 1043-6; author reply 1048-50	4.6	17
36	The Importance of Affective Beliefs and Attitudes in the Theory of Planned Behavior: Predicting Intention to Increase Physical Activity ¹ . <i>Journal of Applied Social Psychology</i> , 2005 , 35, 1824-1848	2.1	131
35	Sociodemographic and attitudinal correlates of cervical screening uptake in a national sample of women in Britain. <i>Social Science and Medicine</i> , 2005 , 61, 2460-5	5.1	62

34	Are techniques used in cognitive behaviour therapy applicable to behaviour change interventions based on the theory of planned behaviour?. <i>Journal of Health Psychology</i> , 2005 , 10, 7-18; discussion 37-43 ^{3.1}	38
33	A causal modelling approach to the development of theory-based behaviour change programmes for trial evaluation. <i>Health Education Research</i> , 2005 , 20, 676-87	1.8 209
32	Psychological impact of genetic counseling for familial cancer: a systematic review and meta-analysis. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 122-33	9.7 149
31	The ProActive trial protocol - a randomised controlled trial of the efficacy of a family-based, domiciliary intervention programme to increase physical activity among individuals at high risk of diabetes [ISRCTN61323766]. <i>BMC Public Health</i> , 2004 , 4, 48	4.1 55
30	Using the Internet to conduct surveys of health professionals: a valid alternative?. <i>Family Practice</i> , 2003 , 20, 545-51	1.9 350
29	Psychological impact of colorectal cancer screening.. <i>Health Psychology</i> , 2003 , 22, 54-59	5 41
28	Increasing attendance at colorectal cancer screening: Testing the efficacy of a mailed, psychoeducational intervention in a community sample of older adults.. <i>Health Psychology</i> , 2003 , 22, 99-105	5 89
27	Eliciting salient beliefs in research on the theory of planned behaviour: The effect of question wording. <i>Current Psychology</i> , 2003 , 22, 234-251	81
26	Testing attitude-behaviour theories using non-experimental data: An examination of some hidden assumptions. <i>European Review of Social Psychology</i> , 2003 , 13, 293-323	5.5 30
25	Increasing attendance at colorectal cancer screening: testing the efficacy of a mailed, psychoeducational intervention in a community sample of older adults. <i>Health Psychology</i> , 2003 , 22, 99-105	4.2
24	Assessing 'stage of change' in current and former smokers. <i>Addiction</i> , 2002 , 97, 1171-82	4.6 75
23	Intention to Participate in Predictive Genetic Testing for Hereditary Cancer: The Role of Attitude toward Uncertainty. <i>Psychology and Health</i> , 2002 , 17, 761-772	2.9 57
22	Internet-based risk assessment and decision support for the management of familial cancer in primary care: a survey of GPs' attitudes and intentions. <i>Family Practice</i> , 2002 , 19, 587-90	1.9 29
21	Influencing optimism in smokers by giving information about the average smoker. <i>Risk, Decision and Policy</i> , 2002 , 7, 165-174	14
20	No news is (not necessarily) good news: impact of preliminary results for BRCA1 mutation searches. <i>Genetics in Medicine</i> , 2002 , 4, 353-8	8.1 32
19	Factors Associated with Breast Cancer Risk Perception and Psychological Distress in a Representative Sample of Middle-aged Finnish Women. <i>Anxiety, Stress and Coping</i> , 2002 , 15, 61-73	3.1 13
18	Back to the drawing board? A review of applications of the transtheoretical model to substance use. <i>Addiction</i> , 2001 , 96, 175-86	4.6 277
17	Declining the offer of flexible sigmoidoscopy screening for bowel cancer: a qualitative investigation of the decision-making process. <i>Social Science and Medicine</i> , 2001 , 53, 679-91	5.1 72

16	Transtheoretical model of behaviour change 2001 , 228-232		1
15	Single blind, randomised trial of efficacy and acceptability of oral picolax versus self administered phosphate enema in bowel preparation for flexible sigmoidoscopy screening. <i>BMJ: British Medical Journal</i> , 2000 , 320, 1504-8; discussion 1509		37
14	Psychosocial influences on older adults' interest in participating in bowel cancer screening. <i>Preventive Medicine</i> , 2000 , 31, 323-34	4.3	138
13	Interpreting cross-sectional data on stages of change. <i>Psychology and Health</i> , 2000 , 15, 163-171	2.9	93
12	A comparative test of the theory of reasoned action and the theory of planned behavior in the prediction of condom use intentions in a national sample of English young people.. <i>Health Psychology</i> , 1999 , 18, 72-81	5	110
11	Predicting and Explaining Intentions and Behavior: How Well Are We Doing?. <i>Journal of Applied Social Psychology</i> , 1998 , 28, 1317-1338	2.1	657
10	Predicting intentions and use of dental floss among adolescents: An application of the theory of planned behaviour. <i>Psychology and Health</i> , 1998 , 13, 223-236	2.9	46
9	Can 'stages of change' provide guidance in the treatment of addictions? A critical examination of Prochaska and DiClemente's model 1996 , 189-205		45
8	Further support for the stages of change model?. <i>Addiction</i> , 1996 , 91, 1287-9	4.6	17
7	Anxiety and self-esteem as a function of abstinence time among recovering addicts attending Narcotics Anonymous. <i>British Journal of Clinical Psychology</i> , 1994 , 33, 198-200	3.6	29
6	Microanalysis of Smokers' Beliefs about the Consequences of Quitting: Results from a Large Population Sample1. <i>Journal of Applied Social Psychology</i> , 1990 , 20, 1847-1862	2.1	26
5	Understanding Seat-Belt Intentions and Behavior: A Decision-Making Approach1. <i>Journal of Applied Social Psychology</i> , 1989 , 19, 1310-1325	2.1	24
4	Understanding the effects of fear-arousing communications: the role of cognitive factors and amount of fear aroused. <i>Journal of Behavioral Medicine</i> , 1988 , 11, 353-60	3.6	21
3	Smoking intervention in the workplace using videotapes and nicotine chewing gum. <i>Preventive Medicine</i> , 1988 , 17, 48-59	4.3	33
2	Behavior In The Complex Environment by S. Streufert and S. C. Streufert. Washington D.C. Winston & Sons. 1978.. <i>Behavioural Psychotherapy</i> , 1980 , 8, 22-22		
1	Planning Research: Design, Sample, Measures83-103		2