
Eugene A A Rameckers

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/795198/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Guidelines for future research in constraintâ€induced movement therapy for children with unilateral cerebral palsy: an expert consensus. Developmental Medicine and Child Neurology, 2014, 56, 125-137.	2.1	101
2	Disability in Adolescents and Adults Diagnosed With Hypermobility-Related Disorders: A Meta-Analysis. Archives of Physical Medicine and Rehabilitation, 2016, 97, 2174-2187.	0.9	89
3	Children with Generalised Joint Hypermobility and Musculoskeletal Complaints: State of the Art on Diagnostics, Clinical Characteristics, and Treatment. BioMed Research International, 2013, 2013, 1-13.	1.9	70
4	Intensive upper―and lowerâ€extremity training for children with bilateral cerebral palsy: a quasiâ€randomized trial. Developmental Medicine and Child Neurology, 2017, 59, 625-633.	2.1	70
5	Improved Walking Capacity and Muscle Strength After Functional Power-Training in Young Children With Cerebral Palsy. Neurorehabilitation and Neural Repair, 2017, 31, 827-841.	2.9	64
6	Lower limb strength training in children with cerebral palsy – a randomized controlled trial protocol for functional strength training based on progressive resistance exercise principles. BMC Pediatrics, 2008, 8, 41.	1.7	59
7	Isometric muscle strength and mobility capacity in children with cerebral palsy. Disability and Rehabilitation, 2017, 39, 135-142.	1.8	50
8	Children with congenital spastic hemiplegia obey Fitts' Law in a visually guided tapping task. Experimental Brain Research, 2007, 177, 431-439.	1.5	49
9	Botulinum Toxin-A in Children With Congenital Spastic Hemiplegia Does Not Improve Upper Extremity Motor-Related Function Over Rehabilitation Alone: A Randomized Controlled Trial. Neurorehabilitation and Neural Repair, 2009, 23, 218-225.	2.9	43
10	Comparison of Structured Skill and Unstructured Practice During Intensive Bimanual Training in Children With Unilateral Spastic Cerebral Palsy. Neurorehabilitation and Neural Repair, 2014, 28, 452-461.	2.9	42
11	Muscle force generation and force control of finger movements in children with spastic hemiplegia during isometric tasks. Developmental Medicine and Child Neurology, 2005, 47, 337-342.	2.1	40
12	Physical fitness in children with Developmental Coordination Disorder: Measurement matters. Research in Developmental Disabilities, 2014, 35, 1087-1097.	2.2	37
13	Upper Extremity Strength Measurement for Children With Cerebral Palsy: A Systematic Review of Available Instruments. Physical Therapy, 2014, 94, 609-622.	2.4	34
14	Reliability of the modified Gross Motor Function Measure-88 (GMFM-88) for children with both Spastic Cerebral Palsy and Cerebral Visual Impairment: A preliminary study. Research in Developmental Disabilities, 2015, 45-46, 32-48.	2.2	30
15	Feasibility and effectiveness of home-based therapy programmes for children with cerebral palsy: a systematic review. BMJ Open, 2020, 10, e035454.	1.9	26
16	Measuring changes of manual ability with <scp>ABILHAND</scp> â€Kids following intensive training for children with unilateral cerebral palsy. Developmental Medicine and Child Neurology, 2017, 59, 505-511.	2.1	24
17	Test–Retest Reliability of Handgrip Strength Measurement in Children and Preadolescents. International Journal of Environmental Research and Public Health, 2020, 17, 8026.	2.6	22
18	Efficacy of upper limb strengthening in children with Cerebral Palsy: A critical review. Research in Developmental Disabilities, 2015, 36, 87-101.	2.2	21

EUGENE A A RAMECKERS

#	Article	IF	CITATIONS
19	Assessment of maximal isometric hand grip strength in school-aged children. Open Medicine (Poland), 2018, 13, 22-28.	1.3	21
20	Kinematic Aiming Task. American Journal of Physical Medicine and Rehabilitation, 2007, 86, 538-547.	1.4	19
21	Development and face validity of a cerebral visual impairment motor questionnaire for children with cerebral palsy. Child: Care, Health and Development, 2017, 43, 37-47.	1.7	19
22	Children with spastic hemiplegia are equally able as controls in maintaining a precise percentage of maximum force without visually monitoring their performance. Neuropsychologia, 2005, 43, 1938-1945.	1.6	16
23	Improved parent-reported mobility and achievement of individual goals on activity and participation level after functional power-training in young children with cerebral palsy: a double-baseline controlled trial. European Journal of Physical and Rehabilitation Medicine, 2018, 54, 730-737.	2.2	16
24	Defining Functional Therapy in Research Involving Children with Cerebral Palsy: A Systematic Review. Physical and Occupational Therapy in Pediatrics, 2020, 40, 231-246.	1.3	16
25	Effect of addition of botulinum toxin-A to standardized therapy for dynamic manual skills measured with kinematic aiming tasks in children with spastic hemiplegia. Journal of Rehabilitation Medicine, 2010, 42, 332-338.	1.1	15
26	Walking capacity of children with clubfeet in primary school. Journal of Pediatric Orthopaedics Part B, 2015, 24, 18-23.	0.6	14
27	Balance control in individuals with developmental coordination disorder: A systematic review and meta-analysis. Gait and Posture, 2021, 83, 268-279.	1.4	14
28	Instruments for the evaluation of motor abilities for children with severe multiple disabilities: A systematic review of the literature. Research in Developmental Disabilities, 2015, 47, 185-198.	2.2	13
29	Effects of botulinum toxin A and/or bimanual task-oriented therapy on upper extremity activities in unilateral Cerebral Palsy: a clinical trial. BMC Neurology, 2015, 15, 143.	1.8	13
30	Gross motor function in children with spastic Cerebral Palsy and Cerebral Visual Impairment: A comparison between outcomes of the original and the Cerebral Visual Impairment adapted Gross Motor Function Measure-88 (GMFM-88-CVI). Research in Developmental Disabilities, 2017, 60, 269-276.	2.2	13
31	Reliability of maximum isometric arm, grip and pinch strength measurements in children (7–12 years) with unilateral spastic cerebral palsy. Disability and Rehabilitation, 2020, 42, 1448-1453.	1.8	13
32	Reliability of the modified Paediatric Evaluation of Disability Inventory, Dutch version (PEDI-NL) for children with cerebral palsy and cerebral visual impairment. Research in Developmental Disabilities, 2015, 37, 189-201.	2.2	12
33	Extended Reference Values for the Muscle Power Sprint Test in 6- to 18-Year-Old Children. Pediatric Physical Therapy, 2016, 28, 78-84.	0.6	11
34	Home-based bimanual training based on motor learning principles in children with unilateral cerebral palsy and their parents (the COAD-study): rationale and protocols. BMC Pediatrics, 2018, 18, 139.	1.7	11
35	Gross motor function, functional skills and caregiver assistance in children with spastic cerebral palsy (CP) with and without cerebral visual impairment (CVI). European Journal of Physiotherapy, 2014, 16, 159-167.	1.3	10
36	Lower Extremity Handheld Dynamometry Strength Measurement in Children With Cerebral Palsy. Pediatric Physical Therapy, 2016, 28, 136-153.	0.6	10

#	Article	IF	CITATIONS
37	Effectiveness of Functional Power Training on Walking Ability in Young Children With Cerebral Palsy: Study Protocol of a Double-Baseline Trial. Pediatric Physical Therapy, 2017, 29, 275-282.	0.6	10
38	Barriers to recruitment of children with cerebral palsy in a trial of home-based training. Contemporary Clinical Trials Communications, 2019, 15, 100371.	1.1	10
39	Observational skills assessment score: reliability in measuring amount and quality of use of the affected hand in unilateral cerebral palsy. BMC Neurology, 2013, 13, 152.	1.8	9
40	"Not just another Wii trainingâ€: a graded Wii protocol to increase physical fitness in adolescent girls with probable developmental coordination disorder-a pilot study. BMC Pediatrics, 2018, 18, 78.	1.7	9
41	Process evaluation of two home-based bimanual training programs in children with unilateral cerebral palsy (the COAD-study): protocol for a mixed methods study. BMC Pediatrics, 2018, 18, 141.	1.7	9
42	The relationship between motor abilities and quality of life in children with severe multiple disabilities. Journal of Intellectual Disability Research, 2019, 63, 100-112.	2.0	9
43	Functional strength measurement in cerebral palsy: feasibility, test–retest reliability, and construct validity. Developmental Neurorehabilitation, 2019, 22, 453-461.	1.1	8
44	Effects of botulinum toxin A and/or bimanual task-oriented therapy on upper extremity impairments in unilateral Cerebral Palsy: An explorative study. European Journal of Paediatric Neurology, 2015, 19, 337-348.	1.6	6
45	Construct validity and responsiveness of Movakic: An instrument for the evaluation of motor abilities in children with severe multiple disabilities. Research in Developmental Disabilities, 2016, 59, 194-201.	2.2	6
46	Physical therapy treatment in children with cerebral palsy after single-event multilevel surgery: a qualitative systematic review. A first step towards a clinical guideline for physical therapy after single-event multilevel surgery. Therapeutic Advances in Chronic Disease, 2019, 10, 204062231985424.	2.5	6
47	Does intensive upper limb treatment modality Hybrid Constrained Induced Movement Therapy (H-CIMT) improve grip and pinch strength or fatigability of the affected hand?. Journal of Pediatric Rehabilitation Medicine, 2017, 10, 11-17.	0.5	5
48	Reproducibility of Task-Oriented Bimanual and Unimanual Strength Measurement in Children with Unilateral Cerebral Palsy. Physical and Occupational Therapy in Pediatrics, 2019, 39, 420-432.	1.3	5
49	Measuring Motor Fatigability in the Upper Limbs in Individuals With Neurologic Disorders: A Systematic Review. Archives of Physical Medicine and Rehabilitation, 2020, 101, 907-916.	0.9	5
50	Upper Extremity Muscle Strength in Children With Unilateral Spastic Cerebral Palsy: A Bilateral Problem?. Physical Therapy, 2020, 100, 2205-2216.	2.4	5
51	Evaluating the outcome of an individual functional therapy program focused on children with cerebral palsy and cerebral visual impairment: a multiple case study. European Journal of Physiotherapy, 2018, 20, 92-100.	1.3	4
52	Test-retest reliability of static and dynamic motor fatigability protocols using grip and pinch strength in typically developing children. European Journal of Pediatrics, 2021, 180, 2505-2512.	2.7	4
53	Functional Outcome Measures in Children with Osteogenesis Imperfecta. , 2014, , 473-483.		3
54	Psychometric Evaluation of 2 New Upper Extremity Functional Strength Tests in Children With Cerebral Palsy. Physical Therapy, 2019, 99, 1107-1115.	2.4	3

#	Article	IF	CITATIONS
55	Effect of Home-based Bimanual Training in Children with Unilateral Cerebral Palsy (The COAD-study): A Case Series. Developmental Neurorehabilitation, 2021, 24, 311-322.	1.1	3

56 Process Evaluation of Home-based Bimanual Training in Children with Unilateral Cerebral Palsy (The) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5

57	Construct Validity of a Task-Oriented Bimanual and Unimanual Strength Measurement in Children With Unilateral Cerebral Palsy. Physical Therapy, 2020, 100, 2237-2245.	2.4	2
58	Cross-cultural Translation and Adaptation of the Lifestyle Assessment Questionnaire (LAQ-CP) Into Dutch: A Brief Report. Pediatric Physical Therapy, 2017, 29, 251-255.	0.6	1
59	7 Behandelstrategieën in methodisch en didactisch perspectief. , 2016, , 203-213.		1
60	Improvements in Muscle Strength Are Associated With Improvements in Walking Capacity in Young Children With Cerebral Palsy: A Secondary Analysis. Pediatric Physical Therapy, 2021, 33, 24-30.	0.6	1
61	The construct of balance control in primary school-aged children: Unidimensional and task-specific. Human Movement Science, 2021, 79, 102847.	1.4	0
62	8 Overzicht van onderzoek en behandeling van arm- en handvaardigheden bij kinderen met een unilaterale cerebrale parese. , 2010, , 124-142.		0
63	13 Centraal-neurologische aandoeningen. , 2016, , 479-515.		0