Cay M Kielty

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7952139/cay-m-kielty-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

6,266
citations

45
p-index

76
ext. papers

6,793
ext. citations

5.6
avg, IF

5.56
L-index

#	Paper	IF	Citations
75	Inter-Enhibitor heavy chain-1 has an integrin-like 3D structure mediating immune regulatory activities and matrix stabilization during ovulation. <i>Journal of Biological Chemistry</i> , 2020 , 295, 5278-529	1 5·4	6
74	Recombinant Extracellular Matrix Protein Fragments Support Human Embryonic Stem Cell Chondrogenesis. <i>Tissue Engineering - Part A</i> , 2018 , 24, 968-978	3.9	18
73	ADAMTS10-mediated tissue disruption in Weill-Marchesani syndrome. <i>Human Molecular Genetics</i> , 2018 , 27, 3675-3687	5.6	26
72	Extracellular Matrix Molecule-Based Capture of Mesenchymal Stromal Cells Under Flow. <i>Methods in Molecular Biology</i> , 2018 , 1722, 249-260	1.4	
71	Fell-Muir Lecture: Fibrillin microfibrils: structural tensometers of elastic tissues?. <i>International Journal of Experimental Pathology</i> , 2017 , 98, 172-190	2.8	11
7°	Liposome-Indocyanine Green Nanoprobes for Optical Labeling and Tracking of Human Mesenchymal Stem Cells Post-Transplantation In Vivo. <i>Advanced Healthcare Materials</i> , 2017 , 6, 1700374	1 ^{10.1}	15
69	Interleukin-1 primes human mesenchymal stem cells towards an anti-inflammatory and pro-trophic phenotype in vitro. <i>Stem Cell Research and Therapy</i> , 2017 , 8, 79	8.3	107
68	ADAMTS-10 and -6 differentially regulate cell-cell junctions and focal adhesions. <i>Scientific Reports</i> , 2016 , 6, 35956	4.9	34
67	Independent multimerization of Latent TGFIBinding Protein-1 stabilized by cross-linking and enhanced by heparan sulfate. <i>Scientific Reports</i> , 2016 , 6, 34347	4.9	17
66	A high-content platform to characterise human induced pluripotent stem cell lines. <i>Methods</i> , 2016 , 96, 85-96	4.6	28
65	LeriWpleonosteosis, a congenital rheumatic disease, results from microduplication at 8q22.1 encompassing GDF6 and SDC2 and provides insight into systemic sclerosis pathogenesis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1249-56	2.4	19
64	Comparative quantification of the surfaceome of human multipotent mesenchymal progenitor cells. <i>Stem Cell Reports</i> , 2015 , 4, 473-88	8	33
63	Immobilisation of a fibrillin-1 fragment enhances the biocompatibility of PTFE. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 116, 544-52	6	15
62	Epithelial-mesenchymal status influences how cells deposit fibrillin microfibrils. <i>Journal of Cell Science</i> , 2014 , 127, 158-71	5.3	31
61	Elastic fibres in health and disease. Expert Reviews in Molecular Medicine, 2013, 15, e8	6.7	134
60	Fibrillin-1 mutations causing Weill-Marchesani syndrome and acromicric and geleophysic dysplasias disrupt heparan sulfate interactions. <i>PLoS ONE</i> , 2012 , 7, e48634	3.7	43
59	Inhibition of platelet-derived growth factor receptor signaling regulates Oct4 and Nanog expression, cell shape, and mesenchymal stem cell potency. <i>Stem Cells</i> , 2012 , 30, 548-60	5.8	58

(2007-2010)

58	Assembly of fibrillin microfibrils governs extracellular deposition of latent TGF beta. <i>Journal of Cell Science</i> , 2010 , 123, 3006-18	5.3	131
57	Microfibrils and fibrillin-1 induce integrin-mediated signaling, proliferation and migration in human endothelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2010 , 299, C977-87	5.4	24
56	Platelet-derived growth factor receptors regulate mesenchymal stem cell fate: implications for neovascularization. <i>Expert Opinion on Biological Therapy</i> , 2010 , 10, 57-71	5.4	43
55	Neuropilin-1 regulates platelet-derived growth factor receptor signalling in mesenchymal stem cells. <i>Biochemical Journal</i> , 2010 , 427, 29-40	3.8	66
54	Differential regulation of elastic fiber formation by fibulin-4 and -5. <i>Journal of Biological Chemistry</i> , 2009 , 284, 24553-67	5.4	86
53	Defining elastic fiber interactions by molecular fishing: an affinity purification and mass spectrometry approach. <i>Molecular and Cellular Proteomics</i> , 2009 , 8, 2715-32	7.6	24
52	Biomolecular analysis of elastic fibre molecules. <i>Methods</i> , 2008 , 45, 42-52	4.6	11
51	Surface functionalization of polyurethane for the immobilization of bioactive moieties on tissue scaffolds. <i>Journal of Materials Chemistry</i> , 2008 , 18, 2240		38
50	Heparan sulfate regulates fibrillin-1 N- and C-terminal interactions. <i>Journal of Biological Chemistry</i> , 2008 , 283, 27017-27	5.4	44
49	Fibrillin-1 microfibril deposition is dependent on fibronectin assembly. <i>Journal of Cell Science</i> , 2008 , 121, 2696-704	5.3	108
48	The role of endothelial cell attachment to elastic fibre molecules in the enhancement of monolayer formation and retention, and the inhibition of smooth muscle cell recruitment. <i>Biomaterials</i> , 2007 , 28, 5307-18	15.6	54
47	Mesenchymal stem cells and neovascularization: role of platelet-derived growth factor receptors. Journal of Cellular and Molecular Medicine, 2007 , 11, 1012-30	5.6	133
46	Vascular endothelial growth factor can signal through platelet-derived growth factor receptors. Journal of Cell Biology, 2007 , 177, 489-500	7.3	219
45	Fibrillin-1 regulates the bioavailability of TGFbeta1. <i>Journal of Cell Biology</i> , 2007 , 176, 355-67	7.3	212
44	Cell adhesion to fibrillin-1: identification of an Arg-Gly-Asp-dependent synergy region and a heparin-binding site that regulates focal adhesion formation. <i>Journal of Cell Science</i> , 2007 , 120, 1383-92	2 5·3	69
43	Fibulin-5 binds human smooth-muscle cells through alpha5beta1 and alpha4beta1 integrins, but does not support receptor activation. <i>Biochemical Journal</i> , 2007 , 405, 417-28	3.8	66
42	Platelet-derived growth factor receptor-alpha is a key determinant of smooth muscle alpha-actin filaments in bone marrow-derived mesenchymal stem cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2007 , 39, 379-91	5.6	49
41	The morphology of adsorbed extracellular matrix assemblies is critically dependent on solution calcium concentration. <i>Matrix Biology</i> , 2007 , 26, 156-66	11.4	11

40	Applying elastic fibre biology in vascular tissue engineering. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2007 , 362, 1293-312	5.8	53
39	Elastic fibres in health and disease. <i>Expert Reviews in Molecular Medicine</i> , 2006 , 8, 1-23	6.7	189
38	Nanostructure of fibrillin-1 reveals compact conformation of EGF arrays and mechanism for extensibility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 11922-7	11.5	48
37	Alpha2(VIII) collagen substrata enhance endothelial cell retention under acute shear stress flow via an alpha2beta1 integrin-dependent mechanism: an in vitro and in vivo study. <i>Circulation</i> , 2006 , 114, 820	_{1-5} 6.7	24
36	Marfan syndrome-causing mutations in fibrillin-1 result in gross morphological alterations and highlight the structural importance of the second hybrid domain. <i>Journal of Biological Chemistry</i> , 2006 , 281, 31854-62	5.4	24
35	Reduction of myointimal hyperplasia after arterial anastomosis by local injection of transforming growth factor beta3. <i>Journal of Vascular Surgery</i> , 2006 , 43, 142-9	3.5	16
34	Proteomic analysis of fibrillin-rich microfibrils. <i>Proteomics</i> , 2006 , 6, 111-22	4.8	78
33	Cell-matrix biology in vascular tissue engineering. <i>Journal of Anatomy</i> , 2006 , 209, 495-502	2.9	44
32	PCL-PU composite vascular scaffold production for vascular tissue engineering: attachment, proliferation and bioactivity of human vascular endothelial cells. <i>Biomaterials</i> , 2006 , 27, 3608-16	15.6	114
31	Coacervation is promoted by molecular interactions between the PF2 segment of fibrillin-1 and the domain 4 region of tropoelastin. <i>Biochemistry</i> , 2005 , 44, 10271-81	3.2	55
30	The role of transforming growth factor beta1 in the vascular system. <i>Cardiovascular Pathology</i> , 2005 , 14, 28-36	3.8	48
29	Fibulin-5 interacts with fibrillin-1 molecules and microfibrils. <i>Biochemical Journal</i> , 2005 , 388, 1-5	3.8	90
28	Substrate chemistry influences the morphology and biological function of adsorbed extracellular matrix assemblies. <i>Biomaterials</i> , 2005 , 26, 7192-206	15.6	52
27	Homotypic fibrillin-1 interactions in microfibril assembly. <i>Journal of Biological Chemistry</i> , 2005 , 280, 501	3 5 241	64
26	Fibrillin-1 interactions with heparin. Implications for microfibril and elastic fiber assembly. <i>Journal of Biological Chemistry</i> , 2005 , 280, 30526-37	5.4	77
25	Fibrillin microfibrils. <i>Advances in Protein Chemistry</i> , 2005 , 70, 405-36		105
24	Fibronectin regulates latent transforming growth factor-beta (TGF beta) by controlling matrix assembly of latent TGF beta-binding protein-1. <i>Journal of Biological Chemistry</i> , 2005 , 280, 18871-80	5.4	226
23	Expression and supramolecular assembly of recombinant alpha1(viii) and alpha2(viii) collagen homotrimers. <i>Journal of Biological Chemistry</i> , 2004 , 279, 21469-77	5.4	49

(1996-2004)

22	Molecular basis of elastic fiber formation. Critical interactions and a tropoelastin-fibrillin-1 cross-link. <i>Journal of Biological Chemistry</i> , 2004 , 279, 23748-58	5.4	124
21	Direct cell contact influences bone marrow mesenchymal stem cell fate. <i>International Journal of Biochemistry and Cell Biology</i> , 2004 , 36, 714-27	5.6	169
20	Substrate-dependent morphology of supramolecular assemblies: fibrillin and type-VI collagen microfibrils. <i>Biophysical Journal</i> , 2004 , 86, 3211-22	2.9	41
19	Raman microscopy and X-ray diffraction, a combined study of fibrillin-rich microfibrillar elasticity. Journal of Biological Chemistry, 2003 , 278, 41189-97	5.4	22
18	The supramolecular organization of collagen VI microfibrils. <i>Journal of Molecular Biology</i> , 2003 , 330, 29	7697	8o
17	Fibrillin microfibrils are stiff reinforcing fibres in compliant tissues. <i>Journal of Molecular Biology</i> , 2003 , 332, 183-93	6.5	120
16	Cell adhesion to fibrillin-1 molecules and microfibrils is mediated by alpha 5 beta 1 and alpha v beta 3 integrins. <i>Journal of Biological Chemistry</i> , 2003 , 278, 34605-16	5.4	145
15	Fibrillin: from microfibril assembly to biomechanical function. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2002 , 357, 207-17	5.8	82
14	Elastic fibres. Journal of Cell Science, 2002, 115, 2817-2828	5.3	622
13	Elastic fibres. Journal of Cell Science, 2002 , 115, 2817-28	5.3	567
12	Upregulation of collagen VIII following porcine coronary artery angioplasty is related to smooth muscle cell migration not angiogenesis. <i>International Journal of Experimental Pathology</i> , 2001 , 82, 295-3	3 62 8	20
11	The supramolecular organization of fibrillin-rich microfibrils. <i>Journal of Cell Biology</i> , 2001 , 152, 1045-56	7.3	136
10	Fibrillin-rich microfibrils are reduced in photoaged skin. Distribution at the dermal-epidermal junction. <i>Journal of Investigative Dermatology</i> , 1999 , 112, 782-7	4.3	132
9	Fibrillin degradation by matrix metalloproteinases: implications for connective tissue remodelling. <i>Biochemical Journal</i> , 1999 , 340, 171-181	3.8	194
8	Purification of fibrillin-containing microfibrils and collagen VI microfibrils by density gradient centrifugation. <i>Analytical Biochemistry</i> , 1998 , 255, 108-12	3.1	22
7	The Tight skin mouse: demonstration of mutant fibrillin-1 production and assembly into abnormal microfibrils. <i>Journal of Cell Biology</i> , 1998 , 140, 1159-66	7.3	97
6	Microfibrillar elements of the dermal matrix. <i>Microscopy Research and Technique</i> , 1997 , 38, 413-27	2.8	60
5	Fibrillin: evidence that chondroitin sulphate proteoglycans are components of microfibrils and associate with newly synthesised monomers. <i>FEBS Letters</i> , 1996 , 386, 169-73	3.8	48

4	Truncated profibrillin of a Marfan patient is of apparent similar size as fibrillin: intracellular retention leads to over-N-glycosylation. <i>Journal of Molecular Biology</i> , 1995 , 248, 901-9	6.5	29
3	Catabolism of intact fibrillin microfibrils by neutrophil elastase, chymotrypsin and trypsin. <i>FEBS Letters</i> , 1994 , 351, 85-9	3.8	53
2	The role of calcium in the organization of fibrillin microfibrils. FEBS Letters, 1993, 336, 323-6	3.8	76
1	The Collagen Family: Structure, Assembly, and Organization in the Extracellular Matrix159-221		88