

# Mate Vamos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7952472/publications.pdf>

Version: 2024-02-01

61  
papers

741  
citations

686830

13  
h-index

552369

26  
g-index

66  
all docs

66  
docs citations

66  
times ranked

1337  
citing authors

#	ARTICLE	IF	CITATIONS
1	Digoxin-associated mortality: a systematic review and meta-analysis of the literature. <i>European Heart Journal</i> , 2015, 36, 1831-1838.	1.0	224
2	Incidence of Cardiac Perforation With Conventional and With Leadless Pacemaker Systems: A Systematic Review and Meta-Analysis. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 336-346.	0.8	59
3	Meta-Analysis of Effects of Digoxin on Survival in Patients with Atrial Fibrillation or Heart Failure: An Update. <i>American Journal of Cardiology</i> , 2019, 123, 69-74.	0.7	50
4	Cephalic vs. subclavian lead implantation in cardiac implantable electronic devices: a systematic review and meta-analysis. <i>Europace</i> , 2019, 21, 121-129.	0.7	39
5	De novo implantation vs. upgrade cardiac resynchronization therapy: a systematic review and meta-analysis. <i>Heart Failure Reviews</i> , 2018, 23, 15-26.	1.7	32
6	Amiodarone and dronedarone: An update. <i>Trends in Cardiovascular Medicine</i> , 2016, 26, 597-602.	2.3	29
7	Effects of Upgrade Versus De Novo Cardiac Resynchronization Therapy on Clinical Response and Long-Term Survival. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, e004471.	2.1	29
8	The wearable cardioverter-defibrillator in a real-world clinical setting: experience in 102 consecutive patients. <i>Clinical Research in Cardiology</i> , 2017, 106, 300-306.	1.5	29
9	Risk of cardiac arrhythmias after electrical accident: a single-center study of 480 patients. <i>Clinical Research in Cardiology</i> , 2019, 108, 901-908.	1.5	26
10	Efficacy and safety of rivaroxaban compared with vitamin K antagonists for peri-procedural anticoagulation in catheter ablation of atrial fibrillation: a systematic review and meta-analysis. <i>Europace</i> , 2016, 18, euv408.	0.7	21
11	MICRA Leadless Pacemaker on Autopsy. <i>JACC: Clinical Electrophysiology</i> , 2016, 2, 636-637.	1.3	19
12	Effects of digitalis on mortality in a large cohort of implantable cardioverter defibrillator recipients: results of a long-term follow-up study in 1020 patients. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2016, 2, 168-174.	1.4	17
13	Refined heart failure detection algorithm for improved clinical reliability of OptiVol alerts in CRT-D recipients. <i>Cardiology Journal</i> , 2018, 25, 236-244.	0.5	15
14	Usefulness of the WCD in patients with suspected tachymyopathy. <i>Clinical Research in Cardiology</i> , 2018, 107, 70-75.	1.5	13
15	Zero and Minimal Fluoroscopic Approaches During Ablation of Supraventricular Tachycardias: A Systematic Review and Meta-Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 856145.	1.1	13
16	Troponin levels after ICD implantation with and without defibrillation testing and their predictive value for outcomes: Insights from the SIMPLE trial. <i>Heart Rhythm</i> , 2016, 13, 504-510.	0.3	12
17	Clinical outcomes after implantation of quadripolar compared to bipolar left ventricular leads in patients undergoing cardiac resynchronization therapy: a systematic review and meta-analysis. <i>Europace</i> , 2019, 21, 1543-1549.	0.7	12
18	Implantable cardioverter-defibrillator therapy in hypertrophic cardiomyopathy: A SIMPLE substudy. <i>Heart Rhythm</i> , 2018, 15, 386-392.	0.3	11

#	ARTICLE	IF	CITATIONS
19	Effects of implantation of quadripolar left ventricular leads on CRT response. Journal of Interventional Cardiac Electrophysiology, 2019, 55, 73-81.	0.6	9
20	Efficacy and safety of dronedarone in patients with a prior ablation for atrial fibrillation/flutter: Insights from the ATHENA study. Clinical Cardiology, 2020, 43, 291-297.	0.7	9
21	Association of Remote Monitoring With Survival in Heart Failure Patients Undergoing Cardiac Resynchronization Therapy: Retrospective Observational Study. Journal of Medical Internet Research, 2019, 21, e14142.	2.1	9
22	Efficacy and safety of transvenous lead extraction in 108 consecutive patients: a single-centre experience. Interactive Cardiovascular and Thoracic Surgery, 2019, 28, 704-708.	0.5	8
23	Not All Types of Atrial Fibrillation Carry the Same Stroke Risk, but Most Benefit From Oral Anticoagulation. Circulation: Arrhythmia and Electrophysiology, 2017, 10, .	2.1	7
24	ICD lead type and RV lead position in CRT-D recipients. Clinical Research in Cardiology, 2018, 107, 1122-1130.	1.5	7
25	Randomized trial of intracardiac echocardiography-guided slow pathway ablation. Journal of Interventional Cardiac Electrophysiology, 2022, 63, 709-714.	0.6	7
26	Epicardial CRT-P- and S-ICD Implantation in a Young Patient with Persistent Left Superior Vena Cava. Herzschrittmachertherapie Und Elektrophysiologie, 2016, 27, 396-398.	0.3	6
27	Physical activity detection in patients with intracardiac leadless pacemaker. Journal of Cardiovascular Electrophysiology, 2018, 29, 1690-1696.	0.8	6
28	The impact of serum concentrationâ€guided digoxin therapy on mortality of heart failure patients: A longâ€term followâ€up, propensityâ€matched cohort study. Clinical Cardiology, 2020, 43, 1641-1648.	0.7	4
29	Management of cardiac implantable electronic device infection using aâ€complete interdisciplinary approach. Herzschrittmachertherapie Und Elektrophysiologie, 2021, 32, 124-127.	0.3	4
30	Reimplantation and long-term mortality after transvenous lead extraction in a high-risk, single-center cohort. Journal of Interventional Cardiac Electrophysiology, 2023, 66, 847-855.	0.6	4
31	Rationale and feasibility of the atrioventricular single-lead ICD systems with a floating atrial dipole (DX) in clinical practice. Trends in Cardiovascular Medicine, 2021, , .	2.3	3
32	Optimal Anticoagulation Strategy for Cardioversion in Atrial Fibrillation. Arrhythmia and Electrophysiology Review, 2015, 4, 44.	1.3	2
33	Non-invasive, Complex Examination of Micro- and Macrovascular System of Patients with Type 1 Diabetes Mellitus with or Without Vascular Complications. Journal of Cardiovascular Emergencies, 2015, 1, 12-22.	0.1	1
34	Anterior wall ST-elevation myocardial infarction in biventricular paced rhythm. Herzschrittmachertherapie Und Elektrophysiologie, 2020, 31, 228-231.	0.3	1
35	A Case Series of Concomitant Cardiac Electrical Disease among Takotsubo Syndrome Patients and Literature Review. Journal of Cardiovascular Development and Disease, 2022, 9, 79.	0.8	1
36	CRT-P or CRT-D? Which parameters can help in selection?. European Heart Journal, 2013, 34, P3204-P3204.	1.0	0

#	ARTICLE	IF	CITATIONS
37	Ventricular rate stabilization for treatment of recurrent VT. <i>Herzschrittmachertherapie Und Elektrophysiologie</i> , 2017, 28, 239-242.	0.3	0
38	P264De novo implantation vs. upgrade cardiac resynchronization therapy: a systematic review and meta-analysis. <i>Europace</i> , 2017, 19, iii34-iii34.	0.7	0
39	P438Safety and efficacy of the Micra Transcatheter Pacemaker in different right ventricular positions. <i>Europace</i> , 2017, 19, iii95-iii95.	0.7	0
40	P5475De novo implantation vs. upgrade cardiac resynchronization therapy: a systematic review and meta-analysis. <i>European Heart Journal</i> , 2017, 38, .	1.0	0
41	P1668Cephalic versus subclavian lead implantation in cardiac implantable electronic devices: a systematic review and comprehensive meta-analysis. <i>European Heart Journal</i> , 2017, 38, .	1.0	0
42	P5737Clinical performance of quadripolar left ventricular leads compared to biventricular leads. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
43	P3214Implantation of quadripolar left-ventricular leads improves CRT response. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
44	205The impact of serum concentration guided digoxin therapy on mortality: a long-term follow-up, propensity-matched cohort study. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
45	P2777Accumulating evidence for deleterious effects of digoxin in heart failure and atrial fibrillation: an updated meta-analysis. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
46	P2733Prognostic implications of preclinical airway management with laryngeal tube (LTS-D) or endotracheal tube in out-of-hospital cardiac arrest patients. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
47	P1901De novo atrial fibrillation after DDD pacemaker implantation. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
48	How to maximize QRS narrowing. <i>Herzschrittmachertherapie Und Elektrophysiologie</i> , 2019, 30, 229-232.	0.3	0
49	P1034Impact of ablation status on the efficacy and safety of dronedarone in patients with atrial fibrillation/flutter: a post-hoc analysis of the ATHENA trial. <i>European Heart Journal</i> , 2019, 40, .	1.0	0
50	P1663The impact of highest doses of ACEi/ARB therapy on mortality of patients suffering from heart failure with reduced ejection fraction: a long-term follow-up, propensity-matched cohort study. <i>European Heart Journal</i> , 2019, 40, .	1.0	0
51	Atrioventrikuláris, egyelektrás dőlése, lebegő pitvari dipólussal rendelkező defibrillátorok (DX ICD) a klinikai gyakorlatban. <i>Cardiologia Hungarica</i> , 2021, 51, 189-195.	0.0	0
52	Szív-elektrofiziológiai vizsgálatok és katéterbevezetés Magyarországon 2017 és 2020 között. <i>Cardiologia Hungarica</i> , 2021, 51, 183-188.	0.0	0
53	Kardiális implantáható elektromos eszközök bevezetése hazánkban 2017-2020 között. <i>Cardiologia Hungarica</i> , 2021, 51, 246-253.	0.0	0
54	A szubkután ICD: indikációk, bevezetés, utókezelés, evidenciák. <i>Cardiologia Hungarica</i> , 2017, 47, 290-295.	0.0	0

#	ARTICLE	IF	CITATIONS
55	Vezetőnk neli pacemaker: biztonságossága és méréshatárának a rendelkezésre álló klinikai adatok tükrében. <i>Cardiologia Hungarica</i> , 2017, 47, 219-224.	0.0	0
56	Sugárterápiát használó betegek szívritmuszabályozók méréshatáraként. <i>Cardiologia Hungarica</i> , 2020, 50, 179-186.	0.0	0
57	Avoiding ICD lead revision in a patient with chronically low R-wave amplitudes. <i>Cardiologia Hungarica</i> , 2020, 50, 199-201.	0.0	0
58	The prevalence of RAASi uptitration limiting hyperkalemia and the suitability of potassium binders among patients suffering from heart failure with reduced ejection fraction. <i>European Heart Journal</i> , 2020, 41, .	1.0	0
59	Implantation of a VDD implantable cardioverter-defibrillator lead via a persistent left superior vena cava. <i>Herzschrittmachertherapie Und Elektrophysiologie</i> , 2022, 33, 81.	0.3	0
60	Dronedarone vs. placebo in patients with atrial fibrillation or atrial flutter across a range of renal function: a post hoc analysis of the ATHENA trial. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 363-371.	1.4	0
61	Association between electrical and mechanical remodeling after cardiac resynchronization therapy: systematic review and meta-analysis of observational studies. <i>Heart Failure Reviews</i> , 0, , .	1.7	0