

# Dirk J Van Veldhuisen

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7952635/dirk-j-van-veldhuisen-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

306  
papers

14,835  
citations

61  
h-index

114  
g-index

348  
ext. papers

19,680  
ext. citations

8.2  
avg, IF

6.42  
L-index

#	Paper	IF	Citations
306	Urinary albumin excretion predicts cardiovascular and noncardiovascular mortality in general population. <i>Circulation</i> , <b>2002</b> , 106, 1777-82	16.7	1170
305	Increased central venous pressure is associated with impaired renal function and mortality in a broad spectrum of patients with cardiovascular disease. <i>Journal of the American College of Cardiology</i> , <b>2009</b> , 53, 582-588	15.1	608
304	Beneficial effects of long-term intravenous iron therapy with ferric carboxymaltose in patients with symptomatic heart failure and iron deficiency. <i>European Heart Journal</i> , <b>2015</b> , 36, 657-68	9.5	591
303	Iron deficiency in chronic heart failure: an international pooled analysis. <i>American Heart Journal</i> , <b>2013</b> , 165, 575-582.e3	4.9	355
302	Incidence and epidemiology of new onset heart failure with preserved vs. reduced ejection fraction in a community-based cohort: 11-year follow-up of PREVEND. <i>European Heart Journal</i> , <b>2013</b> , 34, 1424-31	9.5	318
301	Beta-blockade with nebivolol in elderly heart failure patients with impaired and preserved left ventricular ejection fraction: Data From SENIORS (Study of Effects of Nebivolol Intervention on Outcomes and Rehospitalization in Seniors With Heart Failure). <i>Journal of the American College of Cardiology</i> , <b>2009</b> , 53, 2150-8	15.1	311
300	Intrathoracic impedance monitoring, audible patient alerts, and outcome in patients with heart failure. <i>Circulation</i> , <b>2011</b> , 124, 1719-26	16.7	301
299	B-type natriuretic peptide and prognosis in heart failure patients with preserved and reduced ejection fraction. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 61, 1498-506	15.1	286
298	Circulating plasma concentrations of angiotensin-converting enzyme 2 in men and women with heart failure and effects of renin-angiotensin-aldosterone inhibitors. <i>European Heart Journal</i> , <b>2020</b> , 41, 1810-1817	9.5	277
297	Type 2 diabetes mellitus and heart failure: a position statement from the Heart Failure Association of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 853-872	12.3	264
296	Beta-blockers for heart failure with reduced, mid-range, and preserved ejection fraction: an individual patient-level analysis of double-blind randomized trials. <i>European Heart Journal</i> , <b>2018</b> , 39, 26-35	9.5	245
295	Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. <i>Nature Genetics</i> , <b>2015</b> , 47, 1282-1293	36.3	223
294	Diuretic response in acute heart failure: clinical characteristics and prognostic significance. <i>European Heart Journal</i> , <b>2014</b> , 35, 1284-93	9.5	205
293	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , <b>2014</b> , 46, 826-36	36.3	199
292	Effects of sildenafil on invasive haemodynamics and exercise capacity in heart failure patients with preserved ejection fraction and pulmonary hypertension: a randomized controlled trial. <i>European Heart Journal</i> , <b>2015</b> , 36, 2565-73	9.5	192
291	Effects of ferric carboxymaltose on hospitalisations and mortality rates in iron-deficient heart failure patients: an individual patient data meta-analysis. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 125-133	12.3	186
290	Effect of Ferric Carboxymaltose on Exercise Capacity in Patients With Chronic Heart Failure and Iron Deficiency. <i>Circulation</i> , <b>2017</b> , 136, 1374-1383	16.7	179

289	Angiotensin Receptor Neprilysin Inhibition in Heart Failure With Preserved Ejection Fraction: Rationale and Design of the PARAGON-HF Trial. <i>JACC: Heart Failure</i> , <b>2017</b> , 5, 471-482	7.9	176
288	Vagus Nerve Stimulation for the Treatment of Heart Failure: The INOVATE-HF Trial. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 68, 149-58	15.1	176
287	Randomized, double-blind, placebo-controlled study to evaluate the effect of two dosing regimens of darbepoetin alfa in patients with heart failure and anaemia. <i>European Heart Journal</i> , <b>2007</b> , 28, 2208-18	8.5	161
286	Heart Failure With Preserved Ejection Fraction and Atrial Fibrillation: Vicious Twins. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 68, 2217-2228	15.1	157
285	Heart failure with preserved ejection fraction: from mechanisms to therapies. <i>European Heart Journal</i> , <b>2018</b> , 39, 2780-2792	9.5	155
284	Iron deficiency and cardiovascular disease. <i>Nature Reviews Cardiology</i> , <b>2015</b> , 12, 659-69	14.8	147
283	Double-blind placebo-controlled study of ibopamine and digoxin in patients with mild to moderate heart failure: results of the Dutch Ibopamine Multicenter Trial (DIMT). <i>Journal of the American College of Cardiology</i> , <b>1993</b> , 22, 1564-73	15.1	139
282	Right heart dysfunction and failure in heart failure with preserved ejection fraction: mechanisms and management. Position statement on behalf of the Heart Failure Association of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 16-37	12.3	137
281	Prospective validation and assessment of cardiovascular and offspring risk models for pregnant women with congenital heart disease. <i>Heart</i> , <b>2014</b> , 100, 1373-81	5.1	135
280	Heart Rate and Rhythm and the Benefit of Beta-Blockers in Patients With Heart Failure. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 69, 2885-2896	15.1	132
279	Anemia and iron deficiency in heart failure: mechanisms and therapeutic approaches. <i>Nature Reviews Cardiology</i> , <b>2011</b> , 8, 485-93	14.8	132
278	Rate control versus rhythm control for patients with persistent atrial fibrillation with mild to moderate heart failure: results from the RATE Control versus Electrical cardioversion (RACE) study. <i>American Heart Journal</i> , <b>2005</b> , 149, 1106-11	4.9	132
277	Angiotensin II-Receptor Inhibition With Candesartan to Prevent Trastuzumab-Related Cardiotoxic Effects in Patients With Early Breast Cancer: A Randomized Clinical Trial. <i>JAMA Oncology</i> , <b>2016</b> , 2, 1030-7	13.4	129
276	Right ventricular dysfunction in heart failure with preserved ejection fraction: a systematic review and meta-analysis. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 1472-1487	12.3	128
275	Sodium-glucose co-transporter 2 inhibition with empagliflozin improves cardiac function in non-diabetic rats with left ventricular dysfunction after myocardial infarction. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 862-873	12.3	127
274	Signature of circulating microRNAs in patients with acute heart failure. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 414-23	12.3	125
273	Targeted therapy of underlying conditions improves sinus rhythm maintenance in patients with persistent atrial fibrillation: results of the RACE 3 trial. <i>European Heart Journal</i> , <b>2018</b> , 39, 2987-2996	9.5	124
272	Effects of Sacubitril-Valsartan Versus Valsartan in Women Compared With Men With Heart Failure and Preserved Ejection Fraction: Insights From PARAGON-HF. <i>Circulation</i> , <b>2020</b> , 141, 338-351	16.7	122

271	Heart Failure Stimulates Tumor Growth by Circulating Factors. <i>Circulation</i> , <b>2018</b> , 138, 678-691	16.7	117
270	Titin gene mutations are common in families with both peripartum cardiomyopathy and dilated cardiomyopathy. <i>European Heart Journal</i> , <b>2014</b> , 35, 2165-73	9.5	117
269	Iron deficiency impairs contractility of human cardiomyocytes through decreased mitochondrial function. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 910-919	12.3	116
268	Effect of metformin on left ventricular function after acute myocardial infarction in patients without diabetes: the GIPS-III randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2014</b> , 311, 1526-35	27.4	116
267	Development and validation of multivariable models to predict mortality and hospitalization in patients with heart failure. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 627-634	12.3	110
266	Identifying Pathophysiological Mechanisms in Heart Failure With Reduced Versus Preserved Ejection Fraction. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 72, 1081-1090	15.1	108
265	Elevated plasma galectin-3 is associated with near-term rehospitalization in heart failure: a pooled analysis of 3 clinical trials. <i>American Heart Journal</i> , <b>2014</b> , 167, 853-60.e4	4.9	105
264	Iron deficiency and health-related quality of life in chronic heart failure: results from a multicenter European study. <i>International Journal of Cardiology</i> , <b>2014</b> , 174, 268-75	3.2	105
263	Beta-blockers and outcome in heart failure and atrial fibrillation: a meta-analysis. <i>JACC: Heart Failure</i> , <b>2013</b> , 1, 21-8	7.9	97
262	Implementation of device therapy (cardiac resynchronization therapy and implantable cardioverter defibrillator) for patients with heart failure in Europe: changes from 2004 to 2008. <i>European Journal of Heart Failure</i> , <b>2009</b> , 11, 1143-51	12.3	95
261	A systems BIOlogy Study to Tailored Treatment in Chronic Heart Failure: rationale, design, and baseline characteristics of BIOSTAT-CHF. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 716-26	12.3	94
260	Epicardial fat in heart failure patients with mid-range and preserved ejection fraction. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 1559-1566	12.3	92
259	Identification of genomic loci associated with resting heart rate and shared genetic predictors with all-cause mortality. <i>Nature Genetics</i> , <b>2016</b> , 48, 1557-1563	36.3	91
258	Atrial Fibrillation in Heart Failure With Preserved Ejection Fraction: Association With Exercise Capacity, Left Ventricular Filling Pressures, Natriuretic Peptides, and Left Atrial Volume. <i>JACC: Heart Failure</i> , <b>2017</b> , 5, 92-98	7.9	86
257	Identifying optimal doses of heart failure medications in men compared with women: a prospective, observational, cohort study. <i>Lancet, The</i> , <b>2019</b> , 394, 1254-1263	40	83
256	The clinical significance of interleukin-6 in heart failure: results from the BIOSTAT-CHF study. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 965-973	12.3	81
255	52 Genetic Loci Influencing Myocardial Mass. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 68, 1435-1448	15.1	76
254	Non-cardiac comorbidities in heart failure with reduced, mid-range and preserved ejection fraction. <i>International Journal of Cardiology</i> , <b>2018</b> , 271, 132-139	3.2	74

253	Tubular damage and worsening renal function in chronic heart failure. <i>JACC: Heart Failure</i> , <b>2013</b> , 1, 417-249	7.6	73
252	Definition of Iron Deficiency Based on the Gold Standard of Bone Marrow Iron Staining in Heart Failure Patients. <i>Circulation: Heart Failure</i> , <b>2018</b> , 11, e004519	7.6	72
251	Presence and development of atrial fibrillation in chronic heart failure. Experiences from the MERIT-HF Study. <i>European Journal of Heart Failure</i> , <b>2006</b> , 8, 539-46	12.3	72
250	Role of Troponins I and T and N-Terminal Prohormone of Brain Natriuretic Peptide in Monitoring Cardiac Safety of Patients With Early-Stage Human Epidermal Growth Factor Receptor 2-Positive Breast Cancer Receiving Trastuzumab: A Herceptin Adjuvant Study Cardiac Marker Substudy. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 878-884	2.2	70
249	Baseline Characteristics of Patients With Heart Failure and Preserved Ejection Fraction in the PARAGON-HF Trial. <i>Circulation: Heart Failure</i> , <b>2018</b> , 11, e004962	7.6	70
248	The use of digoxin in patients with worsening chronic heart failure: reconsidering an old drug to reduce hospital admissions. <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 63, 1823-32	15.1	67
247	Lenient vs. strict rate control in patients with atrial fibrillation and heart failure: a post-hoc analysis of the RACE II study. <i>European Journal of Heart Failure</i> , <b>2013</b> , 15, 1311-8	12.3	66
246	Effect of age and sex on efficacy and tolerability of $\beta$ -blockers in patients with heart failure with reduced ejection fraction: individual patient data meta-analysis. <i>BMJ, The</i> , <b>2016</b> , 353, i1855	5.9	62
245	Biomarkers of renal injury and function: diagnostic, prognostic and therapeutic implications in heart failure. <i>European Heart Journal</i> , <b>2016</b> , 37, 2577-85	9.5	61
244	Echocardiographic estimation of left ventricular and pulmonary pressures in patients with heart failure and preserved ejection fraction: a study utilizing simultaneous echocardiography and invasive measurements. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 1651-1660	12.3	59
243	Neutrophil Gelatinase-Associated Lipocalin for Acute Kidney Injury During Acute Heart Failure Hospitalizations: The AKINESIS Study. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 68, 1420-1431 <sup>15.1</sup>	15.1	57
242	Rationale and design of a randomized, double-blind, event-driven, multicentre study comparing the efficacy and safety of oral rivaroxaban with placebo for reducing the risk of death, myocardial infarction or stroke in subjects with heart failure and significant coronary artery disease following hospitalization for heart failure: the COMMANDER-HF trial. <i>European Journal of Heart Failure</i> , <b>2015</b> , 17, 1233-41	12.3	56
241	Waist-to-hip ratio and mortality in heart failure. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 1269-1277	12.3	56
240	Digoxin in patients with permanent atrial fibrillation: data from the RACE II study. <i>Heart Rhythm</i> , <b>2014</b> , 11, 1543-50	6.7	55
239	Hypochloremia, Diuretic Resistance, and Outcome in Patients With Acute Heart Failure. <i>Circulation: Heart Failure</i> , <b>2016</b> , 9,	7.6	55
238	Right ventricular-vascular coupling in heart failure with preserved ejection fraction and pre- vs. post-capillary pulmonary hypertension. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2018</b> , 19, 425-432 <sup>4.1</sup>	4.1	54
237	Optimizing clinical use of biomarkers in high-risk acute heart failure patients. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 269-80	12.3	54
236	Cancer and heart disease: associations and relations. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 1515-1525	15.1	53

235	Clinical risk stratification optimizes value of biomarkers to predict new-onset heart failure in a community-based cohort. <i>Circulation: Heart Failure</i> , <b>2014</b> , 7, 723-31	7.6	51
234	Fibrosis marker syndecan-1 and outcome in patients with heart failure with reduced and preserved ejection fraction. <i>Circulation: Heart Failure</i> , <b>2014</b> , 7, 457-62	7.6	50
233	Biomarker Profiles of Acute Heart Failure Patients With a Mid-Range Ejection Fraction. <i>JACC: Heart Failure</i> , <b>2017</b> , 5, 507-517	7.9	49
232	The cardiopulmonary continuum systemic inflammation as a common soil of heart and lung disease. <i>International Journal of Cardiology</i> , <b>2010</b> , 145, 172-176	3.2	47
231	Mineralocorticoid receptor antagonist pattern of use in heart failure with reduced ejection fraction: findings from BIOSTAT-CHF. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 1284-1293	12.3	46
230	Biomarkers and low risk in heart failure. Data from COACH and TRIUMPH. <i>European Journal of Heart Failure</i> , <b>2015</b> , 17, 1271-82	12.3	45
229	Effect of spironolactone on 30-day death and heart failure rehospitalization (from the COACH Study). <i>American Journal of Cardiology</i> , <b>2014</b> , 114, 737-42	3	44
228	The additive burden of iron deficiency in the cardiorenal-anaemia axis: scope of a problem and its consequences. <i>European Journal of Heart Failure</i> , <b>2014</b> , 16, 655-62	12.3	44
227	Low circulating microRNA levels in heart failure patients are associated with atherosclerotic disease and cardiovascular-related rehospitalizations. <i>Clinical Research in Cardiology</i> , <b>2017</b> , 106, 598-609 <sup>6.1</sup>	6.1	43
226	Anemia in Heart Failure: Still Relevant?. <i>JACC: Heart Failure</i> , <b>2018</b> , 6, 201-208	7.9	43
225	Blood urea nitrogen-to-creatinine ratio in the general population and in patients with acute heart failure. <i>Heart</i> , <b>2017</b> , 103, 407-413	5.1	42
224	Conducting clinical trials in heart failure during (and after) the COVID-19 pandemic: an Expert Consensus Position Paper from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , <b>2020</b> , 41, 2109-2117	9.5	42
223	Use of biomarkers to establish potential role and function of circulating microRNAs in acute heart failure. <i>International Journal of Cardiology</i> , <b>2016</b> , 224, 231-239	3.2	42
222	Potassium and the use of renin-angiotensin-aldosterone system inhibitors in heart failure with reduced ejection fraction: data from BIOSTAT-CHF. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 923-930 <sup>12.3</sup>	12.3	41
221	Health-Related Quality of Life in Heart Failure With Preserved Ejection Fraction: The PARAGON-HF Trial. <i>JACC: Heart Failure</i> , <b>2019</b> , 7, 862-874	7.9	40
220	A network analysis to compare biomarker profiles in patients with and without diabetes mellitus in acute heart failure. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 1310-1320	12.3	39
219	Impact of mineralocorticoid receptor antagonists on the risk of sudden cardiac death in patients with heart failure and left-ventricular systolic dysfunction: an individual patient-level meta-analysis of three randomized-controlled trials. <i>Clinical Research in Cardiology</i> , <b>2019</b> , 108, 477-486	6.1	39
218	A comprehensive analysis of the effects of rivaroxaban on stroke or transient ischaemic attack in patients with heart failure, coronary artery disease, and sinus rhythm: the COMMANDER HF trial. <i>European Heart Journal</i> , <b>2019</b> , 40, 3593-3602	9.5	38

217	Effects of sildenafil on cardiac structure and function, cardiopulmonary exercise testing and health-related quality of life measures in heart failure patients with preserved ejection fraction and pulmonary hypertension. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 116-125	12.3	38
216	Selenium and outcome in heart failure. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 1415-1423	12.3	38
215	Sex-specific associations of obesity and N-terminal pro-B-type natriuretic peptide levels in the general population. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 1205-1214	12.3	38
214	Bio-adrenomedullin as a marker of congestion in patients with new-onset and worsening heart failure. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 732-743	12.3	37
213	Efficacy and safety of direct oral anticoagulants during pregnancy; a systematic literature review. <i>Thrombosis Research</i> , <b>2018</b> , 169, 123-127	8.2	37
212	Serial galectin-3 and future cardiovascular disease in the general population. <i>Heart</i> , <b>2016</b> , 102, 1134-41	5.1	37
211	Right Heart Dysfunction in Heart Failure With Preserved Ejection Fraction: The Impact of Atrial Fibrillation. <i>Journal of Cardiac Failure</i> , <b>2018</b> , 24, 177-185	3.3	36
210	Clinical presentation, management, and 6-month outcomes in women with peripartum cardiomyopathy: an ESC EORP registry. <i>European Heart Journal</i> , <b>2020</b> , 41, 3787-3797	9.5	35
209	Association of Rivaroxaban With Thromboembolic Events in Patients With Heart Failure, Coronary Disease, and Sinus Rhythm: A Post Hoc Analysis of the COMMANDER HF Trial. <i>JAMA Cardiology</i> , <b>2019</b> , 4, 515-523	16.2	34
208	Genetic determinants of P wave duration and PR segment. <i>Circulation: Cardiovascular Genetics</i> , <b>2014</b> , 7, 475-81		34
207	Association with outcomes and response to treatment of trimethylamine N-oxide in heart failure: results from BIOSTAT-CHF. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 877-886	12.3	34
206	Comparing biomarker profiles of patients with heart failure: atrial fibrillation vs. sinus rhythm and reduced vs. preserved ejection fraction. <i>European Heart Journal</i> , <b>2018</b> , 39, 3867-3875	9.5	33
205	Fibroblast growth factor 23 is related to profiles indicating volume overload, poor therapy optimization and prognosis in patients with new-onset and worsening heart failure. <i>International Journal of Cardiology</i> , <b>2018</b> , 253, 84-90	3.2	32
204	Angiotensin-Nepriylsin Inhibition and Renal Outcomes in Heart Failure With Preserved Ejection Fraction. <i>Circulation</i> , <b>2020</b> , 142, 1236-1245	16.7	32
203	Iron deficiency in worsening heart failure is associated with reduced estimated protein intake, fluid retention, inflammation, and antiplatelet use. <i>European Heart Journal</i> , <b>2019</b> , 40, 3616-3625	9.5	31
202	Iron deficiency and red cell indices in patients with heart failure. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 114-122	12.3	31
201	Rationale and design of the CONFIRM-HF study: a double-blind, randomized, placebo-controlled study to assess the effects of intravenous ferric carboxymaltose on functional capacity in patients with chronic heart failure and iron deficiency. <i>ESC Heart Failure</i> , <b>2014</b> , 1, 52-58	3.7	31
200	Plasma interleukin 6 levels are associated with cardiac function after ST-elevation myocardial infarction. <i>Clinical Research in Cardiology</i> , <b>2019</b> , 108, 612-621	6.1	31

199	Ketone Ester Treatment Improves Cardiac Function and Reduces Pathologic Remodeling in Preclinical Models of Heart Failure. <i>Circulation: Heart Failure</i> , <b>2021</b> , 14, e007684	7.6	31
198	Telomere length and outcome in heart failure. <i>Annals of Medicine</i> , <b>2010</b> , 42, 36-44	1.5	30
197	Dose response characterization of the association of serum digoxin concentration with mortality outcomes in the Digitalis Investigation Group trial. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 1072-81	12.3	30
196	MicroRNAs relate to early worsening of renal function in patients with acute heart failure. <i>International Journal of Cardiology</i> , <b>2016</b> , 203, 564-9	3.2	29
195	The WAP four-disulfide core domain protein HE4: a novel biomarker for heart failure. <i>JACC: Heart Failure</i> , <b>2013</b> , 1, 164-9	7.9	29
194	Myocardial fibrosis as an early feature in phospholamban p.Arg14del mutation carriers: phenotypic insights from cardiovascular magnetic resonance imaging. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2019</b> , 20, 92-100	4.1	29
193	Impact of eplerenone on cardiovascular outcomes in heart failure patients with hypokalaemia. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 792-799	12.3	28
192	Rationale for and design of the TRUE-AHF trial: the effects of ularitide on the short-term clinical course and long-term mortality of patients with acute heart failure. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 673-681	12.3	28
191	Serum Potassium Levels and Outcome in Acute Heart Failure (Data from the PROTECT and COACH Trials). <i>American Journal of Cardiology</i> , <b>2017</b> , 119, 290-296	3	28
190	Renal function stratified dose comparisons of eplerenone versus placebo in the EMPHASIS-HF trial. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 345-351	12.3	28
189	Heart failure with preserved ejection fraction, atrial fibrillation, and the role of senile amyloidosis. <i>European Heart Journal</i> , <b>2019</b> , 40, 1287-1293	9.5	27
188	Clinical importance of urinary sodium excretion in acute heart failure. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 1438-1447	12.3	27
187	Cardiac function and cardiac events 1-year postpartum in women with congenital heart disease. <i>American Heart Journal</i> , <b>2015</b> , 169, 298-304	4.9	26
186	Combining Diuretic Response and Hemoconcentration to Predict Rehospitalization After Admission for Acute Heart Failure. <i>Circulation: Heart Failure</i> , <b>2016</b> , 9,	7.6	25
185	Procalcitonin-based indication of bacterial infection identifies high risk acute heart failure patients. <i>International Journal of Cardiology</i> , <b>2016</b> , 204, 164-71	3.2	25
184	A combined clinical and biomarker approach to predict diuretic response in acute heart failure. <i>Clinical Research in Cardiology</i> , <b>2016</b> , 105, 145-53	6.1	25
183	Plasma biomarkers to predict or rule out early post-discharge events after hospitalization for acute heart failure. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 728-738	12.3	24
182	Clinical correlates and prognostic impact of impaired iron storage versus impaired iron transport in an international cohort of 1821 patients with chronic heart failure. <i>International Journal of Cardiology</i> , <b>2017</b> , 243, 360-366	3.2	24



181	The PCSK9-LDL Receptor Axis and Outcomes in Heart Failure: BIOSTAT-CHF Subanalysis. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 70, 2128-2136	15.1	24
180	Accumulation of 5-oxoproline in myocardial dysfunction and the protective effects of OPLAH. <i>Science Translational Medicine</i> , <b>2017</b> , 9,	17.5	24
179	Right ventricular recovery after bilateral lung transplantation for pulmonary arterial hypertension. <i>Interactive Cardiovascular and Thoracic Surgery</i> , <b>2017</b> , 24, 890-897	1.8	24
178	Heart failure in the outpatient versus inpatient setting: findings from the BIOSTAT-CHF study. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 112-120	12.3	24
177	Pulmonary valve replacement: twenty-six years of experience with mechanical valvar prostheses. <i>Annals of Thoracic Surgery</i> , <b>2015</b> , 99, 905-10	2.7	23
176	Increased risk of stroke with darbepoetin alfa in anaemic heart failure patients with diabetes and chronic kidney disease. <i>European Journal of Heart Failure</i> , <b>2015</b> , 17, 1201-7	12.3	23
175	Biomarker-Guided Versus Guideline-Based Treatment of Patients With Heart Failure: Results From BIOSTAT-CHF. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 71, 386-398	15.1	22
174	Galectin-3 and sST2 in prediction of left ventricular ejection fraction after myocardial infarction. <i>Clinica Chimica Acta</i> , <b>2016</b> , 452, 50-7	6.2	22
173	OPLAH ablation leads to accumulation of 5-oxoproline, oxidative stress, fibrosis, and elevated fillings pressures: a murine model for heart failure with a preserved ejection fraction. <i>Cardiovascular Research</i> , <b>2018</b> , 114, 1871-1882	9.9	22
172	Clinical Correlates and Prognostic Value of Proenkephalin in Acute and Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , <b>2017</b> , 23, 231-239	3.3	22
171	Erythropoietin in the general population: reference ranges and clinical, biochemical and genetic correlates. <i>PLoS ONE</i> , <b>2015</b> , 10, e0125215	3.7	22
170	Concentric vs. eccentric remodelling in heart failure with reduced ejection fraction: clinical characteristics, pathophysiology and response to treatment. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 1147-1155	12.3	22
169	Cardiac adaption during pregnancy in women with congenital heart disease and healthy women. <i>Heart</i> , <b>2016</b> , 102, 1302-8	5.1	21
168	Right Ventricular Function After Acute Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention (from the Glycometabolic Intervention as Adjunct to Primary Percutaneous Coronary Intervention in ST-Segment Elevation Myocardial Infarction III Trial). <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 222-224	3	21
167	Clinical benefits of eplerenone in patients with systolic heart failure and mild symptoms when initiated shortly after hospital discharge: analysis from the EMPHASIS-HF trial. <i>European Heart Journal</i> , <b>2015</b> , 36, 2310-7	9.5	20
166	Twenty-eight genetic loci associated with ST-T-wave amplitudes of the electrocardiogram. <i>Human Molecular Genetics</i> , <b>2016</b> , 25, 2093-2103	5.6	20
165	Effect of right ventricular outflow tract obstruction on right ventricular volumes and exercise capacity in patients with repaired tetralogy of fallot. <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 719-23	3	20
164	Plasma kidney injury molecule-1 in heart failure: renal mechanisms and clinical outcome. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 641-9	12.3	20

163	Impact of atrial fibrillation on rest and exercise haemodynamics in heart failure with mid-range and preserved ejection fraction. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 1690-1697	12.3	19
162	Proteomic diversity of high-density lipoprotein explains its association with clinical outcome in patients with heart failure. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 260-267	12.3	19
161	Clinical value of pre-discharge bio-adrenomedullin as a marker of residual congestion and high risk of heart failure hospital readmission. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 683-691	12.3	19
160	The year in cardiology 2018: heart failure. <i>European Heart Journal</i> , <b>2019</b> , 40, 651-661	9.5	19
159	Effects of empagliflozin on renal sodium and glucose handling in patients with acute heart failure. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 68-78	12.3	19
158	Thirst trajectory and factors associated with persistent thirst in patients with heart failure. <i>Journal of Cardiac Failure</i> , <b>2014</b> , 20, 689-95	3.3	18
157	Clinical and Hemodynamic Correlates and Prognostic Value of VE/VCO Slope in Patients With Heart Failure With Preserved Ejection Fraction and Pulmonary Hypertension. <i>Journal of Cardiac Failure</i> , <b>2017</b> , 23, 777-782	3.3	18
156	Serum ferritin and risk for new-onset heart failure and cardiovascular events in the community. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 348-356	12.3	18
155	The effect of metformin on cardiovascular risk profile in patients without diabetes presenting with acute myocardial infarction: data from the Glycometabolic Intervention as adjunct to Primary Coronary Intervention in ST Elevation Myocardial Infarction (GIPS-III) trial. <i>BMJ Open Diabetes Research and Care</i> , <b>2015</b> , 3, e000090	4.5	18
154	Vitamin B12 and folate deficiency in chronic heart failure. <i>Heart</i> , <b>2015</b> , 101, 302-10	5.1	17
153	Impact of Renal Impairment on Beta-Blocker Efficacy in Patients With Heart Failure. <i>Journal of the American College of Cardiology</i> , <b>2019</b> , 74, 2893-2904	15.1	17
152	The influence of atrial fibrillation on the levels of NT-proBNP versus GDF-15 in patients with heart failure. <i>Clinical Research in Cardiology</i> , <b>2020</b> , 109, 331-338	6.1	17
151	Frequency of and Prognostic Significance of Cardiac Involvement at Presentation in Hereditary Transthyretin-Derived Amyloidosis and the Value of N-Terminal Pro-B-Type Natriuretic Peptide. <i>American Journal of Cardiology</i> , <b>2018</b> , 121, 107-112	3	16
150	Symptom severity is associated with cardiovascular outcome in patients with permanent atrial fibrillation in the RACE II study. <i>Europace</i> , <b>2014</b> , 16, 1417-25	3.9	16
149	Machine learning based on biomarker profiles identifies distinct subgroups of heart failure with preserved ejection fraction. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 983-991	12.3	16
148	The importance of myocardial contractile reserve in predicting response to cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 862-869	12.3	15
147	Pregnancy in women with pre-existent ischaemic heart disease: a systematic review with individualised patient data. <i>Heart</i> , <b>2019</b> , 105, 873-880	5.1	15
146	Two-year follow-up of 4 months metformin treatment vs. placebo in ST-elevation myocardial infarction: data from the GIPS-III RCT. <i>Clinical Research in Cardiology</i> , <b>2017</b> , 106, 939-946	6.1	15

145	Serum uric acid, influence of sacubitril-valsartan, and cardiovascular outcomes in heart failure with preserved ejection fraction: PARAGON-HF. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 2093-2101	12.3	15
144	The contemporary value of peak creatine kinase-MB after ST-segment elevation myocardial infarction above other clinical and angiographic characteristics in predicting infarct size, left ventricular ejection fraction, and mortality. <i>Clinical Cardiology</i> , <b>2017</b> , 40, 322-328	3.3	14
143	Targeted therapy of underlying conditions improves quality of life in patients with persistent atrial fibrillation: results of the RACE 3 study. <i>Europace</i> , <b>2019</b> , 21, 563-571	3.9	14
142	Utility of Urine Neutrophil Gelatinase-Associated Lipocalin for Worsening Renal Function during Hospitalization for Acute Heart Failure: Primary Findings of the Urine N-gal Acute Kidney Injury N-gal Evaluation of Symptomatic Heart Failure Study (AKINESIS). <i>Journal of Cardiac Failure</i> , <b>2019</b> , 23, 105-111	3.3	14
141	Differences in Clinical Profile and Outcomes of Low Iron Storage vs Defective Iron Utilization in Patients With Heart Failure: Results From the DEFINE-HF and BIOSTAT-CHF Studies. <i>JAMA Cardiology</i> , <b>2019</b> , 4, 696-701	16.2	14
140	Validity and Predictive Value of a Portable Two-Channel Sleep-Screening Tool in the Identification of Sleep Apnea in Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , <b>2015</b> , 21, 848-55	3.3	14
139	Effects of combined renin-angiotensin-aldosterone system inhibitor and beta-blocker treatment on outcomes in heart failure with reduced ejection fraction: insights from BIOSTAT-CHF and ASIAN-HF registries. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 1472-1482	12.3	14
138	Chronic ischemic mitral regurgitation and papillary muscle infarction detected by late gadolinium-enhanced cardiac magnetic resonance imaging in patients with ST-segment elevation myocardial infarction. <i>Clinical Research in Cardiology</i> , <b>2016</b> , 105, 981-991	6.1	14
137	Effect of additive renin inhibition with aliskiren on renal blood flow in patients with Chronic Heart Failure and Renal Dysfunction (Additive Renin Inhibition with Aliskiren on renal blood flow and Neurohormonal Activation in patients with Chronic Heart Failure and Renal Dysfunction). <i>American Heart Journal</i> , <b>2015</b> , 169, 693-701.e3	4.9	14
136	A Systematic Review and Network-Meta-Analysis of Pharmacological Treatment of Heart Failure With Reduced Ejection Fraction. <i>JACC: Heart Failure</i> , <b>2021</b> , 13, 100-111	7.9	14
135	Plasma proteomic approach in patients with heart failure: insights into pathogenesis of disease progression and potential novel treatment targets. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 70-80	12.3	14
134	Pregnancy in women with corrected aortic coarctation: Uteroplacental Doppler flow and pregnancy outcome. <i>International Journal of Cardiology</i> , <b>2017</b> , 249, 145-150	3.2	13
133	Proenkephalin, an Opioid System Surrogate, as a Novel Comprehensive Renal Marker in Heart Failure. <i>Circulation: Heart Failure</i> , <b>2019</b> , 12, e005544	7.6	13
132	Data-Driven Approach to Identify Subgroups of Heart Failure With Reduced Ejection Fraction Patients With Different Prognoses and Aldosterone Antagonist Response Patterns. <i>Circulation: Heart Failure</i> , <b>2018</b> , 11, e004926	7.6	13
131	Bucindolol for the Maintenance of Sinus Rhythm in a Genotype-Defined HF Population: The GENETIC-AF Trial. <i>JACC: Heart Failure</i> , <b>2019</b> , 7, 586-598	7.9	13
130	Hyperkalemia and Treatment With RAAS Inhibitors During Acute Heart Failure Hospitalizations and Their Association With Mortality. <i>JACC: Heart Failure</i> , <b>2019</b> , 7, 970-979	7.9	13
129	Clinical correlates and outcome associated with changes in 6-minute walking distance in patients with heart failure: findings from the BIOSTAT-CHF study. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 218-226	12.3	13
128	Predictors of left ventricular remodeling after ST-elevation myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , <b>2017</b> , 33, 1415-1423	2.5	12

127	Hemoglobin levels and new-onset heart failure in the community. <i>American Heart Journal</i> , <b>2015</b> , 169, 94-101.e2	4.9	12
126	Epicardial Adipose Tissue and Invasive Hemodynamics in Heart Failure With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , <b>2020</b> , 8, 667-676	7.9	12
125	Distinct Pathological Pathways in Patients With Heart Failure and Diabetes. <i>JACC: Heart Failure</i> , <b>2020</b> , 8, 234-242	7.9	12
124	High-sensitivity C-reactive protein and long term reperfusion success of primary percutaneous intervention in ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , <b>2017</b> , 248, 51-56	3.2	12
123	Atrial shunt device for heart failure with preserved and mildly reduced ejection fraction (REDUCE LAP-HF II): a randomised, multicentre, blinded, sham-controlled trial. <i>Lancet, The</i> , <b>2022</b> ,	4.0	12
122	Higher doses of loop diuretics limit uptitration of angiotensin-converting enzyme inhibitors in patients with heart failure and reduced ejection fraction. <i>Clinical Research in Cardiology</i> , <b>2020</b> , 109, 1048-1059	6.1	12
121	Short-term prognostic implications of serum and urine neutrophil gelatinase-associated lipocalin in acute heart failure: findings from the AKINESIS study. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 251-263	12.3	12
120	Ventricular tachyarrhythmia detection by implantable loop recording in patients with heart failure and preserved ejection fraction: the VIP-HF study. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 1923-1929	12.3	12
119	Long-term changes in renal function and perfusion in heart failure patients with reduced ejection fraction. <i>Clinical Research in Cardiology</i> , <b>2016</b> , 105, 10-6	6.1	11
118	A network analysis to identify pathophysiological pathways distinguishing ischaemic from non-ischaemic heart failure. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 821-833	12.3	11
117	High serum erythropoietin levels are related to heart failure development in subjects from the general population with albuminuria: data from PREVEND. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 814-21	12.3	11
116	Ischemia and left ventricular dysfunction: a reciprocal relation?. <i>Journal of Cardiovascular Pharmacology</i> , <b>1998</b> , 32 Suppl 1, S46-51	3.1	11
115	Effect of Metformin on Metabolites and Relation With Myocardial Infarct Size and Left Ventricular Ejection Fraction After Myocardial Infarction. <i>Circulation: Cardiovascular Genetics</i> , <b>2017</b> , 10,		10
114	Effect of Systolic Blood Pressure on Left Ventricular Structure and Function: A Mendelian Randomization Study. <i>Hypertension</i> , <b>2019</b> , 74, 826-832	8.5	10
113	Bariatric surgery and cardiovascular disease: a systematic review and meta-analysis. <i>European Heart Journal</i> , <b>2022</b> ,	9.5	10
112	Cardiovascular risk associated with serum potassium in the context of mineralocorticoid receptor antagonist use in patients with heart failure and left ventricular dysfunction. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 1402-1411	12.3	10
111	Cardiovascular and non-cardiovascular death distinction: the utility of troponin beyond N-terminal pro-B-type natriuretic peptide. Findings from the BIostat-CHF study. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 81-89	12.3	10
110	Acute heart failure in the young: Clinical characteristics and biomarker profiles. <i>International Journal of Cardiology</i> , <b>2016</b> , 221, 1067-72	3.2	10

109	Associations of Body Mass Index With Laboratory and Biomarkers in Patients With Acute Heart Failure. <i>Circulation: Heart Failure</i> , <b>2017</b> , 10,	7.6	9
108	Heart rate and outcome in heart failure with reduced ejection fraction: Differences between atrial fibrillation and sinus rhythm-A CIBIS II analysis. <i>Clinical Cardiology</i> , <b>2017</b> , 40, 740-745	3.3	9
107	Effect of Metformin Treatment on Lipoprotein Subfractions in Non-Diabetic Patients with Acute Myocardial Infarction: A Glycometabolic Intervention as Adjunct to Primary Coronary Intervention in ST Elevation Myocardial Infarction (GIPS-III) Trial. <i>PLoS ONE</i> , <b>2016</b> , 11, e0145719	3.7	9
106	The Effect of Metformin on Diastolic Function in Patients Presenting with ST-Elevation Myocardial Infarction. <i>PLoS ONE</i> , <b>2016</b> , 11, e0168340	3.7	9
105	The role of cathepsin D in the pathophysiology of heart failure and its potentially beneficial properties: a translational approach. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 2102-2111	12.3	9
104	Epicardial fat in heart failure with reduced versus preserved ejection fraction. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 835-838	12.3	9
103	B-type natriuretic peptide trend predicts clinical significance of worsening renal function in acute heart failure. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 1553-1560	12.3	9
102	Coronary angiography in worsening heart failure: determinants, findings and prognostic implications. <i>Heart</i> , <b>2018</b> , 104, 606-613	5.1	9
101	Impact of mitral regurgitation in patients with worsening heart failure: insights from BIostat-CHF. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 1750-1758	12.3	8
100	High-Sensitivity Troponin-T and Cardiovascular Outcomes in the Community: Differences Between Women and Men. <i>Mayo Clinic Proceedings</i> , <b>2020</b> , 95, 1158-1168	6.4	7
99	Natriuretic Peptide-Based Inclusion Criteria in a Heart Failure Clinical Trial: Insights From COMMANDER HF. <i>JACC: Heart Failure</i> , <b>2020</b> , 8, 359-368	7.9	7
98	Trajectory of self-care behaviour in patients with heart failure: the impact on clinical outcomes and influencing factors. <i>European Journal of Cardiovascular Nursing</i> , <b>2020</b> , 19, 421-432	3.3	7
97	Hyporesponsiveness to Darbeoetin Alfa in Patients With Heart Failure and Anemia in the RED-HF Study (Reduction of Events by Darbeoetin Alfa in Heart Failure): Clinical and Prognostic Associations. <i>Circulation: Heart Failure</i> , <b>2018</b> , 11, e004431	7.6	7
96	A genotype-directed comparative effectiveness trial of Bucindolol and metoprolol succinate for prevention of symptomatic atrial fibrillation/atrial flutter in patients with heart failure: Rationale and design of the GENETIC-AF trial. <i>American Heart Journal</i> , <b>2018</b> , 199, 51-58	4.9	7
95	Sex-related differences in risk factors, outcome, and quality of life in patients with permanent atrial fibrillation: results from the RACE II study. <i>Europace</i> , <b>2020</b> , 22, 1619-1627	3.9	7
94	Incidence and Outcomes of Pneumonia in Patients With Heart Failure. <i>Journal of the American College of Cardiology</i> , <b>2021</b> , 77, 1961-1973	15.1	7
93	Importance of epicardial adipose tissue localization using cardiac magnetic resonance imaging in patients with heart failure with mid-range and preserved ejection fraction. <i>Clinical Cardiology</i> , <b>2021</b> , 44, 987-993	3.3	7
92	Prognostic significance of changes in heart rate following uptitration of beta-blockers in patients with sub-optimally treated heart failure with reduced ejection fraction in sinus rhythm versus atrial fibrillation. <i>Clinical Research in Cardiology</i> , <b>2019</b> , 108, 797-805	6.1	7

91	Diabetes Mellitus and Right Ventricular Dysfunction in Heart Failure With Preserved Ejection Fraction. <i>American Journal of Cardiology</i> , <b>2018</b> , 121, 621-627	3	7
90	Biological versus mechanical heart valve prosthesis during pregnancy in women with congenital heart disease. <i>International Journal of Cardiology</i> , <b>2018</b> , 268, 106-112	3.2	7
89	Iron deficiency contributes to resistance to endogenous erythropoietin in anaemic heart failure patients. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 1677-1686	12.3	7
88	Latent Pulmonary Vascular Disease May Alter the Response to Therapeutic Atrial Shunt Device in Heart Failure.. <i>Circulation</i> , <b>2022</b> ,	16.7	7
87	New developments in the pharmacotherapeutic management of heart failure in elderly patients: concerns and considerations. <i>Expert Opinion on Pharmacotherapy</i> , <b>2017</b> , 18, 645-655	4	6
86	Leukocyte telomere length and left ventricular function after acute ST-elevation myocardial infarction: data from the glycometabolic intervention as adjunct to primary coronary intervention in ST elevation myocardial infarction (GIPS-III) trial. <i>Clinical Research in Cardiology</i> , <b>2015</b> , 104, 812-21	6.1	6
85	Identifying Subpopulations with Distinct Response to Treatment Using Plasma Biomarkers in Acute Heart Failure: Results from the PROTECT Trial : Differential Response in Acute Heart Failure. <i>Cardiovascular Drugs and Therapy</i> , <b>2017</b> , 31, 281-293	3.9	6
84	The impact of coronary artery disease risk loci on ischemic heart failure severity and prognosis: association analysis in the COntrolled ROsuvastatin multiNAtional trial in heart failure (CORONA). <i>BMC Medical Genetics</i> , <b>2014</b> , 15, 140	2.1	6
83	Alterations in the prognosis of chronic heart failure: an overview of the major mortality trials. <i>Cardiovascular Drugs and Therapy</i> , <b>1997</b> , 11, 427-34	3.9	6
82	Autonomic and hemodynamic effects of a new selective dopamine agonist, CHF1035, in patients with chronic heart failure. <i>Cardiovascular Drugs and Therapy</i> , <b>2001</b> , 15, 139-45	3.9	6
81	Heart failure etiologies and clinical factors precipitating for worsening heart failure: Findings from BIOSTAT-CHF. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 71, 62-69	3.9	6
80	Safety and Tolerability of Sodium Thiosulfate in Patients with an Acute Coronary Syndrome Undergoing Coronary Angiography: A Dose-Escalation Safety Pilot Study (SAFE-ACS). <i>Journal of Interventional Cardiology</i> , <b>2020</b> , 2020, 6014915	1.8	6
79	Heart failure treatment up-titration and outcome and age: an analysis of BIOSTAT-CHF. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 436-444	12.3	6
78	Relationship between body mass index, cardiovascular biomarkers and incident heart failure. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 396-402	12.3	6
77	Epicardial Adipose Tissue and Outcome in Heart Failure With Mid-Range and Preserved Ejection Fraction.. <i>Circulation: Heart Failure</i> , <b>2021</b> , CIRCHEARTFAILURE121009238	7.6	6
76	Natriuresis guided therapy in acute heart failure: rationale and design of the Pragmatic Urinary Sodium-based Treatment algoritHm in Acute Heart Failure (PUSH-AHF) trial. <i>European Journal of Heart Failure</i> , <b>2021</b> ,	12.3	5
75	Visit-to-visit blood pressure variation and outcomes in heart failure with reduced ejection fraction: findings from the Eplerenone in Patients with Systolic Heart Failure and Mild Symptoms trial. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 420-425	1.9	5
74	Plasma D-dimer concentrations predicting stroke risk and rivaroxaban benefit in patients with heart failure and sinus rhythm: an analysis from the COMMANDER-HF trial. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 648-656	12.3	5

73	Antiarrhythmic drugs in patients with early persistent atrial fibrillation and heart failure: results of the RACE 3 study. <i>Europace</i> , <b>2021</b> , 23, 1359-1368	3.9	5
72	Non-adherence to heart failure medications predicts clinical outcomes: assessment in a single spot urine sample by liquid chromatography-tandem mass spectrometry (results of a prospective multicentre study). <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 1182-1190	12.3	5
71	Neutrophil-to-lymphocyte ratio and outcomes in patients with new-onset or worsening heart failure with reduced and preserved ejection fraction. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 3168-3179	3.7	5
70	Association between up-titration of medical therapy and total hospitalizations and mortality in patients with recent worsening heart failure across the ejection fraction spectrum. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 1170-1181	12.3	5
69	Is acute heart failure a distinctive disorder? An analysis from BIostat-CHF. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 43-57	12.3	5
68	Using matrix assisted laser desorption ionisation mass spectrometry (MALDI-MS) profiling in order to predict clinical outcomes of patients with heart failure. <i>Clinical Proteomics</i> , <b>2018</b> , 15, 35	5	5
67	Association of Circulating Ketone Bodies With Functional Outcomes After ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , <b>2021</b> , 78, 1421-1432	15.1	5
66	Optimal treatment of underlying conditions improves rhythm control outcome in atrial fibrillation - Data from RACE 3. <i>American Heart Journal</i> , <b>2020</b> , 226, 235-239	4.9	4
65	N-terminal pro-B-type natriuretic peptide and prognosis in Caucasian vs. Asian patients with heart failure. <i>ESC Heart Failure</i> , <b>2018</b> , 5, 279-287	3.7	4
64	T cell and monocyte/macrophage activation markers associate with adverse outcome, but give limited prognostic value in anemic patients with heart failure: results from RED-HF. <i>Clinical Research in Cardiology</i> , <b>2019</b> , 108, 133-141	6.1	4
63	Impact of Geographic Region on the COMMANDER-HF Trial. <i>JACC: Heart Failure</i> , <b>2021</b> , 9, 201-211	7.9	4
62	Heart failure re-hospitalizations and subsequent fatal events in coronary artery disease: insights from COMMANDER-HF, EPHEBUS, and EXAMINE. <i>Clinical Research in Cardiology</i> , <b>2021</b> , 110, 1554-1563	6.1	4
61	Dipeptidyl peptidase 3, a marker of the antagonist pathway of the renin-angiotensin-aldosterone system in patients with heart failure. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 947-953	12.3	4
60	The bidirectional interaction between atrial fibrillation and heart failure: consequences for the management of both diseases. <i>Europace</i> , <b>2021</b> , 23, ii40-ii45	3.9	4
59	Left atrial volume and left ventricular mass indices in heart failure with preserved and reduced ejection fraction. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 2458-2466	3.7	4
58	Differences in biomarkers and molecular pathways according to age for patients with HFrEF. <i>Cardiovascular Research</i> , <b>2021</b> , 117, 2228-2236	9.9	3
57	Clinical determinants and prognostic implications of renin and aldosterone in patients with symptomatic heart failure. <i>ESC Heart Failure</i> , <b>2020</b> , 7, 953-963	3.7	3
56	Geographical differences in heart failure characteristics and treatment across Europe: results from the BIostat-CHF study. <i>Clinical Research in Cardiology</i> , <b>2020</b> , 109, 967-977	6.1	3

55	Safety and clinical outcome of erythropoiesis-stimulating agents in patients with ST-elevation myocardial infarction: a meta-analysis of individual patient data. <i>American Heart Journal</i> , <b>2014</b> , 168, 354-362.e2 <sup>3</sup>	4.9	3
54	Diabetes and prediabetes in patients with heart failure and preserved ejection fraction.. <i>European Journal of Heart Failure</i> , <b>2021</b> ,	12.3	3
53	Micronutrient deficiencies in heart failure: Mitochondrial dysfunction as a common pathophysiological mechanism?. <i>Journal of Internal Medicine</i> , <b>2022</b> ,	10.8	3
52	Renal Compression in Heart Failure: The Renal Tamponade Hypothesis.. <i>JACC: Heart Failure</i> , <b>2022</b> , 10, 175-183	7.9	3
51	Genetic risk and atrial fibrillation in patients with heart failure. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 519-527	12.3	3
50	Doppler gradients, valve area and ventricular function in pregnant women with aortic or pulmonary valve disease: Left versus right. <i>International Journal of Cardiology</i> , <b>2020</b> , 306, 152-157	3.2	3
49	Reduced right ventricular function on cardiovascular magnetic resonance imaging is associated with uteroplacental impairment in tetralogy of Fallot. <i>Journal of Cardiovascular Magnetic Resonance</i> , <b>2020</b> , 22, 52	6.9	3
48	New data on soluble ACE2 in patients with atrial fibrillation reveal potential value for treatment of patients with COVID-19 and cardiovascular disease. <i>European Heart Journal</i> , <b>2020</b> , 41, 4047-4049	9.5	3
47	The value of spot urinary creatinine as a marker of muscle wasting in patients with new-onset or worsening heart failure. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2021</b> , 12, 555-567	10.3	3
46	Quality of life in men and women with heart failure: association with outcome, and comparison between the Kansas City Cardiomyopathy Questionnaire and the EuroQol 5 dimensions questionnaire. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 567-577	12.3	3
45	Decongestion discriminates risk for one-year mortality in patients with improving renal function in acute heart failure. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 1122-1130	12.3	3
44	The erythropoietin receptor expressed in skeletal muscle is essential for mitochondrial biogenesis and physiological exercise. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2021</b> , 473, 1301-1313	4.6	3
43	Ischaemia in heart failure with preserved ejection fraction; is it important?. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 577-8	12.3	3
42	Potential Utility of Cardiorenal Biomarkers for Prediction and Prognostication of Worsening Renal Function in Acute Heart Failure. <i>Journal of Cardiac Failure</i> , <b>2021</b> , 27, 533-541	3.3	3
41	Serum potassium and outcomes in heart failure with preserved ejection fraction: a post-hoc analysis of the PARAGON-HF trial. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 776-784	12.3	3
40	Agreement of 2D transthoracic echocardiography with cardiovascular magnetic resonance imaging after ST-elevation myocardial infarction. <i>European Journal of Radiology</i> , <b>2019</b> , 114, 6-13	4.7	2
39	Factor Xa Inhibition with Apixaban Does Not Influence Cardiac Remodelling in Rats with Heart Failure After Myocardial Infarction. <i>Cardiovascular Drugs and Therapy</i> , <b>2021</b> , 35, 953-963	3.9	2
38	What should the C (Congestive heart failure) represent in the CHA <sub>2</sub> DS <sub>2</sub> -VASc score?. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 1294-1297	12.3	2



37	Pharmacotherapy for comorbidities in chronic heart failure: a focus on hematinic deficiencies, diabetes mellitus and hyperkalemia. <i>Expert Opinion on Pharmacotherapy</i> , <b>2016</b> , 17, 1527-38	4	2
36	The value of echocardiographic measurement of epicardial adipose tissue in heart failure patients.. <i>ESC Heart Failure</i> , <b>2022</b> ,	3.7	2
35	Additional burden of iron deficiency in heart failure patients beyond the cardio-renal anaemia syndrome: findings from the BIOSTAT-CHF study. <i>European Journal of Heart Failure</i> , <b>2021</b> , 24, 192	12.3	2
34	Global Differences in Heart Failure With Preserved Ejection Fraction: The PARAGON-HF Trial. <i>Circulation: Heart Failure</i> , <b>2021</b> , 14, e007901	7.6	2
33	Impact of Insulin Treatment on the Effect of Eplerenone: Insights From the EMPHASIS-HF Trial. <i>Circulation: Heart Failure</i> , <b>2021</b> , 14, e008075	7.6	2
32	New-onset atrial fibrillation in patients with worsening heart failure and coronary artery disease: an analysis from the COMMANDER-HF trial. <i>Clinical Research in Cardiology</i> , <b>2021</b> , 1	6.1	2
31	Rapid right-sided deterioration in heart failure with preserved ejection fraction. <i>European Heart Journal</i> , <b>2019</b> , 40, 699-702	9.5	2
30	Effects of mineralocorticoid receptor antagonists in heart failure with reduced ejection fraction patients with chronic obstructive pulmonary disease in EMPHASIS-HF and RALES. <i>European Journal of Heart Failure</i> , <b>2021</b> ,	12.3	2
29	Rationale and Design of the Groningen Intervention Study for the Preservation of Cardiac Function with Sodium Thiosulfate after St-segment Elevation Myocardial Infarction (GIPS-IV) trial. <i>American Heart Journal</i> , <b>2022</b> , 243, 167-176	4.9	2
28	Pro-gastrin-releasing peptide and outcome in patients with heart failure and anaemia: results from the RED-HF study. <i>ESC Heart Failure</i> , <b>2018</b> , 5, 1052-1059	3.7	1
27	Prescription of beta-blockers in patients with advanced heart failure and preserved left ventricular ejection fraction. Clinical implications and survival. <i>European Journal of Heart Failure</i> , <b>2007</b> , 9, 962-963	12.3	1
26	Pathophysiological pathways related to high plasma GDF-15 concentrations in patients with heart failure.. <i>European Journal of Heart Failure</i> , <b>2022</b> ,	12.3	1
25	Long-term outcome of targeted therapy of underlying conditions in patients with early persistent atrial fibrillation and heart failure: data of the RACE 3 trial. <i>Europace</i> , <b>2021</b> ,	3.9	1
24	Cardiac Transthyretin-derived Amyloidosis: An Emerging Target in Heart Failure with Preserved Ejection Fraction?. <i>Cardiac Failure Review</i> , <b>2020</b> , 6, e21	4.2	1
23	Six-minute walk test: prognostic value and effects of nebivolol versus placebo in elderly patients with heart failure from the SENIORS trial. <i>Clinical Research in Cardiology</i> , <b>2021</b> , 110, 1193-1201	6.1	1
22	Perceived risk profile and treatment optimization in heart failure: an analysis from BIOlogy Study to Tailored Treatment in chronic heart failure. <i>Clinical Cardiology</i> , <b>2021</b> , 44, 780-788	3.3	1
21	Diuretic therapy as prognostic enrichment factor for clinical trials in patients with heart failure with reduced ejection fraction. <i>Clinical Research in Cardiology</i> , <b>2021</b> , 110, 1308-1320	6.1	1
20	Relation of Decongestion and Time to Diuretics to Biomarker Changes and Outcomes in Acute Heart Failure. <i>American Journal of Cardiology</i> , <b>2021</b> , 147, 70-79	3	1

19	The clinical and prognostic value of late Gadolinium enhancement imaging in heart failure with mid-range and preserved ejection fraction. <i>Heart and Vessels</i> , <b>2021</b> , 1	2.1	1
18	Patients with heart failure with and without a history of stroke in the Netherlands: a secondary analysis of psychosocial, behavioural and clinical outcomes up to three years from the COACH trial. <i>BMJ Open</i> , <b>2019</b> , 9, e025525	3	1
17	Discussion forum response to Canepa et al. <i>European Heart Journal</i> , <b>2019</b> , 40, 705-706	9.5	1
16	Preoperative cardiac screening using NT-proBNP in obese patients 50 years and older undergoing bariatric surgery: a study of 310 consecutive patients. <i>Surgery for Obesity and Related Diseases</i> , <b>2021</b> , 17, 64-71	3	1
15	Integrating High-Sensitivity Troponin T and Sacubitril/Valsartan Treatment in HFpEF: The PARAGON-HF Trial. <i>JACC: Heart Failure</i> , <b>2021</b> , 9, 627-635	7.9	1
14	Rationale and design of the CONFIRM-HF study: a double-blind, randomized, placebo-controlled study to assess the effects of intravenous ferric carboxymaltose on functional capacity in patients with chronic heart failure and iron deficiency <b>2014</b> , 1, 52		1
13	Late onset cardiomyopathy as presenting sign of ATTR A45G amyloidosis caused by a novel TTR mutation (p.A65G). <i>Cardiovascular Pathology</i> , <b>2017</b> , 29, 19-22	3.8	0
12	Fibroblast growth factor 23 mediates the association between iron deficiency and mortality in worsening heart failure. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 903-906	12.3	0
11	Causal Pathways from Blood Pressure to Larger Qrs Amplitudes a Mendelian Randomization Study. <i>Scientific Reports</i> , <b>2018</b> , 8, 5817	4.9	0
10	Relative fat mass, a new index of adiposity, is strongly associated with incident heart failure: data from PREVEND.. <i>Scientific Reports</i> , <b>2022</b> , 12, 147	4.9	0
9	Cardiovascular Determinants of Impaired Placental Function in Women with Cardiac Dysfunction.. <i>American Heart Journal</i> , <b>2021</b> , 245, 126-126	4.9	0
8	Assessment of Proximal Tubular Function by Tubular Maximum Phosphate Reabsorption Capacity in Heart Failure.. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2022</b> , 17, 228-239	6.9	0
7	Impact of Chronic Obstructive Pulmonary Disease in Patients With Heart Failure With Preserved Ejection Fraction: Insights From PARAGON-HF. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e021494	6	0
6	The Additive Prognostic Value of Serial Plasma Interleukin-6 Levels over Changes in Brain Natriuretic Peptide in Patients with Acute Heart Failure. <i>Journal of Cardiac Failure</i> , <b>2021</b> , 27, 808-811	3.3	0
5	Clinical impact of changes in mitral regurgitation severity after medical therapy optimization in heart failure.. <i>Clinical Research in Cardiology</i> , <b>2022</b> , 1	6.1	0
4	1325 Severity of depressive symptoms is related to hospital admission in patients with heart failure. <i>European Journal of Cardiovascular Nursing</i> , <b>2008</b> , 7, 15-16	3.3	
3	1370: The impact of depressive symptoms and quality of life in HF patients compared with community dwelling elderly. <i>European Journal of Cardiovascular Nursing</i> , <b>2007</b> , 6, 40-40	3.3	
2	Dose-limiting, adverse event-associated bradycardia with $\beta$ -blocker treatment of atrial fibrillation in the GENETIC-AF trial.. <i>Heart Rhythm O2</i> , <b>2022</b> , 3, 40-49	1.5	

- 1 Long-term (8 years) assessment of trastuzumab-related cardiac events in the HERA trial.. *Journal of Clinical Oncology*, **2013**, 31, 525-525 2.2