

Arnaud Castel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7956567/arnaud-castel-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

3,300
citations

31
h-index

54
g-index

120
ext. papers

4,204
ext. citations

4.9
avg, IF

6.11
L-index

#	Paper	IF	Citations
116	Numerical simulation of risk mitigation strategies for early-age thermal cracking and DEF in concrete. <i>Construction and Building Materials</i> , 2022 , 322, 126478	6.7	1
115	Autogenous and total shrinkage of limestone calcined clay cement (LC3) concretes. <i>Construction and Building Materials</i> , 2022 , 314, 125720	6.7	3
114	Capturing the early-age physicochemical transformations of alkali-activated fly ash and slag using ultrasonic pulse velocity technique. <i>Cement and Concrete Composites</i> , 2022 , 104529	8.6	0
113	Performance of cementitious and alkali-activated mortars exposed to laboratory simulated microbially induced corrosion test. <i>Cement and Concrete Composites</i> , 2022 , 128, 104445	8.6	1
112	Development and Characterization of Lightweight Geopolymer Composite Reinforced with Hybrid Carbon and Steel Fibers. <i>Materials</i> , 2021 , 14,	3.5	4
111	Continuous Monitoring of the Early-Age Properties of Activated GGBFS with Alkaline Solutions of Different Concentrations. <i>Journal of Materials in Civil Engineering</i> , 2021 , 33,	3	2
110	Assessing alkali-activated concrete performance in chloride environments using NT Build 492. <i>Materials and Structures/Materiaux Et Constructions</i> , 2021 , 54, 1	3.4	2
109	Detection of Top-Bar Effect in Reinforced Concrete Using Guided Ultrasonic Waves. <i>Journal of Structural Engineering</i> , 2021 , 147, 04021032	3	0
108	Comparison on the properties of ITZs in fly ash-based geopolymer and Portland cement concretes with equivalent flowability. <i>Cement and Concrete Research</i> , 2021 , 143, 106392	10.3	28
107	On the competitive antagonism effect in combined chloride-sulfate attack: A numerical exploration. <i>Cement and Concrete Research</i> , 2021 , 144, 106406	10.3	8
106	An integrated framework for modelling time-dependent corrosion propagation in offshore concrete structures. <i>Engineering Structures</i> , 2021 , 228, 111482	4.7	6
105	Performance of fly ash concrete with ferronickel slag fine aggregate against alkali-silica reaction and chloride diffusion. <i>Cement and Concrete Research</i> , 2021 , 139, 106265	10.3	17
104	Development of Low-Alkali, Fly Ash/Slag Geopolymers: Predictive Strength Modelling and Analyses of Impact of Curing Temperatures. <i>Minerals (Basel, Switzerland)</i> , 2021 , 11, 60	2.4	0
103	Tensile Creep of Cement and Concrete Composites: Monitoring by Means of 2D-Digital Image Correlation. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 8334	2.6	
102	Minimising risk of early-age thermal cracking and delayed ettringite formation in concrete [A hybrid numerical simulation and genetic algorithm mix optimisation approach. <i>Construction and Building Materials</i> , 2021 , 299, 124280	6.7	2
101	Effects of mixing duration on engineering properties of geopolymer concrete. <i>Construction and Building Materials</i> , 2021 , 303, 124449	6.7	3
100	Analytical model predicting the concrete tensile stress development in the restrained shrinkage ring test. <i>Construction and Building Materials</i> , 2021 , 307, 124930	6.7	0

99	Predictive Model of Setting Times and Compressive Strengths for Low-Alkali, Ambient-Cured, Fly Ash/Slag-Based Geopolymers. <i>Minerals (Basel, Switzerland)</i> , 2020 , 10, 920	2.4	9
98	Influence of Calcined Clay Reactivity on the Mechanical Properties and Chloride Diffusion Resistance of Limestone Calcined Clay Cement (LC3) Concrete. <i>Journal of Marine Science and Engineering</i> , 2020 , 8, 301	2.4	11
97	Modelling steel corrosion under concrete non-uniformity and structural defects. <i>Cement and Concrete Research</i> , 2020 , 135, 106109	10.3	10
96	Corrosion investigation of fly ash based geopolymer mortar in natural sewer environment and sulphuric acid solution. <i>Corrosion Science</i> , 2020 , 168, 108586	6.8	28
95	RILEM TC 247-DTA round robin test: carbonation and chloride penetration testing of alkali-activated concretes. <i>Materials and Structures/Materiaux Et Constructions</i> , 2020 , 53, 1	3.4	24
94	Effect of Various Supplementary Cementitious Materials on Early-Age Concrete Cracking. <i>Journal of Materials in Civil Engineering</i> , 2020 , 32, 04020049	3	4
93	Development of high-density geopolymer concrete with steel furnace slag aggregate for coastal protection structures. <i>Construction and Building Materials</i> , 2020 , 248, 118681	6.7	11
92	Mitigation of AlkaliSilica Reaction in Limestone Calcined Clay Cement-Based Mortar. <i>RILEM Bookseries</i> , 2020 , 665-672	0.5	1
91	High-density geopolymer concrete for Port Kembla breakwater upgrade. <i>Construction and Building Materials</i> , 2020 , 262, 120920	6.7	3
90	Ageing coefficient for early age tensile creep of blended slag and low calcium fly ash geopolymer concrete. <i>Construction and Building Materials</i> , 2020 , 262, 119855	6.7	11
89	Mitigation of alkali-silica reaction by limestone calcined clay cement (LC3). <i>Cement and Concrete Research</i> , 2020 , 137, 106176	10.3	17
88	High temperature resistance of fly ash/GGBFS-based geopolymer mortar with load-induced damage. <i>Materials and Structures/Materiaux Et Constructions</i> , 2020 , 53, 1	3.4	26
87	Assessing external sulfate attack on thin-shell artificial reef structures under uncertainty. <i>Ocean Engineering</i> , 2020 , 207, 107397	3.9	9
86	Performance of limestone calcined clay blended cement-based concrete against carbonation. <i>Advances in Cement Research</i> , 2020 , 32, 481-491	1.8	14
85	Chloride diffusion resistance and chloride binding capacity of fly ash-based geopolymer concrete. <i>Cement and Concrete Composites</i> , 2020 , 105, 103290	8.6	65
84	Reinforcement corrosion in limestone flash calcined clay cement-based concrete. <i>Cement and Concrete Research</i> , 2020 , 132, 106051	10.3	29
83	RILEM TC 247-DTA round robin test: mix design and reproducibility of compressive strength of alkali-activated concretes. <i>Materials and Structures/Materiaux Et Constructions</i> , 2019 , 52, 1	3.4	25
82	Risk of early age cracking in geopolymer concrete due to restrained shrinkage. <i>Construction and Building Materials</i> , 2019 , 229, 116840	6.7	31

81	Impact of atmospheric marine environment on cementitious materials. <i>Corrosion Science</i> , 2019 , 148, 366-378	6.8	11
80	Durability and Microstructure Properties of Low-Carbon Concrete Incorporating Ferronickel Slag Sand and Fly Ash. <i>Journal of Materials in Civil Engineering</i> , 2019 , 31, 04019152	3	21
79	Modelling non-isothermal chloride ingress in unsaturated cement-based materials. <i>Construction and Building Materials</i> , 2019 , 217, 441-455	6.7	9
78	Creep and shrinkage of synthetic fibre-reinforced geopolymer concrete. <i>Magazine of Concrete Research</i> , 2019 , 71, 1070-1082	2	6
77	Early-age tensile creep and shrinkage-induced cracking in internally restrained concrete members. <i>Magazine of Concrete Research</i> , 2019 , 71, 1167-1179	2	13
76	Durability of calcium aluminate and sulphate resistant Portland cement based mortars in aggressive sewer environment and sulphuric acid. <i>Cement and Concrete Research</i> , 2019 , 124, 105852	10.3	35
75	Mitigating the Risk of Early Age Cracking in Fly Ash Blended Cement-Based Concrete Using Ferronickel Slag Sand. <i>Journal of Advanced Concrete Technology</i> , 2019 , 17, 295-308	2.3	6
74	Initial sequence for alkali-silica reaction: Transport barrier and spatial distribution of reaction products. <i>Cement and Concrete Composites</i> , 2019 , 104, 103378	8.6	9
73	New service limit state criteria for reinforced concrete in chloride environments. <i>Corrosion Reviews</i> , 2019 , 37, 21-29	3.2	1
72	Assessing Immediate and Time-Dependent Instantaneous Stiffness of Cracked Reinforced Concrete Beams Using Residual Cracks. <i>Journal of Structural Engineering</i> , 2018 , 144, 04018022	3	4
71	On the Reliability of Serviceability Calculations for Flexural Cracked Reinforced Concrete Beams. <i>Structures</i> , 2018 , 13, 201-212	3.4	13
70	Influence of steel-concrete bond damage on the dynamic stiffness of cracked reinforced concrete beams. <i>Advances in Structural Engineering</i> , 2018 , 21, 1977-1989	1.9	5
69	Passivity of embedded reinforcement in carbonated low-calcium fly ash-based geopolymer concrete. <i>Cement and Concrete Composites</i> , 2018 , 85, 32-43	8.6	32
68	Deterioration of alkali-activated mortars exposed to natural aggressive sewer environment. <i>Construction and Building Materials</i> , 2018 , 186, 577-597	6.7	26
67	Mechanical and flexural performance of synthetic fibre reinforced geopolymer concrete. <i>Construction and Building Materials</i> , 2018 , 186, 454-475	6.7	77
66	Spacing of Cracks in Reinforced Concrete Based on a Variable Transfer Length Model. <i>Journal of Structural Engineering</i> , 2018 , 144, 04018090	3	6
65	Engineering Properties of Limestone Calcined Clay Concrete. <i>Journal of Advanced Concrete Technology</i> , 2018 , 16, 343-357	2.3	29
64	Effect of MgO and Na ₂ SiO ₃ on the carbonation resistance of alkali activated slag concrete. <i>Magazine of Concrete Research</i> , 2018 , 70, 685-692	2	11

63	Performance-based criteria to assess the suitability of geopolymer concrete in marine environments using modified ASTM C1202 and ASTM C1556 methods. <i>Materials and Structures/Materiaux Et Constructions</i> , 2018 , 51, 1	3.4	21
62	Precision of cement hydration heat models in capturing the effects of SCMs and retarders. <i>Magazine of Concrete Research</i> , 2018 , 70, 1217-1231	2	3
61	Tensile creep and early-age concrete cracking due to restrained shrinkage. <i>Construction and Building Materials</i> , 2017 , 149, 705-715	6.7	42
60	Hybrid life cycle assessment of greenhouse gas emissions from cement, concrete and geopolymer concrete in Australia. <i>Journal of Cleaner Production</i> , 2017 , 152, 312-320	10.3	144
59	Effects of Fly Ash on Early-Age Properties and Cracking of Concrete. <i>ACI Materials Journal</i> , 2017 , 114,	0.9	4
58	A New Approach to Modeling Tension Stiffening in Reinforced Concrete. <i>ACI Structural Journal</i> , 2017 , 115,	1.7	1
57	Time-dependent changes in the instantaneous stiffness of reinforced concrete beams. <i>Engineering Structures</i> , 2016 , 126, 641-651	4.7	10
56	Modeling the tensile steel reinforcement strain in RC-beams subjected to cycles of loading and unloading. <i>Engineering Structures</i> , 2016 , 126, 92-105	4.7	10
55	Compressive stress-strain model for low-calcium fly ash-based geopolymer and heat-cured Portland cement concrete. <i>Cement and Concrete Composites</i> , 2016 , 73, 136-146	8.6	96
54	Prediction of early-age creep and cracking age of concrete: a proposed modification for AS3600 provisions. <i>Australian Journal of Structural Engineering</i> , 2016 , 17, 151-166	1.4	9
53	Steel Reinforcement Corrosion in a Low Calcium Fly Ash Geopolymer Concrete. <i>Key Engineering Materials</i> , 2016 , 711, 943-949	0.4	
52	Chloride-induced corrosion of reinforcement in low-calcium fly ash-based geopolymer concrete. <i>Cement and Concrete Research</i> , 2016 , 88, 96-107	10.3	91
51	Modeling the dynamic stiffness of cracked reinforced concrete beams under low-amplitude vibration loads. <i>Journal of Sound and Vibration</i> , 2016 , 368, 135-147	3.9	20
50	The effect of heat-curing on transport properties of low-calcium fly ash-based geopolymer concrete. <i>Construction and Building Materials</i> , 2016 , 112, 464-477	6.7	87
49	Suitability of heat-cured low-calcium fly ash-based geopolymer concrete for precast applications. <i>Magazine of Concrete Research</i> , 2016 , 68, 163-177	2	31
48	Modeling Steel Concrete Bond Strength Reduction Due to Corrosion. <i>ACI Structural Journal</i> , 2016 , 113,	1.7	11
47	Prediction of the steel-concrete bond strength from the compressive strength of Portland cement and geopolymer concretes. <i>Construction and Building Materials</i> , 2016 , 119, 329-342	6.7	26
46	Utilisation of steel furnace slag coarse aggregate in a low calcium fly ash geopolymer concrete. <i>Cement and Concrete Research</i> , 2016 , 89, 220-229	10.3	57

45	Carbonation of a blended slag-fly ash geopolymer concrete in field conditions after 8 years. <i>Construction and Building Materials</i> , 2016 , 125, 661-669	6.7	73
44	Bond strength between blended slag and Class F fly ash geopolymer concrete with steel reinforcement. <i>Cement and Concrete Research</i> , 2015 , 72, 48-53	10.3	139
43	Experimental and Analytical Study of Creep and Shrinkage in Early-Age Concrete 2015 ,		3
42	Reinforced Concrete Beams Strengthened with NSM CFRP Rods in Shear. <i>Advances in Structural Engineering</i> , 2015 , 18, 1563-1574	1.9	16
41	Closure to Instantaneous Stiffness of Cracked Reinforced Concrete Including Steel-Concrete Interface Damage and Long-Term Effects by Arnaud Castel, Raymond Ian Gilbert, and Gianluca Ranzi. <i>Journal of Structural Engineering</i> , 2015 , 141, 07015006	3	
40	Prediction of reinforcement corrosion using corrosion induced cracks width in corroded reinforced concrete beams. <i>Cement and Concrete Research</i> , 2014 , 56, 84-96	10.3	87
39	Microcell versus galvanic corrosion currents in carbonated concrete. <i>Magazine of Concrete Research</i> , 2014 , 66, 697-707	2	5
38	Influence of time-dependent effects on the crack spacing in reinforced concrete beams. <i>Structural Concrete</i> , 2014 , 15, 373-379	2.6	9
37	Instantaneous Stiffness of Cracked Reinforced Concrete Including Steel-Concrete Interface Damage and Long-Term Effects. <i>Journal of Structural Engineering</i> , 2014 , 140, 04014021	3	18
36	Experimental and analytical study of corroded shear-critical reinforced concrete beams. <i>Materials and Structures/Materiaux Et Constructions</i> , 2014 , 47, 1467-1481	3.4	26
35	Modelling of flexural behaviour of RC beams strengthened with NSM CFRP rods including serviceability. <i>European Journal of Environmental and Civil Engineering</i> , 2013 , 17, 532-553	1.5	1
34	Calculation of the Overall Stiffness and Irreversible Deflection of Cracked Reinforced Concrete Beams. <i>Advances in Structural Engineering</i> , 2013 , 16, 2035-2042	1.9	10
33	Overall Stiffness Reduction of Cracked Reinforced Concrete Beams Due to Long Term Effects 2013 ,		4
32	Study of the impact of localised cracks on the corrosion mechanism. <i>European Journal of Environmental and Civil Engineering</i> , 2012 , 16, 392-401	1.5	15
31	Structural performance of a 26-year-old corroded reinforced concrete beam. <i>European Journal of Environmental and Civil Engineering</i> , 2012 , 16, 440-449	1.5	22
30	Failure modes and failure mechanisms of RC members strengthened by NSM CFRP composites □ Analysis of pull-out failure mode. <i>Composites Part B: Engineering</i> , 2012 , 43, 1893-1901	10	11
29	Response of corroded prestressed beams with bonded strands. <i>Proceedings of the Institution of Civil Engineers: Structures and Buildings</i> , 2012 , 165, 233-244	0.9	2
28	Finite-Element Modeling to Calculate the Overall Stiffness of Cracked Reinforced Concrete Beams. <i>Journal of Structural Engineering</i> , 2012 , 138, 889-898	3	20

27	Modeling of steel and concrete strains between primary cracks for the prediction of cover-controlled cracking in RC-beams. <i>Engineering Structures</i> , 2011 , 33, 3668-3675	4.7	14
26	Repairing corroded RC beam with near-surface mounted CFRP rods. <i>Materials and Structures/Materiaux Et Constructions</i> , 2011 , 44, 1205-1217	3.4	35
25	Anchorage and tension-stiffening effect between near-surface-mounted CFRP rods and concrete. <i>Cement and Concrete Composites</i> , 2011 , 33, 346-352	8.6	33
24	Modelling the Stiffness Reduction of Corroded Reinforced Concrete Beams after Cracking 2011 , 219-230		1
23	Influence of steel-concrete interface defects owing to the top-bar effect on the chloride-induced corrosion of reinforcement. <i>Magazine of Concrete Research</i> , 2011 , 63, 773-781	2	33
22	Mechanical Behavior of Long-Term Corroded Reinforced Concrete Beam 2011 , 243-258		3
21	Characterization of Steel/Concrete Interface for a Long-Term Corroded Beam Stored in Chloride Environment. <i>Advanced Materials Research</i> , 2010 , 163-167, 3415-3420	0.5	1
20	Concrete cover cracking with reinforcement corrosion of RC beam during chloride-induced corrosion process. <i>Cement and Concrete Research</i> , 2010 , 40, 415-425	10.3	173
19	RC beams strengthened with NSM CFRP rods and modeling of peeling-off failure. <i>Composite Structures</i> , 2010 , 92, 1920-1930	5.3	73
18	Bond and cracking properties of self-consolidating concrete. <i>Construction and Building Materials</i> , 2010 , 24, 1222-1231	6.7	32
17	The corrosion pattern of reinforcement and its influence on serviceability of reinforced concrete members in chloride environment. <i>Cement and Concrete Research</i> , 2009 , 39, 1077-1086	10.3	82
16	Strengthening of RC members with near-surface mounted CFRP rods. <i>Composite Structures</i> , 2009 , 91, 138-147	5.3	120
15	Artificial neural network model for steel-concrete bond prediction. <i>Engineering Structures</i> , 2009 , 31, 1724-1733	4.7	77
14	Corroded post-tensioned beams with bonded tendons and wire failure. <i>Engineering Structures</i> , 2009 , 31, 1687-1697	4.7	41
13	Effect of stress corrosion cracking on stress-strain response of steel wires used in prestressed concrete beams. <i>Corrosion Science</i> , 2009 , 51, 1453-1459	6.8	61
12	Modelling the response of prestressed beams with corroded reinforcement. <i>European Journal of Environmental and Civil Engineering</i> , 2009 , 13, 653-669	1.5	4
11	Corrosion process and structural performance of a 17 year old reinforced concrete beam stored in chloride environment. <i>Cement and Concrete Research</i> , 2007 , 37, 1551-1561	10.3	155
10	A finite macro-element for corroded reinforced concrete. <i>Materials and Structures/Materiaux Et Constructions</i> , 2007 , 39, 571-584	3.4	20

9	Effect of surface pre-conditioning on bond of carbon fibre reinforced polymer rods to concrete. <i>Cement and Concrete Composites</i> , 2007 , 29, 677-689	8.6	64
8	Modélisation par macro-éléments. <i>Revue Européenne De Génie Civil</i> , 2007 , 11, 141-161		2
7	Modélisation par macro-éléments. <i>Revue Européenne De Génie Civil</i> , 2007 , 11, 141-161		4
6	Analyzing crack width to predict corrosion in reinforced concrete. <i>Cement and Concrete Research</i> , 2004 , 34, 165-174	10.3	309
5	Influence of steel-concrete interface quality on reinforcement corrosion induced by chlorides. <i>Magazine of Concrete Research</i> , 2003 , 55, 151-159	2	71
4	Evaluation de l'état de corrosion et du comportement mécanique résiduel d'éléments en béton armé méthode RESTOR. <i>Revue Européenne De Génie Civil</i> , 2003 , 7, 179-193		
3	Modèle de comportement mécanique du béton armé corrodé. <i>Comptes Rendus - Mécanique</i> , 2002 , 330, 45-50	2.1	6
2	Modèle de comportement mécanique des poutres en béton armé après fissuration. <i>Revue Européenne De Génie Civil</i> , 2001 , 5, 527-551		2
1	Effect of loading on carbonation penetration in reinforced concrete elements. <i>Cement and Concrete Research</i> , 1999 , 29, 561-565	10.3	40