

Thomas M Johnson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7956649/publications.pdf>

Version: 2024-02-01

78
papers

4,628
citations

66343

42
h-index

98798

67
g-index

79
all docs

79
docs citations

79
times ranked

3081
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | A critical review on the occurrence and distribution of the uranium- and thorium-decay nuclides and their effect on the quality of groundwater. <i>Science of the Total Environment</i> , 2022, 808, 151914. | 8.0 | 42 |
| 2 | Selenium Isotope Shifts during the Oxidation of Selenide-Bearing Minerals. <i>ACS Earth and Space Chemistry</i> , 2021, 5, 1140-1149. | 2.7 | 5 |
| 3 | Factors Affecting the Robustness of Data Inversion for Stable Isotope Measurement Using the Double Spike Method: Insights from Chromium Isotope Analysis. <i>Analytical Chemistry</i> , 2021, 93, 7449-7455. | 6.5 | 4 |
| 4 | Rapid Attainment of Isotopic Equilibrium after Mercury Reduction by Ferrous Iron Minerals and Isotopic Exchange between Hg(II) and Hg(0). <i>ACS Earth and Space Chemistry</i> , 2021, 5, 1384-1394. | 2.7 | 5 |
| 5 | Selenium isotope fractionation during adsorption onto montmorillonite and kaolinite. <i>Applied Clay Science</i> , 2021, 211, 106189. | 5.2 | 13 |
| 6 | Influence of physical and chemical hydrology on bioremediation of a U-contaminated aquifer informed by reactive transport modeling incorporating $^{238}\text{U}/^{235}\text{U}$ ratios. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 269, 303-328. | 3.9 | 12 |
| 7 | Selenium isotope fractionation during adsorption by Fe, Mn and Al oxides. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 272, 121-136. | 3.9 | 37 |
| 8 | High-Sensitivity Measurement of Cr Isotopes by Double Spike MC-ICP-MS at the 10 ng Level. <i>Analytical Chemistry</i> , 2020, 92, 1463-1469. | 6.5 | 27 |
| 9 | Equilibrium fractionation and isotope exchange kinetics between aqueous Se(IV) and Se(VI). <i>Geochimica Et Cosmochimica Acta</i> , 2020, 277, 21-36. | 3.9 | 7 |
| 10 | Mass-dependent selenium isotopic fractionation during microbial reduction of seleno-oxyanions by phylogenetically diverse bacteria. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 276, 274-288. | 3.9 | 17 |
| 11 | Microbial U Isotope Fractionation Depends on the U(VI) Reduction Rate. <i>Environmental Science & Technology</i> , 2020, 54, 2295-2303. | 10.0 | 24 |
| 12 | Field Application of $^{238}\text{U}/^{235}\text{U}$ Measurements To Detect Reoxidation and Mobilization of U(IV). <i>Environmental Science & Technology</i> , 2018, 52, 3422-3430. | 10.0 | 18 |
| 13 | A Mesoproterozoic shift in uranium isotope systematics. <i>Geochimica Et Cosmochimica Acta</i> , 2018, 238, 438-452. | 3.9 | 52 |
| 14 | Geological evolution of the marine selenium cycle: Insights from the bulk shale $^{82}\text{Se}/^{76}\text{Se}$ record and isotope mass balance modeling. <i>Earth and Planetary Science Letters</i> , 2016, 441, 178-187. | 4.4 | 23 |
| 15 | Sedimentary chromium isotopic compositions across the Cretaceous OAE2 at Demerara Rise Site 1258. <i>Chemical Geology</i> , 2016, 429, 85-92. | 3.3 | 44 |
| 16 | Se Isotopes as Groundwater Redox Indicators: Detecting Natural Attenuation of Se at an in Situ Recovery U Mine. <i>Environmental Science & Technology</i> , 2016, 50, 10833-10842. | 10.0 | 13 |
| 17 | Isotope fractionation during oxidation of tetravalent uranium by dissolved oxygen. <i>Geochimica Et Cosmochimica Acta</i> , 2015, 150, 160-170. | 3.9 | 68 |
| 18 | Equilibrium isotopic fractionation and isotopic exchange kinetics between Cr(III) and Cr(VI). <i>Geochimica Et Cosmochimica Acta</i> , 2015, 153, 72-90. | 3.9 | 65 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Low temperature equilibrium isotope fractionation and isotope exchange kinetics between U(IV) and U(VI). <i>Geochimica Et Cosmochimica Acta</i> , 2015, 158, 262-275. | 3.9 | 35 |
| 20 | Fate of Selenium in Soils at a Seleniferous Site Recorded by High Precision Se Isotope Measurements. <i>Environmental Science & Technology</i> , 2015, 49, 9690-9698. | 10.0 | 39 |
| 21 | Pathways of arsenic from sediments to groundwater in the hyporheic zone: Evidence from an iron isotope study. <i>Journal of Hydrology</i> , 2014, 511, 509-517. | 5.4 | 29 |
| 22 | Isotopic evidence for reduction of anthropogenic hexavalent chromium in Los Alamos National Laboratory groundwater. <i>Chemical Geology</i> , 2014, 373, 1-9. | 3.3 | 24 |
| 23 | Cr isotope fractionation factors for Cr(VI) reduction by a metabolically diverse group of bacteria. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 142, 349-361. | 3.9 | 63 |
| 24 | The isotopic composition of authigenic chromium in anoxic marine sediments: A case study from the Cariaco Basin. <i>Earth and Planetary Science Letters</i> , 2014, 407, 9-18. | 4.4 | 99 |
| 25 | Coupled iron, sulfur and carbon isotope evidences for arsenic enrichment in groundwater. <i>Journal of Hydrology</i> , 2014, 519, 414-422. | 5.4 | 67 |
| 26 | Uranium isotopic fractionation factors during U(VI) reduction by bacterial isolates. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 136, 100-113. | 3.9 | 112 |
| 27 | Selenium redox cycling during weathering of Se-rich shales: A selenium isotope study. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 126, 228-249. | 3.9 | 69 |
| 28 | A sequential extraction technique for mass-balanced stable selenium isotope analysis of soil samples. <i>Chemical Geology</i> , 2014, 381, 125-130. | 3.3 | 27 |
| 29 | Mobilization of arsenic in aquifers from the Datong Basin, China: Evidence from geochemical and iron isotopic data. <i>Chemosphere</i> , 2013, 90, 1878-1884. | 8.2 | 38 |
| 30 | Selenium sorption and isotope fractionation: Iron(III) oxides versus iron(II) sulfides. <i>Chemical Geology</i> , 2013, 342, 21-28. | 3.3 | 74 |
| 31 | Isotope fractionation of selenium by biomethylation in microcosm incubations of soil. <i>Chemical Geology</i> , 2013, 352, 101-107. | 3.3 | 18 |
| 32 | Unique Hg Stable Isotope Signatures of Compact Fluorescent Lamp-Sourced Hg. <i>Environmental Science & Technology</i> , 2013, 47, 2542-2547. | 10.0 | 43 |
| 33 | Environmental Impacts of the Tennessee Valley Authority Kingston Coal Ash Spill. 2. Effect of Coal Ash on Methylmercury in Historically Contaminated River Sediments. <i>Environmental Science & Technology</i> , 2013, 47, 2100-2108. | 10.0 | 34 |
| 34 | Environmental Impacts of the Tennessee Valley Authority Kingston Coal Ash Spill. 1. Source Apportionment Using Mercury Stable Isotopes. <i>Environmental Science & Technology</i> , 2013, 47, 2092-2099. | 10.0 | 69 |
| 35 | No Measurable Changes in ²³⁸ U/ ²³⁵ U due to Desorption/Adsorption of U(VI) from Groundwater at the Rifle, Colorado, Integrated Field Research Challenge Site. <i>Environmental Science & Technology</i> , 2013, 47, 2535-2541. | 10.0 | 46 |
| 36 | The occurrence and origin of selenium minerals in Se-rich stone coals, spoils and their adjacent soils in Yutangba, China. <i>Chemical Geology</i> , 2012, 330-331, 27-38. | 3.3 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Selenium as paleo-oceanographic proxy: A first assessment. <i>Geochimica Et Cosmochimica Acta</i> , 2012, 89, 302-317. | 3.9 | 80 |
| 38 | Chromium isotope fractionation factors for reduction of Cr(VI) by aqueous Fe(II) and organic molecules. <i>Geochimica Et Cosmochimica Acta</i> , 2012, 89, 190-201. | 3.9 | 96 |
| 39 | Geochemistry and Cr stable isotopes of Cr-contaminated groundwater in LeÃ³n valley, Guanajuato, MÃ©xico. <i>Applied Geochemistry</i> , 2012, 27, 1783-1794. | 3.0 | 22 |
| 40 | Determination of Hexavalent Chromium Reduction Using Cr Stable Isotopes: Isotopic Fractionation Factors for Permeable Reactive Barrier Materials. <i>Environmental Science & Technology</i> , 2012, 46, 5353-5360. | 10.0 | 87 |
| 41 | Stable Isotopes of Cr and Se as Tracers of Redox Processes in Earth Surface Environments. <i>Advances in Isotope Geochemistry</i> , 2012, , 155-175. | 1.4 | 10 |
| 42 | Isotope Fractionation of Selenium During Fungal Biomethylation by <i>Alternaria alternata</i> . <i>Environmental Science & Technology</i> , 2011, 45, 2670-2676. | 10.0 | 41 |
| 43 | Cr Stable Isotopes in Snake River Plain Aquifer Groundwater: Evidence for Natural Reduction of Dissolved Cr(VI). <i>Environmental Science & Technology</i> , 2011, 45, 502-507. | 10.0 | 56 |
| 44 | Selenium Partitioning and Stable Isotope Ratios in Urban Topsoils. <i>Soil Science Society of America Journal</i> , 2011, 75, 1354-1364. | 2.2 | 25 |
| 45 | Hg stable isotope analysis by the double-spike method. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 1529-1538. | 3.7 | 18 |
| 46 | Selenium Stable Isotope Investigation into Selenium Biogeochemical Cycling in a Lacustrine Environment: Sweitzer Lake, Colorado. <i>Journal of Environmental Quality</i> , 2010, 39, 2200-2210. | 2.0 | 46 |
| 47 | Cr Stable Isotopes As Indicators of Cr(VI) Reduction in Groundwater: A Detailed Time-Series Study of a Point-Source Plume. <i>Environmental Science & Technology</i> , 2010, 44, 1043-1048. | 10.0 | 105 |
| 48 | Uranium ²³⁸ U/ ²³⁵ U Isotope Ratios as Indicators of Reduction: Results from an in situ Biostimulation Experiment at Rifle, Colorado, U.S.A.. <i>Environmental Science & Technology</i> , 2010, 44, 5927-5933. | 10.0 | 95 |
| 49 | Variations in ²³⁸ U/ ²³⁵ U in uranium ore deposits: Isotopic signatures of the U reduction process?. <i>Geology</i> , 2009, 37, 611-614. | 4.4 | 95 |
| 50 | Variation in strontium isotope ratios of archaeological fauna in the Midwestern United States: a preliminary study. <i>Journal of Archaeological Science</i> , 2009, 36, 64-73. | 2.4 | 59 |
| 51 | High Precision Measurement of Selenium Isotopic Composition by Hydride Generation Multiple Collector Inductively Coupled Plasma Mass Spectrometry with a ⁷⁴ Se- ⁷⁷ Se Double Spike. <i>Chinese Journal of Analytical Chemistry</i> , 2008, 36, 1385-1390. | 1.7 | 46 |
| 52 | Microbial mass-dependent fractionation of chromium isotopes. <i>Geochimica Et Cosmochimica Acta</i> , 2008, 72, 3631-3641. | 3.9 | 119 |
| 53 | Groundwater Age and Groundwater Age Dating. <i>Annual Review of Earth and Planetary Sciences</i> , 2008, 36, 121-152. | 11.0 | 240 |
| 54 | Effective Isotopic Fractionation Factors for Solute Removal by Reactive Sediments: A Laboratory Microcosm and Slurry Study. <i>Environmental Science & Technology</i> , 2008, 42, 7850-7855. | 10.0 | 101 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Denitrification in the Shallow Ground Water of a Tile-Drained, Agricultural Watershed. <i>Journal of Environmental Quality</i> , 2007, 36, 80-90. | 2.0 | 36 |
| 56 | Experimentally Determined Uranium Isotope Fractionation During Reduction of Hexavalent U by Bacteria and Zero Valent Iron. <i>Environmental Science & Technology</i> , 2006, 40, 6943-6948. | 10.0 | 57 |
| 57 | 9. Mass-Dependent Fractionation of Selenium and Chromium Isotopes in Low-Temperature Environments. , 2004, , 289-318. | | 17 |
| 58 | Mass-Dependent Fractionation of Selenium and Chromium Isotopes in Low-Temperature Environments. <i>Reviews in Mineralogy and Geochemistry</i> , 2004, 55, 289-317. | 4.8 | 67 |
| 59 | Using Chromium Stable Isotope Ratios To Quantify Cr(VI) Reduction: A Lack of Sorption Effects. <i>Environmental Science & Technology</i> , 2004, 38, 3604-3607. | 10.0 | 149 |
| 60 | A review of mass-dependent fractionation of selenium isotopes and implications for other heavy stable isotopes. <i>Chemical Geology</i> , 2004, 204, 201-214. | 3.3 | 93 |
| 61 | Selenium isotope fractionation during reduction by Fe(II)-Fe(III) hydroxide-sulfate (green rust). <i>Geochimica Et Cosmochimica Acta</i> , 2003, 67, 413-419. | 3.9 | 107 |
| 62 | Stable isotope fractionation of selenium by natural microbial consortia. <i>Chemical Geology</i> , 2003, 195, 119-129. | 3.3 | 81 |
| 63 | Paradox of groundwater age: Correction1. <i>Geology</i> , 2002, 30, 385. | 4.4 | 49 |
| 64 | Paradox of groundwater age. <i>Geology</i> , 2002, 30, 107. | 4.4 | 71 |
| 65 | Transport modeling applied to the interpretation of groundwater ³⁶ Cl age. <i>Water Resources Research</i> , 2002, 38, 1-1-1-15. | 4.2 | 51 |
| 66 | Selenium Stable Isotope Ratios in California Agricultural Drainage Water Management Systems. <i>Journal of Environmental Quality</i> , 2002, 31, 1146-1156. | 2.0 | 47 |
| 67 | Ground Water Age. <i>Ground Water</i> , 2002, 40, 337-339. | 1.3 | 41 |
| 68 | Chromium Isotopes and the Fate of Hexavalent Chromium in the Environment. <i>Science</i> , 2002, 295, 2060-2062. | 12.6 | 423 |
| 69 | Uranium isotopic evidence for groundwater chemical evolution and flow patterns in the eastern Snake River Plain aquifer, Idaho. <i>Bulletin of the Geological Society of America</i> , 2001, 113, 1133-1141. | 3.3 | 49 |
| 70 | Groundwater "fast paths" in the Snake River Plain aquifer: Radiogenic isotope ratios as natural groundwater tracers. <i>Geology</i> , 2000, 28, 871. | 4.4 | 36 |
| 71 | Fractionation of selenium isotopes during bacterial respiratory reduction of selenium oxyanions. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 3701-3709. | 3.9 | 111 |
| 72 | Selenium Stable Isotope Ratios as Indicators of Sources and Cycling of Selenium: A Results from the Northern Reach of San Francisco Bay. <i>Environmental Science & Technology</i> , 2000, 34, 2075-2079. | 10.0 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Groundwater "fast paths" in the Snake River Plain aquifer: Radiogenic isotope ratios as natural groundwater tracers. <i>Geology</i> , 2000, 28, 871-874. | 4.4 | 0 |
| 74 | Selenium isotope ratios as indicators of selenium sources and oxyanion reduction. <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 2775-2783. | 3.9 | 150 |
| 75 | Rapid exchange effects on isotope ratios in groundwater systems: 2. Flow investigation using Sr isotope ratios. <i>Water Resources Research</i> , 1997, 33, 197-209. | 4.2 | 32 |
| 76 | Rapid exchange effects on isotope ratios in groundwater systems: 1. Development of a transport-dissolution-exchange model. <i>Water Resources Research</i> , 1997, 33, 187-195. | 4.2 | 42 |
| 77 | Interpretation of isotopic data in groundwater-rock systems: Model development and application to Sr isotope data from Yucca Mountain. <i>Water Resources Research</i> , 1994, 30, 1571-1587. | 4.2 | 98 |
| 78 | Oxidation of Dissolved Tetravalent Selenium by Birnessite: Se Isotope Fractionation and the Effects of pH and Birnessite Structure. <i>Frontiers in Earth Science</i> , 0, 10, . | 1.8 | 2 |