

Suzanne Jolley

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7957525/suzanne-jolley-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

2,179
citations

24
h-index

45
g-index

76
ext. papers

2,463
ext. citations

3.6
avg, IF

4.42
L-index

#	Paper	IF	Citations
72	Managing emotions in psychosis: Evaluation of a brief DBT-informed skills group for individuals with psychosis in routine community services.. <i>British Journal of Clinical Psychology</i> , 2022 ,	3.6	1
71	Self-reported emotion regulation difficulties in psychosis: Psychometric properties of the Difficulties in Emotion Regulation Scale (DERS-16). <i>Journal of Clinical Psychology</i> , 2021 , 77, 2323-2340	2.8	2
70	A systematic literature review of childhood externalizing psychopathology and later psychotic symptoms. <i>Clinical Psychology and Psychotherapy</i> , 2021 , 28, 56-78	2.9	3
69	A five-year prospective evaluation of a new community psychosis service in North London: introducing the Recovery and Enablement Track (RET). <i>Psychosis</i> , 2021 , 13, 1-12	1.2	1
68	Psychosocial predictors of distressing unusual experiences in adolescence: Testing the fit of an adult cognitive model of psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 1-8	3.6	1
67	Self-reported emotion regulation difficulties in people with psychosis compared with non-clinical controls: A systematic literature review. <i>Clinical Psychology and Psychotherapy</i> , 2020 , 27, 107-135	2.9	11
66	Group acceptance and commitment therapy for patients and caregivers in psychosis services: Feasibility of training and a preliminary randomized controlled evaluation. <i>British Journal of Clinical Psychology</i> , 2020 , 59, 524-551	3.6	2
65	Innovations in Practice: CUES-Ed: an in-service evaluation of a new universal cognitive behavioural early mental health intervention programme for primary school children. <i>Child and Adolescent Mental Health</i> , 2019 , 24, 187-191	2.2	4
64	Improving Access to psychological therapies for people with severe mental illness (IAPT-SMI): Lessons from the South London and Maudsley psychosis demonstration site. <i>Behaviour Research and Therapy</i> , 2019 , 116, 104-110	5.2	8
63	The Coping with Unusual Experiences for Children Study (CUES): A pilot randomized controlled evaluation of the acceptability and potential clinical utility of a cognitive behavioural intervention package for young people aged 8-14 years with unusual experiences and emotional symptoms. <i>British Journal of Clinical Psychology</i> , 2018 , 57, 328-350	3.6	11
62	Improving implementation of evidence based practice for people with psychosis through training the wider workforce: Results of the GOALS feasibility randomised controlled trial. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018 , 59, 121-128	2.6	8
61	Training the Frontline Workforce to Deliver Evidence-Based Therapy to People With Psychosis: Challenges in the GOALS Study. <i>Psychiatric Services</i> , 2018 , 69, 9-11	3.3	12
60	Childhood unusual experiences in community Child and Adolescent Mental Health Services in South East London: Prevalence and impact. <i>Schizophrenia Research</i> , 2018 , 195, 93-96	3.6	6
59	Implementing Cognitive-Behavioral Therapy for People With Psychosis: Local and National Initiatives in the United Kingdom. <i>Psychiatric Services</i> , 2018 , 69, 952-955	3.3	5
58	Balancing ACT: evaluating the effectiveness of psychoeducation and Acceptance and Commitment Therapy (ACT) groups for people with bipolar disorder: study protocol for pilot randomised controlled trial. <i>Trials</i> , 2018 , 19, 436	2.8	8
57	Experiences of outcome monitoring in service users with psychosis: Findings from an Improving Access to Psychological Therapies for people with Severe Mental Illness (IAPT-SMI) demonstration site. <i>British Journal of Clinical Psychology</i> , 2017 , 56, 253-272	3.6	16
56	Implementing specialist psychological support for caregivers in psychosis services: a preliminary report** The work was carried out in the South London & Maudsley NHS Foundation Trust.View all notes. <i>Psychosis</i> , 2017 , 9, 119-128	1.2	1

55	Coping with Unusual Experiences for 12-18 year olds (CUES+): a transdiagnostic randomised controlled trial of the effectiveness of cognitive therapy in reducing distress associated with unusual experiences in adolescent mental health services: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 586	2.8	9
54	Variation in psychosocial influences according to the dimensions and content of children's unusual experiences: potential routes for the development of targeted interventions. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 311-9	5.5	8
53	Psychological interventions for housebound people with psychosis: service user and therapist perspectives in South East London. <i>Journal of Mental Health</i> , 2016 , 25, 204-11	2.7	2
52	Running acceptance and commitment therapy groups for psychosis in community settings. <i>Journal of Contextual Behavioral Science</i> , 2016 , 5, 33-38	4.4	15
51	The feasibility and acceptability of a brief Acceptance and Commitment Therapy (ACT) group intervention for people with psychosis: The 'ACT for life' study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016 , 50, 257-63	2.6	42
50	Determinants of subjective well-being in people with psychosis referred for psychological therapy in South London. <i>British Journal of Clinical Psychology</i> , 2016 , 55, 429-440	3.6	13
49	Understanding and treating amotivation in people with psychosis: An experimental study of the role of guided imagery. <i>Psychiatry Research</i> , 2016 , 246, 387-391	9.9	2
48	Cognitive bias and unusual experiences in childhood. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 949-57	5.5	6
47	Jumping to conclusions and the persistence of delusional beliefs in first episode psychosis. <i>Schizophrenia Research</i> , 2015 , 165, 243-6	3.6	11
46	A pilot evaluation of therapist training in cognitive therapy for psychosis: therapy quality and clinical outcomes. <i>Behavioural and Cognitive Psychotherapy</i> , 2015 , 43, 478-89	2.1	8
45	Urbanicity, persecutory delusions, and clinical intervention: the development of a brief CBT module for helping patients with persecutory delusions enter social urban environments. <i>Behavioural and Cognitive Psychotherapy</i> , 2015 , 43, 42-51	2.1	10
44	Understanding the relationship between schematic beliefs, bullying, and unusual experiences in 8-14 year olds. <i>European Psychiatry</i> , 2015 , 30, 920-3	6	7
43	Opportunities and challenges in Improving Access to Psychological Therapies for people with Severe Mental Illness (IAPT-SMI): evaluating the first operational year of the South London and Maudsley (SLaM) demonstration site for psychosis. <i>Behaviour Research and Therapy</i> , 2015 , 64, 24-30	5.2	53
42	Jumping to conclusions, neuropsychological functioning, and delusional beliefs in first episode psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 411-8	1.3	48
41	Simulation-based training for front-of-house staff in psychosis services. <i>Psychosis</i> , 2015 , 7, 302-311	1.2	2
40	Cognitive mechanisms of change in delusions: an experimental investigation targeting reasoning to effect change in paranoia. <i>Schizophrenia Bulletin</i> , 2015 , 41, 400-10	1.3	83
39	Training frontline mental health staff to deliver "low intensity" psychological therapy for psychosis: a qualitative analysis of therapist and service user views on the therapy and its future implementation. <i>Behavioural and Cognitive Psychotherapy</i> , 2015 , 43, 298-313	2.1	20
38	The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. <i>Schizophrenia Bulletin</i> , 2015 , 41, 971-9	1.3	50

37	A preliminary investigation of schematic beliefs and unusual experiences in children. <i>European Psychiatry</i> , 2015 , 30, 569-75	6	15
36	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014 , 45, 459-66 ^{2,6}	2.6	13
35	The effects of a brief CBT intervention, delivered by frontline mental health staff, to promote recovery in people with psychosis and comorbid anxiety or depression (the GOALS study): study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 255	2.8	7
34	Psychological characteristics of religious delusions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1051-61	4.5	14
33	Jumping to the wrong conclusions? An investigation of the mechanisms of reasoning errors in delusions. <i>Psychiatry Research</i> , 2014 , 219, 275-82	9.9	27
32	Delusional belief flexibility and informal caregiving relationships in psychosis: a potential cognitive route for the protective effect of social support. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 389-97 ^{5,1}	5.1	11
31	Modelling psychosocial influences on the distress and impairment caused by psychotic-like experiences in children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 715-22	5.5	22
30	Psychological interventions for adolescent psychosis: a pilot controlled trial in routine care. <i>European Psychiatry</i> , 2013 , 28, 423-6	6	16
29	Low intensity cognitive behavioural therapy for psychosis: a pilot study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013 , 44, 98-104	2.6	39
28	Neuropsychological functioning and jumping to conclusions in delusions. <i>Schizophrenia Research</i> , 2013 , 150, 570-4	3.6	89
27	Current paranoid thinking in patients with delusions: the presence of cognitive-affective biases. <i>Schizophrenia Bulletin</i> , 2013 , 39, 1281-7	1.3	89
26	Cognitive behavioural therapy for unusual experiences in children: a case series. <i>Behavioural and Cognitive Psychotherapy</i> , 2013 , 41, 344-58	2.1	12
25	Differences in cognitive and emotional processes between persecutory and grandiose delusions. <i>Schizophrenia Bulletin</i> , 2013 , 39, 629-39	1.3	65
24	Patients' beliefs about the causes, persistence and control of psychotic experiences predict take-up of effective cognitive behaviour therapy for psychosis. <i>Psychological Medicine</i> , 2013 , 43, 269-77	6.9	53
23	Understanding reduced activity in psychosis: the roles of stigma and illness appraisals. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1685-93	4.5	20
22	Increasing access to psychological therapies for people with psychosis: predictors of successful training. <i>Behaviour Research and Therapy</i> , 2012 , 50, 457-62	5.2	23
21	Effective elements of cognitive behaviour therapy for psychosis: results of a novel type of subgroup analysis based on principal stratification. <i>Psychological Medicine</i> , 2012 , 42, 1057-68	6.9	47
20	Targeting reasoning biases in delusions: a pilot study of the Maudsley Review Training Programme for individuals with persistent, high conviction delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011 , 42, 414-21	2.6	90

19	Jumping to conclusions: the psychology of delusional reasoning. <i>Advances in Psychiatric Treatment</i> , 2011 , 17, 332-339		25
18	Cognitive-Behavioural Interventions 2011 , 185-215		1
17	Implementing the NICE guideline for schizophrenia recommendations for psychological therapies: a qualitative analysis of the attitudes of CMHT staff. <i>Clinical Psychology and Psychotherapy</i> , 2011 , 18, 48-59	3.9	67
16	Family interventions in psychosis: a scale to measure therapist adherence. <i>Journal of Family Therapy</i> , 2009 , 31, 270-283	2.9	5
15	Measuring Adherence in CBT for Psychosis: A Psychometric Analysis of an Adherence Scale. <i>Behavioural and Cognitive Psychotherapy</i> , 2008 , 36, 163-178	2.1	29
14	A validation of a new measure of activity in psychosis. <i>Schizophrenia Research</i> , 2006 , 85, 288-95	3.6	55
13	Delusions and decision-making style: use of the Need for Closure Scale. <i>Behaviour Research and Therapy</i> , 2006 , 44, 1147-58	5.2	73
12	Attributional style in psychosis--the role of affect and belief type. <i>Behaviour Research and Therapy</i> , 2006 , 44, 1597-607	5.2	53
11	Reasoning, emotions, and delusional conviction in psychosis. <i>Journal of Abnormal Psychology</i> , 2005 , 114, 373-384	7	333
10	A pilot validation study of a new measure of activity in psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 905-11	4.5	16
9	The influence of schizotypy traits on prepulse inhibition in young healthy controls. <i>Journal of Psychopharmacology</i> , 2004 , 18, 181-8	4.6	18
8	Insight and delusions: a cognitive psychological approach 2004 , 89-100		2
7	COGNITIVE THERAPY IN EARLY PSYCHOSIS: A PILOT RANDOMIZED CONTROLLED TRIAL. <i>Behavioural and Cognitive Psychotherapy</i> , 2003 , 31, 473-478	2.1	31
6	Early intervention in psychosis. <i>Psychiatric Bulletin</i> , 2000 , 24, 321-323		11
5	Causal processing and schizotypy. <i>Personality and Individual Differences</i> , 1999 , 27, 277-291	3.3	4
4	Cognitive functioning and GABAA/benzodiazepine receptor binding in schizophrenia: a 123I-iomazenil SPET study. <i>Biological Psychiatry</i> , 1998 , 43, 107-17	7.9	41
3	A study of attendance and filling in of pre-appointment questionnaires in an outpatient clinical psychology service. <i>Journal of Mental Health</i> , 1998 , 7, 411-424	2.7	8
2	Disruption of the Kamin blocking effect in schizophrenia and in normal subjects following amphetamine. <i>Behavioural Brain Research</i> , 1997 , 88, 103-14	3.4	43

- 1 An experimental investigation of thought suppression. *Behaviour Research and Therapy*, **1991**, 29, 253-7 5.2 223