

Suzanne Jolley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7957525/publications.pdf>

Version: 2024-02-01

73
papers

2,736
citations

218381

26
h-index

189595

50
g-index

76
all docs

76
docs citations

76
times ranked

2501
citing authors

#	ARTICLE	IF	CITATIONS
1	Identifying and changing cognitive vulnerability in the classroom: preliminary evaluation of CUESâ€œd, a schoolâ€œbased universal cognitive behavioural early intervention service for 7â€œ10â€œyear olds. <i>Child and Adolescent Mental Health</i> , 2023, 28, 221-229.	1.8	3
2	Managing emotions in psychosis: Evaluation of a brief DBTâ€œinformed skills group for individuals with psychosis in routine community services. <i>British Journal of Clinical Psychology</i> , 2022, 61, 735-756.	1.7	7
3	A systematic literature review of childhood externalizing psychopathology and later psychotic symptoms. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 56-78.	1.4	10
4	A five-year prospective evaluation of a new community psychosis service in North London: introducing the Recovery and Enablement Track (RET). <i>Psychosis</i> , 2021, 13, 1-12.	0.4	1
5	Selfâ€œreported emotion regulation difficulties in psychosis: Psychometric properties of the Difficulties in Emotion Regulation Scale (DERSâ€œ16). <i>Journal of Clinical Psychology</i> , 2021, 77, 2323-2340.	1.0	9
6	Psychosocial predictors of distressing unusual experiences in adolescence: Testing the fit of an adult cognitive model of psychosis. <i>Schizophrenia Research</i> , 2021, 237, 1-8.	1.1	7
7	Selfâ€œreported emotion regulation difficulties in people with psychosis compared with nonâ€œclinical controls: A systematic literature review. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 107-135.	1.4	25
8	Group acceptance and commitment therapy for patients and caregivers in psychosis services: Feasibility of training and a preliminary randomized controlled evaluation. <i>British Journal of Clinical Psychology</i> , 2020, 59, 524-551.	1.7	13
9	Innovations in Practice: CUES â€œd: an inâ€œservice evaluation of a new universal cognitive behavioural early mental health intervention programme for primary school children. <i>Child and Adolescent Mental Health</i> , 2019, 24, 187-191.	1.8	6
10	Improving Access to psychological therapies for people with severe mental illness (IAPT-SMI): Lessons from the South London and Maudsley psychosis demonstration site. <i>Behaviour Research and Therapy</i> , 2019, 116, 104-110.	1.6	15
11	The Coping with Unusual Experiences for Children Study (<scp>CUES</scp>): A pilot randomized controlled evaluation of the acceptability and potential clinical utility of a cognitive behavioural intervention package for young people aged 8â€œ14 years with unusual experiences and emotional symptoms. <i>British Journal of Clinical Psychology</i> , 2018, 57, 328-350.	1.7	20
12	Improving implementation of evidence based practice for people with psychosis through training the wider workforce: Results of the GOALS feasibility randomised controlled trial. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018, 59, 121-128.	0.6	11
13	Training the Frontline Workforce to Deliver Evidence-Based Therapy to People With Psychosis: Challenges in the GOALS Study. <i>Psychiatric Services</i> , 2018, 69, 9-11.	1.1	12
14	Childhood unusual experiences in community Child and Adolescent Mental Health Services in South East London: Prevalence and impact. <i>Schizophrenia Research</i> , 2018, 195, 93-96.	1.1	8
15	Implementing Cognitive-Behavioral Therapy for People With Psychosis: Local and National Initiatives in the United Kingdom. <i>Psychiatric Services</i> , 2018, 69, 952-955.	1.1	5
16	Balancing ACT: evaluating the effectiveness of psychoeducation and Acceptance and Commitment Therapy (ACT) groups for people with bipolar disorder: study protocol for pilot randomised controlled trial. <i>Trials</i> , 2018, 19, 436.	0.7	10
17	Experiences of outcome monitoring in service users with psychosis: Findings from an Improving Access to Psychological Therapies for people with Severe Mental Illness (<scp>IAPT</scp> â€œ<scp>SMI</scp>) demonstration site. <i>British Journal of Clinical Psychology</i> , 2017, 56, 253-272.	1.7	26
18	Implementing specialist psychological support for caregivers in psychosis services: a preliminary report. <i>Psychosis</i> , 2017, 9, 119-128.	0.4	4

#	ARTICLE	IF	CITATIONS
19	Coping with Unusual Experiences for 12-18 year olds (CUES+): a transdiagnostic randomised controlled trial of the effectiveness of cognitive therapy in reducing distress associated with unusual experiences in adolescent mental health services: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 586.	0.7	12
20	Determinants of subjective well-being in people with psychosis referred for psychological therapy in South London. <i>British Journal of Clinical Psychology</i> , 2016, 55, 429-440.	1.7	15
21	Understanding and treating amotivation in people with psychosis: An experimental study of the role of guided imagery. <i>Psychiatry Research</i> , 2016, 246, 387-391.	1.7	4
22	Psychological interventions for housebound people with psychosis: service user and therapist perspectives in South East London. <i>Journal of Mental Health</i> , 2016, 25, 204-211.	1.0	2
23	Running acceptance and commitment therapy groups for psychosis in community settings. <i>Journal of Contextual Behavioral Science</i> , 2016, 5, 33-38.	1.3	22
24	The feasibility and acceptability of a brief Acceptance and Commitment Therapy (ACT) group intervention for people with psychosis: The "ACT for life" study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016, 50, 257-263.	0.6	77
25	Variation in psychosocial influences according to the dimensions and content of children's unusual experiences: potential routes for the development of targeted interventions. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 311-319.	2.8	12
26	Simulation-based training for "front-of-house" staff in psychosis services. <i>Psychosis</i> , 2015, 7, 302-311.	0.4	2
27	Cognitive-Behavioral Interventions in Psychosis. , 2015, , .		0
28	Cognitive Mechanisms of Change in Delusions: An Experimental Investigation Targeting Reasoning to Effect Change in Paranoia. <i>Schizophrenia Bulletin</i> , 2015, 41, 400-410.	2.3	102
29	Training Frontline Mental Health Staff to Deliver "Low Intensity" Psychological Therapy for Psychosis: A Qualitative Analysis of Therapist and Service User Views on the Therapy and its Future Implementation. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 298-313.	0.9	26
30	The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. <i>Schizophrenia Bulletin</i> , 2015, 41, 971-979.	2.3	67
31	A preliminary investigation of schematic beliefs and unusual experiences in children. <i>European Psychiatry</i> , 2015, 30, 569-575.	0.1	16
32	Cognitive bias and unusual experiences in childhood. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 949-957.	2.8	10
33	Jumping to conclusions and the persistence of delusional beliefs in first episode psychosis. <i>Schizophrenia Research</i> , 2015, 165, 243-246.	1.1	19
34	A Pilot Evaluation of Therapist Training in Cognitive Therapy for Psychosis: Therapy Quality and Clinical Outcomes. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 478-489.	0.9	10
35	Urbanicity, Persecutory Delusions, and Clinical Intervention: The Development of a Brief CBT Module for Helping Patients with Persecutory Delusions Enter Social Urban Environments. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 42-51.	0.9	13
36	Understanding the relationship between schematic beliefs, bullying, and unusual experiences in 8-14 year olds. <i>European Psychiatry</i> , 2015, 30, 920-923.	0.1	10

#	ARTICLE	IF	CITATIONS
37	Opportunities and challenges in Improving Access to Psychological Therapies for people with Severe Mental Illness (IAPT-SMI): Evaluating the first operational year of the South London and Maudsley (SLaM) demonstration site for psychosis. <i>Behaviour Research and Therapy</i> , 2015, 64, 24-30.	1.6	67
38	Jumping to Conclusions, Neuropsychological Functioning, and Delusional Beliefs in First Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 411-418.	2.3	66
39	Delusional belief flexibility and informal caregiving relationships in psychosis: a potential cognitive route for the protective effect of social support. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 389-397.	1.8	14
40	Modelling psychosocial influences on the distress and impairment caused by psychotic-like experiences in children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 715-722.	2.8	27
41	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 459-466.	0.6	14
42	The effects of a brief CBT intervention, delivered by frontline mental health staff, to promote recovery in people with psychosis and comorbid anxiety or depression (the GOALS study): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 255.	0.7	11
43	Psychological characteristics of religious delusions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1051-1061.	1.6	18
44	Jumping to the wrong conclusions? An investigation of the mechanisms of reasoning errors in delusions. <i>Psychiatry Research</i> , 2014, 219, 275-282.	1.7	27
45	Psychological interventions for adolescent psychosis: A pilot controlled trial in routine care. <i>European Psychiatry</i> , 2013, 28, 423-426.	0.1	18
46	Low intensity cognitive behavioural therapy for psychosis: A pilot study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 98-104.	0.6	52
47	Neuropsychological functioning and jumping to conclusions in delusions. <i>Schizophrenia Research</i> , 2013, 150, 570-574.	1.1	106
48	Current Paranoid Thinking in Patients With Delusions: The Presence of Cognitive-Affective Biases. <i>Schizophrenia Bulletin</i> , 2013, 39, 1281-1287.	2.3	105
49	Cognitive Behavioural Therapy for Unusual Experiences in Children: A Case Series. <i>Behavioural and Cognitive Psychotherapy</i> , 2013, 41, 344-358.	0.9	16
50	Differences in Cognitive and Emotional Processes Between Persecutory and Grandiose Delusions. <i>Schizophrenia Bulletin</i> , 2013, 39, 629-639.	2.3	81
51	Patients' beliefs about the causes, persistence and control of psychotic experiences predict take-up of effective cognitive behaviour therapy for psychosis. <i>Psychological Medicine</i> , 2013, 43, 269-277.	2.7	64
52	Effective elements of cognitive behaviour therapy for psychosis: results of a novel type of subgroup analysis based on principal stratification. <i>Psychological Medicine</i> , 2012, 42, 1057-1068.	2.7	56
53	Understanding reduced activity in psychosis: the roles of stigma and illness appraisals. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1685-1693.	1.6	24
54	Increasing access to psychological therapies for people with psychosis: Predictors of successful training. <i>Behaviour Research and Therapy</i> , 2012, 50, 457-462.	1.6	30

#	ARTICLE	IF	CITATIONS
55	Targeting reasoning biases in delusions: A pilot study of the Maudsley Review Training Programme for individuals with persistent, high conviction delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011, 42, 414-421.	0.6	104
56	Jumping to conclusions: the psychology of delusional reasoning. <i>Advances in Psychiatric Treatment</i> , 2011, 17, 332-339.	0.6	35
57	Implementing the NICE guideline for schizophrenia recommendations for psychological therapies: a qualitative analysis of the attitudes of CMHT staff. <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 48-59.	1.4	87
58	Family interventions in psychosis: a scale to measure therapist adherence. <i>Journal of Family Therapy</i> , 2009, 31, 270-283.	0.5	8
59	Measuring Adherence in CBT for Psychosis: A Psychometric Analysis of an Adherence Scale. <i>Behavioural and Cognitive Psychotherapy</i> , 2008, 36, 163-178.	0.9	34
60	A validation of a new measure of activity in psychosis. <i>Schizophrenia Research</i> , 2006, 85, 288-295.	1.1	69
61	Delusions and decision-making style: Use of the Need for Closure Scale. <i>Behaviour Research and Therapy</i> , 2006, 44, 1147-1158.	1.6	81
62	Attributional style in psychosisâ€”The role of affect and belief type. <i>Behaviour Research and Therapy</i> , 2006, 44, 1597-1607.	1.6	61
63	A pilot validation study of a new measure of activity in psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 905-911.	1.6	17
64	Reasoning, Emotions, and Delusional Conviction in Psychosis.. <i>Journal of Abnormal Psychology</i> , 2005, 114, 373-384.	2.0	379
65	The Influence of Schizotypy Traits on Prepulse Inhibition in Young Healthy Controls. <i>Journal of Psychopharmacology</i> , 2004, 18, 181-188.	2.0	21
66	Insight and delusions: a cognitive psychological approach. , 2004, , 89-100.		3
67	COGNITIVE THERAPY IN EARLY PSYCHOSIS: A PILOT RANDOMIZED CONTROLLED TRIAL. <i>Behavioural and Cognitive Psychotherapy</i> , 2003, 31, 473-478.	0.9	40
68	Early intervention in psychosis. <i>Psychiatric Bulletin</i> , 2000, 24, 321-323.	0.3	13
69	Causal processing and schizotypy. <i>Personality and Individual Differences</i> , 1999, 27, 277-291.	1.6	6
70	Cognitive functioning and GABAA/benzodiazepine receptor binding in schizophrenia: A 1231-iodomazenil SPET study. <i>Biological Psychiatry</i> , 1998, 43, 107-117.	0.7	48
71	A study of attendance and filling in of pre-appointment questionnaires in an outpatient clinical psychology service. <i>Journal of Mental Health</i> , 1998, 7, 411-424.	1.0	9
72	Disruption of the Kamin blocking effect in schizophrenia and in normal subjects following amphetamine. <i>Behavioural Brain Research</i> , 1997, 88, 103-114.	1.2	50

#	ARTICLE	IF	CITATIONS
73	An experimental investigation of thought suppression. Behaviour Research and Therapy, 1991, 29, 253-257.	1.6	258