

J Antoni Ramos-Quiroga

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7957543/j-antoni-ramos-quiroya-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

216
papers

11,316
citations

44
h-index

103
g-index

251
ext. papers

15,150
ext. citations

5.7
avg, IF

6.1
L-index

#	Paper	IF	Citations
216	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013 , 45, 984-94	36.3	1628
215	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018 , 360,	33.3	666
214	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
213	Attention-deficit/hyperactivity disorder. <i>Nature Reviews Disease Primers</i> , 2015 , 1, 15020	51.1	618
212	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. <i>Nature Neuroscience</i> , 2015 , 18, 199-209	25.5	572
211	European consensus statement on diagnosis and treatment of adult ADHD: The European Network Adult ADHD. <i>BMC Psychiatry</i> , 2010 , 10, 67	4.2	538
210	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
209	Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults: a cross-sectional mega-analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 310-319	23.3	354
208	GWAS of lifetime cannabis use reveals new risk loci, genetic overlap with psychiatric traits, and a causal influence of schizophrenia. <i>Nature Neuroscience</i> , 2018 , 21, 1161-1170	25.5	270
207	Live fast, die young? A review on the developmental trajectories of ADHD across the lifespan. <i>European Neuropsychopharmacology</i> , 2018 , 28, 1059-1088	1.2	216
206	A common variant of the latrophilin 3 gene, LPHN3, confers susceptibility to ADHD and predicts effectiveness of stimulant medication. <i>Molecular Psychiatry</i> , 2010 , 15, 1053-66	15.1	199
205	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E5154-E5163	11.5	182
204	Updated European Consensus Statement on diagnosis and treatment of adult ADHD. <i>European Psychiatry</i> , 2019 , 56, 14-34	6	170
203	Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. <i>American Journal of Human Genetics</i> , 2015 , 96, 283-94	11	161
202	Multicenter analysis of the SLC6A3/DAT1 VNTR haplotype in persistent ADHD suggests differential involvement of the gene in childhood and persistent ADHD. <i>Neuropsychopharmacology</i> , 2010 , 35, 656-64	8.7	144
201	A randomized, placebo-controlled trial of three fixed dosages of prolonged-release OROS methylphenidate in adults with attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2008 , 63, 981-9	7.9	142
200	Efficacy of methylphenidate for adults with attention-deficit hyperactivity disorder: a meta-regression analysis. <i>CNS Drugs</i> , 2011 , 25, 157-69	6.7	138

199	Exploration of 19 serotonergic candidate genes in adults and children with attention-deficit/hyperactivity disorder identifies association for 5HT2A, DDC and MAOB. <i>Molecular Psychiatry</i> , 2009 , 14, 71-85	15.1	125
198	Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: results from an international multi-center study exploring DSM-IV and DSM-5 criteria. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 158-166	4.9	123
197	Brain Imaging of the Cortex in ADHD: A Coordinated Analysis of Large-Scale Clinical and Population-Based Samples. <i>American Journal of Psychiatry</i> , 2019 , 176, 531-542	11.9	120
196	An independent components and functional connectivity analysis of resting state fMRI data points to neural network dysregulation in adult ADHD. <i>Human Brain Mapping</i> , 2014 , 35, 1261-72	5.9	113
195	Psychiatric comorbidity in treatment-seeking substance use disorder patients with and without attention deficit hyperactivity disorder: results of the IASP study. <i>Addiction</i> , 2014 , 109, 262-72	4.6	103
194	Genome-wide association study of lifetime cannabis use based on a large meta-analytic sample of 32 330 subjects from the International Cannabis Consortium. <i>Translational Psychiatry</i> , 2016 , 6, e769	8.6	102
193	Validity of the Adult ADHD Self-Report Scale (ASRS) as a screener for adult ADHD in treatment seeking substance use disorder patients. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 587-96	4.9	96
192	A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2018 , 83, 1044-1053	7.9	93
191	The World Federation of ADHD International Consensus Statement: 208 Evidence-based conclusions about the disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 128, 789-818	9	92
190	The negative impact of attention-deficit/hyperactivity disorder on occupational health in adults and adolescents. <i>International Archives of Occupational and Environmental Health</i> , 2012 , 85, 837-47	3.2	87
189	Association study of 10 genes encoding neurotrophic factors and their receptors in adult and child attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2008 , 63, 935-45	7.9	86
188	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
187	Contribution of LPHN3 to the genetic susceptibility to ADHD in adulthood: a replication study. <i>Genes, Brain and Behavior</i> , 2011 , 10, 149-57	3.6	82
186	Criteria and Concurrent Validity of DIVA 2.0: A Semi-Structured Diagnostic Interview for Adult ADHD. <i>Journal of Attention Disorders</i> , 2019 , 23, 1126-1135	3.7	77
185	Attention deficit hyperactivity disorder in the European adult population: prevalence, disease awareness, and treatment guidelines. <i>Current Medical Research and Opinion</i> , 2013 , 29, 1093-104	2.5	73
184	Analysis of two language-related genes in autism: a case-control association study of FOXP2 and CNTNAP2. <i>Psychiatric Genetics</i> , 2013 , 23, 82-5	2.9	72
183	Comorbid attention-deficit/hyperactivity disorder in borderline patients defines an impulsive subtype of borderline personality disorder. <i>Journal of Personality Disorders</i> , 2010 , 24, 812-22	2.6	69
182	Response inhibition and reward anticipation in medication-naïve adults with attention-deficit/hyperactivity disorder: a within-subject case-control neuroimaging study. <i>Human Brain Mapping</i> , 2012 , 33, 2350-61	5.9	59

181	Efficacy of central nervous system stimulant treatment for cocaine dependence: a systematic review and meta-analysis of randomized controlled clinical trials. <i>Addiction</i> , 2007 , 102, 1871-87	4.6	57
180	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020 , 88, 169-184	7.9	57
179	Enhanced neural activity in frontal and cerebellar circuits after cognitive training in children with attention-deficit/hyperactivity disorder. <i>Human Brain Mapping</i> , 2010 , 31, 1942-50	5.9	56
178	Amphetamines for Attention Deficit Hyperactivity Disorder (ADHD) in adults. <i>The Cochrane Library</i> , 2011 , CD007813	5.2	54
177	Case-control genome-wide association study of persistent attention-deficit hyperactivity disorder identifies FBXO33 as a novel susceptibility gene for the disorder. <i>Neuropsychopharmacology</i> , 2015 , 40, 915-26	8.7	49
176	Case-control study of six genes asymmetrically expressed in the two cerebral hemispheres: association of BAIAP2 with attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2009 , 66, 926-34 ⁹	7.9	49
175	New suggestive genetic loci and biological pathways for attention function in adult attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168, 459-470	3.5	47
174	The International ADHD in Substance Use Disorders Prevalence (IASP) study: background, methods and study population. <i>International Journal of Methods in Psychiatric Research</i> , 2013 , 22, 232-44	4.3	44
173	Prevalence of ADHD in nonpsychotic adult psychiatric care (ADPSYC): A multinational cross-sectional study in Europe. <i>BMC Psychiatry</i> , 2015 , 15, 242	4.2	43
172	Effect of switching drug formulations from immediate-release to extended-release OROS methylphenidate : a chart review of Spanish adults with attention-deficit hyperactivity disorder. <i>CNS Drugs</i> , 2008 , 22, 603-11	6.7	43
171	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63	14.5	43
170	Criterion and concurrent validity of Conners Adult ADHD Diagnostic Interview for DSM-IV (CAADID) Spanish version. <i>Revista De Psiquiatría Y Salud Mental</i> , 2012 , 5, 229-35	2.7	42
169	Genome-wide copy number variation analysis in adult attention-deficit and hyperactivity disorder. <i>Journal of Psychiatric Research</i> , 2014 , 49, 60-7	5.2	41
168	Decreased serum levels of brain-derived neurotrophic factor in adults with attention-deficit hyperactivity disorder. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 1267-1275	5.8	40
167	Psychoeducation for adults with attention deficit hyperactivity disorder vs. cognitive behavioral group therapy: a randomized controlled pilot study. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 894-900	1.8	38
166	Shared genetic background between children and adults with attention deficit/hyperactivity disorder. <i>Neuropsychopharmacology</i> , 2020 , 45, 1617-1626	8.7	35
165	Brain-derived neurotrophic factor serum levels in cocaine-dependent patients during early abstinence. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1078-84	1.2	35
164	Group therapy for adolescents with attention-deficit/hyperactivity disorder: a randomized controlled trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 275-82	7.2	34

163	Attention deficit hyperactivity disorder in cocaine-dependent adults: a psychiatric comorbidity analysis. <i>American Journal on Addictions</i> , 2013 , 22, 466-73	3.7	34
162	Training-induced neuroanatomical plasticity in ADHD: a tensor-based morphometric study. <i>Human Brain Mapping</i> , 2011 , 32, 1741-9	5.9	34
161	Genome-wide analyses of aggressiveness in attention-deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171, 733-47	3.5	32
160	Neurotransmitter systems and neurotrophic factors in autism: association study of 37 genes suggests involvement of DDC. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 516-27	3.8	30
159	DIRAS2 is associated with adult ADHD, related traits, and co-morbid disorders. <i>Neuropsychopharmacology</i> , 2011 , 36, 2318-27	8.7	30
158	Evaluation of single nucleotide polymorphisms in the miR-183-96-182 cluster in adulthood attention-deficit and hyperactivity disorder (ADHD) and substance use disorders (SUDs). <i>European Neuropsychopharmacology</i> , 2013 , 23, 1463-73	1.2	29
157	Predictors of treatment outcome in adults with ADHD treated with OROS [®] methylphenidate. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 554-60	5.5	28
156	Bipolar disorder with comorbid attention-deficit and hyperactivity disorder. Main clinical features and clues for an accurate diagnosis. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 389-99	6.5	27
155	Laminar thickness alterations in the fronto-parietal cortical mantle of patients with attention-deficit/hyperactivity disorder. <i>PLoS ONE</i> , 2012 , 7, e48286	3.7	26
154	Attention-deficit/hyperactivity disorder and lifetime cannabis use: genetic overlap and causality. <i>Molecular Psychiatry</i> , 2020 , 25, 2493-2503	15.1	26
153	Brain abnormalities in adults with Attention Deficit Hyperactivity Disorder revealed by voxel-based morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 254, 41-7	2.9	24
152	Evaluation of common variants in 16 genes involved in the regulation of neurotransmitter release in ADHD. <i>European Neuropsychopharmacology</i> , 2013 , 23, 426-35	1.2	24
151	Achieving remission as a routine goal of pharmacotherapy in attention-deficit hyperactivity disorder. <i>CNS Drugs</i> , 2011 , 25, 17-36	6.7	24
150	Functional improvement and correlations with symptomatic improvement in adults with attention deficit hyperactivity disorder receiving long-acting methylphenidate. <i>Psychological Medicine</i> , 2012 , 42, 195-204	6.9	24
149	COVID-19 pandemic effects in people with Autism Spectrum Disorder and their caregivers: Evaluation of social distancing and lockdown impact on mental health and general status. <i>Research in Autism Spectrum Disorders</i> , 2021 , 83, 101757	3	24
148	Addressing the lack of studies in attention-deficit/hyperactivity disorder in adults. <i>Expert Review of Neurotherapeutics</i> , 2014 , 14, 553-67	4.3	23
147	Emotional lability: the discriminative value in the diagnosis of attention deficit/hyperactivity disorder in adults. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1712-9	7.3	23
146	Association study of 37 genes related to serotonin and dopamine neurotransmission and neurotrophic factors in cocaine dependence. <i>Genes, Brain and Behavior</i> , 2013 , 12, 39-46	3.6	23

145	Candidate system analysis in ADHD: evaluation of nine genes involved in dopaminergic neurotransmission identifies association with DRD1. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 281-92	3.8	23
144	Persistence and Subtype Stability of ADHD Among Substance Use Disorder Treatment Seekers. <i>Journal of Attention Disorders</i> , 2019 , 23, 1438-1453	3.7	23
143	Cortisol responses in children and adults with attention deficit hyperactivity disorder (ADHD): a possible marker of inhibition deficits. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2012 , 4, 63-75	3.1	22
142	IL-6 and TNF- α in unmedicated adults with ADHD: Relationship to cortisol awakening response. <i>Psychoneuroendocrinology</i> , 2017 , 79, 67-73	5	21
141	Early-age clinical and developmental features associated to Substance Use Disorders in Attention-Deficit/Hyperactivity Disorder in Adults. <i>Comprehensive Psychiatry</i> , 2014 , 55, 639-49	7.3	21
140	Childhood trauma exposure in substance use disorder patients with and without ADHD. <i>Addictive Behaviors</i> , 2017 , 65, 118-124	4.2	21
139	Quantitative MR analysis of caudate abnormalities in pediatric ADHD: proposal for a diagnostic test. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 182, 238-43	2.9	21
138	Extended-release guanfacine hydrochloride in 6-17-year olds with ADHD: a randomised-withdrawal maintenance of efficacy study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 717-28	7.9	21
137	Exome chip analyses in adult attention deficit hyperactivity disorder. <i>Translational Psychiatry</i> , 2016 , 6, e923	8.6	20
136	Exploring DRD4 and its interaction with SLC6A3 as possible risk factors for adult ADHD: a meta-analysis in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 600-12	3.5	20
135	SLC2A3 single-nucleotide polymorphism and duplication influence cognitive processing and population-specific risk for attention-deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2017 , 58, 798-809	7.9	19
134	Health care and societal costs of the management of children and adolescents with attention-deficit/hyperactivity disorder in Spain: a descriptive analysis. <i>BMC Psychiatry</i> , 2018 , 18, 40	4.2	19
133	Efficacy and safety of prolonged-release OROS methylphenidate in adults with attention deficit/hyperactivity disorder: a 13-week, randomized, double-blind, placebo-controlled, fixed-dose study. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 268-81	3.8	19
132	Maintenance of response after open-label treatment with atomoxetine hydrochloride in international European and non-European adult outpatients with attention-deficit/hyperactivity disorder: a placebo-controlled, randomised withdrawal study. <i>European Journal of Psychiatry</i> , 2013 , 27, 185-205	1	18
131	Preliminary evidence for association of genetic variants in pri-miR-34b/c and abnormal miR-34c expression with attention deficit and hyperactivity disorder. <i>Translational Psychiatry</i> , 2016 , 6, e879	8.6	18
130	Consortium neuroscience of attention deficit/hyperactivity disorder and autism spectrum disorder: The ENIGMA adventure. <i>Human Brain Mapping</i> , 2020 ,	5.9	17
129	Functional Imaging Changes in the Medial Prefrontal Cortex in Adult ADHD. <i>Journal of Attention Disorders</i> , 2018 , 22, 679-693	3.7	17
128	Bright light therapy versus physical exercise to prevent co-morbid depression and obesity in adolescents and young adults with attention-deficit / hyperactivity disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 140	2.8	17

127	Differences in the association between childhood trauma history and borderline personality disorder or attention deficit/hyperactivity disorder diagnoses in adulthood. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 541-549	5.1	17
126	On the role of NOS1 ex1f-VNTR in ADHD-allelic, subgroup, and meta-analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168, 445-458	3.5	17
125	Stimulant drugs trigger transient volumetric changes in the human ventral striatum. <i>Brain Structure and Function</i> , 2014 , 219, 23-34	4	17
124	Safety and tolerability of flexible dosages of prolonged-release OROS methylphenidate in adults with attention-deficit/hyperactivity disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2009 , 5, 457-66	3.1	17
123	Pharmacogenetics of methylphenidate response and tolerability in attention-deficit/hyperactivity disorder. <i>Pharmacogenomics Journal</i> , 2017 , 17, 98-104	3.5	16
122	Genome-wide association meta-analysis of age at first cannabis use. <i>Addiction</i> , 2018 , 113, 2073-2086	4.6	16
121	Cortisol Response to Stress in Adults with Attention Deficit Hyperactivity Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2015 , 18,	5.8	16
120	Personality profile of adult ADHD: the alternative five factor model. <i>Psychiatry Research</i> , 2012 , 198, 130-49	4.9	16
119	Epigenetic signature for attention-deficit/hyperactivity disorder: identification of miR-26b-5p, miR-185-5p, and miR-191-5p as potential biomarkers in peripheral blood mononuclear cells. <i>Neuropsychopharmacology</i> , 2019 , 44, 890-897	8.7	16
118	Dopamine receptor DRD4 gene and stressful life events in persistent attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168, 480-491	3.5	15
117	Sleep in adults with autism spectrum disorder and attention deficit/hyperactivity disorder: A systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2020 , 38, 1-24	1.2	15
116	Clinical Validation of Eye Vergence as an Objective Marker for Diagnosis of ADHD in Children. <i>Journal of Attention Disorders</i> , 2019 , 23, 599-614	3.7	15
115	Time and psychostimulants: Opposing long-term structural effects in the adult ADHD brain. A longitudinal MR study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 1238-1247	1.2	14
114	Changes in the serum levels of brain-derived neurotrophic factor in adults with attention deficit hyperactivity disorder after treatment with atomoxetine. <i>Psychopharmacology</i> , 2014 , 231, 1389-95	4.7	14
113	DISC1 in adult ADHD patients: an association study in two European samples. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 227-34	3.5	14
112	Comorbidity of ADHD and adult bipolar disorder: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 124, 100-123	9	14
111	ADGRL3 (LPHN3) variants predict substance use disorder. <i>Translational Psychiatry</i> , 2019 , 9, 42	8.6	13
110	Dissociation of impulsivity and aggression in mice deficient for the ADHD risk gene Adgrl3: Evidence for dopamine transporter dysregulation. <i>Neuropharmacology</i> , 2019 , 156, 107557	5.5	13

109	Practical recommendations for the management of treatment-resistant depression with esketamine nasal spray therapy: Basic science, evidence-based knowledge and expert guidance. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 468-482	3.8	13
108	The connersAdult ADHD rating scales--short self-report and observer forms: psychometric properties of the Catalan version. <i>Journal of Attention Disorders</i> , 2014 , 18, 671-9	3.7	13
107	Serum brain-derived neurotrophic factor levels and cocaine-induced transient psychotic symptoms. <i>Neuropsychobiology</i> , 2013 , 68, 146-55	4	13
106	Strengths and Difficulties Questionnaire: Psychometric Properties and Normative Data for Spanish 5- to 17-Year-Olds. <i>Assessment</i> , 2021 , 28, 1445-1458	3.7	13
105	Psychiatric factors affecting recovery after a long term treatment program for substance use disorder. <i>Psychiatry Research</i> , 2019 , 276, 283-289	9.9	12
104	Criteria and Concurrent Validity of Adult ADHD Section of the Psychiatry Research Interview for Substance and Mental Disorders. <i>Journal of Attention Disorders</i> , 2015 , 19, 999-1006	3.7	12
103	Long-term safety and efficacy of guanfacine extended release in children and adolescents with ADHD. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 1283-1294	5.5	12
102	Absence of cytogenetic effects in children and adults with attention-deficit/hyperactivity disorder treated with methylphenidate. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009 , 666, 44-9	3.3	12
101	Candidate pathway association study in cocaine dependence: the control of neurotransmitter release. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 126-34	3.8	12
100	Common variants in the TPH1 and TPH2 regions are not associated with persistent ADHD in a combined sample of 1,636 adult cases and 1,923 controls from four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1008-15	3.5	12
99	International Consensus Statement for the Screening, Diagnosis, and Treatment of Adolescents with Concurrent Attention-Deficit/Hyperactivity Disorder and Substance Use Disorder. <i>European Addiction Research</i> , 2020 , 26, 223-232	4.6	12
98	Manifesto for an international digital mental health network 2019 , 2, 14-24		11
97	Functioning Assessment Short Test (FAST): validity and reliability in adults with attention-deficit/hyperactivity disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 719-27	5.1	11
96	Identification of ADHD risk genes in extended pedigrees by combining linkage analysis and whole-exome sequencing. <i>Molecular Psychiatry</i> , 2020 , 25, 2047-2057	15.1	11
95	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
94	An association study of sequence variants in the forkhead box P2 (FOXP2) gene and adulthood attention-deficit/hyperactivity disorder in two European samples. <i>Psychiatric Genetics</i> , 2012 , 22, 155-60	2.9	10
93	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials.. <i>Molecular Psychiatry</i> , 2021 ,	15.1	10
92	Integrative genomic analysis of methylphenidate response in attention-deficit/hyperactivity disorder. <i>Scientific Reports</i> , 2018 , 8, 1881	4.9	9

91	Are patients with bipolar disorder and comorbid attention-deficit hyperactivity disorder more neurocognitively impaired?. <i>Bipolar Disorders</i> , 2017 , 19, 637-650	3.8	9
90	Association of the PLCB1 gene with drug dependence. <i>Scientific Reports</i> , 2017 , 7, 10110	4.9	9
89	Risk Factors for Borderline Personality Disorder in Treatment Seeking Patients with a Substance Use Disorder: An International Multicenter Study. <i>European Addiction Research</i> , 2015 , 21, 188-94	4.6	9
88	Effectiveness of a Transdiagnostic Guided Internet-Delivered Protocol for Emotional Disorders Versus Treatment as Usual in Specialized Care: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020 , 22, e18220	7.6	9
87	Presence of Distractor Improves Time Estimation Performance in an Adult ADHD Sample. <i>Journal of Attention Disorders</i> , 2020 , 24, 1530-1537	3.7	9
86	Alcohol use disorder and cognitive impairment in old age patients: A 6 months follow-up study in an outpatient unit in Barcelona. <i>Psychiatry Research</i> , 2018 , 261, 361-366	9.9	8
85	Functional impairment in adult bipolar disorder with ADHD. <i>Journal of Affective Disorders</i> , 2018 , 227, 117-125	6.6	8
84	Spanish validation of the adult Attention Deficit/Hyperactivity Disorder Rating Scale (ADHD-RS): relevance of clinical subtypes. <i>Revista De Psiquiatría Y Salud Mental</i> , 2017 , 10, 185-191	2.7	8
83	Transcranial direct current stimulation in Autism Spectrum Disorder: A systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2021 , 48, 89-109	1.2	8
82	Psychopathology and traffic violations in subjects who have lost their driving license. <i>Comprehensive Psychiatry</i> , 2017 , 76, 45-55	7.3	7
81	Treating impulsivity with probiotics in adults (PROBIA): study protocol of a multicenter, double-blind, randomized, placebo-controlled trial. <i>Trials</i> , 2020 , 21, 161	2.8	7
80	Stepwise functional connectivity reveals altered sensory-multimodal integration in medication-naïve adults with attention deficit hyperactivity disorder. <i>Human Brain Mapping</i> , 2019 , 40, 4645-4656	5.9	7
79	Gene-wide Association Study Reveals RNF122 Ubiquitin Ligase as a Novel Susceptibility Gene for Attention Deficit Hyperactivity Disorder. <i>Scientific Reports</i> , 2017 , 7, 5407	4.9	7
78	Safety and tolerability of atomoxetine hydrochloride in a long-term, placebo-controlled randomized withdrawal study in European and non-European adults with attention-deficit/hyperactivity disorder. <i>European Journal of Psychiatry</i> , 2013 , 27, 206-224	1	7
77	Psychosocial Profiles of Adults with ADHD: A Comparative Study of Prison and Outpatient Psychiatric Samples. <i>European Journal of Psychology Applied To Legal Context</i> , 2018 , 11, 41-49	4.7	7
76	Analysis of structural brain asymmetries in attention-deficit/hyperactivity disorder in 39 datasets. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 1202-1219	7.9	7
75	Genetic association study of childhood aggression across raters, instruments, and age. <i>Translational Psychiatry</i> , 2021 , 11, 413	8.6	7
74	Genetic overlap and causality between substance use disorder and attention-deficit and hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2021 , 186, 140-150	3.5	7

73	Psychological impact and social support in pregnant women during lockdown due to SARS-CoV2 pandemic: A cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 1026-1033	3.8	7
72	Trastorno por déficit de atención con hiperactividad en adultos: caracterización clínica y terapéutica. <i>Revista De Neurologia</i> , 2006 , 42, 600	2.4	6
71	Family Functioning and Parental Bonding During Childhood in Adults Diagnosed With ADHD. <i>Journal of Attention Disorders</i> , 2019 , 23, 57-64	3.7	6
70	Attention Deficit Hyperactivity Disorder Increases Nicotine Addiction Severity in Adults Seeking Treatment for Substance Use Disorders: The Role of Personality Disorders. <i>European Addiction Research</i> , 2020 , 26, 191-200	4.6	5
69	Prevalence and Psychosocial Correlates of ADHD Symptoms in Young Adulthood: A French Population-Based Study. <i>Journal of Attention Disorders</i> , 2018 , 22, 167-181	3.7	5
68	Lack of association between the LPR and VNTR polymorphisms of the serotonin transporter gene and cocaine dependence in a Spanish sample. <i>Psychiatry Research</i> , 2013 , 210, 1287-9	9.9	5
67	OROS methylphenidate for the treatment of adults with attention-deficit/hyperactivity disorder. <i>Expert Review of Neurotherapeutics</i> , 2009 , 9, 1121-31	4.3	5
66	Gut microbiota signature in treatment-naïve attention-deficit/hyperactivity disorder. <i>Translational Psychiatry</i> , 2021 , 11, 382	8.6	5
65	Cortisol awakening response in adults with attention deficit hyperactivity disorder: Subtype differences and association with the emotional lability. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1140-9	1.2	5
64	Is alexithymia related to retention and relapses in patients with substance use disorders?: A one year follow-up study. <i>Addictive Behaviors</i> , 2021 , 113, 106681	4.2	5
63	Psychiatric Comorbidity and Addiction Severity Differences in Patients With ADHD Seeking Treatment for Cannabis or Cocaine Use Disorders. <i>Journal of Attention Disorders</i> , 2021 , 25, 978-988	3.7	5
62	The Impact of Emotional Lability Symptoms During Childhood in Adults With ADHD. <i>Journal of Attention Disorders</i> , 2018 , 22, 581-590	3.7	5
61	Genome-wide analysis of emotional lability in adult attention deficit hyperactivity disorder (ADHD). <i>European Neuropsychopharmacology</i> , 2019 , 29, 795-802	1.2	4
60	Epigenome-wide association study of attention-deficit/hyperactivity disorder in adults. <i>Translational Psychiatry</i> , 2020 , 10, 199	8.6	4
59	The role of environmental influences in the complex relationship between borderline personality disorder and attention-deficit/hyperactivity disorder: review of recent findings. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2020 , 7, 2	4.9	4
58	The Relationship Between Neuropsychological Deficits and Emotional Lability in Adults With ADHD. <i>Journal of Attention Disorders</i> , 2019 , 23, 1514-1525	3.7	4
57	Impulsivity: current and future trends in pharmacological treatment. <i>Expert Review of Neurotherapeutics</i> , 2010 , 10, 1367-9	4.3	4
56	Shared genetic background between children and adults with attention deficit/hyperactivity disorder		4

55	Eye Vergence Responses During an Attention Task in Adults With ADHD and Clinical Controls. <i>Journal of Attention Disorders</i> , 2021 , 25, 1302-1310	3.7	4
54	Cognitive reserve in mental disorders. <i>European Neuropsychopharmacology</i> , 2021 , 49, 113-115	1.2	4
53	Alcohol use disorders and ADHD. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 128, 648-660	9	4
52	Dog-Assisted Therapy for Children and Adolescents With Fetal Alcohol Spectrum Disorders a Randomized Controlled Pilot Study. <i>Frontiers in Psychology</i> , 2020 , 11, 1080	3.4	3
51	The International Collaboration on ADHD and Substance Abuse (ICASA): Mission, Results, and Future Activities. <i>European Addiction Research</i> , 2020 , 26, 173-178	4.6	3
50	Evaluation of previous substance dependence genome-wide significant findings in a Spanish sample. <i>Drug and Alcohol Dependence</i> , 2018 , 187, 358-362	4.9	3
49	Spanish validation of the adult Attention Deficit/Hyperactivity Disorder Rating Scale (ADHD-RS): Relevance of clinical subtypes. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2017 , 10, 185-191	0.2	3
48	Dual diagnosis among medical residents: a systematic review. <i>Revista De Psicología De La Salud</i> , 2020 , 32, 281-290	1	3
47	Catatonia Related to Cannabis and Synthetic Cannabinoids: A Review. <i>Journal of Dual Diagnosis</i> , 2021 , 17, 159-171	2.4	3
46	Insomnia Disorder in Adult Attention-Deficit/Hyperactivity Disorder Patients: Clinical, Comorbidity, and Treatment Correlates. <i>Frontiers in Psychiatry</i> , 2021 , 12, 663889	5	3
45	Treatment retention and abstinence of patients with substance use disorders according to addiction severity and psychiatry comorbidity: A six-month follow-up study in an outpatient unit. <i>Addictive Behaviors</i> , 2021 , 117, 106832	4.2	3
44	Meta-analysis of the DRD5 VNTR in persistent ADHD. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1527-1532	1.2	3
43	The Impact of Psychosis on Sexual Functioning: A Systematic Review. <i>Journal of Sexual Medicine</i> , 2021 , 18, 457-466	1.1	3
42	Benzodiazepine Use Disorder and Cognitive Impairment in Older Patients: A Six-Month-Follow-Up Study in an Outpatient Unit in Barcelona. <i>Journal of Studies on Alcohol and Drugs</i> , 2018 , 79, 844-852	1.9	3
41	Neurodevelopmental disorders among Spanish school-age children: prevalence and sociodemographic correlates. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	3
40	Delphi Consensus on Attention Deficit Hyperactivity Disorder (ADHD): evaluation by a panel of experts. <i>Actas Espanolas De Psiquiatria</i> , 2016 , 44, 231-43	0.7	3
39	Early developmental, temperamental and educational problems in Substance use disorders patients with and without ADHD. Does ADHD make a difference?. <i>Addictive Behaviors Reports</i> , 2015 , 2, 13-18	3.7	2
38	Validity of the ADHD module of the Mini International Neuropsychiatric Interview PLUS for screening of adult ADHD in treatment seeking substance use disorder patients: ADHD screening with MINI-Plus. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020 ,	2.7	2

37	Response to Cunill et al. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 435-6	2.6	2
36	Criterion and concurrent validity of Conners Adult ADHD Diagnostic Interview for DSM-IV (CAADID) Spanish version. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2012 , 5, 229-235	0.2	2
35	Electrophysiological Brain Changes Associated With Cognitive Improvement in a Pediatric Attention Deficit Hyperactivity Disorder Digital Artificial Intelligence-Driven Intervention: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021 , 23, e25466	7.6	2
34	Non-mental diseases associated with ADHD across the lifespan: Fidgety Philipp and Pippi Longstocking at risk of multimorbidity?. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 132, 1157-1157	9	2
33	Dissecting the shared genetic architecture of suicide attempt, psychiatric disorders and known risk factors		2
32	Alexithymia in Patients With Substance Use Disorders and Its Relationship With Psychiatric Comorbidities and Health-Related Quality of Life. <i>Frontiers in Psychiatry</i> , 2021 , 12, 659063	5	2
31	Sleep disturbances in autism spectrum disorder without intellectual impairment: relationship with executive function and psychiatric symptoms. <i>Sleep Medicine</i> , 2021 , 83, 106-114	4.6	2
30	Impact of COVID-19 on Families of Pediatric Solid Organ Transplant Recipients. <i>Journal of Pediatric Psychology</i> , 2021 , 46, 927-938	3.2	2
29	Sex differences in an old adult sample with substance use disorder: A 6 months follow-up study. <i>Psychiatry Research</i> , 2018 , 270, 1157-1165	9.9	2
28	Continuity of Genetic Risk for Aggressive Behavior Across the Life-Course. <i>Behavior Genetics</i> , 2021 , 51, 592-606	3.2	2
27	Adult ADHD: an area lacking in clinical research?. <i>Clinical Investigation</i> , 2013 , 3, 803-805		1
26	Amfetamines for Attention Deficit Hyperactivity Disorder (ADHD) in adults 2009 ,		1
25	COVID-19 Lockdown and Consumption Patterns among Substance Use Disorder Outpatients: A Multicentre Study.. <i>European Addiction Research</i> , 2022 , 1-12	4.6	1
24	Is the effect of cognitive reserve in longitudinal outcomes in first-episode psychoses dependent on the use of cannabis?. <i>Journal of Affective Disorders</i> , 2022 , 302, 83-83	6.6	1
23	Cocaine-Induced Psychosis and Asenapine as Treatment: A Case Study. <i>Psychopharmacology Bulletin</i> , 2019 , 49, 92-97	0.9	1
22	Fear Conditioning Deficits in Children and Adolescents with Psychopathic Traits: a Study in a Clinical Population. <i>Journal of Psychopathology and Behavioral Assessment</i> ,1	2	1
21	Transcriptome profiling in adult attention-deficit hyperactivity disorder. <i>European Neuropsychopharmacology</i> , 2020 , 41, 160-166	1.2	1
20	End of Life Intervention Program During COVID-19 in Vall d'Hebron University Hospital. <i>Frontiers in Psychiatry</i> , 2021 , 12, 608973	5	1

19	Exploring allele specific methylation in drug dependence susceptibility. <i>Journal of Psychiatric Research</i> , 2021 , 136, 474-482	5.2	1
18	Improvement of functional neurological disorder after administration of esketamine nasal spray: a case report. <i>Therapeutic Advances in Psychopharmacology</i> , 2021 , 11, 20451253211022187	4.9	1
17	Polygenic association between attention-deficit/hyperactivity disorder liability and cognitive impairments. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	1
16	Differences in the genetic architecture of common and rare variants in childhood, persistent and late-diagnosed attention deficit hyperactivity disorder		1
15	Expert recommendation: contributions to clinical practice of the new prodrug lisdexamfetamine dimesylate (LDX) in the treatment of attention deficit hyperactivity disorder (ADHD). <i>Actas Espanolas De Psiquiatria</i> , 2014 , 42 Suppl, 1-16	0.7	1
14	A Multicenter Study on the Impact of Gender, Age, and Dual Diagnosis on Substance Consumption and Mental Health Status in Outpatients Treated for Substance Use Disorders During COVID-19 Lockdown.. <i>Journal of Dual Diagnosis</i> , 2022 , 1-10	2.4	1
13	Just-in-time response to reward as a function of ADHD symptom severity. <i>Psychiatry and Clinical Neurosciences</i> , 2018 , 72, 731-740	6.2	0
12	Integrating genomics and transcriptomics: Towards deciphering ADHD. <i>European Neuropsychopharmacology</i> , 2021 , 44, 1-13	1.2	0
11	Functioning assessment short test (FAST): validity and reliability in adults with Autism Spectrum Disorder. <i>BMC Psychiatry</i> , 2021 , 21, 321	4.2	0
10	Quinolone-induced psychosis: an updated review. <i>Actas Espanolas De Psiquiatria</i> , 2020 , 48, 126-37	0.7	0
9	The impact of psychopathology on academic performance in school-age children and adolescents.. <i>Scientific Reports</i> , 2022 , 12, 4291	4.9	0
8	Prevalence of attention deficit/hyperactivity disorder symptoms in outpatient adolescents and young adults with other psychiatric disorders refractory to previous treatments. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2014 , 7, 104-112	0.2	
7	The dynamical association between physical activity and affect in the daily life of individuals with ADHD.. <i>European Neuropsychopharmacology</i> , 2022 , 57, 69-74	1.2	
6	Retrospective symptoms and learning difficulties predicting ADHD in adults: Differences between prison inmates and the clinical population. <i>Scandinavian Journal of Psychology</i> , 2021 , 62, 301-311	2.2	
5	Brain structural and functional substrates of ADGRL3 (latrophilin 3) haplotype in attention-deficit/hyperactivity disorder. <i>Scientific Reports</i> , 2021 , 11, 2373	4.9	
4	Barriers to linkage to care in hepatitis C patients with substance use disorders and dual diagnoses, despite centralized management. <i>Therapeutic Advances in Gastroenterology</i> , 2021 , 14, 17562848211016563	4.7	
3	Three-year prevalence of self-harm behaviors among the reasons for emergency visits of children and adolescents. <i>Actas Espanolas De Psiquiatria</i> , 2021 , 49, 35-42	0.7	
2	Attention deficit hyperactivity disorder symptoms and cannabis use after one year among students of the i-Share cohort.. <i>European Psychiatry</i> , 2022 , 1-18	6	

- 1 Psychotherapeutic interventions specifically developed for NSSI in adolescence: A systematic review.. *European Neuropsychopharmacology*, **2022**, 58, 86-98 1.2