
Andrea K Roalfe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7957655/publications.pdf Version: 2024-02-01



ANDREA K ROALEE

#	Article	IF	CITATIONS
1	Atrial nitroso-redox balance and refractoriness following on-pump cardiac surgery: a randomized trial of atorvastatin. Cardiovascular Research, 2022, 118, 184-195.	3.8	9
2	Natriuretic peptide level at heart failure diagnosis and risk of hospitalisation and death in England 2004–2018. Heart, 2022, 108, 543-549.	2.9	11
3	National trends in heart failure mortality in men and women, <scp>United Kingdom</scp> , 2000–2017. European Journal of Heart Failure, 2021, 23, 3-12.	7.1	25
4	Diagnosing heart failure in primary care: individual patient data metaâ€analysis of two European prospective studies. ESC Heart Failure, 2021, 8, 2193-2201.	3.1	9
5	Survival of people with valvular heart disease in a large, English community-based cohort study. Heart, 2021, 107, 1336-1343.	2.9	12
6	Outcome of Flow Diverters with Surface Modifications in Treatment of Cerebral Aneurysms: Systematic Review and Meta-analysis. American Journal of Neuroradiology, 2021, 42, 327-333.	2.4	14
7	Long term trends in natriuretic peptide testing for heart failure in UK primary care: a cohort study. European Heart Journal, 2021, , .	2.2	9
8	A randomised controlled trial of extended anticoagulation treatment <i>versus</i> standard treatment for the prevention of recurrent venous thromboembolism (VTE) and postâ€thrombotic syndrome in patients being treated for a first episode of unprovoked VTE (the ExACT study). British Journal of Haematology, 2020, 188, 962-975.	2.5	22
9	Survival rates in elderly patients with heart failure: reply. European Journal of Heart Failure, 2020, 22, 566-567.	7.1	Ο
10	Prevention and treatment of venous thromboembolism in hospital and the community: a research programme including the ExACT RCT. Programme Grants for Applied Research, 2020, 8, 1-104.	1.0	1
11	Survival of patients with chronic heart failure in the community: a systematic review and metaâ€analysis. European Journal of Heart Failure, 2019, 21, 1306-1325.	7.1	301
12	Estimated stroke risk, yield, and number needed to screen for atrial fibrillation detected through single time screening: a multicountry patient-level meta-analysis of 141,220 screened individuals. PLoS Medicine, 2019, 16, e1002903.	8.4	90
13	Trends in survival after a diagnosis of heart failure in the United Kingdom 2000-2017: population based cohort study. BMJ: British Medical Journal, 2019, 364, l223.	2.3	291
14	Effectiveness of a behavioural intervention involving regular weighing and feedback by community midwives within routine antenatal care to prevent excessive gestational weight gain: POPS2 randomised controlled trial. BMJ Open, 2019, 9, e030174.	1.9	18
15	A brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: a RCT. Public Health Research, 2019, 7, 1-66.	1.3	9
16	Survival of patients with chronic heart failure in the community: a systematic review and meta-analysis protocol. Systematic Reviews, 2018, 7, 151.	5.3	7
17	MICE or NICE? An economic evaluation of clinical decision rules in the diagnosis of heart failure in primary care. International Journal of Cardiology, 2017, 241, 255-261.	1.7	11
18	Primary care REFerral for EchocaRdiogram (REFER) in heart failure: a diagnostic accuracy study. British Journal of General Practice, 2017, 67, e94-e102.	1.4	32

#	Article	IF	CITATIONS
19	Study protocol: the effectiveness and cost effectiveness of a brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: randomised controlled trial (The LIMIT Study). BMC Public Health, 2015, 15, 530.	2.9	15
20	Development and initial validation of a simple clinical decision tool to predict the presence of heart failure in primary care: the MICE (Male, Infarction, Crepitations, Edema, MICE) rule. European Journal of Heart Failure, 2012, 14, 1000-1008.	7.1	25
21	The REFER (REFer for EchocaRdiogram) protocol: a prospective validation of a clinical decision rule, NT-proBNP, or their combination, in the diagnosis of heart failure in primary care. Rationale and design. BMC Cardiovascular Disorders, 2012, 12, 97.	1.7	14