

# Reza Ahmadi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7958035/publications.pdf>

Version: 2024-02-01

34  
papers

410  
citations

759233

12  
h-index

888059

17  
g-index

35  
all docs

35  
docs citations

35  
times ranked

520  
citing authors

#	ARTICLE	IF	CITATIONS
1	Higher serum level of CTRP15 in patients with coronary artery disease is associated with disease severity, body mass index and insulin resistance. Archives of Physiology and Biochemistry, 2022, 128, 276-280.	2.1	16
2	Serum Levels of IL-37 and Correlation with Inflammatory Cytokines and Clinical Outcomes in Patients with Coronary Artery Disease. Journal of Investigative Medicine, 2022, 70, 1720-1727.	1.6	8
3	Expression levels of miR-27a, miR-329, ABCA1, and ABCG1 genes in peripheral blood mononuclear cells and their correlation with serum levels of oxidative stress and hsCRP in the patients with coronary artery disease. IUBMB Life, 2021, 73, 223-237.	3.4	22
4	Increased Indoleamine 2, 3-Dioxygenase expression modulates Th1/Th17/Th22 and Treg pathway in humans with Helicobacter Pylori-Infected gastric mucosa. Human Immunology, 2021, 82, 46-53.	2.4	11
5	An overview of the innate and adaptive immune system in atherosclerosis. IUBMB Life, 2021, 73, 64-91.	3.4	10
6	Increased the circulating levels of malondialdehyde in patients with obstructive sleep apnea: a systematic review and meta-analysis. Sleep and Breathing, 2021, 25, 1753-1760.	1.7	3
7	Klotho, FOXO1 and cytokines associations in patients with coronary artery disease. Cytokine, 2021, 141, 155443.	3.2	11
8	The impacts of C1q/TNF-related protein-15 and adiponectin on Interleukin-6 and tumor necrosis factor- $\alpha$ in primary macrophages of patients with coronary artery diseases. Cytokine, 2021, 142, 155470.	3.2	5
9	Serum levels of IL-32 in patients with coronary artery disease and its relationship with the serum levels of IL-6 and TNF- $\alpha$ . Molecular Biology Reports, 2021, 48, 4263-4271.	2.3	11
10	Frequency of virulence-associated genotypes of Helicobacter pylori and their correlation with clinical outcome and histological parameters in infected patients. Heliyon, 2021, 7, e07610.	3.2	2
11	Reply to comments on "Increased the circulating levels of malondialdehyde in patients with obstructive sleep apnea: a systematic review and meta-analysis". Sleep and Breathing, 2021, , 1.	1.7	0
12	Serum levels of subfatin in patients with type 2 diabetes mellitus and its association with vascular adhesion molecules. Archives of Physiology and Biochemistry, 2020, 126, 335-340.	2.1	15
13	Serum levels of IL-32 in patients with type 2 diabetes mellitus and its relationship with TNF- $\alpha$ and IL-6. Cytokine, 2020, 125, 154832.	3.2	37
14	Paraoxonase Activity in Patients with Obstructive Sleep Apnea: a Systematic Review and Meta-analysis. SN Comprehensive Clinical Medicine, 2020, 2, 25-31.	0.6	3
15	Evaluation of IP10 and miRNA 296-a Expression Levels in Peripheral Blood Mononuclear Cell of Coronary Artery Disease Patients and Controls. DNA and Cell Biology, 2020, 39, 1678-1684.	1.9	12
16	Retinoic acid and fibroblast growth factor-2 play a key role on modulation of sex hormones and apoptosis in a mouse model of polycystic ovary syndrome induced by estradiol valerate. Taiwanese Journal of Obstetrics and Gynecology, 2020, 59, 882-890.	1.3	3
17	Interleukin-22 and intestinal homeostasis: Protective or destructive?. IUBMB Life, 2020, 72, 1585-1602.	3.4	22
18	Circulating levels of oxidized low-density lipoprotein in patients with obstructive sleep apnea: a systematic review and meta-analysis. Sleep and Breathing, 2020, 24, 809-815.	1.7	10

#	ARTICLE	IF	CITATIONS
19	The expression levels of miRNAs- 27a and 23a in the peripheral blood mononuclear cells (PBMCs) and their correlation with FOXO1 and some inflammatory and anti-inflammatory cytokines in the patients with coronary artery disease (CAD). <i>Life Sciences</i> , 2020, 256, 117898.	4.3	15
20	The impact of continuous positive airway pressure therapy on circulating levels of malondialdehyde: a systematic review and meta-analysis. <i>Sleep Medicine</i> , 2020, 75, 27-36.	1.6	8
21	Serum levels of C1q/TNF-related protein-3 in inflammatory bowel disease patients and its inverse association with inflammatory cytokines and insulin resistance. <i>IUBMB Life</i> , 2020, 72, 1698-1704.	3.4	9
22	Effects of nitric oxide on reproductive organs and related physiological processes. <i>Asian Pacific Journal of Reproduction</i> , 2020, 9, 159.	0.4	3
23	Assessment of the toxicity effects of nicotine on sperm and IVF and the potential protective role of silymarin—an experimental study in mice. <i>Middle East Fertility Society Journal</i> , 2020, 25, .	1.5	6
24	Possible involvement of PI3K/AKT/mTOR signaling pathway in the protective effect of selegiline (deprenyl) against memory impairment following ischemia reperfusion in rat. <i>Neuropeptides</i> , 2019, 77, 101942.	2.2	17
25	Update of spectrum c.35delG and c.23+1G>A mutations on the <i>GJB2</i> gene in individuals with autosomal recessive nonsyndromic hearing loss. <i>Annals of Human Genetics</i> , 2019, 83, 1-10.	0.8	28
26	A novel variant of SLC26A4 and first report of the c.716T>A variant in Iranian pedigrees with non-syndromic sensorineural hearing loss. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2018, 39, 719-725.	1.3	11
27	miR-342-5p Expression Levels in Coronary Artery Disease Patients and its Association with Inflammatory Cytokines. <i>Clinical Laboratory</i> , 2018, 64, 603-609.	0.5	16
28	Lower Expression of miR-10a in Coronary Artery Disease and its Association with Pro/Anti-Inflammatory Cytokines. <i>Clinical Laboratory</i> , 2018, 64, 847-854.	0.5	9
29	Role of serum MMP-9 levels and vitamin D receptor polymorphisms in the susceptibility to coronary artery disease: An association study in Iranian population. <i>Gene</i> , 2017, 628, 295-300.	2.2	17
30	Application of Allogeneic Fibroblast Cells in Cellular Therapy of Recessive Dystrophic Epidermolysis Bullosa. <i>Journal of Skin and Stem Cell</i> , 2015, 2, .	0.2	0
31	Synergistic effects of BuChE non-UU phenotype and paraoxonase (PON1) 55%M allele on the risk of systemic lupus erythematosus: influence on lipid and lipoprotein metabolism and oxidative stress, preliminary report. <i>Lupus</i> , 2014, 23, 263-272.	1.6	22
32	Butyrylcholinesterase (BChE) activity is associated with the risk of preeclampsia: influence on lipid and lipoprotein metabolism and oxidative stress. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 1590-1594.	1.5	16
33	Apolipoprotein E Genotypes, Lipid Peroxidation, and Antioxidant Status among Mild and Severe Preeclamptic Women from Western Iran: Protective Role of Apolipoprotein $\mu$ 2 Allele in Severe Preeclampsia. <i>Hypertension in Pregnancy</i> , 2012, 31, 405-418.	1.1	17
34	Association Between Cholesteryl Ester Transfer Protein Taq1B Variants and Risk of Coronary Artery Disease and Diabetes Mellitus in the Population of Western Iran. <i>Genetic Testing and Molecular Biomarkers</i> , 2011, 15, 813-819.	0.7	14