Alessandro Mannelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7958424/publications.pdf

Version: 2024-02-01

43 papers

1,069 citations

361045 20 h-index 433756 31 g-index

44 all docs 44 docs citations

44 times ranked 1368 citing authors

#	Article	IF	CITATIONS
1	Occurrence of Methicillin-Resistant Coagulase-Negative Staphylococci (MRCoNS) and Methicillin-Resistant Staphylococcus aureus (MRSA) from Pigs and Farm Environment in Northwestern Italy. Antibiotics, 2021, 10, 676.	1.5	16
2	Risk of tick-borne zoonoses in urban green areas: A case study from Turin, northwestern Italy. Urban Forestry and Urban Greening, 2021, 64, 127297.	2.3	7
3	Antimicrobial use on Italian Pig Farms and its Relationship with Husbandry Practices. Animals, 2020, 10, 417.	1.0	19
4	Attribution of Listeria monocytogenes human infections to food and animal sources in Northern Italy. Food Microbiology, 2020, 89, 103433.	2.1	24
5	Borrelia burgdorferi sensu lato and spotted fever group rickettsiae in small rodents and attached ticks in the Northern Apennines, Italy. Ticks and Tick-borne Diseases, 2019, 10, 862-867.	1.1	16
6	Assessment of the Exposure of People to Questing Ticks Carrying Agents of Zoonoses in Aosta Valley, Italy. Veterinary Sciences, 2019, 6, 28.	0.6	7
7	Assessment of the Exposure of Turkey Farmers to Antimicrobial Resistance Associated with Working Practices. Veterinary Sciences, 2019, 6, 13.	0.6	3
8	Elevated serum IgE, oral corticosteroid dependence and IL-17/22 expression in highly neutrophilic asthma. European Respiratory Journal, 2019, 54, 1900068.	3.1	62
9	Analysis of the environmental and host-related factors affecting the distribution of the tick Dermacentor marginatus. Experimental and Applied Acarology, 2018, 75, 209-225.	0.7	8
10	Modeling the effects of variable feeding patterns of larval ticks on the transmission of Borrelia lusitaniae and Borrelia afzelii. Theoretical Population Biology, 2017, 116, 27-32.	0.5	3
11	Presence of host-seeking Ixodes ricinus and their infection with Borrelia burgdorferi sensu lato in the Northern Apennines, Italy. Experimental and Applied Acarology, 2016, 69, 167-178.	0.7	14
12	15. Modelling the ecological dynamics of tick borne pathogens in a risk assessment perspective. Ecology and Control of Vector-Borne Diseases, 2016, , 217-229.	0.3	1
13	Field evaluation of fluorescence polarization assay, and comparison with competitive ELISA for the detection of antibodies against Brucella melitensis in sheep in Sicily, Italy. Small Ruminant Research, 2015, 130, 252-255.	0.6	1
14	Range expansion of Ixodes ricinus to higher altitude, and co-infestation of small rodents with Dermacentor marginatus in the Northern Apennines, Italy. Ticks and Tick-borne Diseases, 2014, 5, 970-974.	1.1	25
15	Habitat and occurrence of ixodid ticks in the Liguria region, northwest Italy. Experimental and Applied Acarology, 2014, 64, 121-135.	0.7	17
16	Rickettsia slovaca in immature Dermacentor marginatus and tissues from Apodemus spp. in the northern Apennines, Italy. Ticks and Tick-borne Diseases, 2013, 4, 518-521.	1.1	21
17	Ecology of <i>Borrelia burgdorferi sensu lato </i> in Europe: transmission dynamics in multi-host systems, influence of molecular processes and effects of climate change. FEMS Microbiology Reviews, 2012, 36, 837-861.	3.9	133
18	Transmission Dynamics of <i>Borrelia lusitaniae </i> and <i>Borrelia afzelii </i> Among <i>Ixodes ricinus </i> Lizards, and Mice in Tuscany, Central Italy. Vector-Borne and Zoonotic Diseases, 2011, 11, 21-28.	0.6	21

#	Article	IF	Citations
19	Evaluation of the risk of neighbourhood infection of H7N1 Highly Pathogenic Avian Influenza in Italy using Q statistic. Preventive Veterinary Medicine, 2010, 95, 267-274.	0.7	4
20	Modeling the Spread of Vector-Borne Diseases on Bipartite Networks. PLoS ONE, 2010, 5, e13796.	1.1	27
21	Characterisation of Mycoplasma capricolum P60 surface lipoprotein and its evaluation in a recombinant ELISA. Veterinary Microbiology, 2008, 128, 81-89.	0.8	11
22	Temporal Variations in the Usefulness of Normalized Difference Vegetation Index as a Predictor for & lt; > xodes ricinus< l> (Acari: Ixodidae) in a & lt; >Borrelia lusitaniae< l> Focus in Tuscany, Central Italy. Journal of Medical Entomology, 2008, 45, 547-555.	0.9	19
23	Validation of a Recombinant Based Antibody ELISA for Diagnosis of Human and Canine Leishmaniasis. Journal of Immunoassay and Immunochemistry, 2008, 29, 244-256.	0.5	8
24	Rickettsia slovacainDermacentor marginatusand Tick-borne Lymphadenopathy, Tuscany, Italy. Emerging Infectious Diseases, 2008, 14, 817-820.	2.0	55
25	<i>Borrelia lusitaniae</i> in Immature <i>Ixodes ricinus</i> (Acari: Ixodidae) Feeding on Common Wall Lizards in Tuscany, Central Italy. Journal of Medical Entomology, 2007, 44, 303-307.	0.9	47
26	<i>Borrelia lusitaniae</i> in Immature <i>lxodes ricinus</i> (Acari: lxodidae) Feeding on Common Wall Lizards in Tuscany, Central Italy. Journal of Medical Entomology, 2007, 44, 303-307.	0.9	42
27	Prevalence of cryptosporidian infection in cats in Turin and analysis of risk factors. Journal of Feline Medicine and Surgery, 2007, 9, 392-396.	0.6	27
28	Transmission parameters of highly pathogenic avian influenza (H7N1) among industrial poultry farms in northern Italy in 1999–2000. Preventive Veterinary Medicine, 2007, 81, 318-322.	0.7	35
29	Borrelia lusitaniae OspA Gene Heterogeneity in Mediterranean Basin Area. Journal of Molecular Evolution, 2007, 65, 512-518.	0.8	11
30	<i>Borrelia lusitaniae</i> and Spotted Fever Group Rickettsiae in <i>Ixodes ricinus</i> (Acari: Ixodidae) in Tuscany, Central Italy. Journal of Medical Entomology, 2006, 43, 159-165.	0.9	28
31	Analysis of the 1999–2000 highly pathogenic avian influenza (H7N1) epidemic in the main poultry-production area in northern Italy. Preventive Veterinary Medicine, 2006, 73, 273-285.	0.7	66
32	<i>Borrelia lusitaniae</i> and Spotted Fever Group Rickettsiae in <i>Ixodes ricinus</i> (Acari: Ixodidae) in Tuscany, Central Italy. Journal of Medical Entomology, 2006, 43, 159-165.	0.9	21
33	Prognostic indicators for dogs with dilated cardiomyopathy. Journal of Veterinary Internal Medicine, 2006, 20, 104-10.	0.6	18
34	Borrelia burgdorferisensu lato Infection in Larvallxodes ricinus(Acari: Ixodidae) Feeding on Blackbirds in Northwestern Italy. Journal of Medical Entomology, 2005, 42, 168-175.	0.9	18
35	<i>Borrelia burgdorferi</i> sensu lato Infection in Larval <i>lxodes ricinus</i> (Acari: Ixodidae) Feeding on Blackbirds in Northwestern Italy. Journal of Medical Entomology, 2005, 42, 168-175.	0.9	19
36	Monthly dynamics of ticks (Acari: Ixodida) infesting N'Dama cattle in the Republic of Guinea. Experimental and Applied Acarology, 2004, 32, 209-218.	0.7	18

3

#	Article	IF	CITATIONS
37	Prokaryotic Expression and Antigenic Characterization of Three Recombinant Leishmania Antigens for Serological Diagnosis of Canine Leishmaniasis. Vaccine Journal, 2003, 10, 1153-1156.	3.2	31
38	Acarological risk of exposure to agents of tick-borne zoonoses in the first recognized Italian focus of Lyme borreliosis. Epidemiology and Infection, 2003, 131, 1139-1147.	1.0	28
39	Expression and antigenic characterization of recombinant Mycoplasma agalactiae P48 major surface protein. Veterinary Microbiology, 2000, 71, 201-210.	0.8	37
40	Low risk of Lyme borreliosis in a protected area on the Tyrrhenian coast, in central Italy. European Journal of Epidemiology, 1999, 15, 369-375.	2.5	25
41	Influence of Season and Habitat on Ixodes scapularis Infestation on White-Footed Mice in Northwestern Illinois. Journal of Parasitology, 1994, 80, 1038.	0.3	19
42	Ixodes dammini (Acari: Ixodidae) Infestation on Medium-Sized Mammals and Blue Jays in Northwestern Illinois. Journal of Medical Entomology, 1993, 30, 950-952.	0.9	22
43	Role of the Eastern Chipmunk as a Host for Immature Ixodes dammini (Acari: Ixodidae) in Northwestern Illinois. Journal of Medical Entomology, 1993, 30, 87-93.	0.9	35