

Ye-Shuang Xu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7958645/ye-shuang-xu-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

3,179
citations

34
h-index

55
g-index

74
ext. papers

3,693
ext. citations

3.5
avg, IF

5.98
L-index

#	Paper	IF	Citations
73	Numerical evaluation of land subsidence induced by groundwater pumping in Shanghai. <i>Canadian Geotechnical Journal</i> , 2011 , 48, 1378-1392	3.2	268
72	Interpretation of increased deformation rate in aquifer IV due to groundwater pumping in Shanghai. <i>Canadian Geotechnical Journal</i> , 2013 , 50, 1129-1142	3.2	130
71	Geological and hydrogeological environment in Shanghai with geohazards to construction and maintenance of infrastructures. <i>Engineering Geology</i> , 2009 , 109, 241-254	6	122
70	Ground Response to Multiple Parallel Microtunneling Operations in Cemented Silty Clay and Sand. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2016 , 142, 04016001	3.4	120
69	The state of land subsidence and prediction approaches due to groundwater withdrawal in China. <i>Natural Hazards</i> , 2008 , 45, 123-135	3	117
68	Analysis of urbanisation-induced land subsidence in Shanghai. <i>Natural Hazards</i> , 2012 , 63, 1255-1267	3	108
67	Analysis of Factors in Land Subsidence in Shanghai: A View Based on a Strategic Environmental Assessment. <i>Sustainability</i> , 2016 , 8, 573	3.6	101
66	Evaluation of hydraulic conductivity for both marine and deltaic deposits based on piezocone testing. <i>Ocean Engineering</i> , 2015 , 110, 174-182	3.9	99
65	Evaluation of hydraulic parameters from pumping tests in multi-aquifers with vertical leakage in Tianjin. <i>Computers and Geotechnics</i> , 2015 , 68, 196-207	4.4	93
64	Evaluation of the blocking effect of retaining walls on groundwater seepage in aquifers with different insertion depths. <i>Engineering Geology</i> , 2014 , 183, 254-264	6	93
63	Evaluation of land subsidence by considering underground structures that penetrate the aquifers of Shanghai, China. <i>Hydrogeology Journal</i> , 2012 , 20, 1623-1634	3.1	89
62	Leaking behavior of shield tunnels under the Huangpu River of Shanghai with induced hazards. <i>Natural Hazards</i> , 2014 , 70, 1115-1132	3	87
61	Characteristics of groundwater seepage with cut-off wall in gravel aquifer. I: Field observations. <i>Canadian Geotechnical Journal</i> , 2015 , 52, 1526-1538	3.2	86
60	Chinese karst geology and measures to prevent geohazards during shield tunnelling in karst region with caves. <i>Natural Hazards</i> , 2015 , 77, 129-152	3	85
59	Characteristics of groundwater seepage with cut-off wall in gravel aquifer. II: Numerical analysis. <i>Canadian Geotechnical Journal</i> , 2015 , 52, 1539-1549	3.2	82
58	Evaluation of effect of basal geotextile reinforcement under embankment loading on soft marine deposits. <i>Geotextiles and Geomembranes</i> , 2015 , 43, 506-514	5.2	81
57	Modelling the cutoff behavior of underground structure in multi-aquifer-aquitard groundwater system. <i>Natural Hazards</i> , 2013 , 66, 731-748	3	80

56	Analytical approach for time-dependent groundwater inflow into shield tunnel face in confined aquifer. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2018 , 42, 655-673	4	76
55	Design of sponge city: Lessons learnt from an ancient drainage system in Ganzhou, China. <i>Journal of Hydrology</i> , 2018 , 563, 900-908	6	67
54	Evaluation of the hydraulic conductivity of aquifers with piles. <i>Hydrogeology Journal</i> , 2014 , 22, 371-382	3.1	63
53	Experimental investigation on the blocking of groundwater seepage from a waterproof curtain during pumped dewatering in an excavation. <i>Hydrogeology Journal</i> , 2019 , 27, 2659-2672	3.1	61
52	Optimization of EPB Shield Performance with Adaptive Neuro-Fuzzy Inference System and Genetic Algorithm. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 780	2.6	57
51	Evaluation of optimized depth of waterproof curtain to mitigate negative impacts during dewatering. <i>Journal of Hydrology</i> , 2019 , 577, 123969	6	54
50	Environmental protection using dewatering technology in a deep confined aquifer beneath a shallow aquifer. <i>Engineering Geology</i> , 2015 , 196, 59-70	6	51
49	Risk assessment and management of excavation system based on fuzzy set theory and machine learning methods. <i>Automation in Construction</i> , 2021 , 122, 103490	9.6	46
48	Estimation of Land Subsidence Based on Groundwater Flow Model. <i>Marine Georesources and Geotechnology</i> , 2006 , 24, 149-167	2.2	45
47	Field performance of concrete pipes during jacking in cemented sandy silt. <i>Tunnelling and Underground Space Technology</i> , 2015 , 49, 336-344	5.7	43
46	Mitigation of geohazards during deep excavations in karst regions with caverns: A case study. <i>Engineering Geology</i> , 2015 , 195, 16-27	6	40
45	Evaluation of foam conditioning effect on groundwater inflow at tunnel cutting face. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2019 , 43, 463-481	4	40
44	Risk and impacts on the environment of free-phase biogas in quaternary deposits along the Coastal Region of Shanghai. <i>Ocean Engineering</i> , 2017 , 137, 129-137	3.9	39
43	New Policy and Implementation of Municipal Solid Waste Classification in Shanghai, China. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	38
42	Investigation on Performance of Neural Networks Using Quadratic Relative Error Cost Function. <i>IEEE Access</i> , 2019 , 7, 106642-106652	3.5	36
41	Investigation into subsidence hazards due to groundwater pumping from Aquifer II in Changzhou, China. <i>Natural Hazards</i> , 2015 , 78, 281-296	3	36
40	Jet grouting for mitigation of installation disturbance. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2014 , 167, 526-536	0.9	36
39	Ground fissures in Xiān and measures to prevent damage to the Metro tunnel system due to geohazards. <i>Environmental Earth Sciences</i> , 2016 , 75, 1	2.9	34

38	Evaluation of allowable withdrawn volume of groundwater based on observed data. <i>Natural Hazards</i> , 2013 , 67, 513-522	3	33
37	Evaluation of Effective Depth of PVD Improvement in Soft Clay Deposit: A Field Case Study. <i>Marine Georesources and Geotechnology</i> , 2016 , 34, 420-430	2.2	31
36	Flooding Hazards across Southern China and Prospective Sustainability Measures. <i>Sustainability</i> , 2018 , 10, 1682	3.6	29
35	Novel model for risk identification during karst excavation. <i>Reliability Engineering and System Safety</i> , 2021 , 209, 107435	6.3	28
34	Mining-induced geo-hazards with environmental protection measures in Yunnan, China: an overview. <i>Bulletin of Engineering Geology and the Environment</i> , 2015 , 74, 141-150	4	24
33	Experimental Evaluation of Aging Characteristics of EPDM as a Sealant for Undersea Shield Tunnels. <i>Journal of Materials in Civil Engineering</i> , 2020 , 32, 04020182	3	21
32	Long-term settlement behavior of ground around shield tunnel due to leakage of water in soft deposit of Shanghai. <i>Frontiers of Architecture and Civil Engineering in China</i> , 2011 , 5, 194-198		21
31	Dewatering induced subsidence during excavation in a Shanghai soft deposit. <i>Environmental Earth Sciences</i> , 2017 , 76, 1	2.9	20
30	Investigation into pluvial flooding hazards caused by heavy rain and protection measures in Shanghai, China. <i>Natural Hazards</i> , 2016 , 83, 1301-1320	3	20
29	Prediction of Ground Deformation during Pipe-Jacking Considering Multiple Factors. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 1051	2.6	19
28	Geo-hazards with characteristics and prevention measures along the coastal regions of China. <i>Natural Hazards</i> , 2009 , 49, 479-500	3	19
27	Rapid field evaluation of the strength of cement-stabilized clayey soil. <i>Bulletin of Engineering Geology and the Environment</i> , 2015 , 74, 991-999	4	18
26	Geological difficulties and countermeasures for socket diaphragm walls in weathered granite in Shenzhen, China. <i>Bulletin of Engineering Geology and the Environment</i> , 2016 , 75, 263-273	4	16
25	Analysis of Production Safety in the Construction Industry of China in 2018. <i>Sustainability</i> , 2019 , 11, 4537	3.6	16
24	Distribution characteristics and utilization of shallow geothermal energy in China. <i>Energy and Buildings</i> , 2020 , 229, 110479	7	15
23	Geological and hydrogeological environment with geohazards during underground construction in Hangzhou: a review. <i>Arabian Journal of Geosciences</i> , 2018 , 11, 1	1.8	15
22	Land Subsidence Control Zone and Policy for the Environmental Protection of Shanghai. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	13
21	Water Inrush Hazards in the Chaoyang Tunnel, Guizhou, China: A Preliminary Investigation. <i>Water (Switzerland)</i> , 2020 , 12, 1083	3	13

20	A diffusion model for backfill grout behind shield tunnel lining. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2021 , 45, 457-477	4	13
19	Landslide Event on 24 June in Sichuan Province, China: Preliminary Investigation and Analysis. <i>Geosciences (Switzerland)</i> , 2018 , 8, 39	2.7	11
18	Environmental impacts caused by phosphate mining and ecological restoration: a case history in Kunming, China. <i>Natural Hazards</i> , 2014 , 74, 755-770	3	11
17	Investigation of hydraulic parameters of a weathered mylonite fault from field pumping tests: A case study. <i>Bulletin of Engineering Geology and the Environment</i> , 2017 , 76, 1431-1448	4	10
16	Geological environment problems during metro shield tunnelling in Shenzhen, China. <i>Arabian Journal of Geosciences</i> , 2020 , 13, 1	1.8	10
15	Sustainable Measures for Mitigation of Flooding Hazards: A Case Study in Shanghai, China. <i>Water (Switzerland)</i> , 2017 , 9, 310	3	9
14	Effects of groundwater exploitation and recharge on land subsidence and infrastructure settlement patterns in Shanghai. <i>Engineering Geology</i> , 2021 , 282, 105995	6	8
13	Non-linear spring model for backfill grout-consolidation behind shield tunnel lining. <i>Computers and Geotechnics</i> , 2021 , 136, 104235	4.4	8
12	Real-time prediction of shield moving trajectory during tunnelling using GRU deep neural network. <i>Acta Geotechnica</i> , 1	4.9	6
11	Impact of the Depth of Diaphragm Wall on the Groundwater Drawdown during Foundation Dewatering Considering Anisotropic Permeability of Aquifer. <i>Water (Switzerland)</i> , 2021 , 13, 418	3	4
10	Ground Response due to Construction of Shallow Pipe-Jacked Tunnels in Sandy Soil: Laboratory Investigation. <i>Journal of Testing and Evaluation</i> , 2020 , 48, 20170217	1	3
9	Analysis of Characteristics of Roof Fall Collapse of Coal Mine in Qinghai Province, China. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 1184	2.6	2
8	Construction measures to prevent hazards in karst cave ground under soft sand strata. <i>Japanese Geotechnical Society Special Publication</i> , 2015 , 1, 52-55	0.2	2
7	Lesson Learned from Catastrophic Floods in Western Japan in 2018: Sustainable Perspective Analysis. <i>Water (Switzerland)</i> , 2020 , 12, 2489	3	1
6	Perspective Review on Subsea Jet Trenching Technology and Modeling. <i>Journal of Marine Science and Engineering</i> , 2020 , 8, 460	2.4	1
5	Behaviour of multi-aquifer system during pumping test. <i>Japanese Geotechnical Society Special Publication</i> , 2015 , 1, 15-18	0.2	1
4	Longitudinal deformation pattern of shield tunnel structure and analytical models: a review. <i>Japanese Geotechnical Society Special Publication</i> , 2015 , 1, 1-4	0.2	1
3	Influence of Filter Tube of Pumping Well on Groundwater Drawdown during Deep Foundation Pit Dewatering. <i>Water (Switzerland)</i> , 2021 , 13, 3297	3	1

2	Data on point cloud scanning and ground radar of composite lining in jointly constructed tunnel.. <i>Data in Brief</i> , 2022 , 41, 107993	1.2	1
1	Investigation on the phenomena and influence factors of urban ground collapse in China. <i>Natural Hazards</i> ,1	3	0