

Carmen Garcia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7959299/carmen-garcia-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

787 papers	24,099 citations	65 h-index	111 g-index
806 ext. papers	27,380 ext. citations	4.4 avg, IF	2.27 L-index

#	Paper	IF	Citations
787	Performance of the ATLAS Level-1 topological trigger in Run2. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
786	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
785	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
784	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb ⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
783	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022 , 6, 1	6	0
782	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \tau^{\pm} \rightarrow \pi^{\pm} \nu_{\tau} \nu_{\tau}$ events in Run2 data. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
781	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	
780	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	1
779	EASY: Educational Alibava System. <i>EPJ Web of Conferences</i> , 2021 , 253, 10004	0.3	
778	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using ($\sqrt{s} = 13$ TeV) proton-proton collision data. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
777	Measurement of the $t(\bar{t})$ production cross section in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
776	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
775	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
774	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb ⁻¹ of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
773	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
772	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
771	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8

770	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5
769	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
768	Search for heavy resonances decaying into a pair of Z bosons in the $(\ell^+ \ell^- \ell'^+ \ell'^-)$ and $(\ell^+ \ell^- \nu \bar{\nu})$ final states using 139 (fb^{-1}) of proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	8
767	Search for new phenomena in final states with b-jets and missing transverse momentum in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
766	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $(\ell \ell \text{ } b \bar{b})$ and $(\ell \ell \text{ } W W)$ final states in pp collisions at $(\sqrt{s}) = 13$ (TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
765	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
764	Measurements of $W+W \rightarrow \ell \ell$ jet production cross-sections in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
763	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
762	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $(\sqrt{s}) = 13$ (TeV). <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	0
761	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
760	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
759	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
758	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
757	A search for the decays of stopped long-lived particles at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
756	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $(\sqrt{s}) = 13$ TeV. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	13
755	Measurement of hadronic event shapes in high-pT multijet final states at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
754	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $(\sqrt{s}) = 13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
753	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5

752	Measurements of WH and ZH production in the $(H \rightarrow b\bar{b})$ decay channel in pp collisions at $(13, \text{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
751	Search for dark matter in association with an energetic photon in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
750	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	0
749	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $(\sqrt{s} = 8, \text{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
748	Jet energy scale and resolution measured in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	11
747	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $(\sqrt{s} = 13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
746	Search for dark matter produced in association with a single top quark in $(\sqrt{s}=13)$ TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	4
745	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $(\sqrt{s}) = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
744	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
743	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
742	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
741	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
740	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
739	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
738	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
737	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $(\sqrt{s}) = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
736	Higgs boson production cross-section measurements and their EFT interpretation in the (4ℓ) decay channel at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	12
735	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8

734	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb ⁻¹ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
733	Search for dijet resonances in events with an isolated charged lepton using (\sqrt{s}) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
732	Measurement of the Z($\rightarrow \mu\mu$) production cross-section in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
731	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at (\sqrt{s} =8) and 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
730	Transverse momentum and process dependent azimuthal anisotropies in ($\sqrt{s_{\mathrm{NN}}}$)=8.16) TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
729	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	30
728	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in (\sqrt{s} =13) (text {TeV}) pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	50
727	Search for top squarks in events with a Higgs or Z boson using 139 fb ⁻¹ of pp collision data at (\sqrt{s} =13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	1
726	Evidence for ($t\bar{t}$) production in the multilepton final state in proton-proton collisions at (\sqrt{s} =13) (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
725	Search for heavy diboson resonances in semileptonic final states in pp collisions at (\sqrt{s} =13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
724	Search for light long-lived neutral particles produced in pp collisions at (\sqrt{s} = 13~\mathrm{TeV}) and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
723	Search for a scalar partner of the top quark in the all-hadronic ($t\bar{t}$) plus missing transverse momentum final state at (\sqrt{s} =13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	17
722	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
721	Determination of jet calibration and energy resolution in proton-proton collisions at (\sqrt{s} = 8~\text{TeV}) using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
720	Measurement of J/ ψ production in association with a W \pm boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	4
719	Search for new resonances in mass distributions of jet pairs using 139 fb ⁻¹ of pp collisions at ($\sqrt{\mathrm{s}}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
718	Search for (\overline{t}) resonances in fully hadronic final states in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
717	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3

716	Measurements of inclusive and differential cross-sections of combined (γ) and $t\bar{t}W$ production in the $e\bar{e}$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
715	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
714	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
713	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $(\sqrt{s}) = 13$ TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	9
712	Fluctuations of anisotropic flow in Pb+Pb collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	13
711	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
710	Measurement of differential cross sections for single diffractive dissociation in $(\sqrt{s}) = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
709	Measurement of isolated-photon plus two-jet production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
708	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
707	Search for the $HH \rightarrow (b\bar{b})$ process via vector-boson fusion production using proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
706	Observation of the associated production of a top quark and a Z boson in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
705	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
704	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
703	Measurements of top-quark pair spin correlations in the $(\mu\mu)$ channel at $(\sqrt{s} = 13)$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
702	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $(\sqrt{s}=8\text{--}13\text{ TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	11
701	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
700	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $(\sqrt{s} = 13)$ (TeV). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	37
699	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2

698	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	15
697	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
696	Search for top-quark decays $t \rightarrow Hq$ with 36 fb ⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
695	Measurement of $VH, (\mathbf{H}) \rightarrow \mathbf{b}\overline{\mathbf{b}}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
694	Annealing studies of irradiated p-type sensors designed for the upgrade of ATLAS phase-II strip tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2019 , 924, 128-132	1.2	2
693	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	12
692	Performance of top-quark and (\mathbf{W}) -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	19
691	Measurements of inclusive and differential fiducial cross-sections of $(\mathbf{t}\overline{\mathbf{t}}\gamma)$ production in leptonic final states at $\sqrt{s}=13\text{~TeV}$ in ATLAS. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
690	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P03017-P03017	1	25
689	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 58	4.2	20
688	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
687	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
686	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	26
685	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
684	Measurement of the top quark mass in the $(\mathbf{t}\overline{\mathbf{t}} \rightarrow \mathbf{l}\overline{\mathbf{l}} + \mathbf{j}\overline{\mathbf{j}})$ lepton+jets channel from $\sqrt{s}=8$ TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	24
683	Measurement of the charge collection in irradiated miniature sensors for the upgrade of the ATLAS phase-II strip tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2019 , 924, 153-159	1.2	4
682	Search for pair production of Higgs bosons in the $(\mathbf{b}\overline{\mathbf{b}}\mathbf{b}\overline{\mathbf{b}})$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31
681	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31

680	Search for long-lived neutral particles in pp collisions at (\sqrt{s}) = 13~text {TeV}} that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	18
679	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
678	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
677	Measurement of ($W^{\pm}Z$) production cross sections and gauge boson polarisation in pp collisions at (\sqrt{s}) = 13~text {TeV}} with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	20
676	Searches for third-generation scalar leptoquarks in (\sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
675	Search for scalar resonances decaying into $\mu\mu$ events with and without b-tagged jets produced in proton-proton collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
674	Search for diboson resonances in hadronic final states in 139 fb $^{-1}$ of pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
673	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13$ ~text {TeV}} with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019 , 79,	4.2	3
672	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13~text {TeV}}. <i>European Physical Journal C</i> , 2019 , 79,	4.2	11
671	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	3
670	Measurement of the inclusive isolated-photon cross section in pp collisions at (\sqrt{s}) = 13 TeV using 36 fb $^{-1}$ of ATLAS data. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
669	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	14
668	Measurement of the top-quark mass in ($t\bar{t}$) + 1-jet events collected with the ATLAS detector in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
667	Measurement of fiducial and differential (W^+W^-) production cross-sections at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
666	Measurement of ZZ production in the $\ell\ell$ final state with the ATLAS detector in pp collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
665	Measurement of ($W^{\pm}Z$)-boson and Z-boson production cross-sections in pp collisions at (\sqrt{s}) = 2.76 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2
664	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	4
663	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21

662	Measurement of ($W^{\pm} \mu \nu$) boson production in Pb+Pb collisions at ($\sqrt{s_{\mathrm{NN}}} = 5.02 \text{ TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
661	ATLAS b-jet identification performance and efficiency measurement with ($t\bar{t}$) events in pp collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	43
660	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at ($\sqrt{s_{\mathrm{NN}}} = 5.02 \text{ TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
659	Measurements of top-quark pair differential and double-differential cross-sections in the ($\ell \ell$)+jets channel with pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	13
658	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
657	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb $^{-1}$ of pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	81
656	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at ($\sqrt{s}=13$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
655	Measurement of the Z -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 110	4.2	59
654	Search for new phenomena in high-mass final states with a photon and a jet from collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 102	4.2	7
653	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 154	4.2	23
652	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\mathrm{NN}}}=2.76$ and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 142	4.2	35
651	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 171	4.2	35
650	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , 2018 , 78, 186	4.2	5
649	Search for heavy resonances in the WZ and $W\gamma$ final states using proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 293	4.2	41
648	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 250	4.2	28
647	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $^{-1}$ of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	26
646	Search for heavy resonances decaying into WZ in the WZ final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 24	4.2	47
645	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 129	4.2	11

644	Search for W W/W Z resonance production in $\bar{b}q$ final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
643	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	36
642	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
641	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 18	4.2	32
640	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 199	4.2	55
639	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 163	4.2	3
638	Searches for heavy ZZ and ZW resonances in the $\bar{b}q$ and $\bar{b}q$ final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	17
637	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
636	Measurement of differential cross sections and W^+/W^- cross-section ratios for W boson production in association with jets at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
635	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
634	Measurement of the ($Z\gamma \rightarrow \nu \overline{\nu}$) production cross section in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
633	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 784	4.2	8
632	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 1007	4.2	21
631	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , 2018 , 78, 847	4.2	5
630	Angular analysis of $B^0 d \rightarrow K^* \bar{D}^0$ decays in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	44
629	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 401	4.2	23
628	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
627	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4

626	Search for Higgs boson pair production in the ($\gamma\gamma b\bar{b}$) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
625	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	21
624	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 997	4.2	21
623	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 903	4.2	66
622	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 995	4.2	49
621	Search for charged Higgs bosons decaying into top and bottom quarks at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39
620	Operation and performance of the ATLAS Tile Calorimeter in Run I. <i>European Physical Journal C</i> , 2018 , 78, 987	4.2	13
619	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
618	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
617	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	33
616	Search for long-lived charginos based on a disappearing-track signature in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	48
615	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
614	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau^\pm \nu_\tau$ in the τ -jets and τ -lepton final states with 36 fb ⁻¹ of pp collision data recorded at ($\sqrt{s}=13$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	33
613	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 762	4.2	23
612	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
611	Search for exclusive Higgs and Z boson decays to $\tau^+\tau^-$ and $\tau^+\tau^- \nu_\tau$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
610	Measurements of b-jet tagging efficiency with the ATLAS detector using ($t\bar{t}$) events at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	31
609	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8

608	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 487	4.2	5
607	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 565	4.2	34
606	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 625	4.2	15
605	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	101
604	Search for magnetic monopoles with the MoEDAL forward trapping detector in 2.11 fb ⁻¹ of 13 TeV proton-proton collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 510-516	4.2	24
603	Measurement of the $\sigma(t\bar{t})$ and $\sigma(t\bar{t}b\bar{b})$ production cross sections in multilepton final states using 3.2 fb ⁻¹ of $\sqrt{s}=13$ TeV collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 40	4.2	14
602	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 26	4.2	22
601	Search for Magnetic Monopoles with the MoEDAL Forward Trapping Detector in 13 TeV Proton-Proton Collisions at the LHC. <i>Physical Review Letters</i> , 2017 , 118, 061801	7.4	38
600	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
599	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 220	4.2	5
598	Measurement of the boson polarisation in $t\bar{t}$ events from collisions at $\sqrt{s}=8$ TeV in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017 , 77, 264	4.2	19
597	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017 , 77, 195	4.2	61
596	Measurements of top-quark pair differential cross-sections in the $t\bar{t}$ channel in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 292	4.2	13
595	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 241	4.2	38
594	Measurement of the prompt $t\bar{t}$ pair production cross-section in collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 76	4.2	47
593	Search for triboson $t\bar{t}t\bar{t}$ production in collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 141	4.2	13
592	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017 , 77, 490	4.2	177
591	Fiducial, total and differential cross-section measurements of $t\bar{t}$ -channel single top-quark production in collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 531	4.2	27

590	Measurements of electroweak [Formula: see text] production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 474	4.2	14
589	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017 , 77, 466	4.2	42
588	Measurement of multi-particle azimuthal correlations in pp, p-Pb and low-multiplicity Pb-Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 428	4.2	48
587	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
586	Measurement of lepton differential distributions and the top quark mass in production in collisions at 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 804	4.2	11
585	Measurement of the ($\overline{t}\gamma$) production cross section in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
584	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
583	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017 , 77, 673	4.2	33
582	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 144	4.2	8
581	Measurement of the ZZ production cross section in proton-proton collisions at ($\sqrt{s}=8$) TeV using the $ZZ \rightarrow \mu\mu\tau\tau$ and ($ZZ \rightarrow \ell\ell\gamma\gamma$) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
580	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
579	Measurements of $\chi(3512)$ and $\chi(3872) \rightarrow J/\psi \chi$ production in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
578	Measurements of top-quark pair to Z-boson cross-section ratios at ($\sqrt{s}=13$), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
577	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 70	4.2	52
576	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017 , 77, 317	4.2	272
575	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 332	4.2	29
574	Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 361	4.2	26
573	Precision measurement and interpretation of inclusive, and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 367	4.2	56

572	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 379	4.2	35
571	Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 393	4.2	52
570	Measurement of charged-particle distributions sensitive to the underlying event in ($\sqrt{s}=13$) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
569	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 898	4.2	19
568	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
567	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 765	4.2	10
566	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
565	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	13
564	Measurement of the inclusive jet cross-sections in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
563	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	27
562	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 580	4.2	16
561	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017 , 77, 563	4.2	15
560	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ($\sqrt{s}=13$) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
559	Searches for the $Z\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
558	Studies of $Z\gamma$ production in association with a high-mass dijet system in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
557	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
556	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \gamma\gamma$ in ($\sqrt{s}=13$) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
555	Study of and production in collisions at and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , 2017 , 77, 646	4.2	11

554	Measurements of top quark spin observables in (\overline{t}) events using dilepton final states in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
553	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
552	Top-quark mass measurement in the all-hadronic (\overline{t}) decay channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
551	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
550	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	30
549	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
548	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
547	Measurement of the k_t splitting scales in $Z \rightarrow \ell\overline{\ell}$ events in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
546	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
545	Evidence for the ($H \rightarrow \overline{b}b$) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	50
544	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	126
543	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 872	4.2	19
542	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 295	4.2	28
541	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 581	4.2	148
540	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 322	4.2	35
539	Measurement of jet activity in top quark events using the $e\overline{\nu}$ final state with two b-tagged jets in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
538	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 291	4.2	63
537	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^* \rightarrow e\overline{\nu}$ with the ATLAS detector at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13

536	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
535	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in ($\sqrt{s}=8$) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
534	Identification of high transverse momentum top quarks in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
533	A search for an excited muon decaying to a muon and two jets in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2016 , 18, 073021	2.9	1
532	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016 , 11, P05013-P05013	1	8
531	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [\sqrt{s}] using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 538	4.2	48
530	Measurement of the differential cross-sections of prompt and non-prompt production of [\sqrt{s}] and [\sqrt{s}] in collisions at [\sqrt{s}] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 283	4.2	42
529	Luminosity determination in collisions at [\sqrt{s}] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 653	4.2	188
528	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [\sqrt{s}] TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 683	4.2	7
527	Addendum to Measurement of the ($\bar{t}t$) production cross-section using ($\mu\mu$) events with b-tagged jets in pp collisions at (\sqrt{s}) = 7 and 8 (TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	13
526	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
525	Searches for heavy diboson resonances in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
524	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in ($\sqrt{s}=8$) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
523	Search for the Standard Model Higgs boson decaying into ($\bar{b}b$) produced in association with top quarks decaying hadronically in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
522	Measurement of the CP-violating phase ϕ_1 and the B^0 meson decay width difference with $B^0 \rightarrow J/\psi$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
521	Search for squarks and gluinos in final states with jets and missing transverse momentum at [\sqrt{s}] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 392	4.2	53
520	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	24
519	A search for prompt lepton-jets in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	22

518	Search for new phenomena with photon+jet events in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
517	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 199	4.2	39
516	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
515	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
514	Search for strong gravity in multijet final states produced in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
513	Embedded pitch adapters: A high-yield interconnection solution for strip sensors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016 , 831, 221-228	1.2	6
512	Study of surface properties of ATLAS12 strip sensors and their radiation resistance. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016 , 831, 197-206	1.2	11
511	Charge collection and field profile studies of heavily irradiated strip sensors for the ATLAS inner tracker upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016 , 831, 181-188	1.2	14
510	Evaluation of the performance of irradiated silicon strip sensors for the forward detector of the ATLAS Inner Tracker Upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016 , 831, 207-212	1.2	9
509	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 154	4.2	44
508	Search for new phenomena in events with at least three photons collected in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 210	4.2	53
507	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 232	4.2	12
506	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 238	4.2	6
505	Search for supersymmetry at [Formula: see text] TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 259	4.2	48
504	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	45
503	Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1-46	5.4	12
502	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 5	4.2	68
501	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 6	4.2	185

500	Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional -jets in collisions at [Formula: see text]=8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 11	4.2	21
499	Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 4	4.2	13
498	Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 45	4.2	152
497	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 55	4.2	28
496	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ($\sqrt{s}=8, \text{TeV}$) with the ATLAS detector 2016 , 76, 1		1
495	Study of hard double-parton scattering in four-jet events in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
494	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
493	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 375	4.2	5
492	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 403	4.2	19
491	Charged-particle distributions at low transverse momentum in [Formula: see text] TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 502	4.2	37
490	Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 547	4.2	25
489	Search for minimal supersymmetric standard model Higgs Bosons H^\pm and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 585	4.2	28
488	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016 , 76, 666	4.2	53
487	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 670	4.2	7
486	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016 , 76, 526	4.2	16
485	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 541	4.2	7
484	Search for the Higgs boson produced in association with a boson and decaying to four -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 605	4.2	16
483	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , 2016 , 76, 292	4.2	263

482	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 658	4.2	26
481	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 Te V with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 565	4.2	20
480	Measurement of the inclusive isolated prompt photon cross section in pp collisions at (\sqrt{s} =8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	25
479	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at (\sqrt{s} =8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	59
478	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 12	4.2	16
477	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 87	4.2	18
476	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 81	4.2	7
475	Search for charged Higgs bosons in the $H^\pm \rightarrow tb$ decay channel in pp collisions at (\sqrt{s} =8) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	33
474	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 513	4.2	27
473	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] \sqrt{s} = 3 TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 517	4.2	17
472	Search for resonances in diphoton events at (\sqrt{s} =13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	49
471	Detailed studies of full-size ATLAS12 sensors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016 , 831, 167-173	1.2	8
470	Sensors for the End-cap prototype of the Inner Tracker in the ATLAS Detector Upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016 , 833, 226-232	1.2	5
469	ALIBAVA Silicon Microstrip Readout System for Educational Purposes. <i>Nuclear and Particle Physics Proceedings</i> , 2016 , 273-275, 2563-2565	0.4	
468	Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 442	4.2	24
467	Measurement of the relative width difference of the (B^0 system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
466	Search for magnetic monopoles with the MoEDAL prototype trapping detector in 8 TeV proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	32
465	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 17	4.2	194

464	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 79	4.2	21
463	Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 69	4.2	62
462	Measurements of the [Formula: see text] production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 82	4.2	54
461	Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 92	4.2	60
460	Measurement of the $(\overline{t}t)$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
459	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	12
458	Search for the $(\overline{b}b)$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	64
457	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7)$ TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	27
456	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $(\sqrt{s}=8)$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	45
455	Search for charged Higgs bosons decaying via $H \rightarrow \tau\tau$ in fully hadronic final states using pp collision data at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	56
454	Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 209	4.2	73
453	Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2015 , 75, 120	4.2	51
452	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 412	4.2	66
451	Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 231	4.2	15
450	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 299	4.2	202
449	Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 263	4.2	46
448	Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7 [Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 228	4.2	18
447	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 335	4.2	56

446	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 303	4.2	49
445	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 476	4.2	104
444	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 229	4.2	38
443	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 349	4.2	94
442	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 318	4.2	44
441	Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 362	4.2	22
440	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 466	4.2	28
439	Measurement of the top quark mass in the [Formula: see text] and [Formula: see text] channels using [Formula: see text][Formula: see text] ATLAS data. <i>European Physical Journal C</i> , 2015 , 75, 330	4.2	32
438	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015 , 75, 510	4.2	109
437	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	2
436	A search for high-mass resonances decaying to $\mu\mu$ in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
435	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	42
434	Search for lepton-flavour-violating $H \rightarrow \mu\tau$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	46
433	Measurement of four-jet differential cross sections in ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-76	5.4	5
432	A search for (\overline{t}) resonances using lepton-plus-jets events in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	57
431	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
430	Measurement of charged-particle spectra in Pb+Pb collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	49
429	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26

428	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	91
427	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-39	5.4	66
426	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ($\sqrt{s}=7$) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	31
425	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	65
424	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	54
423	Search for new phenomena in events with three or more charged leptons in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
422	Summary of the searches for squarks and gluinos using ($\sqrt{s}=8$) TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	55
421	Determination of the top-quark pole mass using (\overline{t}) + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	15
420	Measurement of the ($\overline{t}W$) and ($\overline{t}Z$) production cross sections in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
419	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-65	5.4	18
418	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
417	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	37
416	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	74
415	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
414	Search for [Formula: see text] decays in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 165	4.2	25
413	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 158	4.2	8
412	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 208	4.2	50
411	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow W W^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14

410	Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , 2015 , 75, 407	4.2	18
409	Measurement of the production and lepton charge asymmetry of [Formula: see text] bosons in Pb+Pb collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 23	4.2	31
408	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector 2015 , 75, 1		3
407	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider 2015 , 75, 1		3
406	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb ⁻¹ of data with the ATLAS detector 2015 , 2015, 1		3
405	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at (\sqrt{s}) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
404	Development of n+-in-p large-area silicon microstrip sensors for very high radiation environments – ATLAS12 design and initial results. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2014 , 765, 80-90	1.2	29
403	Measurement of the electron structure function F_2^{eep} at LEP energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 737, 39-47	4.2	
402	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7 TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2895	4.2	12
401	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 2941	4.2	160
400	Measurement of the underlying event in jet events from 7 (text {TeV}) proton–proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	18
399	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2982	4.2	18
398	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3023	4.2	46
397	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at (\sqrt{s}) = 8 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	14
396	Measurement of the production cross section of prompt J/ψ mesons in association with a W ± boson in pp collisions at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
395	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	17
394	Measurement of the production of a W boson in association with a charm quark in pp collisions at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37
393	Search for supersymmetry at (\sqrt{s}) = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	39

392	Search for direct top-squark pair production in final states with two leptons in pp collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	52
391	Measurement of $t\bar{t}$ and $t\bar{t}$ production with (\sqrt{s}) = 7 TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26
390	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	6
389	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2883	4.2	41
388	Low-resistance strip sensors for beam-loss event protection. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2014 , 765, 252-257	1.2	1
387	A double-sided, shield-less stave prototype for the ATLAS Upgrade strip tracker for the High Luminosity LHC. <i>Journal of Instrumentation</i> , 2014 , 9, P03012-P03012	1	8
386	A double-sided silicon micro-strip Super-Module for the ATLAS Inner Detector upgrade in the High-Luminosity LHC. <i>Journal of Instrumentation</i> , 2014 , 9, P02003-P02003	1	4
385	The front-end hybrid for the ATLAS HL-LHC silicon strip tracker. <i>Journal of Instrumentation</i> , 2014 , 9, C02027-C02027		
384	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	67
383	The physics programme of the MoEDAL experiment at the LHC. <i>International Journal of Modern Physics A</i> , 2014 , 29, 1430050	1.2	75
382	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 3130	4.2	166
381	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3117	4.2	17
380	A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3168	4.2	16
379	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at (\sqrt{s}) = 8 TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	30
378	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb ⁻¹ of (\sqrt{s}) = 8 TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	9
377	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using (\sqrt{s}) = 8 TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	108
376	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3109	4.2	107
375	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in (\sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	54

374	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7$ TeV in 2010. <i>European Physical Journal C</i> , 2014 , 74, 3034	4.2	45
373	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	160
372	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3134	4.2	31
371	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3157	4.2	52
370	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $\sqrt{s}=7$ TeV collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3195	4.2	21
369	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	36
368	Measurement of the production cross-section of $ZS \rightarrow J/\psi + S$ in pp collisions at $(\sqrt{s}) = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	16
367	Measurement of the Z/ γ boson transverse momentum distribution in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	79
366	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $(\sqrt{s} = 8)$ TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	31
365	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26
364	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38
363	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
362	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	50
361	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	34
360	Search for third generation scalar leptoquarks in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	30
359	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	124
358	Search for charged Higgs bosons through the violation of lepton universality in (\overline{t}) events using pp collision data at $(\sqrt{s}=7)$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
357	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	47

356	Measurement of splitting scales in \rightarrow events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2432	4.2	8
355	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2465	4.2	76
354	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	92
353	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	64
352	Measurement of the differential cross-section of B + meson production in pp collisions at ($\sqrt{s}=7$) TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	24
351	Performance of jet substructure techniques for large-R jets in proton-proton collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
350	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2518	4.2	276
349	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2509	4.2	71
348	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2362	4.2	25
347	Jet energy measurement with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	209
346	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2676	4.2	18
345	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ($\sqrt{s_{NN}}=2.76$ TeV) with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	143
344	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	72
343	Measurement of isolated-photon pair production in pp collisions at ($\sqrt{s}=7$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	44
342	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	55
341	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at ($\sqrt{s}=7$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
340	Embedded pitch adapters for the ATLAS Tracker Upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2013 , 732, 178-181	1.2	6
339	A portable telescope based on the ALIBAVA system for test beam studies. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2013 , 732, 130-133	1.2	1

338	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	55
337	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	44
336	Measurement of the flavour composition of dijet events in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	12
335	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	41
334	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2306	4.2	153
333	Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2328	4.2	30
332	Search for Higgs production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013 , 15, 043009	2.9	15
331	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	14
330	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$) with the ATLAS experiment. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	31
329	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2039	4.2	78
328	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , 2012 , 72, 2040	4.2	10
327	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , 2012 , 72, 2046	4.2	42
326	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2056	4.2	78
325	Measurement of polarization in $\tau \rightarrow \mu \nu_\tau$ decays with the ATLAS detector in collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2062	4.2	17
324	Measurement of the cross section for top-quark pair production in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$) with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	43
323	Jet mass and substructure of inclusive jets in ($\sqrt{s} = 7 \text{ TeV}$) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	67
322	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	10
321	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb ⁻¹ of ($\sqrt{s} = 7 \text{ TeV}$) proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	48

320	A search for (\overline{t}) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	39
319	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$ decay mode in ($\sqrt{s} = 7, \text{TeV}$) pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	37
318	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ($\sqrt{s} = 7, \text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	31
317	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at ($\sqrt{s} = 7$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
316	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	53
315	Search for high-mass resonances decaying to dilepton final states in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	49
314	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ($\sqrt{s} = 7, \text{TeV}$) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
313	Search for R-parity-violating supersymmetry in events with four or more leptons in ($\sqrt{s} = 7, \text{TeV}$) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
312	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	199
311	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	70
310	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
309	Measurement of $[\text{Formula: see text}]$ production with a veto on additional central jet activity in collisions at $[\text{Formula: see text}]$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2043	4.2	82
308	A search for $[\text{Formula: see text}]$ resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at $[\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2012 , 72, 2083	4.2	14
307	Search for second generation scalar leptoquarks in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	35
306	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
305	Measurement of $W \mp Z$ production in proton-proton collisions at ($\sqrt{s} = 7 \text{ TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	54
304	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	24
303	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	18

302	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
301	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ($\sqrt{s}=7\text{ TeV}$) proton-proton collisions. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	31
300	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ($\sqrt{s} = 7\text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	34
299	Search for doubly charged Higgs bosons in like-sign dilepton final states at ($\sqrt{s} = 7\text{ TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	104
298	Performance of missing transverse momentum reconstruction in proton-proton collisions at ($\sqrt{s} = 7\text{ TeV}$) with ATLAS. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	217
297	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	232
296	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ($\sqrt{s} = 7\text{ TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34
295	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \bar{\nu}_n (\overline{t})$ events using pp collision data at ($\sqrt{s} = 7\text{ TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	112
294	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	52
293	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	23
292	Design and fabrication of sensor prototypes for the end-cap tracker of the ATLAS upgrade 2012 ,		2
291	A layer correlation technique for pion energy calibration at the 2004 ATLAS Combined Beam Test. <i>Journal of Instrumentation</i> , 2011 , 6, P06001-P06001	1	
290	Photon reconstruction in the ATLAS Inner Detector and Liquid Argon Barrel Calorimeter at the 2004 Combined Test Beam. <i>Journal of Instrumentation</i> , 2011 , 6, P04001-P04001	1	1
289	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	103
288	Search for single top quark production via contact interactions at LEP2. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	3
287	A study of the b-quark fragmentation function with the DELPHI detector at LEP I and an averaged distribution obtained at the Z Pole. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	25
286	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at ($\sqrt{s}=7\text{ TeV}$). <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	138
285	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	16

284	Luminosity determination in pp collisions at ($\sqrt{s} = 7$) TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	167
283	Measurements of underlying-event properties using neutral and charged particles in pp collisions at ($\sqrt{s}=900$) GeV and ($\sqrt{s}=7$) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	30
282	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in ($\sqrt{s}=7$) TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	18
281	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in ($\sqrt{s}=7\sim\text{TeV}$) proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	41
280	Limits on the production of the standard model Higgs boson in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
279	Search for diphoton events with large missing transverse energy with 36 pb ⁻¹ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	15
278	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	44
277	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	51
276	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb ⁻¹ of ATLAS data. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	13
275	Search for massive colored scalars in four-jet final states in ($\sqrt{s}=7\sim\text{TeV}$) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
274	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at ($\sqrt{s}=7\sim\text{TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	53
273	Measurement of W and Z production in proton-proton collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	11
272	Inclusive search for same-sign dilepton signatures in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	31
271	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ($\sqrt{s} = 7$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	60
270	Development of n-on-p silicon sensors for very high radiation environments. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 636, S24-S30	1.2	59
269	Testing of bulk radiation damage of n-in-p silicon sensors for very high radiation environments. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 636, S83-S89	1.2	25
268	A silicon strip module for the ATLAS inner detector upgrade in the super LHC collider. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 636, S97-S103	1.2	13
267	Evaluation of the bulk and strip characteristics of large area n-in-p silicon sensors intended for a very high radiation environment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 636, S104-S110	1.2	14

266	Testing of surface properties pre-rad and post-rad of n-in-p silicon sensors for very high radiation environment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 636, S111-S117	1.2	18
265	Progress with the single-sided module prototypes for the ATLAS tracker upgrade stave. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 636, S90-S96	1.2	13
264	Combined performance studies for electrons at the 2004 ATLAS combined test-beam. <i>Journal of Instrumentation</i> , 2010 , 5, P11006-P11006	1	9
263	Measurements of CP-conserving trilinear gauge boson couplings WWV ($V=Z$) in $e+e$ collisions at LEP2. <i>European Physical Journal C</i> , 2010 , 66, 35-56	4.2	18
262	Study of the dependence of direct soft photon production on the jet characteristics in hadronic Z^0 decays. <i>European Physical Journal C</i> , 2010 , 67, 343-366	4.2	10
261	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 723-753	4.2	41
260	The ATLAS Inner Detector commissioning and calibration. <i>European Physical Journal C</i> , 2010 , 70, 787-821	4.2	70
259	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , 2010 , 70, 755-785	4.2	12
258	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. <i>European Physical Journal C</i> , 2010 , 70, 875-916	4.2	14
257	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , 2010 , 70, 823-874	4.2	817
256	Readiness of the ATLAS Tile Calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 1193-1236	4.2	82
255	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	14
254	Measurement of the $W \rightarrow \ell \bar{\nu}$ and $Z/\ell \rightarrow \ell \bar{\nu}$ production cross sections in proton-proton collisions at ($\sqrt{s} = 7$; {text{TeV}})) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	58
253	Characterization of irradiated P-type silicon detectors by the ALIBAVA system. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2010 , 617, 565-567	1.2	1
252	Search for long-lived charged massive particles with the D0 detector. <i>Physical Review Letters</i> , 2009 , 102, 161802	7.4	46
251	Search for charged higgs bosons decaying into top and bottom quarks in $pp[\overline{p}]$ collisions. <i>Physical Review Letters</i> , 2009 , 102, 191802	7.4	28
250	Measurement of $(pp \rightarrow Z+X)Br(Z \rightarrow \mu\mu)$ at $s=1.96$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 670, 292-299	4.2	24
249	Search for a scalar or vector particle decaying into $Z\eta$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 671, 349-355	4.2	15

248	Search for pair production of second generation scalar leptoquarks. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 671, 224-232	4.2	22
247	Search for the lightest scalar top quark in events with two leptons in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 675, 289-296	4.2	22
246	Inclusive single-particle production in two-photon collisions at LEP II with the DELPHI detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 678, 444-449	4.2	1
245	Search for associated production of charginos and neutralinos in the trilepton final state using 2.3 fb ⁻¹ of data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 680, 34-43	4.2	58
244	Search for one large extra dimension with the DELPHI detector at LEP. <i>European Physical Journal C</i> , 2009 , 60, 17-23	4.2	35
243	A study of $(\bar{b}b)$ production in e^+e^- collisions at $(\sqrt{s}=130) \div 07$ GeV. <i>European Physical Journal C</i> , 2009 , 60, 1-15	4.2	10
242	Correlations between polarisation states of W particles in the reaction $e^+e^- \rightarrow W^+W^-$ at LEP2 energies 189-209 GeV. <i>European Physical Journal C</i> , 2009 , 63, 611-623	4.2	
241	Search for third generation scalar leptoquarks decaying into τb . <i>Physical Review Letters</i> , 2008 , 101, 241802	7.4	21
240	Search for Higgs bosons decaying to tau pairs in pp collisions with the D0 detector. <i>Physical Review Letters</i> , 2008 , 101, 071804	7.4	31
239	Measurement of the forward-backward charge asymmetry in top-quark pair production. <i>Physical Review Letters</i> , 2008 , 100, 142002	7.4	183
238	Search for scalar neutrino superpartners in $e^+\mu^-$ final states in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 100, 241803	7.4	14
237	First study of the radiation-amplitude zero in $W\gamma$ production and limits on anomalous $WW\gamma$ couplings at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 100, 241805	7.4	30
236	Measurement of the inclusive jet cross section in pp collisions at square root $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 062001	7.4	148
235	Precise measurement of the top-quark mass from lepton + jets events. <i>Physical Review Letters</i> , 2008 , 101, 182001	7.4	23
234	Measurement of the shape of the boson-transverse momentum distribution in $pp \rightarrow Z/\gamma^* \rightarrow e^+e^- + X$ events produced at square root $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 100, 102002	7.4	83
233	Search for neutral Higgs bosons in multi-b-jet events in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 221802	7.4	15
232	Search for flavor-changing-neutral-current d meson decays. <i>Physical Review Letters</i> , 2008 , 100, 101801	7.4	17
231	Search for large extra dimensions via single photon plus missing energy final states at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 011601	7.4	43

230	Search for ZZ and Zgamma* production in pp[over] collisions at square root s=1.96 TeV and limits on anomalous ZZZ and ZZgamma* couplings. <i>Physical Review Letters</i> , 2008 , 100, 131801	7.4	27
229	Search for W' boson resonances decaying to a top quark and a bottom quark. <i>Physical Review Letters</i> , 2008 , 100, 211803	7.4	44
228	Combined performance tests before installation of the ATLAS Semiconductor and Transition Radiation Tracking Detectors. <i>Journal of Instrumentation</i> , 2008 , 3, P08003-P08003	1	39
227	Alignment of the Pixel and SCT Modules for the 2004 ATLAS Combined Test Beam. <i>Journal of Instrumentation</i> , 2008 , 3, P09004-P09004	1	4
226	The integration and engineering of the ATLAS SemiConductor Tracker Barrel. <i>Journal of Instrumentation</i> , 2008 , 3, P10006-P10006	1	10
225	Engineering for the ATLAS SemiConductor Tracker (SCT) End-cap. <i>Journal of Instrumentation</i> , 2008 , 3, P05002-P05002	1	3
224	The data acquisition and calibration system for the ATLAS Semiconductor Tracker. <i>Journal of Instrumentation</i> , 2008 , 3, P01003-P01003	1	13
223	Measurement of the tau lepton polarisation at LEP2. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2008 , 659, 65-73	4.2	
222	Search for squarks and gluinos in events with jets and missing transverse energy using 2.1 fb of . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2008 , 660, 449-457	4.2	95
221	Measurement of the ratio of the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2008 , 666, 23-30	4.2	25
220	Search for tt resonances in the lepton plus jets final state in pp collisions at s=1.96TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2008 , 668, 98-104	4.2	37
219	Measurement of differential . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2008 , 669, 278-286	4.2	38
218	Annealing studies of silicon microstrip detectors irradiated at high neutron fluences. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2008 , 591, 181-183	1.2	2
217	Study of W-boson polarisations and triple gauge boson couplings in the reaction e+e-->W+W- at LEP 2. <i>European Physical Journal C</i> , 2008 , 54, 345-364	4.2	32
216	Measurement of the mass and width of the W boson in e+e- collisions at (sqrt{s}) = 161.09 GeV. <i>European Physical Journal C</i> , 2008 , 55, 1	4.2	28
215	Study of b-quark mass effects in multijet topologies with the DELPHI detector at LEP. <i>European Physical Journal C</i> , 2008 , 55, 525-538	4.2	15
214	Di-jet production in collisions at LEP2. <i>European Physical Journal C</i> , 2008 , 58, 531-541	4.2	1
213	Observation of the muon inner bremsstrahlung at LEP1. <i>European Physical Journal C</i> , 2008 , 57, 499-514	4.2	8

212	Measurement of the shape of the boson rapidity distribution for $pp \rightarrow Z/\gamma \rightarrow e^+e^- X$ events produced at \sqrt{s} of 1.96 TeV. <i>Physical Review D</i> , 2007 , 76,	4.9	58
211	Pitch adaptors of the ATLAS-SCT Endcap detector modules. <i>Journal of Instrumentation</i> , 2007 , 2, T10001-T10001		
210	ATLAS silicon module assembly and qualification tests at IFIC Valencia. <i>Journal of Instrumentation</i> , 2007 , 2, T05001-T05001	1	
209	Study of multi-muon bundles in cosmic ray showers detected with the DELPHI detector at LEP. <i>Astroparticle Physics</i> , 2007 , 28, 273-286	2.4	40
208	The silicon microstrip sensors of the ATLAS semiconductor tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 578, 98-118	1.2	49
207	Characterization of irradiated detectors fabricated on p-type silicon substrates for super-LHC. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 583, 33-36	1.2	4
206	Laser tests of silicon detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 573, 12-15	1.2	5
205	Characterisation of p-type detectors for the future Super-LHC. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 579, 604-607	1.2	
204	Search for pentaquarks in the hadronic decays of the Z boson with the DELPHI detector at LEP. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2007 , 653, 151-160	4.2	5
203	Search for a fourth generation b quark at LEP-II at $(\sqrt{s}=196-209 \text{ GeV})$. <i>European Physical Journal C</i> , 2007 , 50, 507-518	4.2	3
202	Investigation of Colour Reconnection in WW events with the DELPHI detector at LEP-2. <i>European Physical Journal C</i> , 2007 , 51, 249	4.2	12
201	Z^0 production in e^+e^- interactions at $(\sqrt{s} = 183-209, \text{GeV})$. <i>European Physical Journal C</i> , 2007 , 51, 503-523	4.2	2
200	Study of triple-gauge-boson couplings ZZZ, ZZ γ and Z $\gamma\gamma$ at LEP. <i>European Physical Journal C</i> , 2007 , 51, 525-542	4.2	21
199	The ATLAS semiconductor tracker end-cap module. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 575, 353-389	1.2	56
198	Ultimate limits for the radiation hardness of silicon strip detectors for sLHC. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 581, 365-367	1.2	2
197	The optical links of the ATLAS SemiConductor Tracker. <i>Journal of Instrumentation</i> , 2007 , 2, P09003-P09003		20
196	Search for stopped gluinos from pp collisions at square root $\sqrt{s} = 1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2007 , 99, 131801	7.4	35
195	The barrel modules of the ATLAS semiconductor tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2006 , 568, 642-671	1.2	63

194	Search for associated higgs boson production $WH \rightarrow WWW^* \rightarrow l^+/-\nu l'^+/-\nu' + X$ in pp collisions at square root $s=1.96$ Te V. <i>Physical Review Letters</i> , 2006 , 97, 151804	7.4	13
193	Measurement of the $t\bar{t}$ production cross section in pp collisions at $s=1.96$ TeV using secondary vertex b tagging. <i>Physical Review D</i> , 2006 , 74,	4.9	42
192	Search for \tilde{B} in two-photon collisions at LEP II with the DELPHI detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 634, 340-346	4.2	10
191	Search for pair production of second generation scalar leptoquarks in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 636, 183-190	4.2	18
190	Measurement of the isolated photon cross section in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 639, 151-158	4.2	64
189	Search for R-parity violating supersymmetry via the LLE couplings $\tilde{\kappa}_{21}$, $\tilde{\kappa}_{22}$ or $\tilde{\kappa}_{33}$ in pp collisions at $s=1.96$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 638, 441-449	4.2	19
188	Masses, lifetimes and production rates of . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 639, 179-191	4.2	2
187	Study of leading hadrons in gluon and quark fragmentation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 643, 147-157	4.2	6
186	Evidence for an excess of soft photons in hadronic decays of Z^0 . <i>European Physical Journal C</i> , 2006 , 47, 273-294	4.2	17
185	Search for neutral MSSM Higgs bosons at LEP. <i>European Physical Journal C</i> , 2006 , 47, 547	4.2	496
184	Development of radiation tolerant semiconductor detectors for the Super-LHC. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005 , 546, 99-107	1.2	20
183	Coherent soft particle production in Z decays into three jets. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2005 , 605, 37-48	4.2	4
182	Radiation-hard semiconductor detectors for SuperLHC. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005 , 541, 189-201	1.2	50
181	Design and performance of the ABCD3TA ASIC for readout of silicon strip detectors in the ATLAS semiconductor tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005 , 552, 292-328	1.2	83
180	Recent advancements in the development of radiation hard semiconductor detectors for S-LHC. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005 , 552, 7-19	1.2	29
179	Measurement of dijet azimuthal decorrelations at central rapidities in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2005 , 94, 221801	7.4	64
178	Measurement of inclusive differential cross sections for pp collisions at $(\text{square root})s = 1.96$ TeV. <i>Physical Review Letters</i> , 2005 , 94, 232001	7.4	44
177	Observation and properties of the $X(3872)$ decaying to $J/\psi\pi^+\pi^-$ in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2004 , 93, 162002	7.4	408

176	Measurement of the B_0 decay form factor. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 585, 63-84	4.2	25
175	Search for single top production via FCNC at LEP at $\sqrt{s}=189\pm 08$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 590, 21-34	4.2	35
174	High-pitch metal-on-glass technology for pad pitch adaptation between detectors and readout electronics. <i>IEEE Transactions on Nuclear Science</i> , 2004 , 51, 968-974	1.7	12
173	A measurement of the branching fractions of the b-quark into charged and neutral b-hadrons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 576, 29-42	4.2	13
172	Measurement of inclusive $f_1(1285)$ and $f_1(1420)$ production in Z decays with the DELPHI detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 569, 129-139	4.2	5
171	Search for doubly charged Higgs bosons at LEP2. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 552, 127-137	4.2	59
170	Inclusive $b\bar{b}$ decays to wrong sign charmed mesons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 561, 26-40	4.2	3
169	Study of inclusive J/ψ production in two-photon collisions at LEP II with the DELPHI detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 565, 76-86	4.2	36
168	Silicon microstrip detectors for the ATLAS SCT. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2002 , 485, 84-88	1.2	25
167	Search for charged Higgs bosons in $e+e\bar{e}$ collisions at $s=189\pm 02$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 525, 17-28	4.2	12
166	Rapidity-alignment and p_T compensation of particle pairs in hadronic Z^0 decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 533, 243-252	4.2	2
165	Measurement of the ZZ cross-section in $e+e\bar{e}$ interactions at 183 ± 89 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 497, 199-213	4.2	6
164	Search for R-parity violation with a $U-D-D$ coupling at $s=189$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 500, 22-36	4.2	11
163	Search for the Standard Model Higgs boson at LEP in the year 2000. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 499, 23-37	4.2	61
162	Measurement of trilinear gauge boson couplings WWV , $(V=Z,\gamma)$ in $e+e\bar{e}$ collisions at 189 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 502, 9-23	4.2	26
161	Search for spontaneous R-parity violation at \sqrt{s} GeV and 189 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 502, 24-36	4.2	10
160	Update of the search for supersymmetric particles in scenarios with gravitino LSP and sleptons NLSP. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 503, 34-48	4.2	3
159	Search for a fermiophobic Higgs at LEP 2. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 507, 89-103	4.2	24

158	Measurement of the mass and width of the W boson in $e+e^-$ collisions at $\sqrt{s}=80$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 511, 159-177	4.2	14
157	Measurement of V_{cb} from the decay process $B^0 \rightarrow D^{*+} \pi^-$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 510, 55-74	4.2	32
156	Single intermediate vector boson production in $e+e^-$ collisions at $\sqrt{s}=183$ and 189 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 515, 238-254	4.2	8
155	Measurement of the branching fraction. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 475, 407-428	4.2	13
154	Inclusive Λ and $\bar{\Lambda}(1520)$ production in hadronic Z decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 475, 429-447	4.2	9
153	Search for heavy stable and long-lived particles in $e+e^-$ collisions at GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 478, 65-72	4.2	21
152	Determination of $ V_{ub} / V_{cb} $ with DELPHI at LEP. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 478, 14-30	4.2	25
151	Search for charginos in $e+e^-$ interactions at $\sqrt{s}=189$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 479, 129-143	4.2	8
150	W pair production cross-section and W branching fractions in $e+e^-$ interactions at 189 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 479, 89-100	4.2	18
149	Measurement and interpretation of fermion-pair production at LEP energies of 183 and 189 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 485, 45-61	4.2	47
148	Update of the search for charginos nearly mass-degenerate with the lightest neutralino. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 485, 95-106	4.2	10
147	Search for SUSY with R-parity violating couplings at GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 487, 36-52	4.2	17
146	Rapidity-rank structure of pp pairs in hadronic Z0 decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 490, 61-70	4.2	3
145	Limits on the masses of supersymmetric particles at $\sqrt{s}=189$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 489, 38-54	4.2	12
144	Determination of the $e+e^- \rightarrow \mu^+\mu^-$ cross-section at centre-of-mass energies ranging from 189 GeV to 202 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 491, 67-80	4.2	14
143	Search for the sgoldstino at from 189 to 202 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 494, 203-214	4.2	7
142	Upper limit for the decay $B \rightarrow \Lambda$ and measurement of the $b \rightarrow \Lambda$ branching ratio. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 496, 43-58	4.2	13
141	Search for supersymmetric partners of top and bottom quarks at $\sqrt{s}=80$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 496, 59-75	4.2	14

140	B polarization in Z0 decays at LEP. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 474, 205-222	4.2	11
139	Two-dimensional analysis of the Bose-Einstein correlations in e+e- annihilation at the Z0 peak. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 471, 460-470	4.2	30
138	Search for Leptoquarks and FCNC in e+e- annihilations at s=183 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 446, 62-74	4.2	28
137	Study of the four-jet anomaly observed at LEP centre-of-mass energies of 130 and 136 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 448, 311-319	4.2	
136	Measurement of inclusive D, f0(980), f2(1270), K and f2'(1525) production in Z0 decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 449, 364-382	4.2	21
135	The scale dependence of the hadron multiplicity in quark and gluon jets and a precise determination of CA/CF. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 449, 383-400	4.2	36
134	Energy dependence of event shapes and of Bs at LEP 2. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 456, 322-340	4.2	47
133	W pair production cross-section and W branching fractions in e+e- interactions at 183 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 456, 310-321	4.2	8
132	Multiplicity fluctuations in one- and two-dimensional angular intervals compared with analytic QCD calculations. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 457, 368-382	4.2	10
131	A search for invisible Higgs bosons produced in e+e- interactions at LEP 2 energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 459, 367-381	4.2	6
130	Search for the Higgs boson in events with isolated photons at LEP 2. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 458, 431-446	4.2	15
129	Energy dependence of inclusive spectra in e+e- annihilation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 459, 397-411	4.2	29
128	Measurements of the trilinear gauge boson couplings WWV (V=Z) in e+e- collisions at 183 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 459, 382-396	4.2	20
127	Measurement of the rate of events in hadronic Z decays and the extraction of the gluon splitting into. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 462, 425-439	4.2	18
126	Search for chargino pair production in scenarios with gravitino LSP and stau NLSP at GeV at LEP. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 466, 61-70	4.2	2
125	Search for scalar fermions and long-lived scalar leptons at centre-of-mass energies of 130 GeV to 172 GeV. <i>European Physical Journal C</i> , 1999 , 6, 385-401	4.2	4
124	Search for pair-produced neutralinos in events with photons and missing energy from e+e- collisions at (sqrt s = 130 - 183) GeV. <i>European Physical Journal C</i> , 1999 , 6, 371-384	4.2	3
123	Search for charged Higgs bosons at LEP 2. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 460, 484-497	4.2	9

122	Measurement of the mass of the W boson using direct reconstruction at $\sqrt{s} = 183$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 462, 410-424	4.2	16
121	Search for pair-produced neutralinos in events with photons and missing energy from e+e- collisions at ($\sqrt{s} = 130 - 183$) GeV 1999 , 6, 371		5
120	Search for scalar fermions and long-lived scalar leptons at centre-of-mass energies of 130 GeV to 172 GeV 1999 , 6, 385		7
119	Search for charginos, neutralinos and gravitinos at LEP. <i>European Physical Journal C</i> , 1998 , 1, 1	4.2	10
118	Two-particle angular correlations in e+e- interactions compared with QCD predictions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 440, 203-216	4.2	5
117	Performance of the ATLAS silicon strip detector modules. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1998 , 403, 247-255	1.2	3
116	Beam test of the ATLAS silicon detector modules. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1998 , 409, 236-239 ^{1.2}		4
115	Charged particle multiplicity in e+e- \rightarrow qq events at 161 and 172 GeV and from the decay of the W boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 416, 233-246 ^{4.2}		11
114	Rapidity correlations in Λ baryon and proton production in hadronic Z0 decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 416, 247-256	4.2	10
113	mb at MZ. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 418, 430-442 ^{4.2}		44
112	Search for charged Higgs bosons in e+e- collisions at $\sqrt{s} = 172$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 420, 140-156	4.2	9
111	Measurement of trilinear gauge couplings in e+e- collisions at 161 GeV and 172 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 423, 194-206	4.2	28
110	Measurement of the inclusive charmless and double-charm B branching ratios. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 426, 193-206	4.2	6
109	Measurement of the charged particle multiplicity of weakly decaying B hadrons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 425, 399-412	4.2	5
108	First evidence for a charm radial excitation, D. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 426, 231-242	4.2	33
107	A study of the hadronic resonance structure in the decay $\Lambda_c^0 \rightarrow p \pi^-$ <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 426, 411-427	4.2	26
106	Measurement of the e+e- \rightarrow $\mu^+\mu^-$ cross section at the LEP energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 433, 429-440	4.2	10
105	Measurement of Vcs using W decays at LEP2. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 439, 209-224	4.2	21

104	A search for $\tilde{\chi}_c$ production in photon-photon fusion at LEP. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 441, 479-490	4.2	17
103	A search for heavy stable and long-lived squarks and sleptons in e^+e^- collisions at energies from 130 to 183 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 444, 491-502	4.2	24
102	Search for charginos, neutralinos and gravitinos at LEP. <i>European Physical Journal C</i> , 1998 , 1, 1-20	4.2	50
101	Measurement and interpretation of the W-pair cross-section in e^+e^- interactions at 161 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 397, 158-170	4.2	40
100	Identified particles in quark and gluon jets. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 401, 118-130	4.2	2
99	Measurement of the transverse spin correlation in $Z \rightarrow \mu^+ \mu^-$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 404, 194-206	4.2	4
98	Search for excited leptons in e^+e^- collisions at. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 393, 245-260	4.2	10
97	Search for stable heavy charged particles in e^+e^- collisions at , 161 and 172 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 396, 315-326	4.2	19
96	Search for the B_c meson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 398, 207-222	4.2	26
95	A measurement of μ s from the scaling violation in e^+e^- annihilation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 398, 194-206	4.2	16
94	Measurement of correlations between pions from different W's in $e^+e^- \rightarrow W+W^-$ events. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 401, 181-191	4.2	24
93	Measurement of the multiplicity of gluons splitting to bottom quark pairs in hadronic Z^0 decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 405, 202-214	4.2	21
92	Measurement of the spin density matrix for the ρ^0 , $K^*(892)$ and F produced in Z^0 decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 406, 271-286	4.2	28
91	Search for B_{s0}^- oscillations. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 414, 382-400	4.2	4
90	Measurement of the triple gluon vertex from double quark tagged 4-jet events. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 414, 401-418	4.2	11
89	Observation of charge-ordering in particle production in hadronic Z^0 decay. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 407, 174-184	4.2	13
88	Search for high mass resonances in $(e^+ + e^- \rightarrow e^+ + e^- + \gamma \gamma)$, $(\bar{\nu} \nu \gamma \gamma)$ and $(q \bar{q} \gamma \gamma)$ at LEP I. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1996 , 72, 179-190		3
87	Study of rare b decays with the DELPHI detector at LEP. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1996 , 72, 207-220		22

86	A precise measurement of the tau lepton lifetime. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 365, 448-460	4.2	16
85	Charged particle multiplicity in e^+e^- interactions at $s = 130$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 372, 172-180	4.2	25
84	Search for exclusive decays of the \bar{B} baryon and measurement of its mass. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 374, 351-361	4.2	25
83	Updated precision measurement of the average lifetime of B hadrons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 377, 195-204	4.2	8
82	First measurement of $f_2'(1525)$ production in Z^0 hadronic decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 379, 309-318	4.2	5
81	Kaon interference in the hadronic decays of the Z^0 . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 379, 330-340	4.2	20
80	Search for anomalous production of single photons at and 136 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 380, 471-479	4.2	18
79	Study of radiative leptonic events with hard photons and search for excited charged leptons at GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 380, 480-490	4.2	17
78	Search for the lightest chargino at GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 382, 323-336	4.2	14
77	Search for neutralinos, scalar leptons and scalar quarks in e^+e^- interactions at. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 387, 651-666	4.2	12
76	Performance of the DELPHI detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1996 , 378, 57-100	1.2	248
75	An upper limit for $Br(Z^0 \rightarrow ggg)$ from symmetric 3-jet Z^0 hadronic decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 389, 405-415	4.2	1
74	Mean lifetime of the B^0 meson 1996 , 71, 11		1
73	Measurement of the B^0 d oscillation frequency using kaons, leptons and jet charge 1996 , 72, 17		1
72	$B^* \rightarrow \mu^+\mu^-$ production in Z decays. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 68, 353-362		11
71	Lifetime of charged and neutral B hadrons using event topology. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 68, 363-374		11
70	First evidence of hard scattering processes in single tagged e^+e^- collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995 , 342, 402-416	4.2	12
69	Observation of orbitally excited B mesons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995 , 345, 598-608	4.2	75

68	Production of charged particles, K_S^0 , K_L^0 , p and \bar{n} events and in the decay of b hadrons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995 , 347, 447-466	4.2	36
67	Observation of short range three-particle correlations in e^+e^- annihilations at LEP energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995 , 355, 415-424	4.2	28
66	Search for exclusive charmless B meson decays with the DELPHI detector at LEP. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995 , 357, 255-266	4.2	6
65	A measurement of the Π leptonic branching fractions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995 , 357, 715-724	4.2	9
64	Upper limits on the branching ratios $\Pi^0 \rightarrow \bar{K}^0 K^0$ and $\Pi^0 \rightarrow e^+e^-$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995 , 359, 411-421	4.2	7
63	Measurement of $\Xi^+(1232)$ production in hadronic Z decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995 , 361, 207-220	4.2	13
62	Strange baryon production in Z hadronic decays. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 67, 543-553		26
61	Measurement of $(\frac{\Gamma_{\bar{b}b}}{\Gamma_{\text{had}}})$ using impact parameter measurements and lepton identification. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 66, 323-339		23
60	Measurement of the forward-backward asymmetry of charm and bottom quarks at the Z pole using $D^* \Pi$ mesons. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 66, 341-354		5
59	Search for heavy neutral Higgs bosons in two-doublet models. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 67, 69-79		13
58	Measurements of the Π polarisation in Z0 decays. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 67, 183-201		17
57	Measurement of the $(\Gamma_{\bar{b}b} / \Gamma_{\text{had}})$ branching ratio of the Z by double hemisphere tagging. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 65, 555-568		16
56	Measurement of the forward-backward asymmetry of $e^+e^- \rightarrow Z \rightarrow (\bar{b}b)$ using prompt leptons and a lifetime tag. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 65, 569-585		17
55	Production characteristics of K^0 and light meson resonances in hadronic decays of the Z0. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 65, 587-602		41
54	A study of radiative muon-pair events at Z0 energies and limits on an additional Z' gauge boson. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 65, 603-618		27
53	A measurement of B^+ and B^0 lifetimes using $(\bar{D}^0 \rightarrow \pi^+ \pi^-)$ events. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 68, 13-23		5
52	Inclusive measurements of the production in hadronic Z0 decays. <i>Nuclear Physics B</i> , 1995 , 444, 3-26	2.8	38
51	J/Ψ production in the hadronic decays of the Z. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1994 , 341, 109-122	4.2	28

50	A measurement of the B_s^0 meson mass. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1994 , 324, 500-508	4.2	14
49	Interference of neutral kaons in the hadronic decays of the Z^0 . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1994 , 323, 242-252	4.2	12
48	Charged kaon production in tau decays at LEP. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1994 , 334, 435-449	4.2	14
47	Measurement of the $e^+e^- \rightarrow \gamma^* \gamma^* \rightarrow \mu^+\mu^-$ cross section at LEP energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1994 , 327, 386-396	4.2	24
46	Measurement of the mixing using the average electric charge of hadron-jets in Z^0 -decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1994 , 322, 459-472	4.2	9
45	Measurement of the mixing parameter in DELPHI. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1994 , 332, 488-500	4.2	9
44	Measurement of time dependent B_d^0 - B_d^0 mixing. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1994 , 338, 409-420	4.2	12
43	Production rate and decay lifetime measurements of B^0 s mesons at LEP using D^0 and \bar{D}^0 mesons. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1994 , 61, 407-419		12
42	Study of hard scattering processes in multihadron production from e^+e^- collisions at LEP. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1994 , 62, 357-365		13
41	Search for pair-produced heavy scalars in Z^0 decays. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1994 , 64, 183-193		11
40	A precision measurement of the average lifetime of B hadrons. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1994 , 63, 3-15		10
39	Invariant mass dependence of particle correlations in hadronic final states from the decay of the Z^0 . <i>Zeitschrift für Physik C-Particles and Fields</i> , 1994 , 63, 17-28		27
38	Search for the standard model Higgs boson in Z^0 decays. <i>Nuclear Physics B</i> , 1994 , 421, 3-37	2.8	26
37	Improved measurements of cross sections and asymmetries at the Z^0 resonance. <i>Nuclear Physics B</i> , 1994 , 418, 403-427	2.8	37
36	Measurements of the lineshape of the Z^0 and determination of electroweak parameters from its hadronic and leptonic decays. <i>Nuclear Physics B</i> , 1994 , 417, 3-57	2.8	19
35	A measurement of the tau lifetime. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 302, 356-368	4.2	16
34	A measurement of the mean lifetimes of charged and neutral B -hadrons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 312, 253-266	4.2	15
33	Measurement of B production and lifetime in Z^0 hadronic decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 311, 379-390	4.2	24

32	Determination of θ_S from the scaling violation in the fragmentation functions in e^+e^- annihilation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 311, 408-424	4.2	40
31	A study of B_0^0 mixing using semileptonic decays of B hadrons produced from Z^0 . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 301, 145-154	4.2	15
30	Limits on the production of scalar leptoquarks from Z^0 decays at LEP. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 316, 620-630	4.2	29
29	Production of χ and χ correlations in the hadronic decays of the Z^0 . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 318, 249-262	4.2	41
28	Measurement of the triple-gluon vertex from 4-jet events at LEP. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1993 , 59, 357-368		31
27	Determination of θ_s using the next-to-leading-log approximation of QCD. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1993 , 59, 21-33		28
26	A measurement of D meson production in Z^0 hadronic decays. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1993 , 59, 533-545		26
25	A measurement of B meson production and lifetime using DLEvents in Z^0 decays. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1993 , 57, 181-195		28
24	Determination of θ_S for b quarks at the Z^0 resonance. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 307, 221-236	4.2	19
23	Search for Z^0 decays to two leptons and a charged particle-antiparticle pair. <i>Nuclear Physics B</i> , 1993 , 403, 3-24	2.8	7
22	Determination of α_s in second order QCD from hadronic Z^0 decays. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1992 , 54, 55-73		34
21	Multiplicity dependence of mean transverse momentum in e^+e^- annihilations at LEP energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1992 , 276, 254-262	4.2	6
20	A search for neutral Higgs particles in Z^0 decays. <i>Nuclear Physics B</i> , 1992 , 373, 3-34	2.8	38
19	Multiplicity fluctuations in hadronic final states from the decay of the Z^0 . <i>Nuclear Physics B</i> , 1992 , 386, 471-492	2.8	23
18	Evidence for B_S^0 meson production in Z^0 decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1992 , 289, 199-210	4.2	36
17	Measurement of the partial width of the Z^0 into $b(\bar{b})$ final states using their semi-leptonic decays. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1992 , 56, 47-61		21
16	Search for excited charged leptons in Z^0 decays. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1992 , 53, 41-49		16
15	Study of final state photons in hadronic Z^0 decay and limits on new phenomena. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1992 , 53, 555-565		25

14	Measurement of the average lifetime of B hadrons. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1992 , 53, 567-580		18
13	A study of the decays of tau leptons produced on the Z resonance at LEP. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1992 , 55, 555-567		28
12	Bose-Einstein correlations in the hadronic decays of the Z ⁰ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1992 , 286, 201-210	4.2	66
11	Searches for heavy neutrinos from Z decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1992 , 274, 230-238	4.2	21
10	Search for scalar leptoquarks from Z ⁰ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1992 , 275, 222-230	4.2	22
9	Production of strange particles in the hadronic decays of the Z ⁰ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1992 , 275, 231-242	4.2	41
8	Measurement of the Z ⁰ branching fraction to b quark pairs using the boosted sphericity product. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1992 , 281, 383-393	4.2	9
7	A measurement of the b forward-backward asymmetry using the semileptonic decay into muons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1992 , 276, 536-546	4.2	19
6	Study of orientation of three-jet events in Z ⁰ hadronic decays using the DELPHI detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1992 , 274, 498-506	4.2	13
5	Classification of the hadronic decays of the Z ⁰ into b and c quark pairs using a neural network. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1992 , 295, 383-395	4.2	34
4	Charged particle multiplicity distributions in restricted rapidity intervals in Z ⁰ hadronic decays. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1991 , 52, 271-281		49
3	The reaction $e^+e^- \rightarrow \mu^+\mu^-$ at Z ⁰ energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1991 , 268, 296-304	4.2	29
2	A measurement of the lifetime of the tau lepton. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1991 , 267, 422-430	4.2	17
1	Determination of Z ⁰ resonance parameters and couplings from its hadronic and leptonic decays. <i>Nuclear Physics B</i> , 1991 , 367, 511-574	2.8	62