## Qichong Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7960057/publications.pdf

Version: 2024-02-01

51 papers 4,011 citations

94433 37 h-index 53 g-index

54 all docs

54 docs citations

times ranked

54

3893 citing authors

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Wrapping Aligned Carbon Nanotube Composite Sheets around Vanadium Nitride Nanowire Arrays for Asymmetric Coaxial Fiber-Shaped Supercapacitors with Ultrahigh Energy Density. Nano Letters, 2017, 17, 2719-2726.  | 9.1  | 281       |
| 2  | Metal–Organic Framework Derived Spindle-like Carbon Incorporated α-Fe <sub>2</sub> O <sub>3</sub> Grown on Carbon Nanotube Fiber as Anodes for High-Performance Wearable Asymmetric Supercapacitors. ACS Nano, 2018, 12, 9333-9341.  | 14.6 | 263       |
| 3  | Constructing Ultrahigh-Capacity Zinc–Nickel–Cobalt Oxide@Ni(OH) <sub>2</sub> Core–Shell<br>Nanowire Arrays for High-Performance Coaxial Fiber-Shaped Asymmetric Supercapacitors. Nano<br>Letters, 2017, 17, 7552-7560.   | 9.1  | 231       |
| 4  | Flexible and High-Voltage Coaxial-Fiber Aqueous Rechargeable Zinc-Ion Battery. Nano Letters, 2019, 19, 4035-4042.  | 9.1  | 202       |
| 5  | Stretchable fiber-shaped asymmetric supercapacitors with ultrahigh energy density. Nano Energy, 2017, 39, 219-228.   | 16.0 | 200       |
| 6  | Stitching of Zn <sub>3</sub> (OH) <sub>2</sub> V <sub>2</sub> O <sub>7</sub> Â-2H <sub>2</sub> O 2D Nanosheets by 1D Carbon Nanotubes Boosts Ultrahigh Rate for Wearable Quasi-Solid-State Zinc-Ion Batteries. ACS Nano, 2020, 14, 842-853.  | 14.6 | 183       |
| 7  | MOF for template-directed growth of well-oriented nanowire hybrid arrays on carbon nanotube fibers for wearable electronics integrated with triboelectric nanogenerators. Nano Energy, 2018, 45, 420-431.  | 16.0 | 158       |
| 8  | Freestanding Metal–Organic Frameworks and Their Derivatives: An Emerging Platform for Electrochemical Energy Storage and Conversion. Chemical Reviews, 2022, 122, 10087-10125.   | 47.7 | 126       |
| 9  | High-Performance Quasi-Solid-State Flexible Aqueous Rechargeable Ag–Zn Battery Based on Metal–Organic Framework-Derived Ag Nanowires. ACS Energy Letters, 2018, 3, 2761-2768.  | 17.4 | 125       |
| 10 | Self-sacrificed synthesis of conductive vanadium-based Metal–Organic framework nanowire-bundle arrays as binder-free cathodes for high-rate and high-energy-density wearable Zn-lon batteries. Nano Energy, 2019, 64, 103935.  | 16.0 | 107       |
| 11 | V <sub>2</sub> O <sub>5</sub> nanosheets supported on 3D N-doped carbon nanowall arrays as an advanced cathode for high energy and high power fiber-shaped zinc-ion batteries. Journal of Materials Chemistry A, 2019, 7, 12979-12986.   | 10.3 | 101       |
| 12 | Direct Ink Writing of Adjustable Electrochemical Energy Storage Device with High Gravimetric Energy Densities. Advanced Functional Materials, 2019, 29, 1900809.   | 14.9 | 94        |
| 13 | High-performance flexible all-solid-state aqueous rechargeable Zn–MnO <sub>2</sub> microbatteries integrated with wearable pressure sensors. Journal of Materials Chemistry A, 2018, 6, 14594-14601.   | 10.3 | 91        |
| 14 | Allâ€Metalâ€Organic Frameworkâ€Derived Battery Materials on Carbon Nanotube Fibers for Wearable Energyâ€Storage Device. Advanced Science, 2018, 5, 1801462.  | 11.2 | 89        |
| 15 | Anchoring V <sub>2</sub> O <sub>5</sub> nanosheets on hierarchical titanium nitride nanowire arrays to form core–shell heterostructures as a superior cathode for high-performance wearable aqueous rechargeable zinc-ion batteries. Journal of Materials Chemistry A, 2019, 7, 12997-13006. | 10.3 | 89        |
| 16 | Ultrafast Allâ€Solidâ€State Coaxial Asymmetric Fiber Supercapacitors with a High Volumetric Energy Density. Advanced Energy Materials, 2018, 8, 1702946.   | 19.5 | 86        |
| 17 | An all-solid-state, lightweight, and flexible asymmetric supercapacitor based on cabbage-like ZnCo <sub>2</sub> O <sub>4</sub> and porous VN nanowires electrode materials. Journal of Materials Chemistry A, 2017, 5, 6928-6936.  | 10.3 | 81        |
| 18 | Advanced Multifunctional Aqueous Rechargeable Batteries Design: From Materials and Devices to Systems. Advanced Materials, 2022, 34, e2104327.   | 21.0 | 78        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | A one-dimensional channel self-standing MOF cathode for ultrahigh-energy-density flexible Ni–Zn batteries. Journal of Materials Chemistry A, 2019, 7, 27217-27224.  | 10.3 | 73        |
| 20 | Flexible all-solid-state fiber-shaped Ni–Fe batteries with high electrochemical performance. Journal of Materials Chemistry A, 2019, 7, 520-530.  | 10.3 | 70        |
| 21 | An ultra-high endurance and high-performance quasi-solid-state fiber-shaped Zn–Ag∢sub>2∢/sub>O battery to harvest wind energy. Journal of Materials Chemistry A, 2019, 7, 2034-2040.  | 10.3 | 70        |
| 22 | All Hierarchical Core–Shell Heterostructures as Novel Binderâ€Free Electrode Materials for Ultrahighâ€Energyâ€Density Wearable Asymmetric Supercapacitors. Advanced Science, 2019, 6, 1801379.  | 11.2 | 70        |
| 23 | Binder-free NaTi2(PO4)3 anodes for high-performance coaxial-fiber aqueous rechargeable sodium-ion batteries. Nano Energy, 2020, 67, 104212.   | 16.0 | 70        |
| 24 | Nickel metal–organic framework nanosheets as novel binder-free cathode for advanced fibrous aqueous rechargeable Ni–Zn battery. Journal of Materials Chemistry A, 2020, 8, 3262-3269.   | 10.3 | 68        |
| 25 | Constructing hierarchical dandelion-like molybdenum–nickel–cobalt ternary oxide nanowire arrays on carbon nanotube fiber for high-performance wearable fiber-shaped asymmetric supercapacitors. Journal of Materials Chemistry A, 2017, 5, 21153-21160.       | 10.3 | 63        |
| 26 | Facile synthesis of hierarchical porous manganese nickel cobalt sulfide nanotube arrays with enhanced electrochemical performance for ultrahigh energy density fiber-shaped asymmetric supercapacitors. Journal of Materials Chemistry A, 2018, 6, 8030-8038. | 10.3 | 62        |
| 27 | One-Step in Situ Ball Milling Synthesis of Polymer-Functionalized Few-Layered Boron Nitride and Its Application in High Thermally Conductive Cellulose Composites. ACS Applied Nano Materials, 2018, 1, 4875-4883.  | 5.0  | 61        |
| 28 | Facile Synthesis of Na-Doped MnO <sub>2</sub> Nanosheets on Carbon Nanotube Fibers for Ultrahigh-Energy-Density All-Solid-State Wearable Asymmetric Supercapacitors. ACS Applied Materials & amp; Interfaces, 2018, 10, 37233-37241.                          | 8.0  | 60        |
| 29 | Engineering MoS <sub>2</sub> Nanosheets on Spindleâ€Like αâ€Fe <sub>2</sub> O <sub>3</sub> as Highâ€Performance Core–Shell Pseudocapacitive Anodes for Fiberâ€Shaped Aqueous Lithiumâ€Ion Capacitors. Advanced Functional Materials, 2020, 30, 2003967.       | 14.9 | 60        |
| 30 | Hierarchical ferric-cobalt-nickel ternary oxide nanowire arrays supported on graphene fibers as high-performance electrodes for flexible asymmetric supercapacitors. Nano Research, 2018, 11, 1775-1786.  | 10.4 | 55        |
| 31 | Boosting Zn-ion storage capability of self-standing Zn-doped Co3O4 nanowire array as advanced cathodes for high-performance wearable aqueous rechargeable Co//Zn batteries. Nano Research, 2021, 14, 91-99.   | 10.4 | 50        |
| 32 | All-solid-state sponge-like squeezable zinc-air battery. Energy Storage Materials, 2019, 23, 375-382.   | 18.0 | 47        |
| 33 | Ultra-endurance coaxial-fiber stretchable sensing systems fully powered by sunlight. Nano Energy, 2019, 60, 267-274.  | 16.0 | 46        |
| 34 | NaTi2(PO4)3 hollow nanoparticles encapsulated in carbon nanofibers as novel anodes for flexible aqueous rechargeable sodium-ion batteries. Nano Energy, 2021, 82, 105764.   | 16.0 | 43        |
| 35 | Interface engineered and surface modulated electrode materials for ultrahigh-energy-density wearable NiCo//Fe batteries. Energy Storage Materials, 2020, 27, 316-326.   | 18.0 | 40        |
| 36 | Rational Construction of Selfâ€Standing Sulfurâ€Doped Fe <sub>2</sub> O <sub>3</sub> Anodes with Promoted Energy Storage Capability for Wearable Aqueous Rechargeable NiCoâ€Fe Batteries. Advanced Energy Materials, 2020, 10, 2001064.                       | 19.5 | 39        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | All Binder-Free Electrodes for High-Performance Wearable Aqueous Rechargeable Sodium-Ion<br>Batteries. Nano-Micro Letters, 2019, 11, 101.  | 27.0 | 38        |
| 38 | Conversion Synthesis of Self tanding Potassium Zinc Hexacyanoferrate Arrays as Cathodes for Highâ€Voltage Flexible Aqueous Rechargeable Sodiumâ€Ion Batteries. Small, 2019, 15, e1905115.  | 10.0 | 37        |
| 39 | Designer patterned functional fibers via direct imprinting in thermal drawing. Nature Communications, 2020, 11, 3842.  | 12.8 | 36        |
| 40 | Superstructured α-Fe2O3 nanorods as novel binder-free anodes for high-performing fiber-shaped Ni/Fe battery. Science Bulletin, 2020, 65, 812-819.  | 9.0  | 32        |
| 41 | All-Solid-State Fiber-Shaped Asymmetric Supercapacitors with Ultrahigh Energy Density Based on Porous Vanadium Nitride Nanowires and Ultrathin Ni(OH) <sub>2</sub> Nanosheet Wrapped NiCo <sub>2</sub> O <sub>4</sub> Nanowires Arrays Electrode. Journal of Physical Chemistry C, 2019, 123. 985-993. | 3.1  | 31        |
| 42 | All-Metal Phosphide Electrodes for High-Performance Quasi-Solid-State Fiber-Shaped Aqueous Rechargeable Ni–Fe Batteries. ACS Applied Materials & 1, 12801, 12801, 12801, 12808.  | 8.0  | 30        |
| 43 | Roadmap for flexible solid-state aqueous batteries: From materials engineering and architectures design to mechanical characterizations. Materials Science and Engineering Reports, 2022, 148, 100671.   | 31.8 | 30        |
| 44 | Achieving ultrahigh-energy-density in flexible and lightweight all-solid-state internal asymmetric tandem 6.6â€√ all-in-one supercapacitors. Energy Storage Materials, 2020, 25, 893-902.  | 18.0 | 27        |
| 45 | Fully Solarâ€Powered Uninterrupted Overall Waterâ€Splitting Systems. Advanced Functional Materials, 2019, 29, 1808889.   | 14.9 | 24        |
| 46 | Highâ€Capacity Ironâ€Based Anodes for Aqueous Secondary Nickelâ^'Iron Batteries: Recent Progress and Prospects. ChemElectroChem, 2021, 8, 274-290.   | 3.4  | 23        |
| 47 | Rational Design of Hierarchical Titanium Nitride@Vanadium Pentoxide Core–Shell Heterostructure<br>Fibrous Electrodes for High-Performance 1.6 V Nonpolarity Wearable Supercapacitors. ACS Applied<br>Materials & Interfaces, 2018, 10, 29705-29711.  | 8.0  | 22        |
| 48 | Hierarchical NiCoP nanosheet arrays with enhanced electrochemical properties for high-performance wearable hybrid capacitors. Journal of Alloys and Compounds, 2019, 781, 783-789.   | 5.5  | 19        |
| 49 | High-Performance and Ultraflexible Aqueous Rechargeable Lithium-Ion Batteries Developed by Constructing All Binder-free Electrode Materials. ACS Applied Materials & Samp; Interfaces, 2020, 12, 25700-25708.  | 8.0  | 18        |
| 50 | Recent Advances and Prospects of Fiberâ€Shaped Rechargeable Aqueous Alkaline Batteries. Advanced Energy and Sustainability Research, 2021, 2, 2100060.   | 5.8  | 5         |
| 51 | Highâ€Capacity Ironâ€Based Anodes for Aqueous Secondary Nickel–Iron Batteries: Recent Progress and Prospects. ChemElectroChem, 2021, 8, 273-273.   | 3.4  | 2         |