

Asano Ishikawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7960727/publications.pdf>

Version: 2024-02-01

39
papers

2,034
citations

471477

17
h-index

345203

36
g-index

43
all docs

43
docs citations

43
times ranked

2951
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome Sequence of the Pea Aphid <i>Acyrtosiphon pisum</i> . <i>PLoS Biology</i> , 2010, 8, e1000313.	5.6	913
2	Developmental Link between Sex and Nutrition; doublesex Regulates Sex-Specific Mandible Growth via Juvenile Hormone Signaling in Stag Beetles. <i>PLoS Genetics</i> , 2014, 10, e1004098.	3.5	138
3	A key metabolic gene for recurrent freshwater colonization and radiation in fishes. <i>Science</i> , 2019, 364, 886-889.	12.6	109
4	Gene up-regulation in response to predator kairomones in the water flea, <i>Daphnia pulex</i> . <i>BMC Developmental Biology</i> , 2010, 10, 45.	2.1	107
5	Wing development genes of the pea aphid and differential gene expression between winged and unwinged morphs. <i>Insect Molecular Biology</i> , 2010, 19, 63-73.	2.0	84
6	Juvenile hormone titre and related gene expression during the change of reproductive modes in the pea aphid. <i>Insect Molecular Biology</i> , 2012, 21, 49-60.	2.0	66
7	Sex Differences in Recombination in Sticklebacks. <i>G3: Genes, Genomes, Genetics</i> , 2018, 8, 1971-1983.	1.8	63
8	The evolutionary ecology of fatty acid variation: Implications for consumer adaptation and diversification. <i>Ecology Letters</i> , 2021, 24, 1709-1731.	6.4	53
9	Genetic basis for variation in salinity tolerance between stickleback ecotypes. <i>Molecular Ecology</i> , 2017, 26, 304-319.	3.9	47
10	Morphological and histological examination of polyphenic wing formation in the pea aphid <i>Acyrtosiphon pisum</i> (Hemiptera, Hexapoda). <i>Zoomorphology</i> , 2008, 127, 121-133.	0.8	43
11	Ovarian development and insulin-signaling pathways during reproductive differentiation in the queenless ponerine ant <i>Diacamma</i> sp.. <i>Journal of Insect Physiology</i> , 2010, 56, 288-295.	2.0	40
12	Physiological and genetic basis for variation in migratory behavior in the three-spined stickleback, <i>Gasterosteus aculeatus</i> . <i>Ichthyological Research</i> , 2012, 59, 293-303.	0.8	35
13	Different contributions of local- and distant-regulatory changes to transcriptome divergence between stickleback ecotypes. <i>Evolution; International Journal of Organic Evolution</i> , 2017, 71, 565-581.	2.3	34
14	Juvenile hormone titer and wing-morph differentiation in the vetch aphid <i>Megoura crassicauda</i> . <i>Journal of Insect Physiology</i> , 2013, 59, 444-449.	2.0	29
15	Speciation in ninespine stickleback: reproductive isolation and phenotypic divergence among cryptic species of Japanese ninespine stickleback. <i>Journal of Evolutionary Biology</i> , 2013, 26, 1417-1430.	1.7	24
16	Differential regulations of wing and ovarian development and heterochronic changes of embryogenesis between morphs in wing polyphenism of the vetch aphid. <i>Evolution & Development</i> , 2009, 11, 680-688.	2.0	20
17	Transduction of high-density signals across generations in aphid wing polyphenism. <i>Physiological Entomology</i> , 2013, 38, 150-156.	1.5	19
18	Parallel transcriptome evolution in stream threespine sticklebacks. <i>Development Growth and Differentiation</i> , 2019, 61, 104-113.	1.5	19

#	ARTICLE	IF	CITATIONS
19	Gene expression changes during caste-specific neuronal development in the damp-wood termite <i>Hodotermopsis sjostedti</i> . <i>BMC Genomics</i> , 2010, 11, 314.	2.8	17
20	Shifts in morphology and diet of non-native sticklebacks introduced into Japanese crater lakes. <i>Ecology and Evolution</i> , 2012, 2, 1083-1098.	1.9	16
21	The function of appendage patterning genes in mandible development of the sexually dimorphic stag beetle. <i>Developmental Biology</i> , 2017, 422, 24-32.	2.0	15
22	Phylogenomics reveals habitat-associated body shape divergence in <i>Oryzias woworae</i> species group (Teleostei: Adrianichthyidae). <i>Molecular Phylogenetics and Evolution</i> , 2018, 118, 194-203.	2.7	15
23	Diversity in reproductive seasonality in the three-spined stickleback, <i>Gasterosteus aculeatus</i> . <i>Journal of Experimental Biology</i> , 2020, 223, .	1.7	15
24	Patterns of genomic divergence and introgression between Japanese stickleback species with overlapping breeding habitats. <i>Journal of Evolutionary Biology</i> , 2021, 34, 114-127.	1.7	15
25	Screening of Upregulated Genes Induced by High Density in the Vetch Aphid <i>Megoura crassicauda</i> . <i>Journal of Experimental Zoology</i> , 2012, 317, 194-203.	1.2	14
26	Male-specific flight apparatus development in <i>Acyrtosiphon pisum</i> (Aphididae, Hemiptera, Insecta): comparison with female wing polyphenism. <i>Zoomorphology</i> , 2012, 131, 197-207.	0.8	13
27	Functional divergence of a heterochromatin-binding protein during stickleback speciation. <i>Molecular Ecology</i> , 2019, 28, 1563-1578.	3.9	12
28	Relaxin-related gene expression differs between anadromous and stream-resident stickleback (<i>Gasterosteus aculeatus</i>) following seawater transfer. <i>General and Comparative Endocrinology</i> , 2014, 205, 197-206.	1.8	11
29	Copy number variation of a fatty acid desaturase gene <i>Fads2</i> associated with ecological divergence in freshwater stickleback populations. <i>Biology Letters</i> , 2021, 17, 20210204.	2.3	10
30	Multiple waves of freshwater colonization of the three-spined stickleback in the Japanese Archipelago. <i>BMC Evolutionary Biology</i> , 2020, 20, 143.	3.2	6
31	Differences in the contributions of sex linkage and androgen regulation to sex-biased gene expression in juvenile and adult sticklebacks. <i>Journal of Evolutionary Biology</i> , 2020, 33, 1129-1138.	1.7	6
32	Integrated Genomics Approaches in Evolutionary and Ecological Endocrinology. <i>Advances in Experimental Medicine and Biology</i> , 2014, 781, 299-319.	1.6	6
33	Convergent copy number increase of genes associated with freshwater colonization in fishes. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2022, 377, .	4.0	6
34	Lateralized expression of left-right axis formation genes is shared by adult brains of lefty and righty scale-eating cichlids. <i>Comparative Biochemistry and Physiology Part D: Genomics and Proteomics</i> , 2018, 28, 99-106.	1.0	5
35	Ecological Genetics of Thyroid Hormone Physiology in Humans and Wild Animals. , 2012, , .		3
36	Genetic basis of speciation and adaptation: from loci to causative mutations. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2022, 377, .	4.0	3

#	ARTICLE	IF	CITATIONS
37	Construction of a chromosome-level Japanese stickleback species genome using ultra-dense linkage analysis with single-cell sperm sequencing. <i>NAR Genomics and Bioinformatics</i> , 2022, 4, lqac026.	3.2	1
38	Thoughts on the Future of Evolutionary Biology and Society. <i>Trends in the Sciences</i> , 2021, 26, 3_94-3_99.	0.0	0
39	Genetic basis for variation in the number of cephalic pores in a hybrid zone between closely related species of goby, <i>Gymnogobius breunigii</i> and <i>Gymnogobius castaneus</i> . <i>Biological Journal of the Linnean Society</i> , 2021, 133, 143-154.	1.6	0