Charlotte J Green

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7961904/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Metformin maintains intrahepatic triglyceride content through increased hepatic de novo lipogenesis. European Journal of Endocrinology, 2022, 186, 367-377.	1.9	12
2	Development of a High-Throughput Screening Assay to Identify Inhibitors of the SARS-CoV-2 Guanine-N7-Methyltransferase Using RapidFire Mass Spectrometry. SLAS Discovery, 2021, 26, 749-756.	1.4	28
3	Studying non-alcoholic fatty liver disease: the ins and outs of in vivo, ex vivo and in vitro human models. Hormone Molecular Biology and Clinical Investigation, 2020, 41, .	0.3	15
4	Sodiumâ€glucose cotransporter 2 inhibition does not reduce hepatic steatosis in overweight, insulinâ€resistant patients without type 2 diabetes. JCH Open, 2020, 4, 433-440.	0.7	10
5	Modifying nutritional substrates induces macrovesicular lipid droplet accumulation and metabolic alterations in a cellular model of hepatic steatosis. Physiological Reports, 2020, 8, e14482.	0.7	7
6	Using total plasma triacylglycerol to assess hepatic <i>de novo</i> lipogenesis as an alternative to VLDL triacylglycerol. Upsala Journal of Medical Sciences, 2020, 125, 211-216.	0.4	3
7	Characterising hyperinsulinemia-induced insulin resistance in human skeletal muscle cells. Journal of Molecular Endocrinology, 2020, 64, 125-132.	1.1	13
8	AKR1D1 is a novel regulator of metabolic phenotype in human hepatocytes and is dysregulated in non-alcoholic fatty liver disease. Metabolism: Clinical and Experimental, 2019, 99, 67-80.	1.5	52
9	Of mice and men: Is there a future for metformin in the treatment of hepatic steatosis?. Diabetes, Obesity and Metabolism, 2019, 21, 749-760.	2.2	23
10	The isolation of primary hepatocytes from human tissue: optimising the use of small non-encapsulated liver resection surplus. Cell and Tissue Banking, 2017, 18, 597-604.	0.5	30
11	In vitro cellular models of human hepatic fatty acid metabolism: differences between Huh7 and HepG2 cell lines in human and fetal bovine culturing serum. Physiological Reports, 2017, 5, e13532.	0.7	48
12	Optimizing human hepatocyte models for metabolic phenotype and function: effects of treatment with dimethyl sulfoxide (DMSO). Physiological Reports, 2016, 4, e12944.	0.7	21
13	A novel quantitative assay of mitophagy: Combining high content fluorescence microscopy and mitochondrial DNA load to quantify mitophagy and identify novel pharmacological tools against pathogenic heteroplasmic mtDNA. Pharmacological Research, 2015, 100, 24-35.	3.1	47
14	Characterization of lipid metabolism in a novel immortalized human hepatocyte cell line. American Journal of Physiology - Endocrinology and Metabolism, 2015, 309, E511-E522.	1.8	24
15	From whole body to cellular models of hepatic triglyceride metabolism: man has got to know his limitations. American Journal of Physiology - Endocrinology and Metabolism, 2015, 308, E1-E20.	1.8	30
16	The Influence of Dietary Fat on Liver Fat Accumulation. Nutrients, 2014, 6, 5018-5033.	1.7	100
17	Are oxidative stress mechanisms the common denominator in the progression from hepatic steatosis towards nonâ€alcoholic steatohepatitis (<scp>NASH</scp>)?. Liver International, 2014, 34, e180-90.	1.9	93
18	Lifelong Physical Activity Prevents Aging-Associated Insulin Resistance in Human Skeletal Muscle Myotubes via Increased Glucose Transporter Expression. PLoS ONE, 2013, 8, e66628.	1.1	29

CHARLOTTE J GREEN

#	Article	IF	CITATIONS
19	Defining the Contribution of AMP-activated Protein Kinase (AMPK) and Protein Kinase C (PKC) in Regulation of Glucose Uptake by Metformin in Skeletal Muscle Cells. Journal of Biological Chemistry, 2012, 287, 20088-20099.	1.6	84
20	Glucagon Like Peptide-1-Induced Glucose Metabolism in Differentiated Human Muscle Satellite Cells Is Attenuated by Hyperglycemia. PLoS ONE, 2012, 7, e44284.	1.1	52
21	Elevated NF-κB Activation Is Conserved in Human Myocytes Cultured From Obese Type 2 Diabetic Patients and Attenuated by AMP-Activated Protein Kinase. Diabetes, 2011, 60, 2810-2819.	0.3	95
22	Counter-modulation of fatty acid-induced pro-inflammatory nuclear factor κB signalling in rat skeletal muscle cells by AMP-activated protein kinase. Biochemical Journal, 2011, 435, 463-474.	1.7	69
23	Pyruvate suppresses PGC1α expression and substrate utilization despite increased respiratory chain content in C2C12 myotubes. American Journal of Physiology - Cell Physiology, 2010, 299, C240-C250.	2.1	19
24	Use of Akt Inhibitor and a Drug-resistant Mutant Validates a Critical Role for Protein Kinase B/Akt in the Insulin-dependent Regulation of Glucose and System A Amino Acid Uptake. Journal of Biological Chemistry, 2008, 283, 27653-27667.	1.6	96
25	The PPARδ agonist, GW501516, promotes fatty acid oxidation but has no direct effect on glucose utilisation or insulin sensitivity in rat L6 skeletal muscle cells. FEBS Letters, 2007, 581, 4743-4748.	1.3	33
26	Molecular connexions between dementia and diabetes. Neuroscience and Biobehavioral Reviews, 2007, 31, 1046-1063.	2.9	148