

Edyta PÅ, oÅ,,ska-GoÅ>ciniak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7962399/publications.pdf>

Version: 2024-02-01

35
papers

214
citations

1307543

7
h-index

1125717

13
g-index

48
all docs

48
docs citations

48
times ranked

394
citing authors

#	ARTICLE	IF	CITATIONS
1	Management of patients after heart valve interventions. Expert opinion of the Working Group on Valvular Heart Diseases, Working Group on Cardiac Surgery, and Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2022, 80, 386-402.	0.6	1
2	Regional Strain Pattern Index—A Novel Technique to Predict CRT Response. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 926.	2.6	2
3	Polish Multicenter Registry (Pol-LAS-SE registry). Stress echocardiography in low-gradient aortic stenosis in Poland: numbers, settings, results, complications, and clinical practice. <i>Kardiologia Polska</i> , 2021, 79, 517-524.	0.6	0
4	Cardiovascular risk factors among cancer patients qualified for systemic treatment. Analysis of a cardiovascular disease-free cohort from the Polish multicentre study ONCOECHO. <i>Archives of Medical Science</i> , 2020, 16, 1295-1303.	0.9	4
5	Clinical application of stress echocardiography in valvular heart disease: an expert consensus of the Working Group on Valvular Heart Disease of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2020, 78, 632-641.	0.6	3
6	Management of valvular and structural heart diseases during the coronavirus disease 2019 pandemic: an expert opinion of the Working Group on Valvular Heart Diseases, the Working Group on Cardiac Surgery, and the Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2020, 78, 498-507.	0.6	5
7	The importance of detection and percutaneous closure of patent foramen ovale during the coronavirus disease 2019 pandemic. Authors' reply. <i>Kardiologia Polska</i> , 2020, 78, 616-617.	0.6	0
8	Echocardiography in adults. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona SudoÅ, SzopiÅska</i> , 2019, 19, 54-61.	1.2	2
9	Stress echocardiography. Part II: Stress echocardiography in conditions other than coronary heart disease. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona SudoÅ, SzopiÅska</i> , 2019, 19, 49-53.	1.2	0
10	Transesophageal echocardiography. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona SudoÅ, SzopiÅska</i> , 2019, 19, 62-65.	1.2	1
11	Stress echocardiography. Part I: Stress echocardiography in coronary heart disease. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona SudoÅ, SzopiÅska</i> , 2019, 19, 45-48.	1.2	3
12	Pol-CDRIE registry — 1-year observational data on patients hospitalized due to cardiac device-related infective endocarditis in Polish referential cardiology centres. <i>Kardiologia Polska</i> , 2019, 77, 561-567.	0.6	6
13	Prospective multicenter Polish Stress Echocardiography Registry (PolStress-Echopro) — the role in clinical practice. <i>Advances in Clinical and Experimental Medicine</i> , 2019, 28, 1555-1560.	1.4	0
14	A questionnaire-based, multicenter registry of resistant and pseudo-resistant arterial. <i>Wiadomości Lekarskie</i> , 2019, 72, 1866-1871.	0.3	0
15	Chemotherapy and echocardiographic indices in patients with non-Hodgkin lymphoma: the ONCO-ECHO study. <i>Medical Oncology</i> , 2018, 35, 14.	2.5	7
16	Are changes in heart rate, observed during dobutamine stress echocardiography, associated with a response to cardiac resynchronisation therapy in patients with severe heart failure? Results of a multicentre ViaCRT study. <i>Kardiologia Polska</i> , 2018, 76, 611-617.	0.6	4
17	Scuba diving, patent foramen ovale and heart rhythm disturbances: The role of underwater Holter monitoring—Case report. <i>Annals of Noninvasive Electrocardiology</i> , 2017, 22, .	1.1	3
18	Tissue Doppler echocardiography detects subclinical left ventricular dysfunction in patients undergoing chemotherapy for colon cancer: insights from ONCOECHO multicentre study. <i>Kardiologia Polska</i> , 2017, 75, 150-156.	0.6	7

#	ARTICLE	IF	CITATIONS
19	Polish Stress Echocardiography Registry (Pol-STRESS registry) – a multicentre study. Stress echocardiography in Poland: numbers, settings, results, and complications. <i>Kardiologia Polska</i> , 2017, 75, 922-930.	0.6	6
20	Impact of septal flash and left ventricle contractile reserve on positive remodeling during 1 year cardiac resynchronization therapy: the multicenter ViaCRT study. <i>Archives of Medical Science</i> , 2016, 2, 349-352.	0.9	5
21	The role of low-dose dobutamine echocardiography in predicting response to biventricular pacing: results from the multicentre Viability in Cardiac Resynchronisation Therapy (ViaCRT) study. <i>Polish Archives of Internal Medicine</i> , 2016, 126, 989-994.	0.4	4
22	Prosthesis-patient mismatch and left ventricle systolic strain in patients with severe degenerative aortic stenosis, who are undergoing surgical valve replacement. <i>Kardiologia Polska</i> , 2016, 74, 537-546.	0.6	2
23	Predictors of functional mitral regurgitation improvement during a short-term follow-up after cardiac resynchronisation therapy. <i>Kardiologia Polska</i> , 2016, 74, 665-673.	0.6	2
24	From heart to lung cancer. <i>Kardiologia Polska</i> , 2016, 74, 1026-1026.	0.6	0
25	Cardiovascular imaging practice in Europe: a report from the European Association of Cardiovascular Imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 697-702.	1.2	19
26	Low-dose dobutamine stress echo for reverse remodeling prediction after cardiac resynchronization. <i>Advances in Medical Sciences</i> , 2015, 60, 294-299.	2.1	4
27	Non-invasive cardiac imaging artifacts. <i>Kardiologia Polska</i> , 2015, 73, 60-70.	0.6	0
28	Imaging in hypertrophic cardiomyopathy. Expert consensus statement of the Polish Clinical Forum for Cardiovascular Imaging. <i>Kardiologia Polska</i> , 2015, 73, 39-59.	0.6	0
29	Preserved contractile reserve in a dobutamine test for the prediction of a response to resynchronisation therapy in ischaemic and non-ischaemic cardiomyopathy – A multicenter ViaCRT study. <i>International Journal of Cardiology</i> , 2014, 172, 476-477.	1.7	10
30	Left ventricular function – assessment by echocardiography. <i>Kardiologia Polska</i> , 2014, 72, 19-23.	0.6	0
31	Prognostic value of low-dose dobutamine stress echocardiography in patients with aortic stenosis and impaired left ventricular function. <i>Archives of Medical Science</i> , 2013, 3, 434-439.	0.9	5
32	Five-chambered heart: a 20-year story of left atrial appendage aneurysm. <i>European Heart Journal</i> , 2009, 30, 1014-1014.	2.2	14
33	Diagnostic and Prognostic Value of Rapid Pacing Stress Echocardiography for the Detection of Coronary Artery Disease: Influence of Pacing Mode and Concomitant Antiischemic Therapy (Final) <i>Tj ETQq1 1 0.784814 rgBT /Overlock</i>		
34	Influence of Gender on Diagnostic Accuracy of Rapid Atrial and Ventricular Pacing Stress Echocardiography for the Detection of Coronary Artery Disease: A Multicenter Study (Pol-RAPSE Final) <i>Tj ETQq0 0 0rgBT /Overlock 10 Tj</i>		
35	Enlarged Left Atrium Is a Simple and Strong Predictor of Poor Prognosis in Patients after Myocardial Infarction. <i>Echocardiography</i> , 2007, 25, 070806205924005-???	0.9	17