

Nadr Jomha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7963243/publications.pdf>

Version: 2024-02-01

62
papers

1,622
citations

279487

23
h-index

315357

38
g-index

69
all docs

69
docs citations

69
times ranked

1899
citing authors

#	ARTICLE	IF	CITATIONS
1	Time course of 3D fibrocartilage formation by expanded human meniscus fibrochondrocytes in hypoxia. <i>Journal of Orthopaedic Research</i> , 2022, 40, 495-503.	1.2	4
2	Polycarbonate-urethane coating can significantly improve talus implant contact characteristics. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022, 125, 104936.	1.5	3
3	The evaluation of artificial talus implant on ankle joint contact characteristics: a finite element study based on four subjects. <i>Medical and Biological Engineering and Computing</i> , 2022, 60, 1139-1158.	1.6	7
4	Evaluation of the permeation kinetics of formamide in porcine articular cartilage. <i>Cryobiology</i> , 2022, 107, 57-63.	0.3	3
5	Vitrification of Intact Porcine Femoral Condyle Allografts Using an Optimized Approach. <i>Cartilage</i> , 2021, 13, 1688S-1699S.	1.4	6
6	Bone Marrow Mesenchymal Stem Cell-Derived Tissues are Mechanically Superior to Meniscus Cells. <i>Tissue Engineering - Part A</i> , 2021, 27, 914-928.	1.6	15
7	The effect of cryoprotectant vehicle solution on cartilage cell viability following vitrification. <i>Cell and Tissue Banking</i> , 2021, , 1.	0.5	3
8	Collagen-Induced Temporomandibular Joint Arthritis Juvenile Rat Animal Model. <i>Tissue Engineering - Part C: Methods</i> , 2021, 27, 115-123.	1.1	4
9	Engineered human meniscusâ€™ matrix-forming phenotype is unaffected by low strain dynamic compression under hypoxic conditions. <i>PLoS ONE</i> , 2021, 16, e0248292.	1.1	7
10	Vitrification of particulated articular cartilage via calculated protocols. <i>Npj Regenerative Medicine</i> , 2021, 6, 15.	2.5	14
11	Clinical Use of Talar Prostheses. <i>JBJS Reviews</i> , 2021, 9, .	0.8	2
12	Inability of Low Oxygen Tension to Induce Chondrogenesis in Human Infrapatellar Fat Pad Mesenchymal Stem Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 703038.	1.8	3
13	A featureâ€based statistical shape model for geometric analysis of the human talus and development of universal talar prostheses. <i>Journal of Anatomy</i> , 2021, , .	0.9	3
14	Mechano-Hypoxia Conditioning of Engineered Human Meniscus. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 739438.	2.0	12
15	Human engineered meniscus transcriptome after short-term combined hypoxia and dynamic compression. <i>Journal of Tissue Engineering</i> , 2021, 12, 204173142199084.	2.3	12
16	Effectiveness of Clinical-Grade Chondroitin Sulfate and Ascorbic Acid in Mitigating Cryoprotectant Toxicity in Porcine Articular Cartilage. <i>Biopreservation and Biobanking</i> , 2021, , .	0.5	3
17	Osmometric Measurements of Cryoprotective Agent Permeation into Tissues. <i>Methods in Molecular Biology</i> , 2021, 2180, 303-315.	0.4	0
18	Comparison of three multi-cryoprotectant loading protocols for vitrification of porcine articular cartilage. <i>Cryobiology</i> , 2020, 92, 151-160.	0.3	14

#	ARTICLE	IF	CITATIONS
19	Review of non-permeating cryoprotectants as supplements for vitrification of mammalian tissues. <i>Cryobiology</i> , 2020, 96, 1-11.	0.3	31
20	Antioxidant additives reduce reactive oxygen species production in articular cartilage during exposure to cryoprotective agents. <i>Cryobiology</i> , 2020, 96, 114-121.	0.3	10
21	Investigation of the Average Shape and Principal Variations of the Human Talus Bone Using Statistic Shape Model. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 656.	2.0	13
22	Using engineering models to shorten cryoprotectant loading time for the vitrification of articular cartilage. <i>Cryobiology</i> , 2020, 92, 180-188.	0.3	15
23	Analysis of congruence for talar dome geometry among tali of different sizes. <i>Foot</i> , 2019, 41, 51-58.	0.4	0
24	Evaluation of five additives to mitigate toxicity of cryoprotective agents on porcine chondrocytes. <i>Cryobiology</i> , 2019, 88, 98-105.	0.3	14
25	Development and Implantation of a Universal Talar Prosthesis. <i>Frontiers in Surgery</i> , 2019, 6, 63.	0.6	9
26	Hypoxia and TGF- β 3 Synergistically Mediate Inner Meniscus-Like Matrix Formation by Fibrochondrocytes. <i>Tissue Engineering - Part A</i> , 2019, 25, 446-456.	1.6	14
27	Analysis of a generic talar prosthetic with a biological talus: A cadaver study. <i>Journal of Orthopaedics</i> , 2018, 15, 230-235.	0.6	6
28	Articular Cartilage Repair with Mesenchymal Stem Cells After Chondrogenic Priming: A Pilot Study. <i>Tissue Engineering - Part A</i> , 2018, 24, 761-774.	1.6	28
29	Chondrogenic differentiation of synovial fluid mesenchymal stem cells on human meniscus-derived decellularized matrix requires exogenous growth factors. <i>Acta Biomaterialia</i> , 2018, 80, 131-143.	4.1	47
30	Ethylene glycol and glycerol loading and unloading in porcine meniscal tissue. <i>Cryobiology</i> , 2017, 74, 50-60.	0.3	7
31	Geometric analysis of the talus and development of a generic talar prosthetic. <i>Foot and Ankle Surgery</i> , 2017, 23, 89-94.	0.8	19
32	The effect of additive compounds on glycerol-induced damage to human chondrocytes. <i>Cryobiology</i> , 2017, 75, 68-74.	0.3	11
33	Plasticity of Human Meniscus Fibrochondrocytes: A Study on Effects of Mitotic Divisions and Oxygen Tension. <i>Scientific Reports</i> , 2017, 7, 12148.	1.6	33
34	Biomimetic 3D printed scaffolds for meniscus tissue engineering. <i>Bioprinting</i> , 2017, 8, 1-7.	2.9	80
35	Coculture of meniscus cells and mesenchymal stem cells in simulated microgravity. <i>Npj Microgravity</i> , 2017, 3, 28.	1.9	18
36	Intra-operator and inter-operator reliability, and CT scan repeatability in 3D modelling of talus bone using CT imaging. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 2017, , 1-8.	1.3	0

#	ARTICLE	IF	CITATIONS
37	Anatomical study: comparing the human, sheep and pig knee meniscus. <i>Journal of Experimental Orthopaedics</i> , 2016, 3, 35.	0.8	48
38	Cryoprotectant kinetic analysis of a human articular cartilage vitrification protocol. <i>Cryobiology</i> , 2016, 73, 80-92.	0.3	21
39	Optimal Seeding Densities for <i>In Vitro</i> Chondrogenesis of Two- and Three-Dimensional-Isolated and -Expanded Bone Marrow-Derived Mesenchymal Stromal Stem Cells Within a Porous Collagen Scaffold. <i>Tissue Engineering - Part C: Methods</i> , 2016, 22, 208-220.	1.1	28
40	Hypoxic culture of bone marrow-derived mesenchymal stromal stem cells differentially enhances <i>in vitro</i> chondrogenesis within cell-seeded collagen and hyaluronic acid porous scaffolds. <i>Stem Cell Research and Therapy</i> , 2015, 6, 84.	2.4	75
41	Intra-articular peroneal nerve incarceration following multi-ligament knee injury. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 3044-3048.	2.3	4
42	Meniscus repair using mesenchymal stem cells – a comprehensive review. <i>Stem Cell Research and Therapy</i> , 2015, 6, 86.	2.4	73
43	Porous Scaffold Seeding and Chondrogenic Differentiation of BMSC-seeded Scaffolds. <i>Bio-protocol</i> , 2015, 5, .	0.2	4
44	Mesenchymal stem cells in the treatment of traumatic articular cartilage defects: a comprehensive review. <i>Arthritis Research and Therapy</i> , 2014, 16, 432.	1.6	159
45	Matrix formation is enhanced in co-cultures of human meniscus cells with bone marrow stromal cells. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2013, 7, 965-973.	1.3	32
46	Effect of interleukin-1 β treatment on co-cultures of human meniscus cells and bone marrow mesenchymal stromal cells. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 216.	0.8	12
47	Clinical efflux of cryoprotective agents from vitrified human articular cartilage. <i>Cryobiology</i> , 2013, 66, 121-125.	0.3	10
48	Matrix forming characteristics of inner and outer human meniscus cells on 3D collagen scaffolds under normal and low oxygen tensions. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 353.	0.8	27
49	Cryopreservation of articular cartilage. <i>Cryobiology</i> , 2013, 66, 201-209.	0.3	60
50	Decreased hypertrophic differentiation accompanies enhanced matrix formation in co-cultures of outer meniscus cells with bone marrow mesenchymal stromal cells. <i>Arthritis Research and Therapy</i> , 2012, 14, R153.	1.6	24
51	Hypoxia mediated isolation and expansion enhances the chondrogenic capacity of bone marrow mesenchymal stromal cells. <i>Stem Cell Research and Therapy</i> , 2012, 3, 9.	2.4	169
52	Oxygen Tension Is a Determinant of the Matrix-Forming Phenotype of Cultured Human Meniscal Fibrochondrocytes. <i>PLoS ONE</i> , 2012, 7, e39339.	1.1	24
53	Vitrification of intact human articular cartilage. <i>Biomaterials</i> , 2012, 33, 6061-6068.	5.7	66
54	Immunohistochemical characterization of reparative tissue present in human osteoarthritic tissue. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010, 456, 561-569.	1.4	16

#	ARTICLE	IF	CITATIONS
55	Effects of introducing cultured human chondrocytes into a human articular cartilage explant model. Cell and Tissue Research, 2010, 339, 421-427.	1.5	25
56	Statistical prediction of the vitrifiability and glass stability of multi-component cryoprotective agent solutions. Cryobiology, 2010, 61, 123-127.	0.3	23
57	Cryoprotectant agent toxicity in porcine articular chondrocytes. Cryobiology, 2010, 61, 297-302.	0.3	43
58	Permeation of several cryoprotectant agents into porcine articular cartilage. Cryobiology, 2009, 58, 110-114.	0.3	41
59	A Biomechanical Triphasic Approach to the Transport of Nondilute Solutions in Articular Cartilage. Biophysical Journal, 2009, 97, 3054-3064.	0.2	40
60	A novel method to measure cryoprotectant permeation into intact articular cartilage. Cryobiology, 2007, 54, 196-203.	0.3	34
61	Dimethyl sulfoxide toxicity kinetics in intact articular cartilage. Cell and Tissue Banking, 2007, 8, 125-133.	0.5	66
62	Evaluation of chondrocyte survival in situ using WST-1 and membrane integrity stains. Cell and Tissue Banking, 2007, 8, 179-186.	0.5	13