## Marina Zarić

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7964160/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Altered Topographic Distribution and Enhanced Neuronal Expression of Adenosine-Metabolizing Enzymes in Rat Hippocampus and Cortex from Early to late Adulthood. Neurochemical Research, 2022, 47, 1637-1650.	1.6	2
2	Enzyme histochemistry: a useful tool for examining the spatial distribution of brain ectonucleotidases in (patho)physiological conditions Histology and Histopathology, 2022, , 18471.	0.5	0
3	Progesterone Protects Prefrontal Cortex in Rat Model of Permanent Bilateral Common Carotid Occlusion via Progesterone Receptors and Akt/Erk/eNOS. Cellular and Molecular Neurobiology, 2020, 40, 829-843.	1.7	7
4	Two Distinct Hippocampal Astrocyte Morphotypes Reveal Subfield-Different Fate during Neurodegeneration Induced by Trimethyltin Intoxication. Neuroscience, 2019, 423, 38-54.	1.1	14
5	Estrogen receptors modulate ectonucleotidases activity in hippocampal synaptosomes of male rats. Neuroscience Letters, 2019, 712, 134474.	1.0	6
6	Molecular Alterations and Effects of Acute Dehydroepiandrosterone Treatment Following Brief Bilateral Common Carotid Artery Occlusion: Relevance to Transient Ischemic Attack. Neuroscience, 2019, 410, 128-139.	1.1	4
7	Application of Gray Level Co-Occurrence Matrix Analysis as a New Method for Enzyme Histochemistry Quantification. Microscopy and Microanalysis, 2019, 25, 690-698.	0.2	12
8	Regional-specific effects of cerebral ischemia/reperfusion and dehydroepiandrosterone on synaptic NMDAR/PSD-95 complex in male Wistar rats. Brain Research, 2018, 1688, 73-80.	1.1	10
9	17Î2-Estradiol-Induced Synaptic Rearrangements Are Accompanied by Altered Ectonucleotidase Activities in Male Rat Hippocampal Synaptosomes. Journal of Molecular Neuroscience, 2017, 61, 412-422.	1.1	11
10	TIMP-3 mRNA expression levels positively correlates with levels of miR-21 in i n situ BC and negatively in PR positive invasive BC. Pathology Research and Practice, 2017, 213, 1264-1270.	1.0	5
11	Repeated low-dose 17β-estradiol treatment prevents activation of apoptotic signaling both in the synaptosomal and cellular fraction in rat prefrontal cortex following cerebral ischemia.	1.9	13