Charlotte Emily Juliette Gayer-Anderso

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7964620/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. Psychological Medicine, 2023, 53, 3396-3405.	4.5	9
2	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. Psychological Medicine, 2022, 52, 1376-1385.	4.5	17
3	Authors' reply to â€~on the existence of a linguistic distance in schizophrenia'. Psychological Medicine, 2022, 52, 798-799.	4.5	9
4	Migration history and risk of psychosis: results from the multinational EU-GEI study. Psychological Medicine, 2022, 52, 2972-2984.	4.5	22
5	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country caseâ^'control study. Psychological Medicine, 2022, 52, 3668-3676.	4.5	7
6	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). Schizophrenia Bulletin, 2022, 48, 575-589.	4.3	9
7	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case–Control Study. Schizophrenia Bulletin, 2022, 48, 1104-1114.	4.3	9
8	Covidâ€19, social restrictions, and mental distress among young people: a UK longitudinal, populationâ€based study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 1392-1404.	5.2	21
9	Cohort Profile: Resilience, Ethnicity and AdolesCent mental Health (REACH). International Journal of Epidemiology, 2022, 51, e303-e313.	1.9	4
10	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. Psychological Medicine, 2021, 51, 2074-2082.	4.5	7
11	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case–control study. Psychological Medicine, 2021, 51, 1329-1337.	4.5	38
12	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case–control study. Psychological Medicine, 2021, 51, 1536-1548.	4.5	58
13	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. Psychological Medicine, 2021, 51, 623-633.	4.5	34
14	Change in incidence rates for psychosis in different ethnic groups in south London: findings from the Clinical Record Interactive Search-First Episode Psychosis (CRIS-FEP) study. Psychological Medicine, 2021, 51, 300-309.	4.5	18
15	Mental distress among young people in inner cities: the Resilience, Ethnicity and AdolesCent Mental Health (REACH) study. Journal of Epidemiology and Community Health, 2021, 75, 515-522.	3.7	8
16	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. Schizophrenia Bulletin, 2021, 47, 1674-1684.	4.3	17
17	Prevalence of conduct problems and social risk factors in ethnically diverse inner-city schools. BMC Public Health, 2021, 21, 849.	2.9	7
18	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. Schizophrenia Bulletin, 2021, 47, 1653-1662.	4.3	4

#	Article	IF	CITATIONS
19	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. Translational Psychiatry, 2021, 11, 423.	4.8	12
20	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. Schizophrenia Research, 2021, 236, 69-79.	2.0	4
21	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. Molecular Psychiatry, 2021, 26, 4529-4543.	7.9	23
22	Elucidating negative symptoms in the daily life of individuals in the early stages of psychosis. Psychological Medicine, 2021, 51, 2599-2609.	4.5	14
23	Across the continuum: Associations between (fluctuations in) momentary self-esteem and psychotic experiences. Schizophrenia Research, 2021, 238, 188-198.	2.0	5
24	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. Schizophrenia Bulletin, 2020, 46, 336-344.	4.3	60
25	The Maudsley environmental risk score for psychosis. Psychological Medicine, 2020, 50, 2213-2220.	4.5	42
26	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. Schizophrenia Bulletin, 2020, 46, 517-529.	4.3	14
27	T52. COGNITION, METACOGNITION AND SOCIAL COGNITION AFTER A FIRST EPISODE PSYCHOSIS. PRELIMINARY RESULTS FROM A 5-YEAR-FOLLOW-UP STUDY. Schizophrenia Bulletin, 2020, 46, S251-S251.	4.3	0
28	T170. GENE AND ENVIRONMENT INTERPLAY AMONG DIAGNOSTIC CATEGORIES IN THE EUGEI STUDY. Schizophrenia Bulletin, 2020, 46, S296-S296.	4.3	0
29	S186. THE EFFECTS OF CHILDHOOD TRAUMA ON HIPPOCAMPAL VOLUME IN FIRST EPISODE PSYCHOSIS: DOES CORTISOL PLAY A ROLE?. Schizophrenia Bulletin, 2020, 46, S109-S109.	4.3	0
30	Threatening Life Events and Difficulties and Psychotic Disorder. Schizophrenia Bulletin, 2020, 46, 814-822.	4.3	13
31	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. Schizophrenia Research, 2020, 230, 104-107.	2.0	6
32	Threat, hostility and violence in childhood and later psychotic disorder: population-based case–control study. British Journal of Psychiatry, 2020, 217, 575-582.	2.8	30
33	A comparison between self-report and interviewer-rated retrospective reports of childhood abuse among individuals with first-episode psychosis and population-based controls. Journal of Psychiatric Research, 2020, 123, 145-150.	3.1	27
34	The EUropean Network of National Schizophrenia Networks Studying Gene–Environment Interactions (EU-GEI): Incidence and First-Episode Case–Control Programme. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 645-657.	3.1	41
35	Cortisol awakening response is decreased in patients with first-episode psychosis and increased in healthy controls with a history of severe childhood abuse. Schizophrenia Research, 2019, 205, 38-44.	2.0	17
36	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. Journal of Clinical Medicine, 2019, 8, 1081.	2.4	10

#	Article	IF	CITATIONS
37	T42. JUMPING TO CONCLUSIONS IS ASSOCIATED WITH THE POLYGENIC RISK SCORE FOR INTELLIGENCE BUT NOT FOR SCHIZOPHRENIA. PRELIMINARY FINDINGS FROM THE EU-GEI STUDY. Schizophrenia Bulletin, 2019, 45, S219-S220.	4.3	2
38	O6.2. ENVIRONMENTAL RISK FACTORS DIFFERENCES AMONG DIAGNOSTIC CATEGORIES IN EU-GEI STUDY. Schizophrenia Bulletin, 2019, 45, S176-S176.	4.3	0
39	Compulsory admission at first presentation to services for psychosis: does ethnicity still matter? Findings from two population-based studies of first episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 871-881.	3.1	16
40	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. Lancet Psychiatry,the, 2019, 6, 427-436.	7.4	528
41	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. Schizophrenia Bulletin, 2019, 45, S165-S166.	4.3	0
42	Recovery from daily-life stressors in early and chronic psychosis. Schizophrenia Research, 2019, 213, 32-39.	2.0	33
43	O11.5. EXPLORING SPECIFIC EFFECTS OF TYPE AND TIMING OF EXPOSURE TO CHILDHOOD ADVERSITY AND SYMPTOM DOMAINS IN FIRST EPISODE OF PSYCHOSIS: PRELIMINARY RESULTS FROM THE EUGEI PROJECT. Schizophrenia Bulletin, 2019, 45, S195-S195.	4.3	0
44	Liberal Acceptance Bias, Momentary Aberrant Salience, and Psychosis: An Experimental Experience Sampling Study. Schizophrenia Bulletin, 2019, 45, 871-882.	4.3	22
45	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. Psychological Medicine, 2019, 49, 1378-1391.	4.5	69
46	O12.4. SOME OF THE INDIVIDUAL DIFFERENCES IN RISK TO DEVELOP PSYCHOSIS AMONG CANNABIS USERS CAN BE EXPLAINED BY WHERE THEY LIVE AND BY THEIR AGE AT FIRST USE. Schizophrenia Bulletin, 2018, 44, S110-S110.	4.3	2
47	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. JAMA Psychiatry, 2018, 75, 36.	11.0	235
48	5.4 BIOLOGICAL AND EPIDEMIOLOGICAL EXAMINATION OF TRANSDIAGNOSTIC AND SPECIFIC SYMPTOM DIMENSIONS AT PSYCHOSIS ONSET: FINDINGS FROM THE EUGEI STUDY. Schizophrenia Bulletin, 2018, 44, S7-S7.	4.3	2
49	T104. ASSESSING THE UTILITY OF COPULA FUNCTIONS FOR RISK PREDICTION OF PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S156-S156.	4.3	0
50	F220. THREAT ANTICIPATION AND NEGATIVE AFFECT IN EARLY PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S307-S307.	4.3	0
51	S77. JUMPING TO CONCLUSIONS AND FACIAL EMOTION RECOGNITION IMPAIRMENT IN FIRST EPISODE PSYCHOSIS ACROSS EUROPE. Schizophrenia Bulletin, 2018, 44, S354-S355.	4.3	1
52	T110. FIRST EPISODE PSYCHOTIC PATIENTS WITH A HISTORY OF FREQUENT CANNABIS USE EXPRESS MORE POSITIVE SYMPTOMS AT ILLNESS ONSET THAN THOSE WHO NEVER USED CANNABIS. Schizophrenia Bulletin, 2018, 44, S158-S159.	4.3	1
53	35.1 ONLY A SMALL PROPORTION OF PATIENTS WITH FIRST EPISODE PSYCHOSIS COME VIA PRODROMAL SERVICES: A RETROSPECTIVE SURVEY OF A LARGE UK MENTAL HEALTH PROGRAMME. Schizophrenia Bulletin, 2018, 44, S58-S58.	4.3	0
54	Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. Schizophrenia Bulletin, 2017, 43, 302-315.	4.3	63

#	Article	IF	CITATIONS
55	Only a small proportion of patients with first episode psychosis come via prodromal services: a retrospective survey of a large UK mental health programme. BMC Psychiatry, 2017, 17, 308.	2.6	53
56	Effects of continuation, frequency, and type of cannabis use on relapse in the first 2 years after onset of psychosis: an observational study. Lancet Psychiatry,the, 2016, 3, 947-953.	7.4	120
57	Childhood adversities and psychosis: evidence, challenges, implications. World Psychiatry, 2016, 15, 93-102.	10.4	167
58	The application of virtual reality technology to understanding psychosis. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 937-939.	3.1	8
59	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. Schizophrenia Bulletin, 2016, 42, 712-722.	4.3	225
60	Gender differences in the association between childhood physical and sexual abuse, social support and psychosis. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1489-1500.	3.1	41
61	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.	4.3	229
62	Teaching global mental health at home and abroad. Lancet Psychiatry,the, 2014, 1, e7.	7.4	2
63	A systematic review of the activity of the hypothalamic–pituitary–adrenal axis in first episode psychosis. Psychoneuroendocrinology, 2013, 38, 603-611.	2.7	133
64	Life Events and Psychosis: A Review and Meta-analysis. Schizophrenia Bulletin, 2013, 39, 740-747.	4.3	255
65	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. Psychological Medicine, 0, , 1-9.	4.5	10