

Samuel I Miller

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7965267/samuel-i-miller-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

15,125
citations

62
h-index

120
g-index

120
ext. papers

16,890
ext. citations

10.4
avg, IF

6.46
L-index

#	Paper	IF	Citations
115	Gastrointestinal Factors Associated With Hospitalization in Infants With Cystic Fibrosis: Results From the Baby Observational and Nutrition Study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021 , 73, 395-402	2.8	2
114	Structure and lipid dynamics in the maintenance of lipid asymmetry inner membrane complex of <i>A. baumannii</i> . <i>Communications Biology</i> , 2021 , 4, 817	6.7	4
113	Infants with cystic fibrosis have altered fecal functional capacities with potential clinical and metabolic consequences. <i>BMC Microbiology</i> , 2021 , 21, 247	4.5	1
112	Fecal dysbiosis in infants with cystic fibrosis is associated with early linear growth failure. <i>Nature Medicine</i> , 2020 , 26, 215-221	50.5	22
111	CFTR dysregulation drives active selection of the gut microbiome. <i>PLoS Pathogens</i> , 2020 , 16, e1008251	7.6	27
110	Structure of an Inner Membrane Protein Required for PhoPQ-Regulated Increases in Outer Membrane Cardiolipin. <i>MBio</i> , 2020 , 11,	7.8	14
109	Measuring Individual Cell Cyclic di-GMP: Identifying Population Diversity and Cyclic di-GMP Heterogeneity 2020 , 193-207		0
108	Toxin Glycan Binding: Lectin Keys Unlocking Host and Tissue Specificity. <i>Cell Host and Microbe</i> , 2020 , 27, 851-853	23.4	2
107	Salmonella Translocated Effectors Recruit OSBP1 to the Phagosome to Promote Vacuolar Membrane Integrity. <i>Cell Reports</i> , 2019 , 27, 2147-2156.e5	10.6	17
106	Dietary therapy for clostridium difficile colonization: A case series. <i>Anaerobe</i> , 2019 , 57, 1-3	2.8	5
105	Cyclic-di-GMP regulation promotes survival of a slow-replicating subpopulation of intracellular Typhimurium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 6335-6340	11.5	26
104	Xenophagy: Pathogen-Containing Vacuoles Are Hard to Digest. <i>Current Biology</i> , 2019 , 29, R1086-R1088	6.3	0
103	The cellular microbiology of Salmonellae interactions with macrophages. <i>Cellular Microbiology</i> , 2019 , 21, e13116	3.9	1
102	The Mla system and glycerophospholipid transport to the outer membrane. <i>ELife</i> , 2019 , 8,	8.9	53
101	Oral health and plaque microbial profile in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2019 , 17, 81	3.5	5
100	Identification of Small-Molecule Modulators of Diguanylate Cyclase by FRET-Based High-Throughput Screening. <i>ChemBioChem</i> , 2019 , 20, 394-407	3.8	10
99	Inhibiting the Evolution of Antibiotic Resistance. <i>Molecular Cell</i> , 2019 , 73, 157-165.e5	17.6	85

98	Adaptation of commensal proliferating to the intestinal tract of young children with cystic fibrosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 1605-1610	11.5	17
97	Multi-drug resistant non-typhoidal Salmonella associated with invasive disease in western Kenya. <i>PLoS Neglected Tropical Diseases</i> , 2018 , 12, e0006156	4.8	18
96	Multidrug-Resistant <i>Acinetobacter baumannii</i> Chloramphenicol Resistance Requires an Inner Membrane Permease. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	9
95	The gram-negative bacterial periplasm: Size matters. <i>PLoS Biology</i> , 2018 , 16, e2004935	9.7	59
94	βBarrel outer membrane proteins suppress mTORC2 activation and induce autophagic responses. <i>Science Signaling</i> , 2018 , 11,	8.8	5
93	Expression level of human TLR4 rather than sequence is the key determinant of LPS responsiveness. <i>PLoS ONE</i> , 2017 , 12, e0186308	3.7	12
92	Antibiotic Resistance and Regulation of the Gram-Negative Bacterial Outer Membrane Barrier by Host Innate Immune Molecules. <i>MBio</i> , 2016 , 7,	7.8	74
91	Genomic Analysis of <i>Salmonella enterica</i> Serovar Typhimurium Characterizes Strain Diversity for Recent U.S. Salmonellosis Cases and Identifies Mutations Linked to Loss of Fitness under Nitrosative and Oxidative Stress. <i>MBio</i> , 2016 , 7, e00154	7.8	15
90	GUTSS: An Alignment-Free Sequence Comparison Method for Use in Human Intestinal Microbiome and Fecal Microbiota Transplantation Analysis. <i>PLoS ONE</i> , 2016 , 11, e0158897	3.7	7
89	A Cellular GWAS Approach to Define Human Variation in Cellular Pathways Important to Inflammation. <i>Pathogens</i> , 2016 , 5,	4.5	7
88	Human Diversity in a Cell Surface Receptor that Inhibits Autophagy. <i>Current Biology</i> , 2016 , 26, 1791-801	6.3	4
87	Pyomelanin-producing <i>Pseudomonas aeruginosa</i> selected during chronic infections have a large chromosomal deletion which confers resistance to pyocins. <i>Environmental Microbiology</i> , 2016 , 18, 3482-3493	5.2	30
86	Metagenomic evidence for taxonomic dysbiosis and functional imbalance in the gastrointestinal tracts of children with cystic fibrosis. <i>Scientific Reports</i> , 2016 , 6, 22493	4.9	56
85	Next-Generation High-Throughput Functional Annotation of Microbial Genomes. <i>MBio</i> , 2016 , 7,	7.8	16
84	Salmonellae interactions with host processes. <i>Nature Reviews Microbiology</i> , 2015 , 13, 191-205	22.2	288
83	Delivery of cardiolipins to the <i>Salmonella</i> outer membrane is necessary for survival within host tissues and virulence. <i>Cell Host and Microbe</i> , 2015 , 17, 441-51	23.4	71
82	<i>Salmonella</i> modulation of the phagosome membrane, role of SseJ. <i>Cellular Microbiology</i> , 2015 , 17, 333-419	4.9	17
81	Acidic pH and divalent cation sensing by PhoQ are dispensable for systemic salmonellae virulence. <i>ELife</i> , 2015 , 4, e06792	8.9	18

80	Low Level Engraftment and Improvement following a Single Colonoscopic Administration of Fecal Microbiota to Patients with Ulcerative Colitis. <i>PLoS ONE</i> , 2015 , 10, e0133925	3.7	41
79	Backbone chemical shift assignments for the sensor domain of the Burkholderia pseudomallei histidine kinase RisS: "missing" resonances at the dimer interface. <i>Biomolecular NMR Assignments</i> , 2015 , 9, 381-5	0.7	3
78	A direct screen for c-di-GMP modulators reveals a Salmonella Typhimurium periplasmic L-arginine-sensing pathway. <i>Science Signaling</i> , 2015 , 8, ra57	8.8	47
77	HAMP Domain Rotation and Tilting Movements Associated with Signal Transduction in the PhoQ Sensor Kinase. <i>MBio</i> , 2015 , 6, e00616-15	7.8	31
76	S. Typhimurium strategies to resist killing by cationic antimicrobial peptides. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2015 , 1848, 3021-5	3.8	42
75	Salmonellae PhoPQ regulation of the outer membrane to resist innate immunity. <i>Current Opinion in Microbiology</i> , 2014 , 17, 106-13	7.9	121
74	Pseudomonas aeruginosa phenotypes associated with eradication failure in children with cystic fibrosis. <i>Clinical Infectious Diseases</i> , 2014 , 59, 624-31	11.6	45
73	PhoPQ regulates acidic glycerophospholipid content of the Salmonella Typhimurium outer membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 1963-8	11.5	104
72	Escherichia coli dysbiosis correlates with gastrointestinal dysfunction in children with cystic fibrosis. <i>Clinical Infectious Diseases</i> , 2014 , 58, 396-9	11.6	51
71	A cellular genome-wide association study reveals human variation in microtubule stability and a role in inflammatory cell death. <i>Molecular Biology of the Cell</i> , 2014 , 25, 76-86	3.5	22
70	Gastrointestinal pathology in juvenile and adult CFTR-knockout ferrets. <i>American Journal of Pathology</i> , 2014 , 184, 1309-22	5.8	53
69	Temporal and anatomical host resistance to chronic Salmonella infection is quantitatively dictated by Nramp1 and influenced by host genetic background. <i>PLoS ONE</i> , 2014 , 9, e111763	3.7	24
68	A refined model of the prototypical Salmonella SPI-1 T3SS basal body reveals the molecular basis for its assembly. <i>PLoS Pathogens</i> , 2013 , 9, e1003307	7.6	63
67	c-di-GMP heterogeneity is generated by the chemotaxis machinery to regulate flagellar motility. <i>ELife</i> , 2013 , 2, e01402	8.9	78
66	The response threshold of Salmonella PilZ domain proteins is determined by their binding affinities for c-di-GMP. <i>Molecular Microbiology</i> , 2012 , 86, 1424-40	4.1	67
65	Functional genetic screen of human diversity reveals that a methionine salvage enzyme regulates inflammatory cell death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, E2343-52	11.5	47
64	Humanized TLR4/MD-2 mice reveal LPS recognition differentially impacts susceptibility to Yersinia pestis and Salmonella enterica. <i>PLoS Pathogens</i> , 2012 , 8, e1002963	7.6	56
63	A Salmonella typhimurium-translocated glycerophospholipid:cholesterol acyltransferase promotes virulence by binding to the RhoA protein switch regions. <i>Journal of Biological Chemistry</i> , 2012 , 287, 29654-63	5.4	28

62	Evolution of Burkholderia pseudomallei in recurrent melioidosis. <i>PLoS ONE</i> , 2012 , 7, e36507	3.7	83
61	The bacterial second messenger c-di-GMP: mechanisms of signalling. <i>Cellular Microbiology</i> , 2011 , 13, 1122-9	3.9	91
60	Antimicrobial peptides activate the Rcs regulon through the outer membrane lipoprotein RcsF. <i>Journal of Bacteriology</i> , 2010 , 192, 4894-903	3.5	87
59	Asymmetrical distribution of the second messenger c-di-GMP upon bacterial cell division. <i>Science</i> , 2010 , 328, 1295-7	33.3	204
58	Activation of a bacterial virulence protein by the GTPase RhoA. <i>Science Signaling</i> , 2009 , 2, ra71	8.8	46
57	Analysis of the genome of the Escherichia coli O157:H7 2006 spinach-associated outbreak isolate indicates candidate genes that may enhance virulence. <i>Infection and Immunity</i> , 2009 , 77, 3713-21	3.7	122
56	A genome-wide in vitro bacterial-infection screen reveals human variation in the host response associated with inflammatory disease. <i>American Journal of Human Genetics</i> , 2009 , 85, 214-27	11	60
55	Salmonellae interplay with host cells. <i>Nature Reviews Microbiology</i> , 2008 , 6, 53-66	22.2	580
54	The Salmonellae PhoQ sensor: mechanisms of detection of phagosome signals. <i>Cellular Microbiology</i> , 2008 , 10, 576-82	3.9	129
53	Structure and function of Salmonella SifA indicate that its interactions with SKIP, SseJ, and RhoA family GTPases induce endosomal tubulation. <i>Cell Host and Microbe</i> , 2008 , 4, 434-46	23.4	140
52	PhoPQ-mediated regulation produces a more robust permeability barrier in the outer membrane of Salmonella enterica serovar typhimurium. <i>Journal of Bacteriology</i> , 2007 , 189, 7213-22	3.5	121
51	Activation of the bacterial sensor kinase PhoQ by acidic pH. <i>Molecular Cell</i> , 2007 , 26, 165-74	17.6	200
50	Visualization of vacuolar acidification-induced transcription of genes of pathogens inside macrophages. <i>Molecular Biology of the Cell</i> , 2006 , 17, 498-510	3.5	90
49	Metal bridges between the PhoQ sensor domain and the membrane regulate transmembrane signaling. <i>Journal of Molecular Biology</i> , 2006 , 356, 1193-206	6.5	101
48	Inhibition of Salmonella enterica serovar Typhimurium lipopolysaccharide deacylation by aminoarabinose membrane modification. <i>Journal of Bacteriology</i> , 2005 , 187, 2448-57	3.5	54
47	Recognition of antimicrobial peptides by a bacterial sensor kinase. <i>Cell</i> , 2005 , 122, 461-72	56.2	439
46	LPS, TLR4 and infectious disease diversity. <i>Nature Reviews Microbiology</i> , 2005 , 3, 36-46	22.2	718
45	Aminoglycoside antibiotics induce bacterial biofilm formation. <i>Nature</i> , 2005 , 436, 1171-5	50.4	935

44	SseJ deacylase activity by <i>Salmonella enterica</i> serovar Typhimurium promotes virulence in mice. <i>Infection and Immunity</i> , 2005 , 73, 6249-59	3.7	89
43	Salmonella-induced filament formation is a dynamic phenotype induced by rapidly replicating <i>Salmonella enterica</i> serovar typhimurium in epithelial cells. <i>Infection and Immunity</i> , 2005 , 73, 1204-8	3.7	50
42	3-O-deacylation of lipid A by PagL, a PhoP/PhoQ-regulated deacylase of <i>Salmonella typhimurium</i> , modulates signaling through Toll-like receptor 4. <i>Journal of Biological Chemistry</i> , 2004 , 279, 20044-8	5.4	131
41	Cyclic di-GMP as a bacterial second messenger. <i>Microbiology (United Kingdom)</i> , 2004 , 150, 2497-2502	2.9	184
40	The <i>Salmonella enterica</i> serovar typhimurium translocated effectors SseJ and SifB are targeted to the <i>Salmonella</i> -containing vacuole. <i>Infection and Immunity</i> , 2003 , 71, 418-27	3.7	115
39	Regulation of <i>Salmonella typhimurium</i> virulence gene expression by cationic antimicrobial peptides. <i>Molecular Microbiology</i> , 2003 , 50, 219-30	4.1	208
38	Bacterial vesicle formation as a mechanism of protein transfer to animals. <i>Cell</i> , 2003 , 115, 2-3	56.2	8
37	Human Toll-like receptor 4 recognizes host-specific LPS modifications. <i>Nature Immunology</i> , 2002 , 3, 354-361	39.1	475
36	mig-14 is a <i>Salmonella</i> gene that plays a role in bacterial resistance to antimicrobial peptides. <i>Journal of Bacteriology</i> , 2002 , 184, 3203-13	3.5	64
35	Lipid A modifications in polymyxin-resistant <i>Salmonella typhimurium</i> : PMRA-dependent 4-amino-4-deoxy-L-arabinose, and phosphoethanolamine incorporation. <i>Journal of Biological Chemistry</i> , 2001 , 276, 43111-21	5.4	182
34	A PhoP/PhoQ-induced Lipase (PagL) that catalyzes 3-O-deacylation of lipid A precursors in membranes of <i>Salmonella typhimurium</i> . <i>Journal of Biological Chemistry</i> , 2001 , 276, 9083-92	5.4	158
33	<i>Salmonella</i> : a model for bacterial pathogenesis. <i>Annual Review of Medicine</i> , 2001 , 52, 259-74	17.4	304
32	Transfer of palmitate from phospholipids to lipid A in outer membranes of gram-negative bacteria. <i>EMBO Journal</i> , 2000 , 19, 5071-80	13	279
31	A PhoP-regulated outer membrane protease of <i>Salmonella enterica</i> serovar typhimurium promotes resistance to alpha-helical antimicrobial peptides. <i>Journal of Bacteriology</i> , 2000 , 182, 4077-86	3.5	271
30	A conserved amino acid sequence directing intracellular type III secretion by <i>Salmonella typhimurium</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 7539-44	11.5	234
29	Genetic and functional analysis of a PmrA-PmrB-regulated locus necessary for lipopolysaccharide modification, antimicrobial peptide resistance, and oral virulence of <i>Salmonella enterica</i> serovar typhimurium. <i>Infection and Immunity</i> , 2000 , 68, 6139-46	3.7	317
28	InvB is a type III secretion chaperone specific for SspA. <i>Journal of Bacteriology</i> , 2000 , 182, 6638-44	3.5	64
27	Genetic and Functional Analysis of a PmrA-PmrB-Regulated Locus Necessary for Lipopolysaccharide Modification, Antimicrobial Peptide Resistance, and Oral Virulence of <i>Salmonella enterica</i> Serovar Typhimurium. <i>Infection and Immunity</i> , 2000 , 68, 6139-6146	3.7	3

26	Lipid A mutant Salmonella with suppressed virulence and TNFalpha induction retain tumor-targeting in vivo. <i>Nature Biotechnology</i> , 1999 , 17, 37-41	44.5	318
25	Specific lipopolysaccharide found in cystic fibrosis airway Pseudomonas aeruginosa. <i>Science</i> , 1999 , 286, 1561-5	33.3	420
24	A HilA-independent pathway to Salmonella typhimurium invasion gene transcription. <i>Journal of Bacteriology</i> , 1999 , 181, 3096-104	3.5	86
23	PmrA-PmrB-regulated genes necessary for 4-aminoarabinose lipid A modification and polymyxin resistance. <i>Molecular Microbiology</i> , 1998 , 27, 1171-82	4.1	506
22	Lipid A acylation and bacterial resistance against vertebrate antimicrobial peptides. <i>Cell</i> , 1998 , 95, 189-98	36.2	501
21	Identification of PhoP-PhoQ activated genes within a duplicated region of the Salmonella typhimurium chromosome. <i>Microbial Pathogenesis</i> , 1998 , 25, 77-90	3.8	65
20	Regulation of lipid A modifications by Salmonella typhimurium virulence genes phoP-phoQ. <i>Science</i> , 1997 , 276, 250-3	33.3	479
19	phoP/phoQ-deleted Salmonella typhi (Ty800) is a safe and immunogenic single-dose typhoid fever vaccine in volunteers. <i>Journal of Infectious Diseases</i> , 1996 , 173, 1408-14	7	216
18	Evaluation of a phoP/phoQ-deleted, aroA-deleted live oral Salmonella typhi vaccine strain in human volunteers. <i>Vaccine</i> , 1996 , 14, 19-24	4.1	98
17	PhoP-PhoQ activates transcription of pmrAB, encoding a two-component regulatory system involved in Salmonella typhimurium antimicrobial peptide resistance. <i>Journal of Bacteriology</i> , 1996 , 178, 6857-64	3.5	340
16	Transcriptional activation of Salmonella typhimurium invasion genes by a member of the phosphorylated response-regulator superfamily. <i>Molecular Microbiology</i> , 1996 , 22, 715-27	4.1	179
15	Rapid and complete fusion of macrophage lysosomes with phagosomes containing Salmonella typhimurium. <i>Infection and Immunity</i> , 1996 , 64, 3877-83	3.7	105
14	Salmonella typhimurium secreted invasion determinants are homologous to Shigella Ipa proteins. <i>Molecular Microbiology</i> , 1995 , 18, 479-90	4.1	133
13	Spacious phagosome formation within mouse macrophages correlates with Salmonella serotype pathogenicity and host susceptibility. <i>Infection and Immunity</i> , 1995 , 63, 4456-62	3.7	80
12	Salmonella stimulate macrophage macropinocytosis and persist within spacious phagosomes. <i>Journal of Experimental Medicine</i> , 1994 , 179, 601-8	16.6	286
11	Further characterization of the PhoP regulon: identification of new PhoP-activated virulence loci. <i>Infection and Immunity</i> , 1994 , 62, 5095-101	3.7	102
10	Salmonella typhimurium activates virulence gene transcription within acidified macrophage phagosomes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992 , 89, 10079-83	11.5	377
9	Purification and primary structure of murine cryptdin-1, a Paneth cell defensin. <i>FEBS Letters</i> , 1992 , 304, 146-8	3.8	67

8	PhoP/PhoQ: macrophage-specific modulators of Salmonella virulence?. <i>Molecular Microbiology</i> , 1991 , 5, 2073-8	4.1	108
7	A Salmonella typhimurium virulence protein is similar to a Yersinia enterocolitica invasion protein and a bacteriophage lambda outer membrane protein. <i>Journal of Bacteriology</i> , 1991 , 173, 86-93	3.5	139
6	Constitutive expression of the phoP regulon attenuates Salmonella virulence and survival within macrophages. <i>Journal of Bacteriology</i> , 1990 , 172, 2485-90	3.5	347
5	Salmonella vaccines with mutations in the phoP virulence regulon. <i>Research in Microbiology</i> , 1990 , 141, 817-21	4	23
4	Characterization of defensin resistance phenotypes associated with mutations in the phoP virulence regulon of Salmonella typhimurium. <i>Infection and Immunity</i> , 1990 , 58, 3706-10	3.7	117
3	Strategies for the development of vaccines for typhoid fever, shigellosis, and cholera. <i>Annals of the New York Academy of Sciences</i> , 1989 , 569, 145-54	6.5	2
2	A two-component regulatory system (phoP phoQ) controls Salmonella typhimurium virulence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 5054-8	11.5	766
1	Structure and lipid dynamics in the A. baumannii maintenance of lipid asymmetry (MLA) inner membrane complex		4