

# Andrew D Monnot

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7965279/publications.pdf>

Version: 2024-02-01

27  
papers

536  
citations

840585

11  
h-index

677027

22  
g-index

27  
all docs

27  
docs citations

27  
times ranked

636  
citing authors

#	ARTICLE	IF	CITATIONS
1	Derivation of a chronic oral reference dose for cobalt. <i>Regulatory Toxicology and Pharmacology</i> , 2012, 64, 491-503.	1.3	104
2	Dose-Response Relationships For Blood Cobalt Concentrations and Health Effects: A Review of the Literature and Application of a Biokinetic Model. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2012, 15, 493-523.	2.9	63
3	Inorganic cobalt supplementation: Prediction of cobalt levels in whole blood and urine using a biokinetic model. <i>Food and Chemical Toxicology</i> , 2012, 50, 2456-2461.	1.8	57
4	An exposure and health risk assessment of lead (Pb) in lipstick. <i>Food and Chemical Toxicology</i> , 2015, 80, 253-260.	1.8	39
5	Screening level health risk assessment of selected metals in apple juice sold in the United States. <i>Food and Chemical Toxicology</i> , 2014, 71, 42-50.	1.8	32
6	Understanding outcomes and toxicological aspects of second generation metal-on-metal hip implants: a state-of-the-art review. <i>Critical Reviews in Toxicology</i> , 2018, 48, 839-887.	1.9	31
7	A hazard evaluation of the reproductive/developmental toxicity of cobalt in medical devices. <i>Regulatory Toxicology and Pharmacology</i> , 2021, 123, 104932.	1.3	30
8	A human health risk assessment of heavy metal ingestion among consumers of protein powder supplements. <i>Toxicology Reports</i> , 2020, 7, 1255-1262.	1.6	19
9	An evaluation of health-based federal and state PFOA drinking water guidelines in the United States. <i>Science of the Total Environment</i> , 2021, 761, 144107.	3.9	18
10	Carcinogenic hazard assessment of cobalt-containing alloys in medical devices: Review of in vivo studies. <i>Regulatory Toxicology and Pharmacology</i> , 2021, 122, 104910.	1.3	15
11	A human health risk assessment of lead (Pb) ingestion among adult wine consumers. <i>International Journal of Food Contamination</i> , 2017, 4, .	2.2	13
12	Risk Assessment of the Skin Sensitization Induction Potential of Kathon CG in Rinse-off and Leave-on Personal Care and Cosmetic Products. <i>Dermatitis</i> , 2018, 29, 132-138.	0.8	13
13	Correlation of blood Cr(III) and adverse health effects: Application of PBPK modeling to determine non-toxic blood concentrations. <i>Critical Reviews in Toxicology</i> , 2014, 44, 618-637.	1.9	12
14	Skin Sensitization Induction Potential From Daily Exposure to Fragrances in Personal Care Products. <i>Dermatitis</i> , 2018, 29, 324-331.	0.8	12
15	Child and adult exposure and health risk evaluation following the use of metal- and metalloid-containing costume cosmetics sold in the United States. <i>Regulatory Toxicology and Pharmacology</i> , 2017, 84, 54-63.	1.3	11
16	Risks associated with arsenic exposure resulting from the consumption of California wines sold in the United States. <i>Food Chemistry</i> , 2016, 211, 107-113.	4.2	10
17	A comparative evaluation of dietary exposure to glyphosate resulting from recommended U.S. diets. <i>Food and Chemical Toxicology</i> , 2021, 158, 112670.	1.8	9
18	Skin Sensitization Induction Risk Assessment of Common Ingredients in Commercially Available Cleansing Conditioners. <i>Dermatitis</i> , 2019, 30, 116-128.	0.8	7

#	ARTICLE	IF	CITATIONS
19	Screening-Level Safety Assessment of Personal Care Product Constituents Using Publicly Available Data. <i>Cosmetics</i> , 2018, 5, 38.	1.5	6
20	An evaluation of the FDA adverse event reporting system and the potential for reporting bias. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 1849-1854.	0.8	6
21	An integrated benefit-risk assessment of cobalt-containing alloys used in medical devices: Implications for regulatory requirements in the European Union. <i>Regulatory Toxicology and Pharmacology</i> , 2021, 125, 105004.	1.3	6
22	Tier-based skin irritation testing of hair cleansing conditioners and their constituents. <i>Cutaneous and Ocular Toxicology</i> , 2019, 38, 44-47.	0.5	5
23	Hair dye and risk of skin sensitization induction: a product survey and quantitative risk assessment for para-phenylenediamine (PPD). <i>Cutaneous and Ocular Toxicology</i> , 2020, 39, 311-316.	0.5	5
24	Cobalt-containing dust exposures: Prediction of whole blood and tissue concentrations using a biokinetic model. <i>Science of the Total Environment</i> , 2020, 723, 137968.	3.9	5
25	Tolerability of hair cleansing conditioners: a double-blind randomized, controlled trial designed to evaluate consumer complaints to the U.S. Food and Drug Administration. <i>Cutaneous and Ocular Toxicology</i> , 2020, 39, 89-96.	0.5	4
26	An inÂvitro human assay for evaluating immunogenic and sensitization potential of a personal care and cosmetic product. <i>Toxicology Mechanisms and Methods</i> , 2021, 31, 205-211.	1.3	3
27	Crude 4-methylcyclohexanemethanol (MCHM) did not cause skin irritation in humans in 48-h patch test. <i>Cutaneous and Ocular Toxicology</i> , 2017, 36, 351-355.	0.5	1