

å> åæ'

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7966039/publications.pdf>

Version: 2024-02-01

19
papers

151
citations

1464605

7
h-index

1427216

11
g-index

19
all docs

19
docs citations

19
times ranked

154
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship between Restless legs syndrome associated symptoms and presence of depression during pregnancy. <i>Women and Health</i> , 2022, , 1-7.	0.4	0
2	Residual risks of ischaemic stroke and systemic embolism among atrial fibrillation patients with anticoagulation: large-scale real-world data (F-CREATE project). <i>Heart</i> , 2021, 107, 217-222.	1.2	8
3	White blood cell count and incidence of hypertension in the general Japanese population: ISSA-CKD study. <i>PLoS ONE</i> , 2021, 16, e0246304.	1.1	18
4	Association between serum uric acid and new onset and progression of chronic kidney disease in a Japanese general population: Iki epidemiological study of atherosclerosis and chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 751-759.	0.7	11
5	Idiopathic and secondary restless legs syndrome during pregnancy in Japan: Prevalence, clinical features and delivery-related outcomes. <i>PLoS ONE</i> , 2021, 16, e0251298.	1.1	3
6	Eating Speed and Incidence of Diabetes in a Japanese General Population: ISSA-CKD. <i>Journal of Clinical Medicine</i> , 2021, 10, 1949.	1.0	15
7	Effects of Weight Gain after 20 Years of Age and Incidence of Hyper-Low-Density Lipoprotein Cholesterolemia: The Iki Epidemiological Study of Atherosclerosis and Chronic Kidney Disease (ISSA-CKD). <i>Journal of Clinical Medicine</i> , 2021, 10, 3098.	1.0	4
8	Risk of Stroke in Atrial Fibrillation According to Sex in Patients Aged Younger Than 75 Years: A Large-Scale, Observational Study Using Real-World Data. <i>Heart Lung and Circulation</i> , 2021, 30, 963-970.	0.2	2
9	Comparison of Body Mass Index and Waist Circumference in the Prediction of Diabetes: A Retrospective Longitudinal Study. <i>Diabetes Therapy</i> , 2021, 12, 2663-2676.	1.2	12
10	Eating before bed and new-onset hypertension in a Japanese population: the Iki city epidemiological study of atherosclerosis and chronic kidney disease. <i>Hypertension Research</i> , 2021, 44, 1662-1667.	1.5	6
11	Effect of chronic kidney disease on the association between hyperuricemia and new-onset hypertension in the general Japanese population: ISSA-CKD study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 2071-2077.	1.0	7
12	Association between pulse pressure and progression of chronic kidney disease. <i>Scientific Reports</i> , 2021, 11, 23275.	1.6	2
13	Increased Incident Ischemic Stroke Risk in Advanced Kidney Disease: A Large-Scale Real-World Data Study. <i>American Journal of Nephrology</i> , 2020, 51, 659-668.	1.4	2
14	The Effect of Cranial Change on Oropharyngeal Airway and Breathing During Sleep. <i>Journal of Hard Tissue Biology</i> , 2020, 29, 49-52.	0.2	0
15	Uric Acid and Prevalence of Hypertension in a General Population of Japanese: ISSA-CKD Study. <i>Journal of Clinical Medicine Research</i> , 2020, 12, 431-435.	0.6	12
16	Usefulness of the blood pressure classification in the new 2017 ACC/AHA hypertension guidelines for the prediction of new-onset chronic kidney disease. <i>Journal of Human Hypertension</i> , 2019, 33, 873-878.	1.0	21
17	Therapeutic Efficacy of Twin-Block and Fixed Oral Appliances in Patients with Obstructive Sleep Apnea Syndrome. <i>Journal of Prosthodontics</i> , 2019, 28, e830-e836.	1.7	9
18	Cumulative Hypoxemia During Sleep Predicts Vascular Endothelial Dysfunction in Patients With Sleep-Disordered Breathing. <i>American Journal of Hypertension</i> , 2016, 29, 458-463.	1.0	14

#	ARTICLE	IF	CITATIONS
19	Treatment outcome of the twoâ€part semiâ€rigid oral appliance in obstructive sleep apnea. Oral Science International, 2012, 9, 49-54.	0.3	5