

# Liquan Li

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7968740/liquan-li-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115  
papers

1,956  
citations

28  
h-index

37  
g-index

119  
ext. papers

2,448  
ext. citations

5.8  
avg, IF

5.12  
L-index

#	Paper	IF	Citations
115	Catalysis derived from flower-like Ni MOF towards the hydrogen storage performance of magnesium hydride. <i>International Journal of Hydrogen Energy</i> , <b>2022</b> , 47, 9346-9356	6.7	0
114	Ultra-fine TiO <sub>2</sub> nanoparticles supported on three-dimensionally ordered macroporous structure for improving the hydrogen storage performance of MgH <sub>2</sub> . <i>Applied Surface Science</i> , <b>2022</b> , 585, 152561	6.7	3
113	Synergistic effect of TiH <sub>2</sub> and air exposure on enhancing hydrogen storage performance of Mg <sub>2</sub> NiH <sub>4</sub> . <i>Chemical Engineering Journal</i> , <b>2022</b> , 433, 134489	14.7	3
112	Electrochemical Performance of Al-1Zn-0.1In-0.1Sn-0.5Mg-xMn (x = 0, 0.1, 0.2, 0.3) Alloys Used as the Anode of an Al-Air Battery. <i>Processes</i> , <b>2022</b> , 10, 420	2.9	0
111	Significantly improved hydrogen storage properties of Mg <sub>90</sub> Al <sub>10</sub> catalyzed by TiF <sub>3</sub> . <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 908, 164581	5.7	0
110	Mechanism of improving hydrogenation of Mg by in-situ formation of Al* in hydriding combustion synthesis. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 911, 164969	5.7	0
109	Supra Hydrolytic Catalysis of Ni Fe/rGO for Hydrogen Generation.. <i>Advanced Science</i> , <b>2022</b> , e2201428	13.6	
108	Catalytic effect of micro/nano-Ni on dehydrogenation performance of Mg <sub>90</sub> Al <sub>10</sub> during air exposure. <i>Applied Surface Science</i> , <b>2022</b> , 595, 153569	6.7	0
107	Enhanced hydrogen sorption kinetics of MgH <sub>2</sub> catalyzed by a novel layered Ni/Al <sub>2</sub> O <sub>3</sub> hybrid. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 162682	5.7	1
106	One-step self-assembly of TiO <sub>2</sub> /MXene heterostructures for improving the hydrogen storage performance of magnesium hydride. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 895, 162635	5.7	3
105	Controllable hydrogen generation behavior by hydrolysis of MgH <sub>2</sub> -based materials. <i>Journal of Power Sources</i> , <b>2021</b> , 494, 229726	8.9	7
104	Enhancing hydrogen storage properties of MgH <sub>2</sub> by core-shell CoNi@C. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 862, 158004	5.7	13
103	Vacancy-Mediated Hydrogen Spillover Improving Hydrogen Storage Properties and Air Stability of Metal Hydrides. <i>Small</i> , <b>2021</b> , 17, e2100852	11	4
102	Interface effect in sandwich like Ni/Ti <sub>3</sub> C <sub>2</sub> catalysts on hydrogen storage performance of MgH <sub>2</sub> . <i>Applied Surface Science</i> , <b>2021</b> , 564, 150302	6.7	16
101	Synergistic effect of rGO supported Ni <sub>3</sub> Fe on hydrogen storage performance of MgH <sub>2</sub> . <i>International Journal of Hydrogen Energy</i> , <b>2020</b> , 45, 16622-16633	6.7	30
100	Ultrahigh rate capability and long cycling stability of dual-ion batteries enabled by TiO microspheres with abundant oxygen vacancies. <i>Chemical Communications</i> , <b>2020</b> , 56, 8039-8042	5.8	8
99	Cobalt ion intercalated MnO <sub>2</sub> /C as air cathode catalyst for rechargeable aluminum-air battery. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 824, 153950	5.7	7

98	Remarkable synergistic effects of Mg <sub>2</sub> NiH <sub>4</sub> and transition metal carbides (TiC, ZrC, WC) on enhancing the hydrogen storage properties of MgH <sub>2</sub> . <i>International Journal of Hydrogen Energy</i> , <b>2020</b> , 45, 6765-6779	6.7	18
97	Crystal-facet-dependent catalysis of anatase TiO <sub>2</sub> on hydrogen storage of MgH <sub>2</sub> . <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 822, 153553	5.7	34
96	Nano-inducement of Ni for low-temperature dominant dehydrogenation of MgAl alloy prepared by HCS+MM. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 819, 153020	5.7	7
95	Catalytic effect of sandwich-like TiC/TiO(A)-C on hydrogen storage performance of MgH. <i>Nanotechnology</i> , <b>2020</b> , 31, 115404	3.4	10
94	Influence of Sn, Cd, and Si addition on the electrochemical performance of Al <sub>2</sub> Ni <sub>3</sub> sacrificial anodes. <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , <b>2020</b> , 71, 585-592	1.6	4
93	Effect of Few-Layer TiCT Supported Nano-Ni via Self-Assembly Reduction on Hydrogen Storage Performance of MgH. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 47684-47694	9.5	18
92	Synergistic Catalytic Mechanism between Ni and Carbon Aerogel for Dehydrogenation of Mg-Based Hydrides. <i>Energy &amp; Fuels</i> , <b>2020</b> , 34, 10232-10240	4.1	5
91	Enhanced hydrogen generation via hydrolysis of Mg/Mg <sub>2</sub> NiH <sub>4</sub> system. <i>Journal of Power Sources</i> , <b>2020</b> , 476, 228499	8.9	9
90	High ionic conductivities of composites of Li <sub>4</sub> (BH <sub>4</sub> ) <sub>3</sub> I with two-dimensional MoS <sub>2</sub> at room temperature. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 815, 152353	5.7	2
89	Synergistically tuned hydrogen storage thermodynamics and kinetics of Mg-Al alloys by Cu formed in situ mechanochemically. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 806, 370-377	5.7	5
88	Purity of MgH <sub>2</sub> Improved by the Process of Pre-milling Assisted Hydriding of Mg Powder under a Hydrogen Pressure of 0.5 MPa. <i>Russian Journal of Physical Chemistry A</i> , <b>2019</b> , 93, 665-673	0.7	2
87	Enhanced dehydrogenation properties of LiAlH <sub>4</sub> /Mg <sub>2</sub> NiH <sub>4</sub> nanocomposites via doping Ti-based catalysts. <i>Materials Research Express</i> , <b>2019</b> , 6, 075067	1.7	3
86	Electrochemical hydrogen storage properties of [Mg Al Mn Ni quaternary alloys. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 8384-8391	6.7	2
85	Hydrogenation properties of five-component Mg <sub>60</sub> Ce <sub>10</sub> Ni <sub>20</sub> Cu <sub>5</sub> X <sub>5</sub> (X= Co, Zn) metallic glasses. <i>Intermetallics</i> , <b>2019</b> , 108, 94-99	3.5	13
84	Effects of two-dimension MXene Ti <sub>3</sub> C <sub>2</sub> on hydrogen storage performances of MgH <sub>2</sub> -LiAlH <sub>4</sub> composite. <i>Chemical Physics</i> , <b>2019</b> , 522, 178-187	2.3	23
83	Effect of rGO supported NiCu derived from layered double hydroxide on hydrogen sorption kinetics of MgH <sub>2</sub> . <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 789, 768-776	5.7	30
82	Boosting low-temperature de/re-hydrogenation performances of MgH <sub>2</sub> with Pd-Ni bimetallic nanoparticles supported by mesoporous carbon. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 10777-10787	6.7	22
81	Magnesium Nanoparticles With Pd Decoration for Hydrogen Storage. <i>Frontiers in Chemistry</i> , <b>2019</b> , 7, 949	5	6

80	Excellent catalytic activity of a two-dimensional Nb <sub>4</sub> C <sub>3</sub> T <sub>x</sub> (MXene) on hydrogen storage of MgH <sub>2</sub> . <i>Applied Surface Science</i> , <b>2019</b> , 493, 431-440	6.7	19
79	Improved Hydrogen Absorption/Desorption Properties of MgH <sub>2</sub> by Co-catalyzing of YH <sub>2</sub> and Co@C. <i>ChemistrySelect</i> , <b>2019</b> , 4, 7709-7714	1.8	6
78	An exciting synergistic effect: realizing large-sized MgH <sub>2</sub> dehydrogenation at lowered temperatures by locally assembling a heterophase composite. <i>Materials Today Energy</i> , <b>2019</b> , 14, 100345	7	0
77	State of the art multi-strategy improvement of Mg-based hydrides for hydrogen storage. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 782, 796-823	5.7	70
76	Catalytic effect of in situ formed nano-Mg <sub>2</sub> Ni and Mg <sub>2</sub> Cu on the hydrogen storage properties of Mg-Y hydride composites. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 782, 242-250	5.7	28
75	Facile Synthesis of Carbon Supported Nano-Ni Particles with Superior Catalytic Effect on Hydrogen Storage Kinetics of MgH <sub>2</sub> . <i>ACS Applied Energy Materials</i> , <b>2018</b> , 1, 1158-1165	6.1	50
74	Effect of partial substitution of Ti for Al on the phase structure and electrochemical hydrogen storage properties of Mg <sub>3</sub> AlNi <sub>2</sub> alloy. <i>Journal of Alloys and Compounds</i> , <b>2018</b> , 746, 421-427	5.7	9
73	Effect of Al* generated in situ in hydriding on the dehydriding properties of Mg-Al alloys prepared by hydriding combustion synthesis and mechanical milling. <i>Journal of Alloys and Compounds</i> , <b>2018</b> , 750, 490-498	5.7	10
72	Enhancing hydrogen storage performances of MgH by Ni nano-particles over mesoporous carbon CMK-3. <i>Nanotechnology</i> , <b>2018</b> , 29, 265705	3.4	40
71	Improved dehydriding property of polyvinylpyrrolidone coated Mg-Ni hydrogen storage nano-composite prepared by hydriding combustion synthesis and wet mechanical milling. <i>Progress in Natural Science: Materials International</i> , <b>2018</b> , 28, 7-14	3.6	8
70	Electrochemical properties of Mg <sub>3</sub> MnNi <sub>2</sub> -x% polymethyl methacrylate-multiwalled carbon nanotubes (PMMA-MWCNTs) (x = 25, 50, 75, 100). <i>Journal of Materials Science</i> , <b>2018</b> , 53, 6033-6041	4.3	3
69	Ternary LiBH <sub>4</sub> -NaBH <sub>4</sub> -MgH <sub>2</sub> composite as fast ionic conductor. <i>Solid State Ionics</i> , <b>2018</b> , 324, 109-113	3.3	4
68	Remarkable Synergistic Catalysis of Ni-Doped Ultrafine TiO on Hydrogen Sorption Kinetics of MgH. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 24975-24980	9.5	49
67	Hydrogen storage performances and reaction mechanism of non-stoichiometric compound Li <sub>1.3</sub> Na <sub>1.7</sub> AlH <sub>6</sub> doped with Ti <sub>3</sub> C <sub>2</sub> . <i>Chemical Physics</i> , <b>2018</b> , 513, 135-140	2.3	6
66	Superior hydrogenation properties in a Mg <sub>65</sub> Ce <sub>10</sub> Ni <sub>20</sub> Cu <sub>5</sub> nanoglass processed by melt-spinning followed by high-pressure torsion. <i>Scripta Materialia</i> , <b>2018</b> , 152, 137-140	5.6	19
65	LiBH <sub>4</sub> -NaX (X=Cl, I) composites with enhanced lithium ionic conductivity. <i>Journal of Alloys and Compounds</i> , <b>2018</b> , 764, 307-313	5.7	5
64	Kinetic performance of hydrogen generation enhanced by AlCl <sub>3</sub> via hydrolysis of MgH <sub>2</sub> prepared by hydriding combustion synthesis. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 10232-10239	6.7	30
63	Synergistic hydrogen desorption properties of the 4LiAlH <sub>4</sub> + Mg <sub>2</sub> NiH <sub>4</sub> composite. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 697, 80-85	5.7	10

62	Effects of VF4 on the hydriding cycling at 373 K and dehydriding of Mg99Ni prepared by hydriding combustion synthesis and mechanical milling (HCS+MM). <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 698, 913-920	5.7	5
61	Ionic conductivities of lithium borohydride-lithium nitride composites. <i>Solid State Ionics</i> , <b>2017</b> , 304, 150-155	5.5	14
60	Metal Hydride Nanoparticles with Ultrahigh Structural Stability and Hydrogen Storage Activity Derived from Microencapsulated Nanoconfinement. <i>Advanced Materials</i> , <b>2017</b> , 29, 1700760	24	85
59	Surface modification of Mg3MnNi2 hydrogen storage electrode alloy with polyaniline. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 14220-14226	6.7	5
58	Controllable fabrication of Ni-based catalysts and their enhancement on desorption properties of MgH2. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 715, 329-336	5.7	26
57	Enhanced hydriding kinetics of Mg-10 at% Al composite by forming Al12Mg17 during hydriding combustion synthesis. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 712, 44-49	5.7	21
56	Electrochemical hydrogen storage properties of Mg 100x Ni x produced by hydriding combustion synthesis and mechanical milling. <i>Progress in Natural Science: Materials International</i> , <b>2017</b> , 27, 144-148	3.6	12
55	The ionic conductivities, stabilities and ionic mobilities of xLiBH4-Li2NH (x=1, 2, 4) composites as fast ion conductor. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 695, 2894-2901	5.7	6
54	Preparations and de/re-hydrogenation properties of LixNa3-xAlH6 (x=0.9-1.3) non-stoichiometric compounds. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 729, 648-654	5.7	1
53	Study on xLiBH4-NaBH4 (x=1.6, 2.3, and 4) composites with enhanced lithium ionic conductivity. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 729, 936-941	5.7	8
52	The lithium ionic conductivity of 2LiBH4-MgH2 composite as solid electrolyte. <i>Inorganic Chemistry Communication</i> , <b>2017</b> , 83, 62-65	3.1	6
51	Controlling nanocrystallization and hydrogen storage property of Mg-based amorphous alloy via a gas-solid reaction. <i>Journal of Alloys and Compounds</i> , <b>2016</b> , 685, 272-277	5.7	37
50	The electrochemical hydrogen storage properties of Mg67xPdxCo33 (x=1, 3, 5, 7) electrodes with BCC phase. <i>Journal of Alloys and Compounds</i> , <b>2016</b> , 662, 396-403	5.7	6
49	Effect of multi-wall carbon nanotubes supported nano-nickel and TiF3 addition on hydrogen storage properties of magnesium hydride. <i>Journal of Alloys and Compounds</i> , <b>2016</b> , 669, 8-18	5.7	41
48	Nickel-decorated graphene nanoplates for enhanced H2 sorption properties of magnesium hydride at moderate temperatures. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 2560-2570	13	77
47	The hydrogen storage performance of a 4MgH2LiAlH4TiH2 composite system. <i>Journal of Alloys and Compounds</i> , <b>2016</b> , 676, 557-564	5.7	14
46	Improved hydrogen storage properties of Ti-doped Mg95Ni5 powder produced by hydriding combustion synthesis. <i>Journal of Materials Research</i> , <b>2015</b> , 30, 967-972	2.5	8
45	Enhanced electrochemical hydrogen storage properties of Mg2NiH4 by coating with nano-nickel. <i>International Journal of Hydrogen Energy</i> , <b>2015</b> , 40, 13949-13956	6.7	33

44	Alkaline poly(vinyl alcohol)/poly(acrylic acid) polymer electrolyte membrane for Ni-MH battery application. <i>Ionics</i> , <b>2015</b> , 21, 141-148	2.7	19
43	Remarkable hydrogen storage properties at low temperature of MgNi composites prepared by hydriding combustion synthesis and mechanical milling. <i>RSC Advances</i> , <b>2015</b> , 5, 63202-63208	3.7	14
42	Phase transformation, kinetics and thermodynamics during the combustion synthesis of Mg <sub>2</sub> Al <sub>3</sub> alloy. <i>Journal of Alloys and Compounds</i> , <b>2015</b> , 628, 257-262	5.7	9
41	Significantly improved electrochemical hydrogen storage properties of magnesium nickel hydride modified with nano-nickel. <i>Journal of Power Sources</i> , <b>2015</b> , 280, 132-140	8.9	39
40	Excellent catalytic effects of multi-walled carbon nanotube supported titania on hydrogen storage of a Mg-Ni alloy. <i>Chemical Communications</i> , <b>2015</b> , 51, 2368-71	5.8	31
39	Highly efficient bimetal synergetic catalysis by a multi-wall carbon nanotube supported palladium and nickel catalyst for the hydrogen storage of magnesium hydride. <i>Chemical Communications</i> , <b>2014</b> , 50, 6641-4	5.8	32
38	Effect of multi-wall carbon nanotubes supported palladium addition on hydrogen storage properties of magnesium hydride. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 10184-10194	6.7	41
37	Catalytic Effect of Multi-Wall Carbon Nanotubes Supported Nickel on Hydrogen Storage Properties of Mg <sub>99</sub> Ni Prepared by Hydriding Combustion Synthesis. <i>Materials Transactions</i> , <b>2014</b> , 55, 1149-1155	1.3	5
36	Effect of pH on the structural characteristics of in situ synthesized Ni-incorporated SBA-15 magnetic composites. <i>Research on Chemical Intermediates</i> , <b>2014</b> , 40, 385-397	2.8	7
35	Synergistic hydrogen desorption of HCS MgH <sub>2</sub> -LiAlH <sub>4</sub> composite. <i>Energy</i> , <b>2013</b> , 55, 933-938	7.9	20
34	Combustion synthesis of Mg-based hydrogen storage alloy Mg <sub>17</sub> Al <sub>12</sub> . <i>Advanced Powder Technology</i> , <b>2013</b> , 24, 643-646	4.6	9
33	Direct synthesis of Nd <sup>3+</sup> doped mesoporous TiO <sub>2</sub> and investigation of its photocatalytic performance. <i>Journal of Sol-Gel Science and Technology</i> , <b>2012</b> , 64, 564-570	2.3	5
32	Efficient catalysis by MgCl <sub>2</sub> in hydrogen generation via hydrolysis of Mg-based hydride prepared by hydriding combustion synthesis. <i>Chemical Communications</i> , <b>2012</b> , 48, 5509-11	5.8	40
31	Hydrogen storage properties of MgNiBe composites prepared by hydriding combustion synthesis and mechanical milling. <i>Journal of Alloys and Compounds</i> , <b>2012</b> , 520, 207-212	5.7	16
30	Effect of SiC on hydrogen storage properties of Mg <sub>95</sub> Ni <sub>5</sub> prepared by hydriding combustion synthesis and mechanical milling. <i>Journal of Alloys and Compounds</i> , <b>2012</b> , 539, 215-220	5.7	7
29	Superior hydrogen storage properties of Mg <sub>95</sub> Ni <sub>5</sub> -10wt.% nanosized Zr <sub>0.7</sub> Ti <sub>0.3</sub> Mn <sub>2</sub> -Bwt.% MWCNT prepared by hydriding combustion synthesis followed by mechanical milling (HCS+MM). <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 17146-17152	6.7	16
28	Electrochemical hydrogen storage properties of Mg <sub>2</sub> Al <sub>x</sub> Ni (x=0, 0.3, 0.5, 0.7) prepared by hydriding combustion synthesis and mechanical milling. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 18140-18147	6.7	16
27	Structural and electrochemical hydrogen storage properties of Mg <sub>2</sub> Ni-based alloys. <i>Journal of Alloys and Compounds</i> , <b>2011</b> , 509, 5309-5314	5.7	34

26	Hydrogen storage properties of the Zintl phase alloy SrAl <sub>2</sub> doped with TiF <sub>3</sub> . <i>Journal of Alloys and Compounds</i> , <b>2010</b> , 492, 277-281	5.7	5
25	Hydrogen storage properties of Mg <sub>95</sub> Ni <sub>5</sub> system hydrogen storage materials prepared by hydriding combustion synthesis and mechanical milling. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 6350-6355	6.7	28
24	Electrochemical properties of Mg-based hydrogen storage materials modified with carbonaceous materials prepared by hydriding combustion synthesis and subsequent mechanical milling (HCS+MM). <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 9653-9660	6.7	8
23	Hydrogen storage properties of Mg <sub>95</sub> Ni <sub>5</sub> prepared by hydriding combustion synthesis and mechanical milling (HCS+MM). <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 2654-2660	6.7	43
22	Catalytic mechanism of Nb <sub>2</sub> O <sub>5</sub> and NbF <sub>5</sub> on the dehydriding property of Mg <sub>95</sub> Ni <sub>5</sub> prepared by hydriding combustion synthesis and mechanical milling. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 7707-7713	6.7	19
21	Structural and hydriding/dehydriding properties of Mg <sub>95</sub> Ni <sub>5</sub> -based composites. <i>Journal of Alloys and Compounds</i> , <b>2009</b> , 477, 440-444	5.7	14
20	Effect of Si substitution for Al on the structural and hydrogenation properties of the Zintl phase alloy SrAl <sub>2</sub> . <i>Journal of Alloys and Compounds</i> , <b>2009</b> , 485, 439-443	5.7	5
19	Structures and hydrogen storage properties of Mg <sub>95</sub> Ni <sub>5</sub> composite prepared by hydriding combustion synthesis and mechanical milling. <i>Materials Chemistry and Physics</i> , <b>2008</b> , 112, 218-222	4.4	17
18	Structure and hydrogenation properties of nanocrystalline Mg <sub>2</sub> Ni prepared by hydriding combustion synthesis and mechanical milling. <i>Journal of Alloys and Compounds</i> , <b>2008</b> , 455, 197-202	5.7	25
17	Hydriding combustion synthesis of Mg <sub>95</sub> Ni <sub>5</sub> composites. <i>Journal of Alloys and Compounds</i> , <b>2008</b> , 458, 394-397	5.7	10
16	Electrochemical properties of Mg-based hydrogen storage alloys prepared by hydriding combustion synthesis and subsequent mechanical milling (HCS+MM). <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 2965-2969	6.7	16
15	Effect of La/Ni ratio on hydrogen storage properties of Mg <sub>95</sub> Ni <sub>5</sub> system prepared by hydriding combustion synthesis followed by mechanical milling. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 2970-2974	6.7	45
14	Structural and hydrogenation properties of SrAl <sub>2</sub> -Ni <sub>x</sub> alloys. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 7498-7504	6.7	4
13	Mechanism of the high activity of Mg <sub>2</sub> NiH <sub>4</sub> produced by hydriding combustion synthesis based on the analysis of phase composition, particle characteristic and grain size. <i>International Journal of Hydrogen Energy</i> , <b>2007</b> , 32, 2455-2460	6.7	30
12	Hydriding characteristics of Mg <sub>2</sub> Ni prepared by mechanical milling of the product of hydriding combustion synthesis. <i>International Journal of Hydrogen Energy</i> , <b>2007</b> , 32, 2450-2454	6.7	21
11	Effect of surface oxidation on the hydriding and dehydriding of Mg <sub>2</sub> Ni alloy produced by hydriding combustion synthesis. <i>Journal of Materials Science</i> , <b>2007</b> , 42, 9725-9729	4.3	2
10	Hydrogen storage properties of Mg <sub>100-x</sub> Ni <sub>x</sub> (x=5, 11.3, 20, 25) composites prepared by hydriding combustion synthesis followed by mechanical milling (HCS+MM). <i>Intermetallics</i> , <b>2007</b> , 15, 1582-1588	3.5	28
9	Characterization of hydrogen storage properties of Mg-30wt.% Ti <sub>1.0</sub> V <sub>1.1</sub> Mn <sub>0.9</sub> composite. <i>Journal of Alloys and Compounds</i> , <b>2006</b> , 424, 382-387	5.7	18

8	Hydriding and dehydriding properties of nanostructured Mg <sub>2</sub> Ni alloy prepared by the process of hydriding combustion synthesis and subsequent mechanical grinding. <i>Journal of Alloys and Compounds</i> , <b>2006</b> , 425, 235-238	5-7	22
7	Pressure-Composition-Temperature Properties of Hydriding Combustion-Synthesized Mg <sub>2</sub> NiH <sub>4</sub> . <i>Materials Transactions</i> , <b>2002</b> , 43, 1100-1104	1-3	16
6	Effect of synthesis temperature on the purity of product in hydriding combustion synthesis of Mg <sub>2</sub> NiH <sub>4</sub> . <i>Journal of Alloys and Compounds</i> , <b>2002</b> , 345, 189-195	5-7	28
5	Hydrogen storage alloy of Mg <sub>2</sub> NiH <sub>4</sub> hydride produced by hydriding combustion synthesis from powder of mixture metal. <i>Journal of Alloys and Compounds</i> , <b>2000</b> , 308, 98-103	5-7	29
4	Effect of hydrogen pressure on the combustion synthesis of Mg <sub>2</sub> NiH <sub>4</sub> . <i>Intermetallics</i> , <b>1999</b> , 7, 201-205	3-5	19
3	Reaction mechanism of hydriding combustion synthesis of Mg <sub>2</sub> NiH <sub>4</sub> . <i>Intermetallics</i> , <b>1999</b> , 7, 671-677	3-5	45
2	Hydriding and dehydriding behavior of the product in hydriding combustion synthesis of Mg <sub>2</sub> NiH <sub>4</sub> . <i>Journal of Alloys and Compounds</i> , <b>1999</b> , 287, 98-103	5-7	18
1	Air-stable magnesium nickel hydride with autocatalytic and self-protective effect for reversible hydrogen storage. <i>Nano Research</i> , 1	10	0