Christos C Zouboulis

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7969073/christos-c-zouboulis-publications-by-year.pdf

Version: 2024-04-16

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

672 papers

25,848 citations

85 h-index

130 g-index

846 ext. papers

30,689 ext. citations

avg, IF

7.26 L-index

#	Paper	IF	Citations
672	Sebocytes contribute to melasma onset <i>IScience</i> , 2022 , 25, 103871	6.1	O
671	Pediatric Hidradenitis Suppurativa 2022 , 285-289		
670	Disorders of the Sebaceous Glands 2022 , 243-275		
669	Endothelins and Emelanocyte-stimulating hormone are increased in plasma of patients treated with UVA1 and psoralen plus UVA <i>Photodermatology Photoimmunology and Photomedicine</i> , 2022 ,	2.4	1
668	Small proline-rich proteins (SPRRs) are epidermally produced antimicrobial proteins that defend the cutaneous barrier by direct bacterial membrane disruption <i>ELife</i> , 2022 , 11,	8.9	1
667	Skin, hair and beyond: the impact of menopause Climacteric, 2022, 1-9	3.1	2
666	Physical Therapy in Dermatology: Cold, Heat, Electromagnetic Radiation 2022 , 2087-2096		
665	Teledermatologie: Fluch oder Segen?. Aktuelle Dermatologie, 2022, 48, 21-26	0.1	O
664	Skin Mirrors Brain: A Chance for Alzheimer's Disease Research <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1339, 371-380	3.6	1
663	The Pro-Differentiation Effect of Doxycycline on Human SZ95 Sebocytes. <i>Dermatology</i> , 2021 , 237, 792-	794	1
662	miR-146a modulates TLR1/2 and 4 induced inflammation and links it with proliferation and lipid production via the indirect regulation of GNG7 in human SZ95 sebocytes. <i>Scientific Reports</i> , 2021 , 11, 21510	4.9	1
661	Phenotypes and Pathophysiology of Syndromic Hidradenitis Suppurativa: Different Faces of the Same Disease? A Systematic Review. <i>Dermatology</i> , 2021 , 237, 673-697	4.4	5
660	Pain Index: a new prospective hidradenitis suppurativa patient-reported outcome measure instrument. <i>British Journal of Dermatology</i> , 2021 , 184, 1203-1204	4	2
659	Irritative Kontaktdermatitis auf Minoxidil-Prparate bei Stimulation der Hautbarrierepenetration durch Okklusion. <i>Aktuelle Dermatologie</i> , 2021 , 47, 173-175	0.1	
658	Global Harmonization of Morphological Definitions in Hidradenitis Suppurativa for a Proposed Glossary. <i>JAMA Dermatology</i> , 2021 , 157, 449-455	5.1	13
657	Different Types of Auricular Keloids and Treatment by Intralesional Cryosurgery: Best Practice for Obtaining Long-Lasting Clinical Results. <i>Dermatology</i> , 2021 , 1-10	4.4	0
656	Histone Deacetylase 1 Reduces Lipogenesis by Suppressing SREBP1 Transcription in Human Sebocyte Cell Line SZ95. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2

(2021-2021)

655	Case Report: PsAPSASH syndrome: an alternative phenotype of syndromic hidradenitis suppurativa treated with the IL-17A inhibitor secukinumab. <i>F1000Research</i> , 2021 , 10, 381	3.6	2
654	Adalimumab dose intensification in hidradenitis suppurativa: effectiveness and safety results of a multicentre study. <i>British Journal of Dermatology</i> , 2021 , 185, 863-865	4	2
653	Adamantiades-Behllt's disease (Behllt's disease) and COVID-19. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e541-e543	4.6	8
652	Epidermal Growth Factor Modulates Palmitic Acid-Induced Inflammatory and Lipid Signaling Pathways in SZ95 Sebocytes. <i>Frontiers in Immunology</i> , 2021 , 12, 600017	8.4	О
651	Hidradenitis suppurativa in skin of colour. Experimental Dermatology, 2021, 30 Suppl 1, 27-30	4	1
650	Target molecules for future hidradenitis suppurativa treatment. <i>Experimental Dermatology</i> , 2021 , 30 Suppl 1, 8-17	4	8
649	Hidradenitis suppurativa-specific, patient-reported outcome measures. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1420-1421	4.6	1
648	Porphyrins produced by acneic strains activate the inflammasome by inducing K leakage. <i>IScience</i> , 2021 , 24, 102575	6.1	5
647	Anti-COVID-19 measurements for hidradenitis suppurativa patients. <i>Experimental Dermatology</i> , 2021 , 30 Suppl 1, 18-22	4	3
646	Adult skin acute stress responses to short-term environmental and internal aggression from exposome factors. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1963-1	19 7 5 ⁶	10
646 645	Adult skin acute stress responses to short-term environmental and internal aggression from exposome factors. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1963-10. Atrophic papulosis: the wedge-shaped skin necrosis overlays an active lesion. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e672-e674	19 <i>7</i> 15 ⁶ 4.6	10
	exposome factors. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1963-1 Atrophic papulosis: the wedge-shaped skin necrosis overlays an active lesion. <i>Journal of the</i>		
645	exposome factors. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 1963-1 Atrophic papulosis: the wedge-shaped skin necrosis overlays an active lesion. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e672-e674 3D-SeboSkin Model for Human ex vivo Studies of Hidradenitis Suppurativa/Acne Inversa.	4.6	0
645	exposome factors. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 1963-1 Atrophic papulosis: the wedge-shaped skin necrosis overlays an active lesion. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e672-e674 3D-SeboSkin Model for Human ex vivo Studies of Hidradenitis Suppurativa/Acne Inversa. Dermatology, 2021, 1-8 Quality of Life in Hidradenitis Suppurativa: An Update. International Journal of Environmental	4.6 4.4	0
645 644 643	exposome factors. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 1963-1 Atrophic papulosis: the wedge-shaped skin necrosis overlays an active lesion. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e672-e674 3D-SeboSkin Model for Human ex vivo Studies of Hidradenitis Suppurativa/Acne Inversa. Dermatology, 2021, 1-8 Quality of Life in Hidradenitis Suppurativa: An Update. International Journal of Environmental Research and Public Health, 2021, 18, Resveratrol ameliorates lipid accumulation and inflammation in human SZ95 sebocytes via the	4.6 4.4 4.6	o 2 5
645 644 643	Atrophic papulosis: the wedge-shaped skin necrosis overlays an active lesion. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e672-e674 3D-SeboSkin Model for Human ex vivo Studies of Hidradenitis Suppurativa/Acne Inversa. <i>Dermatology</i> , 2021 , 1-8 Quality of Life in Hidradenitis Suppurativa: An Update. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, Resveratrol ameliorates lipid accumulation and inflammation in human SZ95 sebocytes via the AMPK signaling pathways in vitro. <i>Journal of Dermatological Science</i> , 2021 , 103, 156-166 Metabolic Disorders/Obesity Is a Primary Risk Factor in Hidradenitis Suppurativa: An	4.6 4.4 4.6 4.3	o 2 5
645 644 643 642	Atrophic papulosis: the wedge-shaped skin necrosis overlays an active lesion. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 1963-1 3D-SeboSkin Model for Human ex vivo Studies of Hidradenitis Suppurativa/Acne Inversa. Dermatology, 2021, 1-8 Quality of Life in Hidradenitis Suppurativa: An Update. International Journal of Environmental Research and Public Health, 2021, 18, Resveratrol ameliorates lipid accumulation and inflammation in human SZ95 sebocytes via the AMPK signaling pathways in vitro. Journal of Dermatological Science, 2021, 103, 156-166 Metabolic Disorders/Obesity Is a Primary Risk Factor in Hidradenitis Suppurativa: An Immunohistochemical Real-World Approach. Dermatology, 2021, 1-9 Anti-Inflammatory and Pro-Differentiating Properties of the Aryl Hydrocarbon Receptor Ligands NPD-0614-13 and NPD-0614-24: Potential Therapeutic Benefits in Psoriasis. International Journal of	4.6 4.4 4.6 4.3	o 2 5 1 2

637	Increased Lipid Accumulation under Hypoxia in SZ95 Human Sebocytes. <i>Dermatology</i> , 2021 , 237, 131-14	4.4	6
636	Macrophage-activating lipopeptide-2 and corticotropin-releasing hormone stimulate the inflammatory signalling in human sebocytes through activation of stearoyl-CoA desaturase and fatty acid desaturase 2. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 49.	4.6 3-501	2
635	Topical application of autophagy-activating peptide improved skin barrier function and reduced acne symptoms in acne-prone skin. <i>Journal of Cosmetic Dermatology</i> , 2021 , 20, 1009-1016	2.5	4
634	Intralesional cryosurgery of keloids: required treatment hold time. <i>British Journal of Dermatology</i> , 2021 , 184, 173-175	4	2
633	Drug repurposing through drug-gene interaction profiles for hidradenitis suppurativa/acne inversa treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e251-e254	4.6	4
632	European registry for hidradenitis suppurativa: state of play. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e274-e276	4.6	2
631	Interleukin-18 is a sensitive marker of flare initiation in Adamantiades-Behlet disease. <i>British Journal of Dermatology</i> , 2021 , 184, 973-975	4	
630	Cryosurgery as a Single Agent and in Combination with Intralesional Corticosteroids Is Effective on Young, Small Keloids and Induces Characteristic Histological and Immunohistological Changes: A Prospective Randomized Trial. <i>Dermatology</i> , 2021 , 237, 396-406	4.4	O
629	An additional drug repurposing study for hidradenitis suppurativa/acne inversa. <i>British Journal of Dermatology</i> , 2021 , 184, 748-750	4	2
628	European dermatology forum: Updated guidelines on the use of extracorporeal photopheresis 2020 - Part 2. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 27-49	4.6	14
627	Local anticholinergic treatment for multiple eccrine hidrocystomas: report of two cases and literature review. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 605-607	1.2	
626	New Drug Developments in Acne. <i>Updates in Clinical Dermatology</i> , 2021 , 55-73	0.2	
625	Involvement of Pattern Recognition Receptors in the Direct Influence of Bacterial Components and Standard Antiacne Compounds on Human Sebaceous Gland Cells. <i>Skin Pharmacology and Physiology</i> , 2021 , 34, 19-29	3	1
624	Formalin-killed Propionibacterium acnes activates the aryl hydrocarbon receptor and modifies differentiation of SZ95 sebocytes in vitro. <i>European Journal of Dermatology</i> , 2021 , 31, 32-40	0.8	3
623	Ferredoxin reductase regulates proliferation, differentiation, cell cycle and lipogenesis but not apoptosis in SZ95 sebocytes. <i>Experimental Cell Research</i> , 2021 , 405, 112680	4.2	О
622	Efficacy and Safety of Adalimumab in Conjunction With Surgery in Moderate to Severe Hidradenitis Suppurativa: The SHARPS Randomized Clinical Trial. <i>JAMA Surgery</i> , 2021 , 156, 1001-1009	5.4	8
621	Efficacy and Safety of Bimekizumab in Moderate to Severe Hidradenitis Suppurativa: A Phase 2, Double-blind, Placebo-Controlled Randomized Clinical Trial. <i>JAMA Dermatology</i> , 2021 , 157, 1279-1288	5.1	9
620	Prevalence of Hidradenitis Suppurativa: A Systematic Review and Meta-regression Analysis. <i>JAMA Dermatology</i> , 2021 , 157, 924-931	5.1	16

619	Efficacy of short-term intravenous clindamycin prior to oral clindamycin-rifampicin treatment in hidradenitis suppurativa: a retrospective case series. <i>British Journal of Dermatology</i> , 2021 ,	4	1
618	Interleukins 4 and 13 drive lipid abnormalities in skin cells through regulation of sex steroid hormone synthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	2
617	Prognosis of Patients With Stage III Melanoma According to American Joint Committee on Cancer Version 8: A Reassessment on the Basis of 3 Independent Stage III Melanoma Cohorts. <i>Journal of Clinical Oncology</i> , 2020 , 38, 2543-2551	2.2	13
616	Further evidence for the immediate knowledge improvement through EADV Schools on hidradenitis suppurativa/acne inversa. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e852-e853	4.6	Ο
615	GPR119 Is a Potent Regulator of Human Sebocyte Biology. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 1909-1918.e8	4.3	4
614	Low Prevalence of GSC Gene Mutations in a Large Cohort of Predominantly Caucasian Patients with Hidradenitis Suppurativa. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 2085-2088.e14	4.3	24
613	A novel experimental model for studying efficacy of cryosurgery in keloids. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1851-1854	4.6	6
612	Apocrine glands are bystanders in hidradenitis suppurativa and their involvement is gender specific. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1555-1563	4.6	17
611	Sebocyte differentiation as a new target for acne therapy: an in vivo experience. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1803-1814	4.6	11
610	Review of Comorbidities of Hidradenitis Suppurativa: Implications for Daily Clinical Practice. <i>Dermatology and Therapy</i> , 2020 , 10, 63-71	4	19
609	Autophagy regulates lipid production and contributes to the sebosuppressive effect of retinoic acid in human SZ95 sebocytes. <i>Journal of Dermatological Science</i> , 2020 , 98, 128-136	4.3	5
608	Comparison of guidelines and consensus articles on the management of patients with acne with oral isotretinoin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2229-2240	0 ^{4.6}	7
607	Hidradenitis suppurativa in paediatric patients: a retrospective monocentric study in Germany and review of the literature. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2140-2146	4.6	5
606	Physical Therapy in Dermatology: Cold, Heat, Electromagnetic Radiation 2020 , 1-10		
605	Repurposing Auranofin, an Anti-Rheumatic Gold Compound, to Treat Acne Vulgaris by Targeting the NLRP3 Inflammasome. <i>Biomolecules and Therapeutics</i> , 2020 , 28, 437-442	4.2	9
604	Adalimumab Dose Intensification in Recalcitrant Hidradenitis Suppurativa/Acne Inversa. <i>Dermatology</i> , 2020 , 236, 25-30	4.4	23
603	Alterations in innate immunity and epithelial cell differentiation are the molecular pillars of hidradenitis suppurativa. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 ,	4.6	29
	34, 846-861		

601	Phylotype I and II Strains Interact Differently With Human Skin Cells. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 575164	5.9	4
600	What causes hidradenitis suppurativa ?-15 years after. <i>Experimental Dermatology</i> , 2020 , 29, 1154-1170	4	27
599	Epidermoid cysts in kidney transplant patients receiving tacrolimus. <i>Dermatologic Therapy</i> , 2020 , 33, e13259	2.2	1
598	Clinical and biological impact of the exposome on the skin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34 Suppl 4, 4-25	4.6	31
597	The OMERACT Core Set of Domains for Outcome Measures in Behlet Syndrome. <i>Arthritis Care and Research</i> , 2020 ,	4.7	7
596	Endocrinology and immunology of acne: Two sides of the same coin. <i>Experimental Dermatology</i> , 2020 , 29, 840-859	4	5
595	Sebaceous gland: Milestones of 30-year modelling research dedicated to the "brain of the skin". <i>Experimental Dermatology</i> , 2020 , 29, 1069-1079	4	6
594	Evaluating patients' unmet needs in hidradenitis suppurativa: Results from the Global Survey Of Impact and Healthcare Needs (VOICE) Project. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 366-376	4.5	66
593	Isotretinoin is indirectly effective in sebocytes. British Journal of Dermatology, 2020, 182, 1052-1054	4	6
592	Holocrine Secretion Occurs outside the Tight unction Barrier in Multicellular Glands: Lessons from Claudin-1-Deficient Mice. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 298-308.e5	4.3	5
591	Anxiety, Depression, and Suicidal Ideation amongst Patients with Facial Dermatoses (Acne, Rosacea, Perioral Dermatitis, and Folliculitis) in Lithuania. <i>Dermatology</i> , 2020 , 236, 314-322	4.4	5
590	3D-Printed Poly-Caprolactone Scaffolds Modified With Biomimetic Extracellular Matrices for Tarsal Plate Tissue Engineering. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 219	5.8	6
589	Apocrine Gland-Rich Skin Has a Non-Inflammatory IL-17-Related Immune Milieu, that IT urns to Inflammatory IL-17-Mediated Disease In Hidradenitis Suppurativa. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 964-968	4.3	27
588	Aesthetic aspects of skin aging, prevention, and local treatment. Clinics in Dermatology, 2019 , 37, 365-3	732	28
587	An Integrated Approach to Unravel Hidradenitis Suppurativa Etiopathogenesis. <i>Frontiers in Immunology</i> , 2019 , 10, 892	8.4	41
586	Skin aging revisited. <i>Clinics in Dermatology</i> , 2019 , 37, 293-295	3	3
585	Learning efficacy of the European Academy of Dermatology and Venereology School on hidradenitis suppurativa/acne inversa. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e359-e360	4.6	2
584	Resistin-like Molecule Provides Vitamin-A-Dependent Antimicrobial Protection in the Skin. <i>Cell Host and Microbe</i> , 2019 , 25, 777-788.e8	23.4	36

583	Is There a Role for Antiandrogen Therapy for Hidradenitis Suppurativa? A Systematic Review of Published Data. <i>American Journal of Clinical Dermatology</i> , 2019 , 20, 503-513	7.1	14
582	When the skin is in the center of interest: An aging issue. <i>Clinics in Dermatology</i> , 2019 , 37, 296-305	3	14
581	Quality of life measurement in hidradenitis suppurativa: position statement of the European Academy of Dermatology and Venereology task forces on Quality of Life and Patient-Oriented Outcomes and Acne, Rosacea and Hidradenitis Suppurativa. <i>Journal of the European Academy of</i>	4.6	28
580	Dermatology and Venereology, 2019, 33, 1633-1643 Inter-rater and intrarater agreement and reliability in clinical staging of hidradenitis suppurativa/acne inversa. British Journal of Dermatology, 2019, 181, 852-854	4	5
579	Pilonidal sinus disease: an intergluteal localization of[hidradenitis suppurativa/acne inversa: a cross-sectional study among 2465 patients. <i>British Journal of Dermatology</i> , 2019 , 181, 1198-1206	4	14
578	Short-Chain Fatty Acids from Activate Both a Canonical and Epigenetic Inflammatory Response in Human Sebocytes. <i>Journal of Immunology</i> , 2019 , 202, 1767-1776	5.3	34
577	Suppression of Propionibacterium acnes-stimulated proinflammatory cytokines by Chinese bayberry extracts and its active constituent myricetin in human sebocytes in vitro. <i>Phytotherapy Research</i> , 2019 , 33, 1104-1113	6.7	6
576	Inter-rater agreement and reliability of outcome measurement instruments and staging systems used in hidradenitis suppurativa. <i>British Journal of Dermatology</i> , 2019 , 181, 483-491	4	29
575	An alternative membrane topology permits lipid droplet localization of peroxisomal fatty acyl-CoA reductase 1. <i>Journal of Cell Science</i> , 2019 , 132,	5.3	11
574	Cowpox virus infection in two brothers with possible human-to-human transmission. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e8-e10	4.6	2
573	Long-term adalimumab efficacy in patients with moderate-to-severe hidradenitis suppurativa/acne inversa: 3-year results of a phase 3 open-label extension study. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 60-69.e2	4.5	77
572	Aryl Hydrocarbon Receptor Modulates the Expression of TNF-hand IL-8 in Human Sebocytes via the MyD88-p65NF-B/p38MAPK Signaling Pathways. <i>Journal of Innate Immunity</i> , 2019 , 11, 41-51	6.9	13
571	Clinical and laboratory skin biomarkers of organ-specific diseases. <i>Mechanisms of Ageing and Development</i> , 2019 , 177, 144-149	5.6	5
57°	Multimodal Clinical Imaging Assessment of the Outcome in Mild-to-Moderate Acne: A Prospective Study. <i>Dermatology</i> , 2019 , 235, 471-477	4.4	1
569	Ex vivo human models of hidradenitis suppurativa/acne inversa for laboratory research and drug screening. <i>British Journal of Dermatology</i> , 2019 , 181, 244-246	4	8
568	Acne and Stress: Impact of Catecholamines on. <i>Frontiers in Medicine</i> , 2019 , 6, 155	4.9	29
567	Nicotinic acid suppresses sebaceous lipogenesis of human sebocytes via activating hydroxycarboxylic acid receptor 2 (HCA). <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 6203-621	₽ .6	14
566	Effects of Eupatilin on Insulin-Like Growth Factor 1-Induced Lipogenesis and Inflammation of SZ95 Sebocytes. <i>Annals of Dermatology</i> , 2019 , 31, 479-482	0.4	2

565 Disorders of the Sebaceous Glands **2019**, 1-32

564	Retinoids in Acne 2019 , 111-119		
563	Hidradenitis suppurativa/acne inversa: a practical framework for treatment optimization - systematic review and recommendations from the HS ALLIANCE working group. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 19-31	4.6	95
562	The frequency of arthritis in Adamantiades-Behāt's disease in Greek patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 416-420	4.6	4
561	Long-Wave Medical Infrared Thermography: A Clinical Biomarker of Inflammation in Hidradenitis Suppurativa/Acne Inversa. <i>Dermatology</i> , 2019 , 235, 144-149	4.4	11
560	Standardized Photographic Documentation of Hidradenitis Suppurativa/Acne Inversa. <i>Dermatology</i> , 2019 , 235, 51-54	4.4	10
559	Activation of TRPV3 Inhibits Lipogenesis and Stimulates Production of Inflammatory Mediators in Human Sebocytes-A Putative Contributor to Dry Skin Dermatoses. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 250-253	4.3	16
558	Enhancement of lipid content and inflammatory cytokine secretion in SZ95 sebocytes by palmitic acid suggests a potential link between free fatty acids and acne aggravation. <i>Experimental Dermatology</i> , 2019 , 28, 207-210	4	11
557	Schistosomiasis (bilharziasis) and male infertility. <i>Andrologia</i> , 2019 , 51, e13165	2.4	9
556	Inhibitory effects of superoxide dismutase 3 on Propionibacterium acnes-induced skin inflammation. <i>Scientific Reports</i> , 2018 , 8, 4024	4.9	27
555	Primary sebocytes and sebaceous gland cell lines for studying sebaceous lipogenesis and sebaceous gland diseases. <i>Experimental Dermatology</i> , 2018 , 27, 484-488	4	16
554	OLR1 scavenger receptor knockdown affects mitotic gene expression but is dispensable for oxidized phospholipid- mediated stress signaling in SZ 95 sebocytes. <i>Mechanisms of Ageing and Development</i> , 2018 , 172, 35-44	5.6	2
553	Indian irrational skin creams and steroid-modified dermatophytosis - an unholy nexus and alarming situation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, e426-e427	4.6	9
552	Endocannabinoid Tone Regulates Human Sebocyte Biology. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 1699-1706	4.3	12
551	Demodex mites modulate sebocyte immune reaction: possible role in the pathogenesis of rosacea. British Journal of Dermatology, 2018 , 179, 420-430	4	40
550	Acral lentiginous melanoma: a skin cancer with unfavourable prognostic features. A study of the German central malignant melanoma registry (CMMR) in 2050 patients. <i>British Journal of Dermatology</i> , 2018 , 178, 443-451	4	51
549	Media sclerosis Māckeberg affects microcirculation. <i>Cor Et Vasa</i> , 2018 , 60, e533-e535	0.3	1
548	Low and high body mass index in hidradenitis suppurativa patients-different subtypes?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 307-312	4.6	29

(2018-2018)

547	Quality of life measurement in acne. Position Paper of the European Academy of Dermatology and Venereology Task Forces on Quality of Life and Patient Oriented Outcomes and Acne, Rosacea and Hidradenitis Suppurativa. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 ,	4.6	32
546	Genome wide analysis of TLR1/2- and TLR4-activated SZ95 sebocytes reveals a complex immune-competence and identifies serum amyloid A as a marker for activated sebaceous glands. <i>PLoS ONE</i> , 2018 , 13, e0198323	3.7	16
545	Why we continue to use the name Propionibacterium acnes. <i>British Journal of Dermatology</i> , 2018 , 179, 1227	4	19
544	Schistosomiasis (Bilharziasis) ova: An incidental finding in testicular tissue of an obstructive azoospermic man. <i>Andrologia</i> , 2018 , 50, e13131	2.4	6
543	The Anti-Inflammatory Activities of Propionibacterium acnes CAMP Factor-Targeted Acne Vaccines. Journal of Investigative Dermatology, 2018 , 138, 2355-2364	4.3	27
542	Insect Bites, Tick Bites, and Stings 2018 , 155-171		
541	Experimental Models of Human Skin Aging 2018 , 763-767		О
540	Dermatologische Therapie mit Klte, Wilme oder elektromagnetischen Strahlen 2018 , 1-10		
539	Dermatologische Therapie mit KIte, Wilme oder elektromagnetischen Strahlen 2018 , 2105-2114		
538	AKN 🛮 🗷 🗆 🖫 AKA EMOCINIAMS SUTRIKIMAMS. <i>Health Sciences</i> , 2018 , 28, 30-35	O	
537	Age influences the skin reaction pattern to mechanical stress and its repair level through skin care		
551	products. Mechanisms of Ageing and Development, 2018 , 170, 98-105	5.6	5
536		5.6 4·3	6
	products. <i>Mechanisms of Ageing and Development</i> , 2018 , 170, 98-105 Activation of PKB/Akt and p44/42 by mechanical stretch utilizes desmosomal structures and the		
536	products. <i>Mechanisms of Ageing and Development</i> , 2018 , 170, 98-105 Activation of PKB/Akt and p44/42 by mechanical stretch utilizes desmosomal structures and the keratin filament. <i>Journal of Dermatological Science</i> , 2018 , 89, 241-247 Sebocytes contribute to skin inflammation by promoting the differentiation of T helper 17 cells.	4.3	6
536 535	products. Mechanisms of Ageing and Development, 2018, 170, 98-105 Activation of PKB/Akt and p44/42 by mechanical stretch utilizes desmosomal structures and the keratin filament. Journal of Dermatological Science, 2018, 89, 241-247 Sebocytes contribute to skin inflammation by promoting the differentiation of T helper 17 cells. British Journal of Dermatology, 2018, 178, 722-730 Licochalcone A attenuates acne symptoms mediated by suppression of NLRP3 inflammasome.	4.3	6 31
536 535 534	Activation of PKB/Akt and p44/42 by mechanical stretch utilizes desmosomal structures and the keratin filament. <i>Journal of Dermatological Science</i> , 2018 , 89, 241-247 Sebocytes contribute to skin inflammation by promoting the differentiation of T helper 17 cells. <i>British Journal of Dermatology</i> , 2018 , 178, 722-730 Licochalcone A attenuates acne symptoms mediated by suppression of NLRP3 inflammasome. <i>Phytotherapy Research</i> , 2018 , 32, 2551-2559	4.3	6 31 25
536 535 534 533	Activation of PKB/Akt and p44/42 by mechanical stretch utilizes desmosomal structures and the keratin filament. <i>Journal of Dermatological Science</i> , 2018 , 89, 241-247 Sebocytes contribute to skin inflammation by promoting the differentiation of T helper 17 cells. <i>British Journal of Dermatology</i> , 2018 , 178, 722-730 Licochalcone A attenuates acne symptoms mediated by suppression of NLRP3 inflammasome. <i>Phytotherapy Research</i> , 2018 , 32, 2551-2559 Acne in Dark Skin 2018 , 203-217	4.3	6 31 25 3

529	Albert Montgomery Kligman-Remembering a Pioneer of Topical Treatment. <i>JAMA Dermatology</i> , 2017 , 153, 65	5.1	O
528	Sebaceous Gland-Rich Skin Is Characterized by TSLP Expression and Distinct Immune Surveillance Which Is Disturbed in Rosacea. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1114-1125	4.3	30
527	Further Evidence of Sebaceous Differentiation Uniqueness: Holocrine Secretion of Sebocytes Is Multistep, Cell-Specific Lysosomal DNase2-Mediated Mode of Programmed Cell Death. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 537-539	4.3	10
526	Pharmacological PPARImodulation regulates sebogenesis and inflammation in SZ95 human sebocytes. <i>Biochemical Pharmacology</i> , 2017 , 138, 96-106	6	17
525	Anti-acne drugs in phase 1 and 2 clinical trials. Expert Opinion on Investigational Drugs, 2017, 26, 813-823	B _{5.9}	22
524	Small cryotherapy devices for the treatment of skin warts. <i>Journal of Dermatological Treatment</i> , 2017 , 28, 745-750	2.8	3
523	Benign atrophic papulosis (KBlmeier-Degos disease): the wedge-shaped dermal necrosis can resolve with time. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1753-175	5 4 .6	6
522	ALA-PDT suppressing the cell growth and reducing the lipogenesis in human SZ95 sebocytes by mTOR signaling pathway in vitro. <i>Photodiagnosis and Photodynamic Therapy</i> , 2017 , 18, 295-301	3.5	15
521	The freeze thaw cycle in cryosurgery - Response to Dr. David Buckley. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, e408-e409	4.6	
520	Bacterial Colonization in Hidradenitis Suppurativa/Acne Inversa: A Cross-sectional Study of 50 Patients and Review of the Literature. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 493-498	2.2	22
519	A Compensating Skin Care Complex Containing Pro-xylane in Menopausal Women: Results from a Multicentre, Evaluator-blinded, Randomized Study. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 541-542	2.2	2
518	Effects of Extracellular Calcium and 1,25 dihydroxyvitamin D3 on Sebaceous Gland Cells In vitro and In vivo. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 313-320	2.2	20
517	Particulate matter 2.5 regulates lipid synthesis and inflammatory cytokine production in human SZ95 sebocytes. <i>International Journal of Molecular Medicine</i> , 2017 , 40, 1029-1036	4.4	18
516	Quality of life, anxiety prevalence, depression symptomatology and suicidal ideation among acne patients in Lithuania. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1900-	1906	22
515	Acne Fulminans: Treatment Experience from 26 Patients. <i>Dermatology</i> , 2017 , 233, 136-140	4.4	15
514	Development and validation of the International Hidradenitis Suppurativa Severity Score System (IHS4), a novel dynamic scoring system to assess HS severity. <i>British Journal of Dermatology</i> , 2017 , 177, 1401-1409	4	157
513	Sebum lipids influence macrophage polarization and activation. <i>British Journal of Dermatology</i> , 2017 , 177, 1671-1682	4	33
512	Epidemiology of Acne Vulgaris in 18-Year-Old Male Army Conscripts in a South Brazilian City. <i>Dermatology</i> , 2017 , 233, 145-154	4.4	11

511 Discovering the Link Between Nutrition and Skin Aging **2017**, 1613-1618

510	Pathomechanisms of Endogenously Aged Skin 2017 , 111-120		
509	SRB1 as a new redox target of cigarette smoke in human sebocytes. <i>Free Radical Biology and Medicine</i> , 2017 , 102, 47-56	7.8	14
508	Objective assessment of acne. <i>Clinics in Dermatology</i> , 2017 , 35, 147-155	3	13
507	Prevalence of skin diseases in hospitalized geriatric patients: Association with gender, duration of hospitalization and geriatric assessment. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017 , 50, 524-531	2.7	15
506	Insulin and Insulin-like growth factor-1 can activate the phosphoinositide-3-kinase /Akt/FoxO1 pathway in T cells. <i>Dermato-Endocrinology</i> , 2017 , 9, e1356518		15
505	Sebaceous-immunobiology is orchestrated by sebum lipids. <i>Dermato-Endocrinology</i> , 2017 , 9, e1375636		38
504	RIS-1/psoriasin expression in epithelial skin cells indicates their selective role in innate immunity and in inflammatory skin diseases including acne. <i>Dermato-Endocrinology</i> , 2017 , 9, e1338993		3
503	Effects of Isotretinoin on the Phosphoinositide-3-kinase/Akt/FoxO1 Pathway and Molecular Functions of SZ95 Sebocytes In vitro. <i>Journal of Clinical & Experimental Dermatology Research</i> , 2017 , 08,		8
502	Aging Skin as a Diagnostic Tool for Internal Diseases: A Chance for Dermatology 2017 , 869-885		
501	AB0545 Interferon Alpha2a versus Cyclosporin A for The Treatment of Severe Ocular Behcet's Disease IA Prospective, Randomised, Single Blind, National Multicenter Trial (INCYTOB). <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1091.2-1091	2.4	8
500	Aryl hydrocarbon receptor negatively regulates lipid synthesis and involves in cell differentiation of SZ95 sebocytes in vitro. <i>Chemico-Biological Interactions</i> , 2016 , 258, 52-8	5	19
499	Adalimumab for the treatment of hidradenitis suppurativa/acne inversa. <i>Expert Review of Clinical Immunology</i> , 2016 , 12, 1015-26	5.1	13
498	Aging Skin: A Window to the Body 2016 , 200-228		Ο
497	Diabetes mellitus and the skin. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016 , 17, 269-282	10.5	29
496	Targeting the vitamin D endocrine system (VDES) for the management of inflammatory and malignant skin diseases: An historical view and outlook. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016 , 17, 405-417	10.5	29
495	Nutrition and skin. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016 , 17, 443-448	10.5	18
494	Biomarkers of skin aging. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016 , 17, 433-442	10.5	22

493	Skin steroidogenesis in health and disease. Reviews in Endocrine and Metabolic Disorders, 2016, 17, 247-	• 25⁄8 .5	28
492	Exacerbation of Darier Disease under Interferon-Da Therapy with Clinical Signs of Lichen Nitidus. <i>Case Reports in Dermatology</i> , 2016 , 8, 218-223	1.1	4
491	Establishment of a European Registry for hidradenitis suppurativa/acne inversa by using an open source software. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1424-6	4.6	12
490	Is cryosurgery less effective that conservative regimens in the treatment of actinic keratoses?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, e50-e53	4.6	7
489	Molekulares Verstfidnis der ex- und intrinsischen Vorgfige. Ethetische Dermatologie & Kosmetologie, 2016 , 8, 28-36	Ο	
488	Neuroendocrinology of the skin. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016 , 17, 287-294	10.5	27
487	Hidradenitis suppurativa/Acne inversa: an endocrine skin disorder?. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016 , 17, 335-341	10.5	31
486	Sebocytes differentially express and secrete adipokines. <i>Experimental Dermatology</i> , 2016 , 25, 194-9	4	42
485	Differential effectiveness of selected non-psychotropic phytocannabinoids on human sebocyte functions implicates their introduction in dry/seborrhoeic skin and acne treatment. <i>Experimental Dermatology</i> , 2016 , 25, 701-7	4	53
484	Benzo(a)pyrene induces interleukin (IL)-6 production and reduces lipid synthesis in human SZ95 sebocytes via the aryl hydrocarbon receptor signaling pathway. <i>Environmental Toxicology and Pharmacology</i> , 2016 , 43, 54-60	5.8	19
483	Expression of dermcidin in sebocytes supports a role for sebum in the constitutive innate defense of human skin. <i>Journal of Dermatological Science</i> , 2016 , 81, 124-6	4.3	15
482	Evidence-based approach to the treatment of hidradenitis suppurativa/acne inversa, based on the European guidelines for hidradenitis suppurativa. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016 , 17, 343-351	10.5	116
481	Endocrinologic Aspects of Hidradenitis Suppurativa. <i>Dermatologic Clinics</i> , 2016 , 34, 45-9	4.2	29
480	PI3K/AKT Signaling Pathway Is Essential for Survival of Induced Pluripotent Stem Cells. <i>PLoS ONE</i> , 2016 , 11, e0154770	3.7	49
479	Extensive unilateral nevus comedonicus without genetic abnormality. <i>Dermatology Online Journal</i> , 2016 , 22,	1	2
478	Endocrine-disrupting chemicals and skin manifestations. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016 , 17, 449-457	10.5	16
477	Cryosurgical Treatment of Keloids and Hypertrophic Scars 2016 , 413-451		9
476	Male fertility and skin diseases. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016 , 17, 353-365	10.5	7

475	Juvenile Adamantiades-Behlet Disease. <i>Dermatology</i> , 2016 , 232, 129-36	4.4	7
474	High Copy Numbers of Defensin Cluster on 8p23.1, Confer Genetic Susceptibility, and Modulate the Physical Course of Hidradenitis Suppurativa/Acne Inversa. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 1592-1598	4.3	25
473	Reply to comments to "Letter to the Editor: comment on Azmahani et al. steroidogenic enzymes, their related transcription factors and nuclear receptors in human sebaceous glands under normal and pathological conditions". <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016 , 155, 178-80	5.1	1
472	Study of Facial Sebum Levels and Follicular Red Fluorescence in Patients with Acne Vulgaris in Nigeria. <i>Dermatology</i> , 2016 , 232, 156-61	4.4	11
471	Marked Reduction of the Number and Individual Volume of Sebaceous Glands in Psoriatic Lesions. Dermatology, 2016 , 232, 415-24	4.4	5
470	Increased Activity and Number of Epidermal Melanocytes in Lesional Psoriatic Skin. <i>Dermatology</i> , 2016 , 232, 425-30	4.4	6
469	Antimicrobial Treatment of Rosacea 2016 , 41-56		1
468	Beyond acne: Current aspects of sebaceous gland biology and function. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016 , 17, 319-334	10.5	67
467	Two Phase 3 Trials of Adalimumab for Hidradenitis Suppurativa. <i>New England Journal of Medicine</i> , 2016 , 375, 422-34	59.2	324
466	LC-MS/MS analysis reveals a broad functional spectrum of proteins in the secretome of sebocytes. <i>Experimental Dermatology</i> , 2016 , 25, 66-7	4	10
465	HiSCR (Hidradenitis Suppurativa Clinical Response): a novel clinical endpoint to evaluate therapeutic outcomes in patients with hidradenitis suppurativa from the placebo-controlled portion of a phase 2 adalimumab study. <i>Journal of the European Academy of Dermatology and</i>	4.6	79
464	Venereology, 2016 , 30, 989-94 CHSF / HSF / EHSF joint pre-WCD Hidradenitis Suppurativa Symposium, Vancouver, Canada, June 6, 2015. Experimental Dermatology, 2016 , 25 Suppl 1, 1-9	4	Ο
463	Intralesional Cryosurgery for the Treatment of Hypertrophic Scars and Keloids 2016 , 453-474		9
462	Extensive unilateral nevus comedonicus without genetic abnormality. <i>Dermatology Online Journal</i> , 2016 , 22,	1	O
461	Management of severe acne. British Journal of Dermatology, 2015, 172 Suppl 1, 27-36	4	48
460	Induced pluripotent stem cell-derived neuronal cells from a sporadic Alzheimer's disease donor as a model for investigating AD-associated gene regulatory networks. <i>BMC Genomics</i> , 2015 , 16, 84	4.5	88
459	European S1 guideline for the treatment of hidradenitis suppurativa/acne inversa. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 619-44	4.6	550
458	Hidradenitis Suppurativa/Acne Inversa: Criteria for Diagnosis, Severity Assessment, Classification and Disease Evaluation. <i>Dermatology</i> , 2015 , 231, 184-90	4.4	162

457	The Brain of the Skin: Sebaceous Gland 2015 , 109-125		О
456	L-Ascorbyl-2-phosphate attenuates NF- B signaling in SZ95 sebocytes without affecting IL-6 and IL-8 secretion. <i>Archives of Dermatological Research</i> , 2015 , 307, 595-605	3.3	2
455	Hidradenitis suppurativa / Acne inversa. Aktuelle Dermatologie, 2015 , 41, 185-199	0.1	1
454	Cell-free extracts of Propionibacterium acnes stimulate cytokine production through activation of p38 MAPK and Toll-like receptor in SZ95 sebocytes. <i>Life Sciences</i> , 2015 , 139, 123-31	6.8	25
453	Gigantisches (monstr¶es) Melanom der Haut. Aktuelle Dermatologie, 2015 , 41, 249-254	0.1	1
452	Bacteriology of hidradenitis suppurativa/acne inversa: A review. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, S12-8	4.5	50
451	Wie vergfiglich ist Schfiheit?. Aktuelle Ernahrungsmedizin Klinik Und Praxis, 2015 , 40, S27-S31	0.3	0
450	Insulin and insulin-like growth factor-1 can modulate the phosphoinositide-3-kinase/Akt/FoxO1 pathway in SZ95 sebocytes in vitro. <i>Molecular and Cellular Endocrinology</i> , 2015 , 415, 32-44	4.4	68
449	Gender-specific differences in Adamantiades-Behlet's disease manifestations: an analysis of the German registry and meta-analysis of data from the literature. <i>Rheumatology</i> , 2015 , 54, 121-33	3.9	53
448	Characterization of the sebocyte lipid droplet proteome reveals novel potential regulators of sebaceous lipogenesis. <i>Experimental Cell Research</i> , 2015 , 332, 146-55	4.2	24
447	Acne vulgaris. Nature Reviews Disease Primers, 2015 , 1, 15029	51.1	139
446	Langwierige Diagnose, hohe Rezidivrate. <i>Hautnah Dermatologie</i> , 2015 , 31, 40-47	Ο	
445	Deep abdominal wall ulceration in a patient with BehBt's disease. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 235-6	1.2	1
444	Diagnostic delay in hidradenitis suppurativa is a global problem. British Journal of Dermatology,		155
	2015 , 173, 1546-9	4	
443		4	19
	2015 , 173, 1546-9 Ex vivo human skin and SZ95 sebocytes exhibit a homoeostatic interaction in a novel coculture		
443	2015, 173, 1546-9 Ex vivo human skin and SZ95 sebocytes exhibit a homoeostatic interaction in a novel coculture contact model. <i>Experimental Dermatology</i> , 2015, 24, 497-502 Age-associated skin changes in innate immunity markers reflect a complex interaction between	4	19

439	Gender Differences in Production and Circulating Levels of Sex Hormones and Their Impact on Aging Skin 2015 , 125-149		
438	Expression of Protease-Activated Receptor-2 in SZ95 Sebocytes and its Role in Sebaceous Lipogenesis, Inflammation, and Innate Immunity. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 2219-	2227	12
437	EGFR/ERBB receptors differentially modulate sebaceous lipogenesis. FEBS Letters, 2015, 589, 1376-82	3.8	13
436	Adamantiades-Behflt Disease 2015 , 33-44		1
435	Cardiovascular disease risk factors in patients with hidradenitis suppurativa: a systematic review and meta-analysis of observational studies. <i>British Journal of Dermatology</i> , 2015 , 173, 1142-55	4	85
434	Intralesional Cryotherapy for the Treatment of Keloid Scars: A Prospective Study. <i>Plastic and Reconstructive Surgery</i> , 2015 , 136, 397e-398e	2.7	11
433	Resveratrol exerts growth inhibitory effects on human SZ95 sebocytes through the inactivation of the PI3-K/Akt pathway. <i>International Journal of Molecular Medicine</i> , 2015 , 35, 1042-50	4.4	10
432	Disseminated refractory pyoderma gangraenosum during an ulcerative colitis flare. Treatment with infliximab. <i>Journal of Dermatological Case Reports</i> , 2015 , 9, 62-6		11
431	Acne and Lipid Pathways 2015 , 331-342		1
430	Pathomechanisms of Endogenously Aged Skin 2015 , 1-10		
429	Aging Skin as a Diagnostic Tool for Internal Diseases: A Chance for Dermatology 2015 , 1-17		
428	Discovering the Link Between Nutrition and Skin Aging 2015 , 1-6		
427	In reply. Deutsches Ärzteblatt International, 2015 , 112, 222-3	2.5	
426	Anti-bacterial and anti-inflammatory properties of capric acid against Propionibacterium acnes: a comparative study with lauric acid. <i>Journal of Dermatological Science</i> , 2014 , 73, 232-40	4.3	82
425	Acne as a chronic systemic disease. Clinics in Dermatology, 2014 , 32, 389-96	3	57
424	Acne is an inflammatory disease and alterations of sebum composition initiate acne lesions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 527-32	4.6	138
423	Sonicated and stirred copper oxide nanoparticles induce similar toxicity and pro-inflammatory response in N-hTERT keratinocytes and SZ95 sebocytes. <i>Journal of Nanoparticle Research</i> , 2014 , 16, 1	2.3	9
422	Perilipin 3 modulates specific lipogenic pathways in SZ95 sebocytes. <i>Experimental Dermatology</i> , 2014 , 23, 759-61	4	17

421	Leptin promotes a proinflammatory lipid profile and induces inflammatory pathways in human SZ95 sebocytes. <i>British Journal of Dermatology</i> , 2014 , 171, 1326-35	4	30
420	PPAREmediated and arachidonic acid-dependent signaling is involved in differentiation and lipid production of human sebocytes. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 910-920	4.3	56
419	Steroidogenic enzymes, their related transcription factors and nuclear receptors in human sebaceous glands under normal and pathological conditions. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2014 , 144 Pt B, 268-79	5.1	16
418	Skin and glucocorticoids: effects of local skin glucocorticoid impairment on skin homeostasis. <i>Experimental Dermatology</i> , 2014 , 23, 807-8	4	12
417	Guidelines on the use of extracorporeal photopheresis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28 Suppl 1, 1-37	4.6	169
416	Acne tarda and male-pattern baldness unmasking primary ovarian insufficiency: a case and review. <i>Dermatology</i> , 2014 , 229, 51-4	4.4	1
415	Multi-organ sarcoidosis treatment with fumaric acid esters: a case report and review of the literature. <i>Dermatology</i> , 2014 , 228, 202-6	4.4	5
414	The German national consensus on wound documentation and outcomes: Rationale, working programme and current status. <i>Wound Medicine</i> , 2014 , 7, 8-13	2.8	2
413	The treatment of chronic recurrent oral aphthous ulcers. <i>Deutsches A&#x0308;rzteblatt International</i> , 2014 , 111, 665-73	2.5	56
412	Not all acne is acne vulgaris. <i>Deutsches A&#x0308;rzteblatt International</i> , 2014 , 111, 301-12	2.5	23
411	Vom Leben gezeichnet. <i>Hautnah Dermatologie</i> , 2014 , 30, 50-58	O	
410	Cidea control of lipid storage and secretion in mouse and human sebaceous glands. <i>Molecular and Cellular Biology</i> , 2014 , 34, 1827-38	4.8	24
409	Expression of steroidogenic enzymes in human sebaceous glands. <i>Journal of Endocrinology</i> , 2014 , 222, 301-12	4.7	20
408	Acne and Inflammation 2014 , 135-141		1
407	Malignant and benign forms of atrophic papulosis (Kfilmeier-Degos disease): systemic involvement determines the prognosis. <i>British Journal of Dermatology</i> , 2014 , 170, 110-5	4	44
406	Propionibacterium acnes activates the NLRP3 inflammasome in human sebocytes. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2747-2756	4.3	80
405	A New Concept of Acne Pathogenesis 2014 , 105-107		1
404	Molecular mechanisms of action of topical antiaging compounds. <i>Journal of the Egyptian Womenl</i> s <i>Dermatologic Society</i> , 2014 , 11, 73-78	0.3	4

403 Acne and Antimicrobial Lipids **2014**, 179-183

402	Understanding Acne as a Chronic Disease 2014 , 209-211		2
401	Cannabidiol exerts sebostatic and antiinflammatory effects on human sebocytes. <i>Journal of Clinical Investigation</i> , 2014 , 124, 3713-24	15.9	138
400	Clinical Aspects of Acne Vulgaris 2014 , 213-221		1
399	Association of hidradenitis suppurativa disease severity with increased risk for systemic comorbidities. <i>British Journal of Dermatology</i> , 2014 , 171, 1561-5	4	52
398	Angiopoietin-like 4, a protein strongly induced during sebocyte differentiation, regulates sebaceous lipogenesis but is dispensable for sebaceous gland function in vivo. <i>Journal of Dermatological Science</i> , 2014 , 75, 148-50	4.3	5
397	Point: Major adverse cardiovascular events and anti-IL 12/23 agents. <i>Journal of the American Academy of Dermatology</i> , 2014 , 70, 380-1	4.5	4
396	The International Criteria for Behʿat's Disease (ICBD): a collaborative study of 27 countries on the sensitivity and specificity of the new criteria. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 338-47	4.6	642
395	The Role of the Sebaceous Gland 2014 , 77-90		2
394	Acne and Androgens 2014 , 131-134		1
393	Experimental Models of the Sebaceous Gland 2014 , 43-49		2
392	Hormonal Therapy for Acne 2014 , 477-482		1
391	Concepts of Future Acne Treatment 2014 , 537-542		1
390	Molecular Aspects of Sebaceous Differentiation 2014 , 19-26		
389	The Vascular Concept 2014 , 611-619		
388	Body Mass Index 2014 , 295-297		1
387	Rosacea: The State of the Art 2014 , 605-609		
386	Acne Epidemiology and Socioeconomic Aspects 2014 , 53-57		

385 The SAHA Syndrome **2014**, 563-567

<i>3</i> 0 <i>3</i>	The SALIA Syndiome 2014, 303 307		
384	Anatomy of the Sebaceous Gland 2014 , 27-31		1
383	Serum Androgens 2014 , 291-294		
382	The Acne Genes 2014 , 349-354		
381	Laboratory Evaluations in Acne 2014 , 369-375		
380	Evidenced-Based Treatment of Acne 2014, 379-382		
379	Re-evaluation of the risk for major adverse cardiovascular events in patients treated with anti-IL-12/23 biological agents for chronic plaque psoriasis: a meta-analysis of randomized controlled trials. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, 622-7	4.6	115
378	Malignant atrophic papulosis (Kfilmeier-Degos disease) - a review. <i>Orphanet Journal of Rare Diseases</i> , 2013 , 8, 10	4.2	55
377	PLIN2, the major perilipin regulated during sebocyte differentiation, controls sebaceous lipid accumulation in vitro and sebaceous gland size in vivo. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 4642-9	4	32
376	Indian hedgehog controls proliferation and differentiation in skin tumorigenesis and protects against malignant progression. <i>Cell Reports</i> , 2013 , 4, 340-51	10.6	14
375	Three-dimensional culture of sebaceous gland cells revealing the role of prostaglandin E2-induced activation of canonical Wnt signaling. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 438, 640-6	3.4	22
374	Shooting at skin Propionibacterium acnes: to be or not to be on target. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2292-4	4.3	8
373	Vom Leben gezeichnet. MMW Fortschritte Der Medizin, 2013, 155, 50-57	O	5
372	Differentially regulated microRNAs during human sebaceous lipogenesis. <i>Journal of Dermatological Science</i> , 2013 , 70, 88-93	4.3	20
371	Steroidogenesis in the skin: implications for local immune functions. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2013 , 137, 107-23	5.1	228
370	11Ehydroxysteroid dehydrogenase type 1 is expressed in human sebaceous glands and regulates glucocorticoid-induced lipid synthesis and toll-like receptor 2 expression in SZ95 sebocytes. <i>British Journal of Dermatology</i> , 2013 , 168, 47-55	4	19
369	Potential role of FoxO1 and mTORC1 in the pathogenesis of Western diet-induced acne. <i>Experimental Dermatology</i> , 2013 , 22, 311-5	4	116
368	Adult female acne: a new paradigm. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, 1063-70	4.6	104

367	Atypical fibroxanthoma-a diagnosis of exclusion!. Wiener Medizinische Wochenschrift, 2013, 163, 380-6	2.9	7
366	Insulin-like factor 3 promotes wound healing at the ocular surface. <i>Endocrinology</i> , 2013 , 154, 2034-45	4.8	20
365	Skin mirrors human aging. Hormone Molecular Biology and Clinical Investigation, 2013, 16, 13-28	1.3	16
364	Special issue on hormones and ageing. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2013 , 16, 1-2	1.3	
363	Neuropeptides and skin aging. Hormone Molecular Biology and Clinical Investigation, 2013, 16, 29-33	1.3	3
362	Association of anti-IL-12/23 biologic agents ustekinumab and briakinumab with major adverse cardiovascular events. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, 1586	6 ⁴ 7 ⁶	9
361	Epidermal growth factor receptor and the sebaceous gland. <i>Experimental Dermatology</i> , 2013 , 22, 695-6	4	6
360	A practical guide for the study of human and murine sebaceous glands in situ. <i>Experimental Dermatology</i> , 2013 , 22, 631-7	4	45
359	Topical retinoids for the treatment of acne vulgaris 2013,		1
358	Akne-assoziierte Syndrome. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2013 , 208-212		
358 357	Akne-assoziierte Syndrome. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2013, 208-212 Nutritional clinical studies in dermatology. Journal of Drugs in Dermatology, 2013, 12, 1104-9	2.2	10
		2.2	10
357	Nutritional clinical studies in dermatology. <i>Journal of Drugs in Dermatology</i> , 2013 , 12, 1104-9 Diagnostics of autoimmune bullous diseases in German dermatology departments. <i>JDDG - Journal</i>		
357 356	Nutritional clinical studies in dermatology. <i>Journal of Drugs in Dermatology</i> , 2013 , 12, 1104-9 Diagnostics of autoimmune bullous diseases in German dermatology departments. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 492-9 SZ95 sebocytes induce epidermal melanocyte dendricity and proliferation in vitro. <i>Experimental</i>	1.2	7
357 356 355	Nutritional clinical studies in dermatology. <i>Journal of Drugs in Dermatology</i> , 2013 , 12, 1104-9 Diagnostics of autoimmune bullous diseases in German dermatology departments. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 492-9 SZ95 sebocytes induce epidermal melanocyte dendricity and proliferation in vitro. <i>Experimental Dermatology</i> , 2012 , 21, 393-5 An increased incidence of Propionibacterium acnes biofilms in acne vulgaris: a case-control study.	1.2	7
357 356 355 354	Nutritional clinical studies in dermatology. <i>Journal of Drugs in Dermatology</i> , 2013 , 12, 1104-9 Diagnostics of autoimmune bullous diseases in German dermatology departments. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 492-9 SZ95 sebocytes induce epidermal melanocyte dendricity and proliferation in vitro. <i>Experimental Dermatology</i> , 2012 , 21, 393-5 An increased incidence of Propionibacterium acnes biofilms in acne vulgaris: a case-control study. <i>British Journal of Dermatology</i> , 2012 , 167, 50-8 Adalimumab for the treatment of moderate to severe Hidradenitis suppurativa: a parallel	1.2	7 11 139
357 356 355 354 353	Nutritional clinical studies in dermatology. <i>Journal of Drugs in Dermatology</i> , 2013 , 12, 1104-9 Diagnostics of autoimmune bullous diseases in German dermatology departments. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 492-9 SZ95 sebocytes induce epidermal melanocyte dendricity and proliferation in vitro. <i>Experimental Dermatology</i> , 2012 , 21, 393-5 An increased incidence of Propionibacterium acnes biofilms in acne vulgaris: a case-control study. <i>British Journal of Dermatology</i> , 2012 , 167, 50-8 Adalimumab for the treatment of moderate to severe Hidradenitis suppurativa: a parallel randomized trial. <i>Annals of Internal Medicine</i> , 2012 , 157, 846-55	1.2 4 4	7 11 139 255

349	Sebaceous glands as the primary target of EGFR-inhibitors in the development of papulopustular eruption. <i>Journal of Dermatological Science</i> , 2012 , 66, 165-8	4.3	12
348	Pattern of tissue invasion by Propionibacterium acnes in acne vulgaris. <i>Journal of Dermatological Science</i> , 2012 , 67, 63-6	4.3	30
347	Hormonal therapy of intrinsic aging. Rejuvenation Research, 2012, 15, 302-12	2.6	35
346	Emerging concepts about prenatal genesis, aberrant metabolism and treatment paradigms in polycystic ovary syndrome. <i>Endocrine</i> , 2012 , 42, 526-34	4	19
345	Identification of biomarkers of human skin ageing in both genders. Wnt signalling - a label of skin ageing?. <i>PLoS ONE</i> , 2012 , 7, e50393	3.7	59
344	Relaxin 2 is functional at the ocular surface and promotes corneal wound healing 2012 , 53, 7780-90		15
343	European evidence-based (S3) guidelines for the treatment of acne. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26 Suppl 1, 1-29	4.6	253
342	Paraneoplastic dermatomyositis associated with metastatic melanoma. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 63-4	1.2	1
341	Protein kinase C isoforms have differential roles in the regulation of human sebocyte biology. Journal of Investigative Dermatology, 2012 , 132, 1988-97	4.3	14
340	Genetics and skin aging. <i>Dermato-Endocrinology</i> , 2012 , 4, 280-4		37
340	Genetics and skin aging. <i>Dermato-Endocrinology</i> , 2012 , 4, 280-4 Discovering the link between nutrition and skin aging. <i>Dermato-Endocrinology</i> , 2012 , 4, 298-307		109
		5.3	
339	Discovering the link between nutrition and skin aging. <i>Dermato-Endocrinology</i> , 2012 , 4, 298-307 Differential toxicity of copper (II) oxide nanoparticles of similar hydrodynamic diameter on human differentiated intestinal Caco-2 cell monolayers is correlated in part to copper release and shape.	5.3	109
339	Discovering the link between nutrition and skin aging. <i>Dermato-Endocrinology</i> , 2012 , 4, 298-307 Differential toxicity of copper (II) oxide nanoparticles of similar hydrodynamic diameter on human differentiated intestinal Caco-2 cell monolayers is correlated in part to copper release and shape. <i>Nanotoxicology</i> , 2012 , 6, 789-803 Association of ustekinumab and briakinumab with major adverse cardiovascular events: An appraisal of meta-analyses and industry sponsored pooled analyses to date. <i>Dermato-Endocrinology</i>	5.3	109 56
339338337	Discovering the link between nutrition and skin aging. <i>Dermato-Endocrinology</i> , 2012 , 4, 298-307 Differential toxicity of copper (II) oxide nanoparticles of similar hydrodynamic diameter on human differentiated intestinal Caco-2 cell monolayers is correlated in part to copper release and shape. <i>Nanotoxicology</i> , 2012 , 6, 789-803 Association of ustekinumab and briakinumab with major adverse cardiovascular events: An appraisal of meta-analyses and industry sponsored pooled analyses to date. <i>Dermato-Endocrinology</i> , 2012 , 4, 320-3 Images in clinical medicine. Flashing, pulsating angioma. <i>New England Journal of Medicine</i> , 2012 ,		1095634
339338337336	Discovering the link between nutrition and skin aging. <i>Dermato-Endocrinology</i> , 2012 , 4, 298-307 Differential toxicity of copper (II) oxide nanoparticles of similar hydrodynamic diameter on human differentiated intestinal Caco-2 cell monolayers is correlated in part to copper release and shape. <i>Nanotoxicology</i> , 2012 , 6, 789-803 Association of ustekinumab and briakinumab with major adverse cardiovascular events: An appraisal of meta-analyses and industry sponsored pooled analyses to date. <i>Dermato-Endocrinology</i> , 2012 , 4, 320-3 Images in clinical medicine. Flashing, pulsating angioma. <i>New England Journal of Medicine</i> , 2012 , 366, e36 Pro-inflammatory effects of different MWCNTs dispersions in p16(INK4A)-deficient telomerase-expressing human keratinocytes but not in human SV-40 immortalized sebocytes.	59.2	10956341
339338337336335	Discovering the link between nutrition and skin aging. <i>Dermato-Endocrinology</i> , 2012 , 4, 298-307 Differential toxicity of copper (II) oxide nanoparticles of similar hydrodynamic diameter on human differentiated intestinal Caco-2 cell monolayers is correlated in part to copper release and shape. <i>Nanotoxicology</i> , 2012 , 6, 789-803 Association of ustekinumab and briakinumab with major adverse cardiovascular events: An appraisal of meta-analyses and industry sponsored pooled analyses to date. <i>Dermato-Endocrinology</i> , 2012 , 4, 320-3 Images in clinical medicine. Flashing, pulsating angioma. <i>New England Journal of Medicine</i> , 2012 , 366, e36 Pro-inflammatory effects of different MWCNTs dispersions in p16(INK4A)-deficient telomerase-expressing human keratinocytes but not in human SV-40 immortalized sebocytes. <i>Nanotoxicology</i> , 2012 , 6, 77-93	59.2	109 56 34 1

331	New pharmaceutical concepts for sebaceous gland diseases: implementing today's pre-clinical data into tomorrow's daily clinical practice. <i>Current Pharmaceutical Biotechnology</i> , 2012 , 13, 1898-913	2.6	12
330	Clinical aspects and molecular diagnostics of skin aging. Clinics in Dermatology, 2011, 29, 3-14	3	217
329	Recurrent subacute cutaneous lupus erythematosus following exposure to different drugs. <i>Acta Dermato-Venereologica</i> , 2011 , 91, 586-7	2.2	3
328	Peroxisome proliferator-activated receptor activators protect sebocytes from apoptosis: a new treatment modality for acne?. <i>British Journal of Dermatology</i> , 2011 , 164, 182-6	4	21
327	Regulation of stearoyl-coenzyme A desaturase and fatty acid delta-6 desaturase-2 expression by linoleic acid and arachidonic acid in human sebocytes leads to enhancement of proinflammatory activity but does not affect lipogenesis. <i>British Journal of Dermatology</i> , 2011 , 165, 269-76	4	32
326	Recalcitrant severe erosive cutaneous lichen planus treated with extracorporeal photopheresis monotherapy. <i>British Journal of Dermatology</i> , 2011 , 165, 441-3	4	13
325	Alteration in N-glycomics during mouse aging: a role for FUT8. Aging Cell, 2011, 10, 1056-66	9.9	26
324	Acne-associated syndromes: models for better understanding of acne pathogenesis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011 , 25, 637-46	4.6	73
323	Effects of Himelanocyte-stimulating hormone on calcium concentration in SZ95 sebocytes. <i>Experimental Dermatology</i> , 2011 , 20, 19-23	4	9
322	2,3,7,8-Tetrachlorodibenzo-p-dioxin alters sebaceous gland cell differentiation in vitro. <i>Experimental Dermatology</i> , 2011 , 20, 320-5	4	49
321	Drug-induced photodermatitis in elderly nursing home residents. <i>JDDG - Journal of the German Society of Dermatology</i> , 2011 , 9, 631-2	1.2	1
320	Acrodermatitis enteropathica: an uncommon differential diagnosis in childhood - first description of a new sequence variant. <i>JDDG - Journal of the German Society of Dermatology</i> , 2011 , 9, 999-1002	1.2	3
319	Anti-aging data and support claimsconsensus statement. <i>JDDG - Journal of the German Society of Dermatology</i> , 2011 , 9 Suppl 3, S1-32	1.2	19
318	Treating acne with antibiotic-resistant bacterial colonization. <i>Expert Opinion on Pharmacotherapy</i> , 2011 , 12, 1233-47	4	27
317	Dr. Kenneth R. Feingold joins our Board of Associate Editors!. <i>Dermato-Endocrinology</i> , 2011 , 3, 51		
316	An update on the role of the sebaceous gland in the pathogenesis of acne. <i>Dermato-Endocrinology</i> , 2011 , 3, 41-9		125
315	Oral eosinophilic ulcer, an Epstein-Barr virus-associated CD30+ lymphoproliferation?. <i>Dermatology</i> , 2011 , 222, 113-8	4.4	12
314	Nutritional Clinical Studies in Dermatology 2011 , 209-220		

313	Mitochondrial-associated cell death mechanisms are reset to an embryonic-like state in aged donor-derived iPS cells harboring chromosomal aberrations. <i>PLoS ONE</i> , 2011 , 6, e27352	3.7	90
312	An Innate Bactericidal Oleic Acid Effective Against Skin Infection of Methicillin-Resistant Staphylococcus aureus: A Therapy Concordant with Evolutionary Medicine. <i>Journal of Microbiology and Biotechnology</i> , 2011 , 21, 391-399	3.3	45
311	Vitamin A and the Skin 2011 , 7-23		
310	An innate bactericidal oleic acid effective against skin infection of methicillin-resistant Staphylococcus aureus: a therapy concordant with evolutionary medicine. <i>Journal of Microbiology and Biotechnology</i> , 2011 , 21, 391-9	3.3	33
309	Isotretinoin: state of the art treatment for acne vulgaris. <i>JDDG - Journal of the German Society of Dermatology</i> , 2010 , 8 Suppl 1, S47-59	1.2	35
308	Zileuton prevents the activation of the leukotriene pathway and reduces sebaceous lipogenesis. <i>Experimental Dermatology</i> , 2010 , 19, 148-50	4	33
307	Testosterone synthesized in cultured human SZ95 sebocytes derives mainly from dehydroepiandrosterone. <i>Experimental Dermatology</i> , 2010 , 19, 470-2	4	35
306	Azelaic acid modulates the inflammatory response in normal human keratinocytes through PPARgamma activation. <i>Experimental Dermatology</i> , 2010 , 19, 813-20	4	80
305	Cytotoxicity of multi-walled carbon nanotubes in three skin cellular models: effects of sonication, dispersive agents and corneous layer of reconstructed epidermis. <i>Nanotoxicology</i> , 2010 , 4, 84-97	5.3	37
304	KdPT, a tripeptide derivative of alpha-melanocyte-stimulating hormone, suppresses IL-1 beta-mediated cytokine expression and signaling in human sebocytes. <i>Journal of Immunology</i> , 2010 , 185, 1903-11	5.3	29
303	Biosynthesis of dihydrotestosterone by a pathway that does not require testosterone as an intermediate in the SZ95 sebaceous gland cell line. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 602	2-4-3	32
302	Comorbidities of hidradenitis suppurativa (acne inversa). <i>Dermato-Endocrinology</i> , 2010 , 2, 9-16		146
301	B lymphocyte-induced maturation protein 1 is a novel target gene of aryl hydrocarbon receptor. Journal of Dermatological Science, 2010 , 58, 211-6	4.3	27
300	Elevated sex steroid hormones in great saphenous veins in men. <i>Journal of Vascular Surgery</i> , 2010 , 51, 639-46	3.5	17
299	Underestimated clinical features of postadolescent acne. <i>Journal of the American Academy of Dermatology</i> , 2010 , 63, 782-8	4.5	88
298	Genomic gain of 5p15 leads to over-expression of Misu (NSUN2) in breast cancer. <i>Cancer Letters</i> , 2010 , 289, 71-80	9.9	59
297	Pathomechanisms of Endogenously Aged Skin 2010 , 93-99		0
296	Sebum free fatty acids enhance the innate immune defense of human sebocytes by upregulating beta-defensin-2 expression. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 985-94	4.3	127

(2009-2010)

295	Intralesional cryosurgery for the treatment of hypertrophic scars and keloids. <i>Plastic and Reconstructive Surgery</i> , 2010 , 126, 1798-1800	2.7	28
294	Clinical, histological and demographic predictors for recurrence and second primary tumours of head and neck basal cell carcinoma. A 1062 patient-cohort study from a tertiary cancer referral hospital. <i>European Journal of Dermatology</i> , 2010 , 20, 276-82	0.8	38
293	Skin and brain age together: The role of hormones in the ageing process. <i>Experimental Gerontology</i> , 2010 , 45, 801-13	4.5	72
292	S2k G uideline on the Therapy of Acne. <i>JDDG - Journal of the German Society of Dermatology</i> , 2010 , 8, s1-s55	1.2	20
291	Acne and Its Variants 2010 , 359-373		2
290	Rosacea and Related Diseases 2010 , 375-386		
289	Retinoids in the Management of Non-Melanoma Skin Cancer 2010 , 187-195		1
288	Skin endocrinology and nutrition. <i>Dermato-Endocrinology</i> , 2009 , 1, 249		
287	Environmental pollution and acne: Chloracne. <i>Dermato-Endocrinology</i> , 2009 , 1, 125-8		33
286	The role of neuropeptides in the multifactorial pathogenesis of acne vulgaris. Dermato-Endocrinology, 2009, 1, 170-6		39
285	About our Editors. <i>Dermato-Endocrinology</i> , 2009 , 1, 1-2		10
284	The skin as an endocrine organ. <i>Dermato-Endocrinology</i> , 2009 , 1, 250-2		50
283	Lipid regulation in SZ95 sebocytes by active and inactive phospholipases A2 from Bothrops moojeni venom. <i>Dermato-Endocrinology</i> , 2009 , 1, 102-107		
282	Culture of human sebocytes in vitro. <i>Dermato-Endocrinology</i> , 2009 , 1, 92-5		19
281	Sebaceous gland receptors. <i>Dermato-Endocrinology</i> , 2009 , 1, 77-80		47
280	Medium-dose prednisolone pulse therapy in alopecia areata. <i>Dermato-Endocrinology</i> , 2009 , 1, 310-3		10
279	First anniversary of Dermato-Endocrinology, the new speaking tube for clinicians and scientists interested in the role of the skin as an endocrine, autocrine or paracrine organ: Now listed in PubMed Central!. <i>Dermato-Endocrinology</i> , 2009 , 1, 281		
278	Stammzellen und ihre Bedeutung in der Dermatologie. Aktuelle Dermatologie, 2009 , 35, 120-128	0.1	3

277	Hormones and the pilosebaceous unit. <i>Dermato-Endocrinology</i> , 2009 , 1, 81-6		68
276	Zileuton, a new efficient and safe systemic anti-acne drug. <i>Dermato-Endocrinology</i> , 2009 , 1, 188-92		42
275	Ocular involvement in Adamantiades-Behät's disease in Berlin, Germany. <i>Graefels Archive for Clinical and Experimental Ophthalmology</i> , 2009 , 247, 661-6	3.8	13
274	Sinn und Unsinn der Ethetischen Endokrinologie. <i>Gynakologische Endokrinologie</i> , 2009 , 7, 25-32	0.1	5
273	Chronic low-dose isotretinoin treatment limits renal damage in subtotally nephrectomized rats. Journal of Molecular Medicine, 2009 , 87, 53-64	5.5	11
272	Involvement of the corticotropin-releasing hormone system in the pathogenesis of acne vulgaris. <i>British Journal of Dermatology</i> , 2009 , 160, 345-52	4	90
271	Human sebocytes express prostaglandin E2 receptors EP2 and EP4 but treatment with prostaglandin E2 does not affect testosterone production. <i>British Journal of Dermatology</i> , 2009 , 161, 674-7	4	30
270	Ocular involvement is associated with HLA-B51 in Adamantiades-BehBt's disease. <i>Eye</i> , 2009 , 23, 1182-6	4.4	18
269	Transient receptor potential vanilloid-1 signaling as a regulator of human sebocyte biology. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 329-39	4.3	58
268	Propionibacterium acnes and sebaceous lipogenesis: a love-hate relationship?. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 2093-6	4.3	33
267	Prevalence, severity, and severity risk factors of acne in high school pupils: a community-based study. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 2136-41	4.3	208
266	Anti-acne agents attenuate FGFR2 signal transduction in acne. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 1868-77	4.3	40
265	Antimicrobial property of lauric acid against Propionibacterium acnes: its therapeutic potential for inflammatory acne vulgaris. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 2480-8	4.3	216
264	Non-infectious ulcerating oral mucous membrane diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 242-57	1.2	4
263	Nicht-infektiße exulzerierende Mundschleimhauterkrankungen. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 242-258	1.2	9
262	Facial Sweet syndrome mimicking photoallergic contact dermatitis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 697-700	1.2	1
261	Extrinsic ageing in the human skin is associated with alterations in the expression of hyaluronic acid and its metabolizing enzymes. <i>Experimental Dermatology</i> , 2009 , 18, 1028-35	4	82
260	New developments in our understanding of acne pathogenesis and treatment. <i>Experimental Dermatology</i> , 2009 , 18, 821-32	4	367

(2008-2009)

259	Intestinal vasculitis in Adamantiades-Behät disease presenting as acute abdomen. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009 , 23, 1461-3	4.6	1
258	Characterization of the vitamin D endocrine system in human sebocytes in vitro. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2009 , 113, 9-16	5.1	69
257	Androgens and ageing of the skin. Current Opinion in Endocrinology, Diabetes and Obesity, 2009, 16, 240-	-54	33
256	Letter from the Editors: Endocrine aspects of acne and related diseases. <i>Dermato-Endocrinology</i> , 2009 , 1, 123-4		2
255	Current concepts in the treatment of Adamantadies-Behcet's disease. <i>Drugs of the Future</i> , 2009 , 34, 749	2.3	2
254	Acne Vulgaris and Rosacea 2009 , 219-232		9
253	Study of the efficacy, tolerability, and safety of 2 fixed-dose combination gels in the management of acne vulgaris. <i>Cutis</i> , 2009 , 84, 223-9	0.4	28
252	A DNA array project for hidradenitis suppurativa/acne inversa. Experimental Dermatology, 2008, 15, 479-	- <u>4</u> 80	
251	Antibodies elicited by inactivated propionibacterium acnes-based vaccines exert protective immunity and attenuate the IL-8 production in human sebocytes: relevance to therapy for acne vulgaris. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 2451-7	4.3	54
250	LXRalpha enhances lipid synthesis in SZ95 sebocytes. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 1266-72	4.3	54
249	Identification of histamine receptors and reduction of squalene levels by an antihistamine in sebocytes. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 1280-5	4.3	29
248	Sebocytes express functional cathelicidin antimicrobial peptides and can act to kill propionibacterium acnes. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 1863-6	4.3	103
247	Interplay of IGF-I and 17beta-estradiol at age-specific levels in human sebocytes and fibroblasts in vitro. <i>Experimental Gerontology</i> , 2008 , 43, 939-46	4.5	71
246	Human skin stem cells and the ageing process. <i>Experimental Gerontology</i> , 2008 , 43, 986-97	4.5	126
245	Clindamycin phosphate/tretinoin gel formulation in the treatment of acne vulgaris. <i>Expert Opinion on Pharmacotherapy</i> , 2008 , 9, 2931-7	4	19
244	New aspects of the pathogenesis of rosacea. <i>Drug Discovery Today Disease Mechanisms</i> , 2008 , 5, e103-e ⁻⁷	111	17
243	Skin alterations and diseases in advanced age. <i>Drug Discovery Today Disease Mechanisms</i> , 2008 , 5, e153-e	e162	23
242	Bioengineering a humanized acne microenvironment model: proteomics analysis of host responses to Propionibacterium acnes infection in vivo. <i>Proteomics</i> , 2008 , 8, 3406-15	4.8	28

241	Endocannabinoids enhance lipid synthesis and apoptosis of human sebocytes via cannabinoid receptor-2-mediated signaling. <i>FASEB Journal</i> , 2008 , 22, 3685-95	0.9	111
240	PrimEes Sarkom auf der Kopfhaut. Aktuelle Dermatologie, 2008 , 34, 490-493	0.1	
239	Vaccination targeting a surface sialidase of P. acnes: implication for new treatment of acne vulgaris. <i>PLoS ONE</i> , 2008 , 3, e1551	3.7	59
238	The sebocyte culture: a model to study the pathophysiology of the sebaceous gland in sebostasis, seborrhoea and acne. <i>Archives of Dermatological Research</i> , 2008 , 300, 397-413	3.3	76
237	Inhibition of cholesterol transport into skin cells in cultures by phytosterol-loaded microemulsion. <i>Chemistry and Physics of Lipids</i> , 2008 , 153, 109-18	3.7	6
236	Characterization of bipotential epidermal progenitors derived from human sebaceous gland: contrasting roles of c-Myc and beta-catenin. <i>Stem Cells</i> , 2008 , 26, 1241-52	5.8	106
235	Decline of hormones with increasing age regulates the biological activity of human sebocytes. <i>Experimental Dermatology</i> , 2008 , 15, 643-648	4	
234	Investigation of micronized titanium dioxide penetration in human skin xenografts and its effect on cellular functions of human skin-derived cells. <i>Experimental Dermatology</i> , 2008 , 17, 659-67	4	97
233	What causes hidradenitis suppurativa?. Experimental Dermatology, 2008, 17, 455-6; discussion 457-72	4	207
232	Frontiers in sebaceous gland biology and pathology. <i>Experimental Dermatology</i> , 2008 , 17, 542-51	4	139
231	Phospholipase stimulates lipogenesis in SZ95 sebocytes. <i>Experimental Dermatology</i> , 2008 , 17, 628-629	4	1
230	Truncated peptide derivates of the C-terminal domain of alpha-MSH (11🗓3) Lemerging agents for anti-inflammatory future therapy. <i>Experimental Dermatology</i> , 2008 , 17, 630-630	4	
229	2,3,7,8-tetrachlorodibenzo-p-dioxin alters the differentiation of SZ95 sebocytes in vitro. <i>Experimental Dermatology</i> , 2008 , 17, 632-632	4	
228	Reactive hyperplasias,precancerous and malignant lesions of the oral mucosa. <i>JDDG - Journal of the German Society of Dermatology</i> , 2008 , 6, 217-32	1.2	13
227	Topical retinoids in acnean evidence-based overview. <i>JDDG - Journal of the German Society of Dermatology</i> , 2008 , 6, 1023-31	1.2	46
226	What causes hidradenitis suppurativa?. Experimental Dermatology, 2008, 17, 455-472	4	85
225	Longterm visual prognosis of patients with ocular Adamantiades-Behët's disease treated with interferon-alpha-2a. <i>Journal of Rheumatology</i> , 2008 , 35, 896-903	4.1	54
224	Current concepts in the treatment of recurrent aphthous stomatitis. Skin Therapy Letter, 2008, 13, 1-4	1.8	13

(2007-2008)

223	IL-6 receptor, IL-8 receptor and TNF-alpha238 (G/A) polymorphisms are not associated with BehBt's disease in patients of German or Turkish origin. <i>Clinical and Experimental Rheumatology</i> , 2008 , 26, S103-6	2.2	5
222	Receptors of eccrine, apocrine, and holocrine skin glands. <i>Dermatologic Clinics</i> , 2007 , 25, 577-88, ix	4.2	18
221	William J. Cunliffe Scientific Awards. Characteristics and pathomechanisms of endogenously aged skin. <i>Dermatology</i> , 2007 , 214, 352-60	4.4	103
220	Mucocutaneous lesions of Behcet's disease. Yonsei Medical Journal, 2007, 48, 573-85	3	132
219	Acute central retinal artery occlusion in Adamantiades-Behllt disease. <i>Eye</i> , 2007 , 21, 1006-7	4.4	6
218	Inhibitors of dipeptidyl peptidase IV and aminopeptidase N target major pathogenetic steps in acne initiation. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 1042-51	4.3	59
217	Nicotine and biochanin A, but not cigarette smoke, induce anti-inflammatory effects on keratinocytes and endothelial cells in patients with Behat's disease. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 81-9	4.3	44
216	Expression of lipogenic factors galectin-12, resistin, SREBP-1, and SCD in human sebaceous glands and cultured sebocytes. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 1309-17	4.3	71
215	Testosterone metabolism to 5alpha-dihydrotestosterone and synthesis of sebaceous lipids is regulated by the peroxisome proliferator-activated receptor ligand linoleic acid in human sebocytes. <i>British Journal of Dermatology</i> , 2007 , 156, 428-32	4	82
214	Reduced growth of beard as the only diagnostic sign in a patient with macroprolactinoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007 , 21, 124-6	4.6	1
213	An update on Behlet's disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007 , 21, 1-10	4.6	36
212	Effect of skin surface temperature on skin pigmentation during contact and intralesional cryosurgery of keloids. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007 , 21, 191	- 8 .6	37
211	Practical aspects of management of recurrent aphthous stomatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007 , 21, 1019-26	4.6	65
21 0	Increased in situ expression of melanocortin-1 receptor in sebaceous glands of lesional skin of patients with acne vulgaris. <i>Experimental Dermatology</i> , 2007 , 16, 547-52	4	40
209	Characterization of liver X receptor expression and function in human skin and the pilosebaceous unit. <i>Experimental Dermatology</i> , 2007 , 16, 844-52	4	63
208	The skin as a mirror of the aging process in the human organismstate of the art and results of the aging research in the German National Genome Research Network 2 (NGFN-2). <i>Experimental Gerontology</i> , 2007 , 42, 879-86	4.5	51
207	GRO-alpha: a potential marker for cancer and aging silenced by RNA interference. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1119, 176-89	6.5	15
206	Molecular mechanisms of skin aging: state of the art. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1119, 40-50	6.5	177

205	Cyproterone acetate loading to lipid nanoparticles for topical acne treatment: particle characterisation and skin uptake. <i>Pharmaceutical Research</i> , 2007 , 24, 991-1000	4.5	101
204	Intraocular surgery under systemic interferon-alpha therapy in ocular Adamantiades-Behät's disease. <i>Graefels Archive for Clinical and Experimental Ophthalmology</i> , 2007 , 245, 1617-21	3.8	12
203	Anti-TNF therapy in the management of Behcet's diseasereview and basis for recommendations. <i>Rheumatology</i> , 2007 , 46, 736-41	3.9	231
202	Isotretinoin: state of the art treatment for acne vulgaris. Expert Review of Dermatology, 2007, 2, 693-70	06	11
201	Expression of sex-determining genes in the scalp of men with androgenetic alopecia. <i>Dermatology</i> , 2007 , 214, 199-204	4.4	7
200	Sexual hormones in human skin. <i>Hormone and Metabolic Research</i> , 2007 , 39, 85-95	3.1	240
199	Corticotropin releasing hormone and its function in the skin. <i>Hormone and Metabolic Research</i> , 2007 , 39, 106-9	3.1	21
198	Inhibition of the androgen receptor by antisense oligonucleotides regulates the biological activity of androgens in SZ95 sebocytes. <i>Hormone and Metabolic Research</i> , 2007 , 39, 149-56	3.1	26
197	Nuclear hormone receptors in human skin. Hormone and Metabolic Research, 2007, 39, 96-105	3.1	50
196	Inhibition of 5alpha-reductase activity in SZ95 sebocytes and HaCaT keratinocytes in vitro. <i>Hormone and Metabolic Research</i> , 2007 , 39, 141-8	3.1	21
195	Corticotropin-releasing hormone skin signaling is receptor-mediated and is predominant in the sebaceous glands. <i>Hormone and Metabolic Research</i> , 2007 , 39, 166-70	3.1	63
194	5Reductase and Its Inhibitors. <i>Basic and Clinical Dermatology</i> , 2007 , 167-202		2
193	Responsiveness to androgens and effectiveness of antisense oligonucleotides against the androgen receptor on human epidermal keratinocytes is dependent on the age of the donor and the location of cell origin. <i>Hormone and Metabolic Research</i> , 2007 , 39, 157-65	3.1	10
192	Vitamins as hormones. <i>Hormone and Metabolic Research</i> , 2007 , 39, 71-84	3.1	121
191	Aktuelle Aspekte der Diagnostik und Therapie der Varikose und des Ulcus cruris venosum. <i>Aktuelle Dermatologie</i> , 2007 , 33, 111-116	0.1	
190	All-trans-retinoic acid and 13-cis-retinoic acid: pharmacokinetics and biological activity in different cell culture models of human keratinocytes. <i>Hormone and Metabolic Research</i> , 2007 , 39, 136-40	3.1	27
189	Akne: Pathophysiologie, Endokrinologie (Polyzystisches Ovarsyndrom) sowie Licht-, Laser- und Photodynamische Therapie. <i>Fortschritte Der Praktischen Dermatologie Und Venerologie</i> , 2007 , 485-491		
188	Enzymes involved in the biosynthesis of leukotriene B4 and prostaglandin E2 are active in sebaceous glands. <i>Journal of Molecular Medicine</i> , 2006 , 84, 75-87	5.5	197

(2006-2006)

187	The truth behind this undeniable efficacyrecurrence rates and relapse risk factors of acne treatment with oral isotretinoin. <i>Dermatology</i> , 2006 , 212, 99-100	4.4	29
186	Laminin alpha1-chain may have a role in adnexal morphogenesis. <i>Dermatology</i> , 2006 , 213, 175-6	4.4	1
185	Aging of human sebocytes in vitro induced by exposure to a defined hormone environment. <i>Dermatology</i> , 2006 , 213, 262-3	4.4	
184	Potent corticosteroids inhibit lipogenesis in sebaceous glands. <i>Dermatology</i> , 2006 , 213, 264-5	4.4	13
183	Differential regulation of Toll-like receptor and CD14 pathways by retinoids and corticosteroids in human sebocytes. <i>Dermatology</i> , 2006 , 213, 266	4.4	45
182	Hautklinik und Immunologisches Zentrum, Stätisches Klinikum Dessau - Gegenwart und Perspektiven. <i>Aktuelle Dermatologie</i> , 2006 , 32, 290-295	0.1	
181	Die Rolle der Hormone fil die Hautalterung - Aktuelle Aspekte. Aktuelle Dermatologie, 2006 , 32, 303-30	80.1	1
180	Morbus Adamantiades-Behät: Epidemiologie, pathogenetische Konzepte und therapeutische Möglichkeiten. <i>Aktuelle Dermatologie</i> , 2006 , 32, 360-364	0.1	
179	Moderne Aspekte der Aknepathogenese. Aktuelle Dermatologie, 2006 , 32, 296-302	0.1	1
178	Effect of 5alpha-dihydrotestosterone and testosterone on apoptosis in human dermal papilla cells. <i>Skin Pharmacology and Physiology</i> , 2006 , 19, 311-21	3	46
177	Psoriasin and follicular hyperkeratinization in acne comedones. <i>Dermatology</i> , 2006 , 213, 270-2	4.4	19
176	HAN11 binds mDia1 and controls GLI1 transcriptional activity. <i>Journal of Dermatological Science</i> , 2006 , 44, 11-20	4.3	23
175	The distally based sural fasciomusculocutaneous flap for foot reconstruction. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2006 , 59, 846-55	1.7	22
174	Age-specific hormonal decline is accompanied by transcriptional changes in human sebocytes in vitro. <i>Aging Cell</i> , 2006 , 5, 331-44	9.9	82
173	Cholinergic urticaria simulating aquagenic urticaria: A case report with lesions only occurring after contact with hot water. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 4, 62-6	55 ^{4.6}	
172	Intravenous cidofovir treatment for recalcitrant warts in the setting of a patient with myelodysplastic syndrome. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 20, 202-5	4.6	18
171	Expression of sex-determining genes in human sebaceous glands and their possible role in the pathogenesis of acne. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 20, 846	- 52 6	11
170	Intralesional cryosurgery enhances the involution of recalcitrant auricular keloids: a new clinical approach supported by experimental studies. <i>Wound Repair and Regeneration</i> , 2006 , 14, 18-27	3.6	84

169	Activation of platelet-activating factor receptor in SZ95 sebocytes results in inflammatory cytokine and prostaglandin E2 production. <i>Experimental Dermatology</i> , 2006 , 15, 769-74	4	23
168	Epidemiologie und Klinik des Morbus Adamantiades-Beh\(\textit{B}\)t in Deutschland \(\textit{L}\)Aktuelle pathogenetische Konzepte und therapeutische M\(\textit{G}\)lichkeiten. \(JDDG - Journal of the German Society of Dermatology, \(2006, 4, no	1.2	2
167	Human sebaceous tumors harbor inactivating mutations in LEF1. <i>Nature Medicine</i> , 2006 , 12, 395-7	50.5	132
166	Involvement of PPARgamma in oxidative stress-mediated prostaglandin E(2) production in SZ95 human sebaceous gland cells. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 42-8	4.3	62
165	Doxorubicin-induced alopecia is associated with sebaceous gland degeneration. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 711-20	4.3	28
164	HLA-independent antibacterial host response toward Th1 immunity mediated by IL-12: a new concept for the pathogenesis of Adamantiades-BehBt's disease. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 1444-7	4.3	9
163	Isotretinoin revisited: pluripotent effects on human sebaceous gland cells. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 2154-6	4.3	49
162	Peroxidated squalene induces the production of inflammatory mediators in HaCaT keratinocytes: a possible role in acne vulgaris. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 2430-7	4.3	99
161	Higher levels of steroidogenic acute regulatory protein and type I 3beta-hydroxysteroid dehydrogenase in the scalp of men with androgenetic alopecia. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 2332-5	4.3	22
160	Propionibacterium acnes and lipopolysaccharide induce the expression of antimicrobial peptides and proinflammatory cytokines/chemokines in human sebocytes. <i>Microbes and Infection</i> , 2006 , 8, 2195-2	283	273
159	Targeting of sebocytes by aminolevulinic acid-dependent photosensitization. <i>Photochemistry and Photobiology</i> , 2006 , 82, 453-7	3.6	19
158	Activation of platelet-activating factor receptor in SZ95 sebocytes results in inflammatory cytokine and prostaglandin E2 production. <i>Experimental Dermatology</i> , 2006 , 060829083900014-???	4	
157	Possible role of DP IV inhibitors in acne therapy. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 575, 163-7	3.6	3
156	The Role of Hormones in Intrinsic Aging 2006 , 55-64		7
155	Prevalence of Adamantiades-Behllt's disease in Germany and the municipality of Berlin: results of a nationwide survey. <i>Clinical and Experimental Rheumatology</i> , 2006 , 24, S125	2.2	44
154	Psychophysiological reactivity under mental stress in atopic dermatitis. <i>Dermatology</i> , 2005 , 210, 286-93	4.4	41
153	Follicular drug eruption induced by gefitinib (ZD 1839, iressa): clinical picture correlates with in vitro data of focal epidermal necrosis after epidermal growth factor inhibition in skin cultures. <i>Dermatology</i> , 2005 , 211, 375-6	4.4	8
152	Zileuton, an oral 5-lipoxygenase inhibitor, directly reduces sebum production. <i>Dermatology</i> , 2005 , 210, 36-8	4.4	55

151	The William J. Cunliffe Scientific Awards. <i>Dermatology</i> , 2005 , 211, 191-2	4.4	2
150	Relapse of primary extranodal marginal-zone B-cell lymphoma of the dura mater. <i>Lancet Oncology, The</i> , 2005 , 6, 187-9	21.7	11
149	Influence of physiological androgen levels on wound healing and immune status in men. <i>Aging Male</i> , 2005 , 8, 166-74	2.1	46
148	13-cis retinoic acid inhibits development and progression of chronic allograft nephropathy. American Journal of Pathology, 2005, 167, 285-98	5.8	50
147	Refractory human papillomavirus-associated oral warts treated topically with 1-3% cidofovir solutions in human immunodeficiency virus type 1-infected patients. <i>British Journal of Dermatology</i> , 2005 , 152, 590-1	4	15
146	Detection of laminin 5-specific auto-antibodies in mucous membrane and bullous pemphigoid sera by ELISA. <i>Journal of Investigative Dermatology</i> , 2005 , 124, 732-40	4.3	52
145	Matrix metalloproteinases of epithelial origin in facial sebum of patients with acne and their regulation by isotretinoin. <i>Journal of Investigative Dermatology</i> , 2005 , 125, 673-84	4.3	79
144	Sebaceous glands and the prostaglandin pathwaykey stones of an exciting mosaic. <i>Journal of Investigative Dermatology</i> , 2005 , 125, x-xi	4.3	11
143	What is the pathogenesis of acne?. Experimental Dermatology, 2005, 14, 143-52	4	228
142	Viewpoint 1. Experimental Dermatology, 2005, 14, 144-147	4	
142	Viewpoint 1. Experimental Dermatology, 2005, 14, 144-147 A toll-like receptor 2-responsive lipid effector pathway protects mammals against skin infections with gram-positive bacteria. Infection and Immunity, 2005, 73, 4512-21	3.7	172
	A toll-like receptor 2-responsive lipid effector pathway protects mammals against skin infections		172
141	A toll-like receptor 2-responsive lipid effector pathway protects mammals against skin infections with gram-positive bacteria. <i>Infection and Immunity</i> , 2005 , 73, 4512-21 Oral alitretinoin (9-cis-retinoic acid) therapy for chronic hand dermatitis in patients refractory to standard therapy: results of a randomized, double-blind, placebo-controlled, multicenter trial.		
141	A toll-like receptor 2-responsive lipid effector pathway protects mammals against skin infections with gram-positive bacteria. <i>Infection and Immunity</i> , 2005 , 73, 4512-21 Oral alitretinoin (9-cis-retinoic acid) therapy for chronic hand dermatitis in patients refractory to standard therapy: results of a randomized, double-blind, placebo-controlled, multicenter trial. <i>Archives of Dermatology</i> , 2004 , 140, 1453-9 Modification of a device and its application for intralesional cryosurgery of old recalcitrant keloids.		103
141 140 139	A toll-like receptor 2-responsive lipid effector pathway protects mammals against skin infections with gram-positive bacteria. <i>Infection and Immunity</i> , 2005 , 73, 4512-21 Oral alitretinoin (9-cis-retinoic acid) therapy for chronic hand dermatitis in patients refractory to standard therapy: results of a randomized, double-blind, placebo-controlled, multicenter trial. <i>Archives of Dermatology</i> , 2004 , 140, 1453-9 Modification of a device and its application for intralesional cryosurgery of old recalcitrant keloids. <i>Archives of Dermatology</i> , 2004 , 140, 1293-4 Bilateral naevus of Ota: a rare manifestation in a Caucasian. <i>Journal of the European Academy of</i>	3.7	103
141 140 139	A toll-like receptor 2-responsive lipid effector pathway protects mammals against skin infections with gram-positive bacteria. <i>Infection and Immunity</i> , 2005 , 73, 4512-21 Oral alitretinoin (9-cis-retinoic acid) therapy for chronic hand dermatitis in patients refractory to standard therapy: results of a randomized, double-blind, placebo-controlled, multicenter trial. <i>Archives of Dermatology</i> , 2004 , 140, 1453-9 Modification of a device and its application for intralesional cryosurgery of old recalcitrant keloids. <i>Archives of Dermatology</i> , 2004 , 140, 1293-4 Bilateral naevus of Ota: a rare manifestation in a Caucasian. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004 , 18, 353-5 Neuroendocrine regulation of sebocytes a pathogenetic link between stress and acne.	3·7 4.6	103 25 17
141 140 139 138	A toll-like receptor 2-responsive lipid effector pathway protects mammals against skin infections with gram-positive bacteria. <i>Infection and Immunity</i> , 2005 , 73, 4512-21 Oral alitretinoin (9-cis-retinoic acid) therapy for chronic hand dermatitis in patients refractory to standard therapy: results of a randomized, double-blind, placebo-controlled, multicenter trial. <i>Archives of Dermatology</i> , 2004 , 140, 1453-9 Modification of a device and its application for intralesional cryosurgery of old recalcitrant keloids. <i>Archives of Dermatology</i> , 2004 , 140, 1293-4 Bilateral naevus of Ota: a rare manifestation in a Caucasian. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004 , 18, 353-5 Neuroendocrine regulation of sebocytes — a pathogenetic link between stress and acne. <i>Experimental Dermatology</i> , 2004 , 13 Suppl 4, 31-5 Androgen action on human skin — from basic research to clinical significance. <i>Experimental</i>	3·7 4.6 4	103 25 17 107

133	BP230- and BP180-specific auto-antibodies in bullous pemphigoid. <i>Journal of Investigative Dermatology</i> , 2004 , 122, 1413-22	4.3	91
132	Acne and sebaceous gland function. <i>Clinics in Dermatology</i> , 2004 , 22, 360-6	3	391
131	The renal retinoid system: time-dependent activation in experimental glomerulonephritis. <i>American Journal of Physiology - Renal Physiology</i> , 2004 , 286, F458-65	4.3	23
130	The human skin as a hormone target and an endocrine gland. <i>Hormones</i> , 2004 , 3, 9-26	3.1	107
129	Extended venous thrombosis in Adamantiades-Behlet's disease. <i>European Journal of Dermatology</i> , 2004 , 14, 268-71	0.8	2
128	Update and future of systemic acne treatment. <i>Dermatology</i> , 2003 , 206, 37-53	4.4	93
127	Sebaceous gland in human skinthe fantastic future of a skin appendage. <i>Journal of Investigative Dermatology</i> , 2003 , 120, xiv-xv	4.3	31
126	Moderne Aknetherapie. Aktuelle Dermatologie, 2003 , 29, 49-57	0.1	9
125	Leukotrienantagonisten bei atopischen Erkrankungen und Akne. Aktuelle Dermatologie, 2003 , 29, 419-	425 1	7
124	Serum of patients with Behät's disease induces classical (pro-inflammatory) activation of human macrophages in vitro. <i>Dermatology</i> , 2003 , 206, 225-32	4.4	46
123	Univariate and multivariate analyses comparing demographic, genetic, clinical, and serological risk factors for severe Adamantiades-Behāt's disease. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 528, 123-6	3.6	6
122	Pathogenesis of Adamantiades-Behlet's disease. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 528, 161-71	3.6	11
121	Association of Mycoplasma fermentans with Adamantiades-Behāt's disease. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 528, 191-4	3.6	6
120	Interferon alfa-2a in the treatment of ocular Adamantiades-Behät's disease. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 528, 511-9	3.6	22
119	Vitrectomy and trabeculectomy combined with interferon alpha treatment in Adamantiades-Beh\(\textit{B}\)t's disease: a case report. \(Graefe\)\(\textit{s}\) Archive for Clinical and Experimental \(Ophthalmology\), \(2003\), 241, 871-4	3.8	2
118	Pathogenesis of Adamantiades-Behlet's disease. <i>Medical Microbiology and Immunology</i> , 2003 , 192, 149-	55 ₄	66
117	Cryotherapy modifies synthetic activity and differentiation of keloidal fibroblasts in vitro. <i>Experimental Dermatology</i> , 2003 , 12, 673-81	4	36
116	Differentiation and apoptosis in human immortalized sebocytes. <i>Journal of Investigative Dermatology</i> , 2003 , 120, 175-81	4.3	104

115	High seroprevalence of anti-Mycoplasma fermentans antibodies in patients with malignant aphthosis. <i>Journal of Investigative Dermatology</i> , 2003 , 121, 211-2	4.3	6
114	Expression of peroxisome proliferator-activated receptor and CCAAT/enhancer binding protein transcription factors in cultured human sebocytes. <i>Journal of Investigative Dermatology</i> , 2003 , 121, 441-	-1 -3	115
113	Ciclosporin A-induced sebaceous gland hyperplasia. British Journal of Dermatology, 2003, 149, 198-200	4	36
112	The concomitant occurrence of multiple epidermal cysts, osteomas and thyroid gland nodules is not diagnostic for Gardner syndrome in the absence of intestinal polyposis: a clinical and genetic report. <i>British Journal of Dermatology</i> , 2003 , 149, 877-83	4	22
111	Single-step perfusion chromatography with a throughput potential for enhanced peptide detection by matrix-assisted laser desorption/ionization-mass spectrometry. <i>Proteomics</i> , 2003 , 3, 1955-61	4.8	51
110	A novel tetracycline-controlled transactivator-transrepressor system enables external control of oncolytic adenovirus replication. <i>Gene Therapy</i> , 2003 , 10, 1680-90	4	37
109	Early descriptions of Adamantiades-Behæt's disease. <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 691-2	2.4	13
108	Indian hedgehog and beta-catenin signaling: role in the sebaceous lineage of normal and neoplastic mammalian epidermis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100 Suppl 1, 11873-80	11.5	161
107	Sebaceous Glands 2003 ,		3
106	A historical review of Adamantiades-Beh\textstyle{B}t's disease. Advances in Experimental Medicine and Biology, 2003, 528, 7-14	3.6	5
105	A new concept for acne therapy: a pilot study with zileuton, an oral 5-lipoxygenase inhibitor. <i>Archives of Dermatology</i> , 2003 , 139, 668-70		76
104	Onset signs, clinical course, prognosis, treatment and outcome of adult patients with Adamantiades-Behlet's disease in Greece. Clinical and Experimental Rheumatology, 2003, 21, S19-26	2.2	42
103	Regression of multiple viral warts in a human immunodeficiency virus-infected patient treated by triple antiretroviral therapy. <i>British Journal of Dermatology</i> , 2002 , 146, 330	4	5
102	Evidence for expression of melanocortin-1 receptor in human sebocytes in vitro and in situ. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 533-9	4.3	101
101	Cutaneous androgen metabolism: basic research and clinical perspectives. <i>Journal of Investigative Dermatology</i> , 2002 , 119, 992-1007	4.3	165
100	A historical review of early descriptions of Adamantiades-Behlet's disease. <i>Journal of Investigative Dermatology</i> , 2002 , 119, 201-5	4.3	26
99	High albumin levels restrict the kinetics of 13-cis retinoic acid uptake and intracellular isomerization to all-trans retinoic acid and inhibit its anti-proliferative effect on SZ95 sebocytes. <i>Journal of Investigative Dermatology</i> , 2002 , 119, 182-5	4.3	16
98	Identification of platelet-activating factor acetylhydrolase II in human skin. <i>Journal of Investigative Dermatology</i> , 2002 , 119, 913-9	4.3	37

97	Current developments and uses of cryosurgery in the treatment of keloids and hypertrophic scars. Wound Repair and Regeneration, 2002 , 10, 98-102	3.6	52
96	Epidermodysplasia verruciformis associated with neurofibromatosis type 1: coincidental association or model for understanding the underlying mechanism of the disease?. <i>British Journal of Dermatology</i> , 2002 , 146, 503-7	4	3
95	Impressive skin manifestation of systemic sarcoidosis. <i>International Journal of Dermatology</i> , 2002 , 41, 232-6	1.7	5
94	Corticotropin-releasing hormone: an autocrine hormone that promotes lipogenesis in human sebocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 7148-53	11.5	225
93	Benediktos Adamantiades and his forgotten contributions to medicine. <i>European Journal of Dermatology</i> , 2002 , 12, 471-4	0.8	9
92	Adamantiades-Behät's disease with inner ear involvement. Clinical and Experimental Rheumatology, 2002 , 20, S40-2	2.2	2
91	Mycophenolate mofetil is ineffective in the treatment of mucocutaneous Adamantiades-Behët's disease. <i>Dermatology</i> , 2001 , 203, 322-4	4.4	64
90	Retinoidswhich dermatological indications will benefit in the near future?. <i>Skin Pharmacology and Physiology</i> , 2001 , 14, 303-15	3	91
89	Chronological ageing and photoageing of the human sebaceous gland. <i>Clinical and Experimental Dermatology</i> , 2001 , 26, 600-7	1.8	139
88	Sebocytes are the key regulators of androgen homeostasis in human skin. <i>Journal of Investigative Dermatology</i> , 2001 , 116, 793-800	4.3	148
87	Linear IgA dermatosis presenting with erythema annulare centrifugum lesions: report of three cases in adults. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2001 , 15, 167-70	4.6	37
86	Comparative analysis of the association of HLA-B*51 suballeles with Behlet's disease in patients of German and Turkish origin. <i>Tissue Antigens</i> , 2001 , 58, 166-70		32
85	Exploration of retinoid activity and the role of inflammation in acne: issues affecting future directions for acne therapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2001 , 15 Suppl 3, 63-7	4.6	29
84	Keratosis pilaris/ulerythema ophryogenes and 18p deletion: is it possible that the LAMA1 gene is involved?. <i>Journal of Medical Genetics</i> , 2001 , 38, 127-8	5.8	21
83	Adamantiades-Behৰ্টিটে Disease: Epidemiology in Germany and in Europe 2001 , 157-169		5
82	Cryosurgery in the Treatment of Keloids and Hypertrophic Scars 2001 , 253-269		1
81	Differentiation between merkel cell carcinoma and malignant melanoma: An immunohistochemical study. <i>Dermatology</i> , 2000 , 201, 123-6	4.4	42
80	13-cis retinoic acid exerts its specific activity on human sebocytes through selective intracellular isomerization to all-trans retinoic acid and binding to retinoid acid receptors. <i>Journal of Investigative Dermatology</i> , 2000 , 115, 321-7	4.3	152

(1999-2000)

79	Successful treatment of solar lentigines by brief gentle cryosurgery using a Kryomed device. <i>British Journal of Dermatology</i> , 2000 , 143, 216-8	4	22
78	A multicentre, single-blind, randomized comparison of a fixed clindamycin phosphate/tretinoin gel formulation (Velac) applied once daily and a clindamycin lotion formulation (Dalacin T) applied twice daily in the topical treatment of acne vulgaris. <i>British Journal of Dermatology</i> , 2000 , 143, 498-505	4	47
77	Adamantiades-Behllt's disease: interleukin-8 is increased in serum of patients with active oral and neurological manifestations and is secreted by small vessel endothelial cells. <i>Archives of Dermatological Research</i> , 2000 , 292, 279-84	3.3	68
76	Biological effects and metabolism of 9-cis-retinoic acid and its metabolite 9,13-di-cis-retinoic acid in HaCaT keratinocytes in vitro: comparison with all-trans-retinoic acid. <i>Archives of Dermatological Research</i> , 2000 , 292, 612-20	3.3	9
75	Adamantiades-Behæt's disease: serum IL-8 is a more reliable marker for disease activity than C-reactive protein and erythrocyte sedimentation rate. <i>Dermatology</i> , 2000 , 201, 37-9	4.4	67
74	Human skin: an independent peripheral endocrine organ. Hormone Research in Paediatrics, 2000 , 54, 23	0-43	96
73	The SAHA syndrome. Hormone Research in Paediatrics, 2000, 54, 251-8	3.3	51
72	Development of efficient transient transfection systems for introducing antisense oligonucleotides into human epithelial skin cells. <i>Hormone Research in Paediatrics</i> , 2000 , 54, 306-11	3.3	7
71	Rheumatoid nodules developing under methotrexate treatment for rheumatoid arthritis. <i>Acta Dermato-Venereologica</i> , 1999 , 79, 397-8	2.2	2
70	Treatment of solar lentigo with cryosurgery. Acta Dermato-Venereologica, 1999, 79, 489-90	2.2	11
69	Superimposed primary chancre in a patient with Adamantiades-Beh\(\textit{B}\)t's disease. Sexually Transmitted Infections, 1999 , 75, 124-5	2.8	5
68	Increased expression of tenascin C by keloids in vivo and in vitro. <i>British Journal of Dermatology</i> , 1999 , 141, 50-6	4	49
67	Retinoid signaling by all-trans retinoic acid and all-trans retinoyl-beta-D-glucuronide is attenuated by simultaneous exposure of human keratinocytes to retinol. <i>Journal of Investigative Dermatology</i> , 1999 , 112, 157-64	4.3	10
66	Establishment and characterization of an immortalized human sebaceous gland cell line (SZ95). Journal of Investigative Dermatology, 1999 , 113, 1011-20	4.3	250
65	Distant cutaneous manifestation of Crohn's disease presenting as a granulomatous erysipelas-like lesion. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1999 , 12, 65-6	4.6	6
64	Maintenance of human skin in organ culture: role for insulin-like growth factor-1 receptor and epidermal growth factor receptor. <i>Archives of Dermatological Research</i> , 1999 , 291, 643-51	3.3	73
63	Twenty-eight cases of juvenile-onset Adamantiades-Behlet disease in Germany. <i>Dermatology</i> , 1999 , 199, 15-9	4.4	61
62	Principles of cutaneous cryosurgery: an update. <i>Dermatology</i> , 1999 , 198, 111-7	4.4	70

61	Epidemiology of Adamantiades-Behlet's disease. <i>Annales De Meecine Interne</i> , 1999 , 150, 488-98		75
60	Evidence of heterogeneity and quantitative differences of the type 1 5alpha-reductase expression in cultured human skin cellsevidence of its presence in melanocytes. <i>Journal of Investigative Dermatology</i> , 1998 , 110, 84-9	4.3	62
59	Progressive HHV-8-positive classic Kaposi's sarcoma: rapid response to interferon alpha-2a but persistence of HHV-8 DNA sequences in lesional skin. <i>British Journal of Dermatology</i> , 1998 , 139, 516-9	4	11
58	The human sebocyte culture model provides new insights into development and management of seborrhoea and acne. <i>Dermatology</i> , 1998 , 196, 21-31	4.4	187
57	Treatment of Adamantiades-Beh⊞t disease with systemic interferon alfa. <i>Archives of Dermatology</i> , 1998 , 134, 1010-6		85
56	Heterogeneity and quantitative differences of type 1 5 alpha-reductase expression in cultured skin epithelial cells. <i>Dermatology</i> , 1998 , 196, 51-2	4.4	16
55	Oral retinoids in the treatment of seborrhoea and acne. <i>Dermatology</i> , 1998 , 196, 140-7	4.4	95
54	Polymorphisms in the human cytochrome P-450 1A1 gene (CYP1A1) as a factor for developing acne. <i>Dermatology</i> , 1998 , 196, 171-5	4.4	49
53	Extracorporeal photopheresis of cutaneous T-cell lymphoma is associated with reduction of peripheral CD4+ T lymphocytes. <i>Dermatology</i> , 1998 , 196, 305-8	4.4	33
52	Myopathic syndrome associated with long-term recombinant interferon alfa treatment in 4 patients with skin disorders. <i>Archives of Dermatology</i> , 1998 , 134, 880-1		5
51	Cryosurgery in dermatology. European Journal of Dermatology, 1998, 8, 466-74	0.8	44
50	Symmetric lipomatoses in female patients. <i>Dermatology</i> , 1997 , 194, 26-31	4.4	26
49	Current use and future potential role of retinoids in dermatology. <i>Drugs</i> , 1997 , 53, 358-88	12.1	234
48	Lichen planus pemphigoides: another paraneoplastic bullous disease?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1997 , 9, 62-67	4.6	
47	Generalized lichen nitidus. Journal of the American Academy of Dermatology, 1997, 36, 630-1	4.5	44
46	Eosinophilic pustular folliculitis (Ofuji's disease). <i>Journal of the American Academy of Dermatology</i> , 1997 , 37, 259-62	4.5	15
45	Merkel cell carcinoma: report of ten cases with emphasis on clinical course, treatment, and in vitro drug sensitivity. <i>Journal of the American Academy of Dermatology</i> , 1997 , 36, 727-32	4.5	42
44	Epidemiological features of Adamantiades-Behāt's disease in Germany and in Europe. <i>Yonsei Medical Journal</i> , 1997 , 38, 411-22	3	186

43	The 5 alpha-reductase system and its inhibitors. Recent development and its perspective in treating androgen-dependent skin disorders. <i>Dermatology</i> , 1996 , 193, 177-84	4.4	105
42	Rapidly progressive infection and Kaposi's sarcoma in patient with a novel syncytium-inducing HIV-B variant. <i>Lancet, The</i> , 1996 , 348, 1107-8	40	4
41	Is nerve growth factor a serum marker for neurological and psychiatric complications in Behcet's disease?. <i>Lancet, The</i> , 1996 , 347, 982	40	10
40	Topical all-trans retinoic acid (RA) induces an early, coordinated increase in RA-inducible skin-specific gene/psoriasin and cellular RA-binding protein II mRNA levels which precedes skin erythema. <i>Archives of Dermatological Research</i> , 1996 , 288, 664-9	3.3	15
39	Enhanced interaction of patients' lymphocytes with human dermal microvascular endothelial cell cultures in active Adamantiades-Behcet disease. <i>Archives of Dermatology</i> , 1996 , 132, 1323-1329		12
38	Fulminant metastatic calcinosis with cutaneous necrosis in a child with end-stage renal disease and tertiary hyperparathyroidism. <i>British Journal of Dermatology</i> , 1996 , 135, 617-22	4	9
37	Enhanced interaction of patients' lymphocytes with human dermal microvascular endothelial cell cultures in active Adamantiades-Behllt disease. <i>Archives of Dermatology</i> , 1996 , 132, 1323-9		2
36	Remission of scleromyxoedema following treatment with extracorporeal photopheresis. <i>British Journal of Dermatology</i> , 1996 , 135, 463-6	4	3
35	Mucocutaneous criteria for the diagnosis of Behāt's disease: an analysis of clinicopathologic data from multiple international centers. <i>Journal of the American Academy of Dermatology</i> , 1995 , 32, 968-76	4.5	96
34	Cholinergic urticaria simulating aquagenic urticaria: A case report with lesions only occurring after contact with hot water. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1995 , 4, 62-6	5 5 ^{4.6}	2
33	Growth control of melanoma cells and melanocytes by cytokines. <i>Recent Results in Cancer Research</i> , 1995 , 139, 169-82	1.5	67
32	Vellus hair follicle-derived keratinocyte culture: a new experimental model in human hair research. <i>Skin Pharmacology and Physiology</i> , 1994 , 7, 27-32	3	4
31	A retinoic acid-inducible skin-specific gene (RIS-1/psoriasin): molecular cloning and analysis of gene expression in human skin in vivo and cultured skin cells in vitro. <i>Molecular Biology Reports</i> , 1994 , 20, 75-	83 .8	31
30	Progressive differentiation of human sebocytes in vitro is characterized by increasing cell size and altering antigen expression and is regulated by culture duration and retinoids. <i>Experimental Dermatology</i> , 1994 , 3, 151-60	4	53
29	Idiopathic anetoderma with concomitant lesions of the Jadassohn-Pellizzari and the Schweninger-Buzzi types. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1994 , 3, 387-393	4.6	1
28	Successful outcome of cryosurgery in patients with granuloma annulare. <i>British Journal of Dermatology</i> , 1994 , 130, 494-7	4	48
27	Ulerythema ophryogenes and keratosis pilaris in a child with monosomy 18p. <i>Pediatric Dermatology</i> , 1994 , 11, 172-5	1.9	29
26	Androgens affect the activity of human sebocytes in culture in a manner dependent on the localization of the sebaceous glands and their effect is antagonized by spironolactone. <i>Skin Pharmacology and Physiology</i> , 1994 , 7, 33-40	3	33

25	Storage phosphor imaging technique improves the accuracy of RNA quantitation using 32P-labeled cDNA probes. <i>BioTechniques</i> , 1994 , 16, 290-2, 294	2.5	7
24	Outcomes of Cryosurgery in Keloids and Hypertrophic Scars. <i>Archives of Dermatology</i> , 1993 , 129, 1146		94
23	Altered proliferation, synthetic activity, and differentiation of cultured human sebocytes in the absence of vitamin A and their modulation by synthetic retinoids. <i>Journal of Investigative Dermatology</i> , 1993 , 101, 628-33	4.3	41
22	Spironolactone directly inhibits proliferation of cultured human facial sebocytes and acts antagonistically to testosterone and 5 alpha-dihydrotestosterone in vitro. <i>Journal of Investigative Dermatology</i> , 1993 , 100, 660-2	4.3	47
21	Anticardiolipin antibodies in Adamantiades-Beh\deltat's disease. <i>British Journal of Dermatology</i> , 1993 , 128, 281-4	4	38
20	Outcomes of cryosurgery in keloids and hypertrophic scars. A prospective consecutive trial of case series. <i>Archives of Dermatology</i> , 1993 , 129, 1146-51		22
19	Outcomes of cryosurgery in keloids and hypertrophic scars. A prospective consecutive trial of case series. <i>Archives of Dermatology</i> , 1993 , 129, 1146-1151		101
18	Systemic Interferon Gamma as Adjuvant Therapy for Refractory Anogenital Warts: A Randomized Clinical Trial and Meta-analysis of the Available Data. <i>Archives of Dermatology</i> , 1992 , 128, 1413		3
17	Essential thrombocythemia and idiopathic cold agglutinin disease: two additional disorders associated with intravascular coagulation necrosis of the skin. <i>Journal of the American Academy of Dermatology</i> , 1992 , 27, 277	4.5	5
16	Control of human sebocyte proliferation in vitro by testosterone and 5-alpha-dihydrotestosterone is dependent on the localization of the sebaceous glands. <i>Journal of Investigative Dermatology</i> , 1992 , 99, 509-11	4.3	100
15	Elephantiasis nostras verrucosa: beneficial effect of oral etretinate therapy. <i>British Journal of Dermatology</i> , 1992 , 127, 411-6	4	32
14	Sebaceous cells in monolayer culture. <i>In Vitro Cellular & Developmental Biology</i> , 1992 , 28A, 699		10
13	A fluorometric rapid microassay to identify anti-proliferative compounds for human melanoma cells in vitro. <i>Melanoma Research</i> , 1991 , 1, 91-5	3.3	38
12	Pathogenesis and pathogenesis related treatment of acne. <i>Journal of Dermatology</i> , 1991 , 18, 489-99	1.6	55
11	Effects of 13-cis-retinoic acid, all-trans-retinoic acid, and acitretin on the proliferation, lipid synthesis and keratin expression of cultured human sebocytes in vitro. <i>Journal of Investigative Dermatology</i> , 1991 , 96, 792-7	4.3	101
10	Short-term systemic recombinant interferon-gamma treatment is ineffective in recalcitrant condylomata acuminata. <i>Journal of the American Academy of Dermatology</i> , 1991 , 24, 302-3	4.5	16
9	Culture of human sebocytes and markers of sebocytic differentiation in vitro. <i>Skin Pharmacology and Physiology</i> , 1991 , 4, 74-83	3	54
8	Intravascular coagulation necrosis of the skin associated with cryofibrinogenemia, diabetes mellitus, and cardiolipin autoantibodies. <i>Journal of the American Academy of Dermatology</i> , 1991 , 25, 882	<u>2</u> 485	16

LIST OF PUBLICATIONS

7	Cultivation of Human Sebocytes in vitro: Cell Characterization and Influence of Synthetic Retinoids 1991 , 254-273		5
6	Cytostatic and cytotoxic effects of recombinant tumor necrosis factor-alpha on sensitive human melanoma cells in vitro may result in selection of cells with enhanced markers of malignancy. <i>Journal of Investigative Dermatology</i> , 1990 , 95, 223S-230S	4.3	16
5	Antitumor activities of interferon alpha, beta, and gamma and their combinations on human melanoma cells in vitro: changes of proliferation, melanin synthesis, and immunophenotype. <i>Journal of Investigative Dermatology</i> , 1990 , 95, 231S-237S	4.3	68
4	Isolation of Human Sebaceous Glands and Cultivation of Sebaceous Gland-Derived Cells as an In Vitro Model <i>Journal of Investigative Dermatology</i> , 1989 , 93, 315-321	4.3	68
3	Isolation of human sebaceous glands and cultivation of sebaceous gland-derived cells as an in vitro model. <i>Journal of Investigative Dermatology</i> , 1989 , 93, 315-321	4.3	29
2	Isolation of human sebaceous glands and cultivation of sebaceous gland-derived cells as an in vitro model. <i>Journal of Investigative Dermatology</i> , 1989 , 93, 315-21	4.3	15

1 Ethetische Endokrinologie275-288