## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7969825/publications.pdf

Version: 2024-02-01

361296 254106 2,007 43 43 20 citations h-index g-index papers 44 44 44 2533 citing authors all docs docs citations times ranked

#	Article	IF	Citations
1	Vitamin D deficiency and its correlates in migraine patients. Annals of Indian Academy of Neurology, 2020, 23, 233.	0.2	1
2	Suicidality and its risk factors in tension-type headache patients: A multicenter case-control study. Journal of Clinical Neuroscience, 2019, 69, 21-25.	0.8	8
3	Usefulness of the Liverpool Adverse Events Profile for predicting a high risk of suicidality in people with drug-resistant epilepsy. Seizure: the Journal of the British Epilepsy Association, 2019, 67, 65-70.	0.9	5
4	Clinical significance of sensory hypersensitivities in migraine patients: does allodynia have a priority on it?. Neurological Sciences, 2019, 40, 393-398.	0.9	15
5	Significance of fatigue in patients with migraine. Journal of Clinical Neuroscience, 2018, 50, 69-73.	0.8	16
6	Depression in people with epilepsy: How much do Asian colleagues acknowledge it?. Seizure: the Journal of the British Epilepsy Association, 2018, 57, 45-49.	0.9	17
7	Aggression and its association with suicidality in migraine patients: a case-control study. Journal of Headache and Pain, 2018, 19, 67.	2.5	12
8	The relationship between alexithymia and headache impact: the role of somatization and pain catastrophizing. Quality of Life Research, 2018, 27, 2283-2294.	1.5	17
9	Validity of the Liverpool Adverse Events Profile as a Screening Tool for Detecting Comorbid Depression or Anxiety Disorder in People with Epilepsy. Journal of Epilepsy Research, 2018, 8, 74-80.	0.1	7
10	Apathy in people with epilepsy and its clinical significance: A case-control study. Seizure: the Journal of the British Epilepsy Association, 2017, 51, 80-86.	0.9	7
11	Perceived stress in patients with migraine: a case-control study. Journal of Headache and Pain, 2017, 18, 73.	2.5	40
12	Validation of the Korean Migraine-Specific Quality of Life Questionnaire Version 2.1 in Episodic and Chronic Migraine. Journal of Oral and Facial Pain and Headache, 2017, 31, 251-256.	0.7	6
13	Cutaneous Allodynia and Its Risk Factors in Korean Patients with Migraine: A Survey of Two Tertiary Care Hospitals. Journal of Oral and Facial Pain and Headache, 2016, 30, 323-329.	0.7	7
14	Interictal irritability and associated factors in epilepsy patients. Seizure: the Journal of the British Epilepsy Association, 2016, 42, 38-43.	0.9	11
15	Depression and anxiety in people with epilepsy: Why should we identify?. Journal of Epileptology, 2016, 24, 57-62.	0.2	8
16	Perceived stress and its predictors in people with epilepsy. Epilepsy and Behavior, 2016, 62, 47-52.	0.9	29
17	Validation of the Generalized Anxiety Disorder-7 (GAD-7) among Chinese people with epilepsy. Epilepsy Research, 2016, 120, 31-36.	0.8	304
18	Interictal fatigue and its predictors in epilepsy patients: A case-control study. Seizure: the Journal of the British Epilepsy Association, 2016, 34, 48-53.	0.9	19

#	Article	IF	CITATIONS
19	Validation of the Patient Health Questionnaire-9 (PHQ-9) and PHQ-2 in patients with migraine. Journal of Headache and Pain, 2015, 16, 65.	2.5	113
20	Validation of the Generalized Anxiety Disorder-7 (GAD-7) and GAD-2 in patients with migraine. Journal of Headache and Pain, 2015, 16, 97.	2.5	214
21	Suicidality and Its Risk Factors in Korean People with Epilepsy: A MEPSY Study. Journal of Clinical		

#	Article	IF	CITATIONS
37	Unilateral Negative Myoclonus Caused by Herpes Simplex Virus Encephalitis. Journal of Movement Disorders, 2011, 4, 49-52.	0.7	3
38	Predictors of Suicidal Ideation in People with Epilepsy Living in Korea. Journal of Clinical Neurology		