

Diana Campioni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7971290/publications.pdf>

Version: 2024-02-01

48
papers

1,330
citations

331538

21
h-index

345118

36
g-index

48
all docs

48
docs citations

48
times ranked

2016
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A phase II randomized clinical trial for the treatment of recalcitrant chronic leg ulcers using centrifuged adipose tissue containing progenitor cells. <i>Cytotherapy</i> , 2019, 21, 200-211. | 0.3 | 19 |
| 2 | Detection of inherited chromosomally integrated <sc>HHV</sc>â€6 (ci<sc>HHV</sc>â€6) in a marker chromosome. <i>European Journal of Haematology</i> , 2017, 98, 635-637. | 1.1 | 6 |
| 3 | Expression of the immunoglobulin superfamily cell membrane adhesion molecule Cd146 in acute leukemia. <i>Cytometry Part B - Clinical Cytometry</i> , 2016, 90, 247-256. | 0.7 | 5 |
| 4 | Acute human herpesvirus-6A infection of human mesothelial cells modulates HLA molecules. <i>Archives of Virology</i> , 2015, 160, 2141-2149. | 0.9 | 19 |
| 5 | Heterogeneity of mesenchymal stromal cells in lymphoproliferative disorders. <i>Frontiers in Bioscience - Landmark</i> , 2014, 19, 139. | 3.0 | 3 |
| 6 | Individual Quality Assessment of Autografting by Probability Estimation for Clinical Endpoints: A Prospective Validation Study from the European Group for Blood and Marrow Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 1670-1676. | 2.0 | 26 |
| 7 | Multipotent stromal cells skew monocytes towards an anti-inflammatory function: a role for HLA-G molecules. <i>Haematologica</i> , 2013, 98, e114-e114. | 1.7 | 3 |
| 8 | In Vitro Characterization of Circulating Endothelial Progenitor Cells Isolated from Patients with Acute Coronary Syndrome. <i>PLoS ONE</i> , 2013, 8, e56377. | 1.1 | 29 |
| 9 | Umbilical cord blood CD34+cellâ€™derived progeny produces human leukocyte antigenâ€™G molecules with immuno-modulatory functions. <i>Human Immunology</i> , 2012, 73, 150-155. | 1.2 | 11 |
| 10 | Immunosuppressive Properties of Mesenchymal Stromal Cells. , 2012, , 281-301. | | 2 |
| 11 | Cytogenetic and molecular cytogenetic profile of bone marrow-derived mesenchymal stromal cells in chronic and acute lymphoproliferative disorders. <i>Annals of Hematology</i> , 2012, 91, 1563-1577. | 0.8 | 13 |
| 12 | Diagnostic work-up for clinical and prognostic assessment of acute leukaemia. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2012, 8, 26-35. | 0.2 | 1 |
| 13 | A simple method for identifying bone marrow mesenchymal stromal cells with a high immunosuppressive potential. <i>Cytotherapy</i> , 2011, 13, 523-527. | 0.3 | 28 |
| 14 | A decreased positivity for CD90 on human mesenchymal stromal cells (MSCs) is associated with a loss of immunosuppressive activity by MSCs. <i>Cytometry Part B - Clinical Cytometry</i> , 2009, 76B, 225-230. | 0.7 | 88 |
| 15 | Predictive value of hematological and phenotypical parameters on postchemotherapy leukocyte recovery. <i>Cytometry Part B - Clinical Cytometry</i> , 2009, 76B, 328-333. | 0.7 | 8 |
| 16 | Cotransplantation of mesenchymal cells and a higher relapse rate: a role for HLA-G molecules?. <i>Leukemia</i> , 2008, 22, 2273-2273. | 3.3 | 3 |
| 17 | Loss of Thy-1 (CD90) antigen expression on mesenchymal stromal cells from hematologic malignancies is induced by in vitro angiogenic stimuli and is associated with peculiar functional and phenotypic characteristics. <i>Cytotherapy</i> , 2008, 10, 69-82. | 0.3 | 37 |
| 18 | A functional role for soluble HLA-G antigens in immune modulation mediated by mesenchymal stromal cells. <i>Cytotherapy</i> , 2008, 10, 364-375. | 0.3 | 66 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | CXCR4pos circulating progenitor cells coexpressing monocytic and endothelial markers correlating with fibrotic clinical features are present in the peripheral blood of patients affected by systemic sclerosis. <i>Haematologica</i> , 2008, 93, 1233-1237. | 1.7 | 29 |
| 20 | Methylenetetrahydrofolate reductase C677T and A1298C gene variants in adult non-Hodgkin's lymphoma patients: association with toxicity and survival. <i>Haematologica</i> , 2007, 92, 478-485. | 1.7 | 53 |
| 21 | The MDM-2 Antagonist Nutlin-3 Promotes the Maturation of Acute Myeloid Leukemic Blasts. <i>Neoplasia</i> , 2007, 9, 853-861. | 2.3 | 41 |
| 22 | Aberrant expression of HLA-DR antigen by bone marrow-derived mesenchymal stromal cells from patients affected by acute lymphoproliferative disorders. <i>Leukemia</i> , 2007, 21, 378-381. | 3.3 | 10 |
| 23 | Soluble HLA-G molecules in follicular fluid: A tool for oocyte selection in IVF?. <i>Journal of Reproductive Immunology</i> , 2007, 74, 133-142. | 0.8 | 44 |
| 24 | Functional integrity of the p53-mediated apoptotic pathway induced by the nongenotoxic agent nutlin-3 in B-cell chronic lymphocytic leukemia (B-CLL). <i>Blood</i> , 2006, 107, 4122-4129. | 0.6 | 156 |
| 25 | Immunophenotypic heterogeneity of bone marrow-derived mesenchymal stromal cells from patients with hematologic disorders: correlation with bone marrow microenvironment. <i>Haematologica</i> , 2006, 91, 364-8. | 1.7 | 32 |
| 26 | Darbepoetin alpha for the treatment of anaemia in low-intermediate risk myelodysplastic syndromes. <i>British Journal of Haematology</i> , 2005, 128, 204-209. | 1.2 | 93 |
| 27 | Functional expression of TRAIL and TRAIL-R2 during human megakaryocytic development. <i>Journal of Cellular Physiology</i> , 2005, 204, 975-982. | 2.0 | 25 |
| 28 | Evidence for a Role of TNF-Related Apoptosis-Inducing Ligand (TRAIL) in the Anemia of Myelodysplastic Syndromes. <i>American Journal of Pathology</i> , 2005, 166, 557-563. | 1.9 | 89 |
| 29 | â€œIn vitroâ€ evaluation of bone marrow angiogenesis in myelodysplastic syndromes: a morphological and functional approach. <i>Leukemia Research</i> , 2004, 28, 9-17. | 0.4 | 18 |
| 30 | In vitro assessment of bone marrow endothelial colonies (CFU-En) in non-Hodgkin's lymphoma patients undergoing peripheral blood stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2003, 32, 1165-1173. | 1.3 | 5 |
| 31 | Functional and immunophenotypic characteristics of isolated CD105+ and fibroblast+ stromal cells from AML: implications for their plasticity along endothelial lineage. <i>Cytotherapy</i> , 2003, 5, 66-79. | 0.3 | 22 |
| 32 | Tumor necrosis factor (TNF)-related apoptosis-inducing ligand (TRAIL) and TNF-Î± promote the NF-ÎºB-dependent maturation of normal and leukemic myeloid cells. <i>Journal of Leukocyte Biology</i> , 2003, 74, 223-232. | 1.5 | 27 |
| 33 | CXCR-4 Expression on Bone Marrow CD34+ Cells Prior to Mobilization Can Predict Mobilization Adequacy in Patients with Hematologic Malignancies. <i>Journal of Hematotherapy and Stem Cell Research</i> , 2003, 12, 425-434. | 1.8 | 16 |
| 34 | On the development of cell therapy for genetic disorders. <i>Cytotherapy</i> , 2002, 4, 511-512. | 0.3 | 3 |
| 35 | Angiogenesis in multiple myeloma: correlation between in vitro endothelial colonies growth (CFU-En) and clinicalâ€biological features. <i>Leukemia</i> , 2001, 15, 171-176. | 3.3 | 29 |
| 36 | CD34+ cell subsets and long-term culture colony-forming cells evaluated on both autologous and normal bone marrow stroma predict long-term hematopoietic engraftment in patients undergoing autologous peripheral blood stem cell transplantation. <i>Experimental Hematology</i> , 2001, 29, 1484-1493. | 0.2 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | PCR with degenerate primers for highly conserved DNA polymerase gene of the herpesvirus family shows neither human herpesvirus 8 nor a related variant in bone marrow stromal cells from multiple myeloma patients. , 2000, 86, 76-82. | | 14 |
| 38 | Four novel non-random chromosome rearrangements in B-cell chronic lymphocytic leukaemia: 6p24-25 and 12p12-13 translocations, 4q21 anomalies and monosomy 21. British Journal of Haematology, 2000, 108, 559-564. | 1.2 | 14 |
| 39 | Prolonged remission state of refractory adult onset Still's disease following CD34-selected autologous peripheral blood stem cell transplantation. Bone Marrow Transplantation, 2000, 25, 1307-1310. | 1.3 | 18 |
| 40 | Lack of confirmation of an association between HTLV-I infection and myelodysplastic syndrome. British Journal of Haematology, 1999, 105, 1146-1147. | 1.2 | 5 |
| 41 | Therapy-related adult acute lymphoblastic leukemia with t(4;11)(q21; q23): MLL rearrangement, p53 mutation and multilineage involvement. Leukemia, 1999, 13, 704-707. | 3.3 | 6 |
| 42 | Antiangiogenic, antitumoural and antimetastatic effects of two distamycin A derivatives with anti-HIV-1 Tat activity in a Kaposi's sarcoma-like murine model. Clinical and Experimental Metastasis, 1999, 17, 575-582. | 1.7 | 14 |
| 43 | Chromosomal Aberrations Induced by BK Virus T Antigen in Human Fibroblasts. Virology, 1998, 243, 492-496. | 1.1 | 44 |
| 44 | Characterization of the Effects of Two Polysulfonated Distamycin A Derivatives, PNU145156E and PNU153429, on HIV Type 1 Tat Protein. AIDS Research and Human Retroviruses, 1998, 14, 1561-1571. | 0.5 | 16 |
| 45 | Upregulation of urokinase-type plasminogen activator by endogenous and exogenous HIV-1 Tat protein in tumour cell lines derived from BK virus/tat-transgenic mice. Aids, 1997, 11, 727-736. | 1.0 | 8 |
| 46 | Fibroblast growth factor 2 and the protease activity of tumor cells isolated from BK virus/tat transgenic mice. Fibrinolysis, 1996, 10, 309-315. | 0.5 | 3 |
| 47 | Promotion of tumour metastases and induction of angiogenesis by native HIV-1 Tat protein from BK virus/tat transgenic mice. Aids, 1996, 10, 701-710. | 1.0 | 42 |
| 48 | HIV Type 1 Extracellular Tat Protein Stimulates Growth and Protects Cells of BK Virus/tat Transgenic Mice from Apoptosis. AIDS Research and Human Retroviruses, 1995, 11, 1039-1048. | 0.5 | 58 |