

Alessandro Provenzani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7972000/publications.pdf>

Version: 2024-02-01

56
papers

2,495
citations

186209

28
h-index

197736

49
g-index

59
all docs

59
docs citations

59
times ranked

4653
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | C9orf72 ALS/FTD dipeptide repeat protein levels are reduced by small molecules that inhibit PKA or enhance protein degradation. <i>EMBO Journal</i> , 2022, 41, e105026. | 3.5 | 13 |
| 2 | HuR-targeted agents: An insight into medicinal chemistry, biophysical, computational studies and pharmacological effects on cancer models. <i>Advanced Drug Delivery Reviews</i> , 2022, 181, 114088. | 6.6 | 11 |
| 3 | Identification and Characterization of an RRM-Containing, RNA Binding Protein in <i>Acinetobacter baumannii</i> . <i>Biomolecules</i> , 2022, 12, 922. | 1.8 | 0 |
| 4 | Hyperinsulinemia and insulin resistance in the obese may develop as part of a homeostatic response to elevated free fatty acids: A mechanistic case-control and a population-based cohort study. <i>EBioMedicine</i> , 2021, 65, 103264. | 2.7 | 51 |
| 5 | Multilayer and MATR3-dependent regulation of mRNAs maintains pluripotency in human induced pluripotent stem cells. <i>IScience</i> , 2021, 24, 102197. | 1.9 | 11 |
| 6 | Fasting-mimicking diet and hormone therapy induce breast cancer regression. <i>Nature</i> , 2020, 583, 620-624. | 13.7 | 198 |
| 7 | HuR/ELAVL1 drives malignant peripheral nerve sheath tumor growth and metastasis. <i>Journal of Clinical Investigation</i> , 2020, 130, 3848-3864. | 3.9 | 38 |
| 8 | Rapid Nickel-based Isolation of Extracellular Vesicles from Different Biological Fluids. <i>Bio-protocol</i> , 2020, 10, e3512. | 0.2 | 7 |
| 9 | HuR interacts with lincBRN1a and lincBRN1b during neuronal stem cells differentiation. <i>RNA Biology</i> , 2019, 16, 1471-1485. | 1.5 | 25 |
| 10 | Novel Compounds Targeting the RNA-Binding Protein HuR. <i>Structure-Based Design, Synthesis, and Interaction Studies. ACS Medicinal Chemistry Letters</i> , 2019, 10, 615-620. | 1.3 | 21 |
| 11 | Proteostasis and ALS: protocol for a phase II, randomised, double-blind, placebo-controlled, multicentre clinical trial for colchicine in ALS (Co-ALS). <i>BMJ Open</i> , 2019, 9, e028486. | 0.8 | 44 |
| 12 | Ultrasensitive detection of cancer biomarkers by nickel-based isolation of polydisperse extracellular vesicles from blood. <i>EBioMedicine</i> , 2019, 43, 114-126. | 2.7 | 40 |
| 13 | Tristetraprolin/ZFP36 Regulates the Turnover of Autoimmune-Associated HLA-DQ mRNAs. <i>Cells</i> , 2019, 8, 1570. | 1.8 | 6 |
| 14 | Screening Approaches for Targeting Ribonucleoprotein Complexes: A New Dimension for Drug Discovery. <i>SLAS Discovery</i> , 2019, 24, 314-331. | 1.4 | 29 |
| 15 | Interfering with HuR-RNA Interaction: Design, Synthesis and Biological Characterization of Tanshinone Mimics as Novel, Effective HuR Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 1483-1498. | 2.9 | 39 |
| 16 | Cancer cell metabolic plasticity allows resistance to NAMPT inhibition but invariably induces dependence on LDHA. <i>Cancer & Metabolism</i> , 2018, 6, 1. | 2.4 | 29 |
| 17 | Generation and characterization of a human iPSC line from an ALS patient carrying the Q66K-MATR3 mutation. <i>Stem Cell Research</i> , 2018, 33, 146-150. | 0.3 | 3 |
| 18 | Exploration of ligand binding modes towards the identification of compounds targeting HuR: a combined STD-NMR and Molecular Modelling approach. <i>Scientific Reports</i> , 2018, 8, 13780. | 1.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Autophagy Stimulus Promotes Early HuR Protein Activation and p62/SQSTM1 Protein Synthesis in ARPE-19 Cells by Triggering Erk1/2, p38 ^{MAPK} , and JNK Kinase Pathways. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-15. | 1.9 | 26 |
| 20 | Regulation of HuR structure and function by dihydrotanshinone-I. <i>Nucleic Acids Research</i> , 2017, 45, 9514-9527. | 6.5 | 64 |
| 21 | The Natural Carotenoid Crocetin and the Synthetic Tellurium Compound AS101 Protect the Ovary against Cyclophosphamide by Modulating SIRT1 and Mitochondrial Markers. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-14. | 1.9 | 35 |
| 22 | Transcriptional induction of the heat shock protein B8 mediates the clearance of misfolded proteins responsible for motor neuron diseases. <i>Scientific Reports</i> , 2016, 6, 22827. | 1.6 | 78 |
| 23 | The Ribonucleic Complex HuR-MALAT1 Represses CD133 Expression and Suppresses Epithelial-Mesenchymal Transition in Breast Cancer. <i>Cancer Research</i> , 2016, 76, 2626-2636. | 0.4 | 113 |
| 24 | JNK1 ablation in mice confers long-term metabolic protection from diet-induced obesity at the cost of moderate skin oxidative damage. <i>FASEB Journal</i> , 2016, 30, 3124-3132. | 0.2 | 11 |
| 25 | The 5' UTR sequence and translational regulation: impact of novel variants predisposing to melanoma. <i>Pigment Cell and Melanoma Research</i> , 2016, 29, 210-221. | 1.5 | 9 |
| 26 | Human Antigen R Binding and Regulation of SOX2 mRNA in Human Mesenchymal Stem Cells. <i>Molecular Pharmacology</i> , 2016, 89, 243-252. | 1.0 | 9 |
| 27 | Different BCR/Abl protein suppression patterns as a converging trait of chronic myeloid leukemia cell adaptation to energy restriction. <i>Oncotarget</i> , 2016, 7, 84810-84825. | 0.8 | 20 |
| 28 | The GSK3 ² inhibitor BIS I reverts YAP-dependent EMT signature in PDAC cell lines by decreasing SMADs expression level. <i>Oncotarget</i> , 2016, 7, 26551-26566. | 0.8 | 18 |
| 29 | EIF2A-dependent translational arrest protects leukemia cells from the energetic stress induced by NAMPT inhibition. <i>BMC Cancer</i> , 2015, 15, 855. | 1.1 | 13 |
| 30 | Dihydrotanshinone-I interferes with the RNA-binding activity of HuR affecting its post-transcriptional function. <i>Scientific Reports</i> , 2015, 5, 16478. | 1.6 | 65 |
| 31 | APO866 Increases Antitumor Activity of Cyclosporin-A by Inducing Mitochondrial and Endoplasmic Reticulum Stress in Leukemia Cells. <i>Clinical Cancer Research</i> , 2015, 21, 3934-3945. | 3.2 | 31 |
| 32 | Fasting potentiates the anticancer activity of tyrosine kinase inhibitors by strengthening MAPK signaling inhibition. <i>Oncotarget</i> , 2015, 6, 11820-11832. | 0.8 | 67 |
| 33 | The 5'-untranslated region of p16INK4a melanoma tumor suppressor acts as a cellular IRES, controlling mRNA translation under hypoxia through YBX1 binding. <i>Oncotarget</i> , 2015, 6, 39980-39994. | 0.8 | 17 |
| 34 | Targeting the Multifaceted HuR Protein, Benefits and Caveats. <i>Current Drug Targets</i> , 2015, 16, 499-515. | 1.0 | 61 |
| 35 | Nicotinamide Phosphoribosyltransferase Promotes Epithelial-to-Mesenchymal Transition as a Soluble Factor Independent of Its Enzymatic Activity. <i>Journal of Biological Chemistry</i> , 2014, 289, 34189-34204. | 1.6 | 64 |
| 36 | Loss of Protein Kinase C ¹ /HuR Interaction Is Necessary to Doxorubicin Resistance in Breast Cancer Cell Lines. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 349, 99-106. | 1.3 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | PER2 promotes glucose storage to liver glycogen during feeding and acute fasting by inducing Gys2 PTG and GL expression. <i>Molecular Metabolism</i> , 2013, 2, 292-305. | 3.0 | 58 |
| 38 | Proteome-Wide Characterization of the RNA-Binding Protein RALY-Interactome Using the in Vivo-Biotinylation-Pulldown-Quant (iBioPQ) Approach. <i>Journal of Proteome Research</i> , 2013, 12, 2869-2884. | 1.8 | 49 |
| 39 | Hyper conserved elements in vertebrate mRNA 3'UTRs reveal a translational network of RNA-binding proteins controlled by HuR. <i>Nucleic Acids Research</i> , 2013, 41, 3201-3216. | 6.5 | 38 |
| 40 | A Novel High Throughput Biochemical Assay to Evaluate the HuR Protein-RNA Complex Formation. <i>PLoS ONE</i> , 2013, 8, e72426. | 1.1 | 57 |
| 41 | Autophagy Activation Clears ELAVL1/HuR-Mediated Accumulation of SQSTM1/p62 during Proteasomal Inhibition in Human Retinal Pigment Epithelial Cells. <i>PLoS ONE</i> , 2013, 8, e69563. | 1.1 | 138 |
| 42 | Downregulation of HuR as a new mechanism of doxorubicin resistance in breast cancer cells. <i>Molecular Cancer</i> , 2012, 11, 13. | 7.9 | 63 |
| 43 | Abstract B31: HuR cytoplasmic translocation and doxorubicin: how phosphorylation is involved in chemoresistance. <i>Clinical Cancer Research</i> , 2012, 18, B31-B31. | 3.2 | 0 |
| 44 | Functional analysis of CDKN2A/p16INK4a 5'UTR variants predisposing to melanoma. <i>Human Molecular Genetics</i> , 2010, 19, 1479-1491. | 1.4 | 51 |
| 45 | Global alterations in mRNA polysomal recruitment in a cell model of colorectal cancer progression to metastasis. <i>Carcinogenesis</i> , 2006, 27, 1323-1333. | 1.3 | 131 |
| 46 | Antiproliferative activity of melatonin by transcriptional inhibition of cyclin D1 expression: a molecular basis for melatonin-induced oncostatic effects. <i>Journal of Pineal Research</i> , 2005, 39, 12-20. | 3.4 | 47 |
| 47 | Neuronal ELAV proteins enhance mRNA stability by a PKC α -dependent pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 12065-12070. | 3.3 | 132 |
| 48 | From The Cover: Experimentally exploring the conformational space sampled by domain reorientation in calmodulin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 6841-6846. | 3.3 | 209 |
| 49 | NMR spectroscopy as a tool to investigate the degradation of aromatic compounds by a <i>Pseudomonas putida</i> strain. <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 615-621. | 1.1 | 6 |
| 50 | In vivo monitoring of alkaloid metabolism in hybrid plant cell cultures by 2D cryo-NMR without labelling. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 3913-3919. | 1.4 | 27 |
| 51 | Tuning the Affinity for Lanthanides of Calcium Binding Proteins. <i>Biochemistry</i> , 2003, 42, 8011-8021. | 1.2 | 96 |
| 52 | Browsing gene banks for Fe2S2 ferredoxins and structural modeling of 88 plant-type sequences: An analysis of fold and function. <i>Proteins: Structure, Function and Bioinformatics</i> , 2002, 46, 110-127. | 1.5 | 55 |
| 53 | In Vivo NMR at 800 MHz to Monitor Alkaloid Metabolism in Plant Cell Cultures without Tracer Labeling. <i>Journal of the American Chemical Society</i> , 2001, 123, 5118-5119. | 6.6 | 16 |
| 54 | Glucosylation of Isatin-3-Oxime followed by 2D in situ NMR in Plant Cells at Highest Magnetic Field without Labelling. <i>Natural Product Research</i> , 2001, 15, 119-124. | 0.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Intramolecular Hetero Diels-Alder Reactions of $\hat{I}_{\pm}, \hat{I}_{\pm}^{\text{TM}}$ -Dioxosulfines $\hat{\wedge}$ A New Access to the [3.3.1]-Bicyclic Skeleton. European Journal of Organic Chemistry, 2000, 2000, 3721-3725. | 1.2 | 4 |
| 56 | Limonium duriusculum (de Girard) Kuntze Exhibits Anti-inflammatory Effect Via NF- $\hat{\rho}$ B Pathway Modulation. Brazilian Archives of Biology and Technology, 0, 64, . | 0.5 | 3 |