

Man Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/79731/publications.pdf>

Version: 2024-02-01

61
papers

1,001
citations

567144

15
h-index

477173

29
g-index

67
all docs

67
docs citations

67
times ranked

1637
citing authors

#	ARTICLE	IF	CITATIONS
1	Nomogram to Predict Incomplete Cytoreduction for Pseudomyxoma Peritonei. <i>Annals of Surgical Oncology</i> , 2022, 29, 885-892.	0.7	8
2	Synthesis of zwitterionic polymer modified graphene oxide for hydrophilic enrichment of N-glycopeptides from urine of healthy subjects and patients with lung adenocarcinoma. <i>Talanta</i> , 2022, 237, 122938.	2.9	9
3	B7-H6 as an efficient target for T cell-induced cytotoxicity in haematologic malignant cells. <i>Investigational New Drugs</i> , 2021, 39, 24-33.	1.2	11
4	MicroRNAs in urine as diagnostic biomarkers for multiple myeloma. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 227-234.	0.7	4
5	Establishment of clinical diagnostic models using glucose, lipid, and urinary polypeptides in gestational diabetes mellitus. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23833.	0.9	1
6	ASO Author Reflections: Incomplete Cytoreduction Prediction Model for Pseudomyxoma Peritonei. <i>Annals of Surgical Oncology</i> , 2021, , 1.	0.7	0
7	Levels of inter-alpha-trypsin inhibitor heavy chain H4 urinary polypeptide in gestational diabetes mellitus. <i>Systems Biology in Reproductive Medicine</i> , 2021, 67, 428-437.	1.0	2
8	The Role of NPM1 in the Invasion and Migration of Drug Resistant Bladder Cancer. <i>Urology Journal</i> , 2021, 18, 452-459.	0.3	1
9	T cell cytotoxicity toward hematologic malignancy via B7-H3 targeting. <i>Investigational New Drugs</i> , 2020, 38, 722-732.	1.2	12
10	Screening and analysis of small molecular peptides in urine of gestational diabetes mellitus. <i>Clinica Chimica Acta</i> , 2020, 502, 174-182.	0.5	6
11	Effect of Cytochrome P450 7A1 (CYP7A1) Polymorphism on Lipid Responses to Simvastatin Treatment. <i>Journal of Cardiovascular Pharmacology</i> , 2020, 75, 168-173.	0.8	7
12	Urinary Peptides Associated Closely with Gestational Diabetes Mellitus. <i>Disease Markers</i> , 2020, 2020, 1-11.	0.6	2
13	CD40 is Positively Correlated with the Expression of Nucleophosmin in Cisplatin-Resistant Bladder Cancer. <i>Journal of Oncology</i> , 2020, 2020, 1-10.	0.6	6
14	Circulating miRNAs as diagnostic biomarkers for multiple myeloma and monoclonal gammopathy of undetermined significance. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23233.	0.9	15
15	The expression of apolipoproteina1 and its correlation with infiltration of urologic neoplasm. <i>Translational Cancer Research</i> , 2020, 9, 690-697.	0.4	0
16	Evaluation of kininogen 1, osteopontin and α -1-antitrypsin in plasma, bronchoalveolar lavage fluid and urine for lung squamous cell carcinoma diagnosis. <i>Oncology Letters</i> , 2020, 19, 2785-2792.	0.8	6
17	Long disease-free survival (48 months) in a breast cancer patient with ovarian and pelvic metastasis—a case report. <i>Translational Cancer Research</i> , 2020, 9, 7669-7675.	0.4	2
18	Knockdown of ferritin heavy chain (FTH) inhibits the migration of prostate cancer through reducing S100A4, S100A2, and S100P expression. <i>Translational Cancer Research</i> , 2020, 9, 5418-5429.	0.4	4

#	ARTICLE	IF	CITATIONS
19	Reference Range and Sociodemographic Characteristics of TSH among Reproductive Age Women in Rural China. <i>Biological Trace Element Research</i> , 2019, 189, 336-343.	1.9	3
20	Targeting immunotherapy for bladder cancer by using anti-CD3 $\tilde{\text{A}}$ – CD155 bispecific antibody. <i>Journal of Cancer</i> , 2019, 10, 5153-5161.	1.2	16
21	Bispecific anti-CD3 $\tilde{\text{A}}$ anti-B7-H3 antibody mediates T cell cytotoxic ability to human melanoma in vitro and in vivo. <i>Investigational New Drugs</i> , 2019, 37, 1036-1043.	1.2	19
22	Heme as a target for protection against doxorubicin-induced apoptosis in H9c2 cardiomyocytes. <i>Cell Stress and Chaperones</i> , 2019, 24, 1211-1217.	1.2	3
23	Screening, identification of prostate cancer urinary biomarkers and verification of important spots. <i>Investigational New Drugs</i> , 2019, 37, 935-947.	1.2	15
24	The bispecific anti-CD3 $\tilde{\text{A}}$ – $\tilde{\text{A}}$ anti-CD155 antibody mediates T cell immunotherapy for human prostate cancer. <i>Investigational New Drugs</i> , 2019, 37, 810-817.	1.2	10
25	Expression and Functions of Formyl Peptide Receptor 1 in Drug-Resistant Bladder Cancer. <i>Technology in Cancer Research and Treatment</i> , 2018, 17, 153303461876941.	0.8	7
26	An improved reference method for serum cations measurement by ion chromatography. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22429.	0.9	5
27	Targeting bladder cancer using activated T $\tilde{\text{A}}$ $\tilde{\text{A}}$ $\tilde{\text{A}}$ cells armed with bispecific antibodies. <i>Oncology Reports</i> , 2018, 39, 1245-1252.	1.2	5
28	ADIPOR2 variant is associated with higher fasting glucose level in non-diabetic Chinese Han population. <i>International Journal of Diabetes in Developing Countries</i> , 2018, 38, 403-408.	0.3	0
29	Targeting immunotherapy for bladder cancer using anti $\tilde{\text{A}}$ – CD3 $\tilde{\text{A}}$ – B7 $\tilde{\text{A}}$ H3 bispecific antibody. <i>Cancer Medicine</i> , 2018, 7, 5167-5177.	1.3	17
30	Graphene nanocomposites modified electrochemical aptamer sensor for rapid and highly sensitive detection of prostate specific antigen. <i>Biosensors and Bioelectronics</i> , 2018, 121, 41-46.	5.3	139
31	Dissemination of <i>cfr</i> -mediated linezolid resistance among <i>Staphylococcus</i> species isolated from a teaching hospital in Beijing, China. <i>Journal of International Medical Research</i> , 2018, 46, 3884-3889.	0.4	12
32	Association of <i>ABCC2</i> polymorphism and gender with high-density lipoprotein cholesterol response to simvastatin. <i>Pharmacogenomics</i> , 2018, 19, 1125-1132.	0.6	7
33	Identification of a DNA Repair-Related Multigene Signature as a Novel Prognostic Predictor of Glioblastoma. <i>World Neurosurgery</i> , 2018, 117, e34-e41.	0.7	5
34	The 5-level diagnostic report model as an essential approach for adding value to laboratory testing. <i>Clinica Chimica Acta</i> , 2018, 486, 245-252.	0.5	1
35	AG490 reverses phenotypic alteration of dendritic cells by bladder cancer cells. <i>Oncology Letters</i> , 2018, 16, 2851-2856.	0.8	8
36	Effect and mechanism of resveratrol on drug resistance in human bladder cancer cells. <i>Molecular Medicine Reports</i> , 2017, 15, 1179-1187.	1.1	29

#	ARTICLE	IF	CITATIONS
37	Preconception TSH and pregnancy outcomes: a population-based cohort study in 184,611 women. <i>Clinical Endocrinology</i> , 2017, 86, 816-824.	1.2	52
38	Association of Husband Smoking With Wife's Hypertension Status in Over 5 Million Chinese Females Aged 20 to 49 Years. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	25
39	Adipose Triglyceride Lipase Gene Polymorphisms is Not Associated with Free Fatty Acid Levels in Chinese Han Population. <i>Metabolic Syndrome and Related Disorders</i> , 2017, 15, 474-479.	0.5	2
40	Prevalence of chronic hepatitis B and status of HBV care among rural women who planned to conceive in China. <i>Scientific Reports</i> , 2017, 7, 12090.	1.6	22
41	Prevalence of chronic kidney disease markers: Evidence from a three-million married population with fertility desire in rural China. <i>Scientific Reports</i> , 2017, 7, 2710.	1.6	9
42	Identification of urine biomarkers associated with lung adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 38517-38529.	0.8	23
43	Association of ferritin with prostate cancer. <i>Journal of B U on</i> , 2017, 22, 766-770.	0.4	6
44	The Reversal Effect and Its Mechanisms of Tetramethylpyrazine on Multidrug Resistance in Human Bladder Cancer. <i>PLoS ONE</i> , 2016, 11, e0157759.	1.1	23
45	Evaluation of a liquid culture system in the detection of mycobacteria at an antituberculosis institution in China; A retrospective study. <i>Journal of International Medical Research</i> , 2016, 44, 1055-1060.	0.4	8
46	Differential expression of multidrug resistance-related proteins in adriamycin-resistant (pumc-91/ADM) and parental (pumc-91) human bladder cancer cell lines. <i>Molecular Medicine Reports</i> , 2016, 14, 4741-4746.	1.1	7
47	Expression of Annexin A2 and Its Correlation With Drug Resistance and Recurrence of Bladder Cancer. <i>Technology in Cancer Research and Treatment</i> , 2016, 15, NP61-NP68.	0.8	15
48	Discovery and verification of urinary peptides in type 2 diabetes mellitus with kidney injury. <i>Experimental Biology and Medicine</i> , 2016, 241, 1186-1194.	1.1	10
49	Seroepidemiology of hepatitis B virus infection in 2 million men aged 21-49 years in rural China: a population-based, cross-sectional study. <i>Lancet Infectious Diseases</i> , The, 2016, 16, 80-86.	4.6	166
50	Immunosuppressive effect of bladder cancer on function of dendritic cells involving of Jak2/STAT3 pathway. <i>Oncotarget</i> , 2016, 7, 63204-63214.	0.8	15
51	B7-H3 as a promising target for cytotoxicity T cell in human cancer therapy. <i>Oncotarget</i> , 2016, 7, 29480-29491.	0.8	49
52	The Difference Quantity of Urinary Peptides between Two Groups of Type 2 Diabetic Patients with or without Coronary Artery Disease. <i>International Journal of Endocrinology</i> , 2015, 2015, 1-8.	0.6	3
53	Nucleophosmin1 associated with drug resistance and recurrence of bladder cancer. <i>Clinical and Experimental Medicine</i> , 2015, 15, 361-369.	1.9	9
54	Two Urinary Peptides Associated Closely With Type 2 Diabetes Mellitus. <i>PLoS ONE</i> , 2015, 10, e0122950.	1.1	16

#	ARTICLE	IF	CITATIONS
55	Screening High Abundance of Peptide for Making Examination Possible in Human Urine. <i>Annals of Clinical and Laboratory Science</i> , 2015, 45, 264-9.	0.2	1
56	Identification of urinary biomarkers for type 2 diabetes using bead-based proteomic approach. <i>Diabetes Research and Clinical Practice</i> , 2013, 101, 187-193.	1.1	31
57	Identification of proteins differentially expressed in adriamycin-resistant (pumc-91/ADM) and parental (pumc-91) human bladder cancer cell lines by proteome analysis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 509-519.	1.2	29
58	Discovery of Potential Bladder Cancer Biomarkers by Comparative Urine Proteomics and Analysis. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 56-62.	0.9	70
59	A role for c-Abl in cell senescence and spontaneous immortalization. <i>Age</i> , 2013, 35, 1251-1262.	3.0	6
60	Different roles of urinary light chains and serum light chains as potential biomarkers for monitoring disease activity in systemic lupus erythematosus. <i>PeerJ</i> , 0, 10, e13385.	0.9	5
61	Clinical Significance of Serum Collagen Type IV and Procollagen Type III N-Peptide Levels in Diagnosis and Differential Diagnosis of Lymphedema. <i>Lymphatic Research and Biology</i> , 0, , .	0.5	1