

Hyo Geun Choi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7973742/hyo-geun-choi-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

257
papers

2,223
citations

23
h-index

35
g-index

310
ext. papers

3,250
ext. citations

3.9
avg, IF

5.82
L-index

#	Paper	IF	Citations
257	A longitudinal study of the association between visual impairment and income change using a national health screening cohort.. <i>Scientific Reports</i> , 2022 , 12, 958	4.9	
256	Association of sudden sensorineural hearing loss with asthma: a longitudinal follow-up study using a national sample cohort.. <i>BMJ Open</i> , 2022 , 12, e047966	3	
255	Foreign Body Complications in Ears due to Mishandled Hearing Aid Fitting and Proposed Clinical Guidelines to Address the Complications.. <i>Journal of Korean Medical Science</i> , 2022 , 37, e19	4.7	0
254	Increased risk of coronary heart disease with hysterectomy in young women: A longitudinal follow-up study using a national health screening cohort.. <i>Maturitas</i> , 2022 , 157, 49-56	5	0
253	A Cross-Sectional Study for Association between Periodontitis and Benign Prostatic Hyperplasia Using the Korean Genome and Epidemiology Study Data. <i>Coatings</i> , 2022 , 12, 265	2.9	
252	The Association Between Thyroid Diseases and Alzheimer's Disease in a National Health Screening Cohort in Korea.. <i>Frontiers in Endocrinology</i> , 2022 , 13, 815063	5.7	1
251	Association between asthma or chronic obstructive pulmonary disease and chronic otitis media.. <i>Scientific Reports</i> , 2022 , 12, 4228	4.9	0
250	The Influence of Prior Statin Use on the Prevalence and Exacerbation of Chronic Obstructive Pulmonary Disease in an Adult Population.. <i>Frontiers in Medicine</i> , 2022 , 9, 842948	4.9	
249	Increased Risk of Temporomandibular Joint Disorder in Osteoporosis Patients: A Longitudinal Study.. <i>Frontiers in Endocrinology</i> , 2022 , 13, 835923	5.7	0
248	The Association of Pre-existing Diagnoses of Alzheimer's Disease and Parkinson's Disease and Coronavirus Disease 2019 Infection, Severity and Mortality: Results From the Korean National Health Insurance Database.. <i>Frontiers in Aging Neuroscience</i> , 2022 , 14, 821235	5.3	0
247	Association between chronic rhinosinusitis and pneumonia: a longitudinal follow-up study using a national health screening cohort.. <i>Scientific Reports</i> , 2022 , 12, 5498	4.9	0
246	Association between statin use and Parkinson's disease in Korean patients with hyperlipidemia.. <i>Parkinsonism and Related Disorders</i> , 2022 , 97, 15-24	3.6	2
245	Longitudinal follow-up study of the association between statin use and chronic periodontitis using national health screening cohort of Korean population.. <i>Scientific Reports</i> , 2022 , 12, 5504	4.9	0
244	Depressive Symptoms, Subjective Cognitive Decline, and Subjective Sleep Quality Are Associated with Slips and Falls: Data from the Community Health Survey in Korean Adults.. <i>Gerontology</i> , 2022 , 68, 518-528	5.5	0
243	PIK3CA Mutation as Potential Poor Prognostic Marker in Asian Female Breast Cancer Patients Who Received Adjuvant Chemotherapy. <i>Current Oncology</i> , 2022 , 29, 2895-2908	2.8	0
242	Association Between Various Types or Statuses of Smoking and Subjective Cognitive Decline Based on a Community Health Survey of Korean Adults.. <i>Frontiers in Neurology</i> , 2022 , 13, 810830	4.1	
241	The Occurrence of Nephrolithiasis in Gout Patients: A Longitudinal Follow-Up Study Using a National Health Screening Cohort. <i>Life</i> , 2022 , 12, 653	3	

240	Causes of Mortality in Korean Patients with Neurodegenerative Dementia.. <i>BioMed Research International</i> , 2022 , 2022, 3206594	3	0
239	Possible Association between the Use of Proton Pump Inhibitors and H2 Receptor Antagonists, and Esophageal Cancer: A Nested Case-Control Study Using a Korean National Health Screening Cohort. <i>Pharmaceuticals</i> , 2022 , 15, 517	5.2	1
238	The Effect of Gout on Thyroid Cancer Incidence: A Nested Case-Control Study Using a National Health Screening Cohort. <i>Journal of Personalized Medicine</i> , 2022 , 12, 887	3.6	
237	Association between Thyroid Cancer and Weight Change: A Longitudinal Follow-Up Study. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6753	4.6	
236	Increased risk of chronic otitis media in chronic rhinosinusitis patients: a longitudinal follow-up study using a national health screening cohort. <i>Rhinology</i> , 2021 , 59, 292-300	7	
235	Association between Statin Use and Gastric Cancer: A Nested Case-Control Study Using a National Health Screening Cohort in Korea.. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	4
234	National cohort and meteorological data based nested case-control study on the association between air pollution exposure and thyroid cancer. <i>Scientific Reports</i> , 2021 , 11, 21562	4.9	0
233	The associations of previous influenza/upper respiratory infection with COVID-19 susceptibility/morbidity/mortality: a nationwide cohort study in South Korea. <i>Scientific Reports</i> , 2021 , 11, 21568	4.9	0
232	Assessment of the difference in depressive symptoms of the Korean adult population before and during the COVID-19 pandemic using a community health survey.. <i>Journal of Affective Disorders</i> , 2021 , 300, 130-130	6.6	1
231	Association between previous rheumatoid arthritis and COVID-19 and its severity: a nationwide cohort study in South Korea. <i>BMJ Open</i> , 2021 , 11, e054753	3	1
230	Screening Leads to Overestimated Associations of Thyroid Dysfunction and Thyroiditis with Thyroid Cancer Risk. <i>Cancers</i> , 2021 , 13,	6.6	1
229	Acute Alcohol Intake Deteriorates Hearing Thresholds and Speech Perception in Noise. <i>Audiology and Neuro-Otology</i> , 2021 , 26, 218-225	2.2	0
228	Association Between Sudden Sensorineural Hearing Loss and History of Statin Use: A Nested Case-Control Study. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 165, 149-156	5.5	2
227	Energy-drink consumption is associated with asthma, allergic rhinitis, and atopic dermatitis in Korean adolescents. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 1077-1087	5.2	3
226	Short and long term exposure to air pollution increases the risk of ischemic heart disease. <i>Scientific Reports</i> , 2021 , 11, 5108	4.9	9
225	Association between Previous Statin Use and Alzheimer's Disease: A Nested Case-Control Study Using a National Health Screening Cohort. <i>Brain Sciences</i> , 2021 , 11,	3.4	3
224	Evaluation of the Relationship between Drink Intake and Periodontitis Using KoGES Data. <i>BioMed Research International</i> , 2021 , 2021, 5545620	3	1
223	Short-Term Exposure to Air Pollution and Epiglottitis: A Nested Case-Control Study. <i>Laryngoscope</i> , 2021 , 131, 2483-2489	3.6	1

222	Associations between Physical Activity, Sunshine Duration and Osteoporosis According to Obesity and Other Lifestyle Factors: A Nested Case-Control Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	0
221	Association between Chronic Obstructive Pulmonary Disease and Mððð Disease: A Nested Case-Control Study Using a National Health Screening Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
220	Evaluation of the relationship between previous statin use and thyroid cancer using Korean National Health Insurance Service-Health Screening Cohort data. <i>Scientific Reports</i> , 2021 , 11, 7912	4.9	0
219	Association Between Statin Medication and Asthma/Asthma Exacerbation in a National Health Screening Cohort. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 2783-2791	5.4	4
218	Association between Proton Pump Inhibitors and Hearing Impairment: A Nested Case-Control Study. <i>Current Issues in Molecular Biology</i> , 2021 , 43, 142-152	2.9	0
217	The Association between Anemia and Parkinson's Disease: A Nested Case-Control Study Using a National Health Screening Cohort. <i>Brain Sciences</i> , 2021 , 11,	3.4	2
216	Analyses of the association between cervical cancer and osteoporosis/osteoporotic fracture: a cross-sectional study using KoGES HEXA data. <i>International Journal of Clinical Oncology</i> , 2021 , 26, 1752-1758	4.2	0
215	Analyses of the association between breast cancer and osteoporosis/fracture history: a cross-sectional study using KoGES HEXA data. <i>Archives of Osteoporosis</i> , 2021 , 16, 98	2.9	0
214	Bone regeneration in ceramic scaffolds with variable concentrations of PDRN and rhBMP-2. <i>Scientific Reports</i> , 2021 , 11, 11470	4.9	2
213	Bidirectional association between migraine and rheumatoid arthritis: two longitudinal follow-up studies with a national sample cohort. <i>BMJ Open</i> , 2021 , 11, e046283	3	0
212	Analyses of the relationship between hyperuricemia and osteoporosis. <i>Scientific Reports</i> , 2021 , 11, 12080	4.9	1
211	Impact of Coffee/Green Tea/Soft Drink Consumption on the Risk of Hyperuricemia: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
210	Association between dementia and hepatitis B and C virus infection. <i>Medicine (United States)</i> , 2021 , 100, e26476	1.8	3
209	Association between sleep quality and subjective cognitive decline: evidence from a community health survey. <i>Sleep Medicine</i> , 2021 , 83, 123-131	4.6	5
208	Mood Disorders are Associated With Increased Risk of BPPV: A National Sample Cohort. <i>Laryngoscope</i> , 2021 , 131, 380-385	3.6	1
207	Psoriasis is associated with an increased risk of osteoporosis: follow-up and nested case-control studies using a national sample cohort. <i>Osteoporosis International</i> , 2021 , 32, 529-538	5.3	1
206	Bidirectional association between GERD and rheumatoid arthritis: two longitudinal follow-up studies using a national sample cohort. <i>Clinical Rheumatology</i> , 2021 , 40, 1249-1257	3.9	3
205	Association between asthma and clinical mortality/morbidity in COVID-19 patients using clinical epidemiologic data from Korean Disease Control and Prevention. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 921-924	9.3	20

204	Short- and long-term exposure to air pollution and lack of sunlight are associated with an increased risk of depression: A nested case-control study using meteorological data and national sample cohort data. <i>Science of the Total Environment</i> , 2021 , 757, 143960	10.2	17
203	High-Intensity Physical Activity with High Serum Vitamin D Levels is Associated with a Low Prevalence of Osteopenia and Osteoporosis: A Population-Based Study. <i>Osteoporosis International</i> , 2021 , 32, 883-891	5.3	4
202	Mortality and cause of death in patients with tracheostomy: Longitudinal follow-up study using a national sample cohort. <i>Head and Neck</i> , 2021 , 43, 145-152	4.2	0
201	Increased risk of ischemic stroke in patients with Bell's palsy: A longitudinal follow-up study using a national sample cohort. <i>Auris Nasus Larynx</i> , 2021 , 48, 194-200	2.2	1
200	Association Between Thyroid Diseases and Parkinson's Disease: A Nested Case-Control Study Using a National Health Screening Cohort. <i>Journal of Parkinson's Disease</i> , 2021 , 11, 211-220	5.3	1
199	Association between asthma and cardiovascular disease. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13396	4.6	8
198	Low Thyroid-stimulating Hormone Levels Are Associated With Annoying Tinnitus in Adult Women: Korea National Health and Nutrition Examination Surveys. <i>Otology and Neurotology</i> , 2021 , 42, e408-e415	2.6	2
197	Herpes Zoster Does Not Increase the Risk of Neurodegenerative Dementia: A Case-Control Study. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2021 , 36, 15333175211006504	2.5	4
196	Bidirectional association between asthma and otitis media in children. <i>Allergy, Asthma and Clinical Immunology</i> , 2021 , 17, 7	3.2	2
195	Antibiotic-Dependent Relationships Between the Nasal Microbiome and Secreted Proteome in Nasal Polyps. <i>Allergy, Asthma and Immunology Research</i> , 2021 , 13, 589-608	5.3	1
194	Analyses of the Relation between BPPV and Thyroid Diseases: A Nested Case-Control Study. <i>Diagnostics</i> , 2021 , 11,	3.8	2
193	Increased risk of herpes zoster in patients with psoriasis: A longitudinal follow-up study using a national sample cohort. <i>Australasian Journal of Dermatology</i> , 2021 , 62, 183-189	1.3	
192	Benign Paroxysmal Positional Vertigo and the Increased Risk of Ischemic Stroke: A Nested Case-Control Study Using a National Cohort Sample. <i>BioMed Research International</i> , 2021 , 2021, 6629028 ³		2
191	The association between family history of prostate cancer and development of prostate cancer among Korean population: A prospective cohort study using KoGES data. <i>Medicine (United States)</i> , 2021 , 100, e24757	1.8	0
190	Analysis of the relationship between periodontitis and osteoporosis/fractures: a cross-sectional study. <i>BMC Oral Health</i> , 2021 , 21, 125	3.7	4
189	Analysis of the relationship between asthma and benign prostatic hyperplasia: A STROBE-compliant study. <i>Medicine (United States)</i> , 2021 , 100, e25214	1.8	
188	Association between statin medication and hearing impairment in a national health screening cohort. <i>Scientific Reports</i> , 2021 , 11, 14388	4.9	1
187	The Effects of Previous Thyroid Disease on the Susceptibility to, Morbidity of, and Mortality Due to COVID-19: A Nationwide Cohort Study in South Korea. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1

186	Asthma, Allergic Rhinitis, and Atopic Dermatitis Incidence in Korean Adolescents before and after COVID-19. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	5
185	Effects of short- and long-term exposure to air pollution and meteorological factors on Meniere's disease. <i>Scientific Reports</i> , 2021 , 11, 16063	4.9	0
184	Association between Osteoporosis and Low Hemoglobin Levels: A Nested Case-Control Study Using a National Health Screening Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
183	Hearing Impairment Increases Economic Inequality. <i>Clinical and Experimental Otorhinolaryngology</i> , 2021 , 14, 278-286	3.4	9
182	Short- and long-term exposure to air pollution increases the risk of stroke. <i>International Journal of Stroke</i> , 2021 , 17474930211042118	6.3	1
181	Association between air pollution and chronic rhinosinusitis: a nested case-control study using meteorological data and national health screening cohort data. <i>Rhinology</i> , 2021 , 59, 451-459	7	0
180	α -adrenergic receptor expression and the effects of norepinephrine and propranolol on various head and neck cancer subtypes. <i>Oncology Letters</i> , 2021 , 22, 804	2.6	2
179	Changes in Dietary Habits and Exercise Pattern of Korean Adolescents from Prior to during the COVID-19 Pandemic. <i>Nutrients</i> , 2021 , 13,	6.7	2
178	Comparison of Stress and Suicide-Related Behaviors Among Korean Youths Before and During the COVID-19 Pandemic.. <i>JAMA Network Open</i> , 2021 , 4, e2136137	10.4	6
177	The Occurrence of Alzheimer's Disease and Parkinson's Disease in Individuals With Osteoporosis: A Longitudinal Follow-Up Study Using a National Health Screening Database in Korea.. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 786337	5.3	2
176	Psoriasis Increases the Risk of Sudden Sensorineural Hearing Loss: A Longitudinal Follow Up Study Using a National Sample Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
175	Relationship between Periodontitis and Glaucoma: A Cross-Sectional Study. <i>Journal of Ophthalmology</i> , 2020 , 2020, 1-7	2	
174	Obesity is positively related and tobacco smoking and alcohol consumption are negatively related to an increased risk of thyroid cancer. <i>Scientific Reports</i> , 2020 , 10, 19279	4.9	8
173	Analysis of the Relationship between Asthma and Coffee/Green Tea/Soda Intake. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
172	The association between high hygiene scores and allergic rhinitis in Korean adolescents. <i>International Forum of Allergy and Rhinology</i> , 2020 , 10, 1024-1030	6.3	1
171	Association between benign paroxysmal positional vertigo and osteoporosis: two nested case-control studies. <i>Osteoporosis International</i> , 2020 , 31, 2017-2024	5.3	5
170	Increased the risk of depression in patients with chronic rhinosinusitis without polyp: A longitudinal follow up study using a national sample cohort. <i>Medicine (United States)</i> , 2020 , 99, e20277	1.8	1
169	Bidirectional association between asthma and chronic rhinosinusitis: Two longitudinal follow-up studies using a national sample cohort. <i>Scientific Reports</i> , 2020 , 10, 9589	4.9	6

168	Increased risk of gallstones after appendectomy: A longitudinal follow-up study using a national sample cohort. <i>Medicine (United States)</i> , 2020 , 99, e20269	1.8	
167	Mortality and causes of death in a population with blindness in Korea: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2020 , 10, 4891	4.9	5
166	Increased risk of dementia after distal radius, hip, and spine fractures. <i>Medicine (United States)</i> , 2020 , 99, e19048	1.8	5
165	Air pollution by NO is associated with the risk of Bell's palsy: A nested case-controlled study. <i>Scientific Reports</i> , 2020 , 10, 4221	4.9	5
164	Bell's palsy and obesity, alcohol consumption and smoking: A nested case-control study using a national health screening cohort. <i>Scientific Reports</i> , 2020 , 10, 4248	4.9	28
163	The association between Bell's palsy and rheumatoid arthritis: A longitudinal study. <i>Medicine (United States)</i> , 2020 , 99, e19568	1.8	3
162	Reply to the Comment on Mortality and Cause of Death in Hearing Loss Participants: A Longitudinal Follow-Up Study Using a National Sample Cohort. <i>Otology and Neurotology</i> , 2020 , 41, 861-862	2.6	
161	Analysis of Chronic Periodontitis in Tonsillectomy Patients: A Longitudinal Follow-Up Study Using a National Health Screening Cohort. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 3663	2.6	6
160	Analysis of the Relation between Periodontitis and Chronic Gastritis/Peptic Ulcer: A Cross-Sectional Study Using KoGES HEXA Data. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	12
159	Analyzing the Association between Hyperuricemia and Periodontitis: A Cross-Sectional Study Using KoGES HEXA Data. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	6
158	Bone Regeneration Capability of 3D Printed Ceramic Scaffolds. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	24
157	Association between hysterectomy and depression: a longitudinal follow-up study using a national sample cohort. <i>Menopause</i> , 2020 , 27, 543-549	2.5	3
156	Reciprocal association between depression and peptic ulcers: Two longitudinal follow-up studies using a national sample cohort. <i>Scientific Reports</i> , 2020 , 10, 1749	4.9	1
155	Increased risk of herpes zoster in patients with peptic ulcers: A longitudinal follow-up study using a national sample cohort. <i>Medicine (United States)</i> , 2020 , 99, e19318	1.8	2
154	Total knee arthroplasty reduces the risk of mortality in osteoarthritis patients up to 12 years: A Korean national cohort longitudinal follow-up study. <i>Journal of Orthopaedic Surgery</i> , 2020 , 28, 2309499020902589	1.4	5
153	Smoking and Alcohol Consumption Are Associated With the Increased Risk of Peritonsillar Abscess. <i>Laryngoscope</i> , 2020 , 130, 2833-2838	3.6	2
152	Bidirectional association between GERD and asthma in children: two longitudinal follow-up studies using a national sample cohort. <i>Pediatric Research</i> , 2020 , 88, 320-324	3.2	4
151	Bidirectional relation between depression and sudden sensorineural hearing loss: Two longitudinal follow-up studies using a national sample cohort. <i>Scientific Reports</i> , 2020 , 10, 1482	4.9	7

150	Bidirectional analysis of the association between Ménière disease and depression: Two longitudinal follow-up studies using a national sample cohort. <i>Clinical Otolaryngology</i> , 2020 , 45, 687-694	1.8	4
149	Increased Risk of Chronic Periodontitis in Chronic Rhinosinusitis Patients: A Longitudinal Follow-Up Study Using a National Health-Screening Cohort. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
148	The association between sialolithiasis and smoking, alcohol drinking and obesity in Korea: a nested case-control study. <i>BMC Public Health</i> , 2020 , 20, 516	4.1	1
147	Association of nephrolithiasis with the risk of cardiovascular diseases: a longitudinal follow-up study using a national health screening cohort. <i>BMJ Open</i> , 2020 , 10, e040034	3	4
146	Association between Dyslipidemia and Chronic Rhinosinusitis in a Korean Population. <i>Diagnostics</i> , 2020 , 11,	3.8	1
145	Bidirectional association between psoriasis and depression: Two longitudinal follow-up studies using a national sample cohort. <i>Journal of Affective Disorders</i> , 2020 , 262, 126-132	6.6	6
144	Mortality and Cause of Death in Hearing Loss Participants: A Longitudinal Follow-up Study Using a National Sample Cohort. <i>Otology and Neurotology</i> , 2020 , 41, 25-32	2.6	4
143	Bidirectional Association Between GERD and Asthma: Two Longitudinal Follow-Up Studies Using a National Sample Cohort. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 1005-1013.e9	5.4	36
142	Association between depression and rheumatoid arthritis: two longitudinal follow-up studies using a national sample cohort. <i>Rheumatology</i> , 2020 , 59, 1889-1897	3.9	14
141	Hepatitis virus B and C infections are associated with an increased risk of non-Hodgkin lymphoma: A nested case-control study using a national sample cohort. <i>Journal of Medical Virology</i> , 2020 , 92, 1214-1220	19.7	2
140	Mortality and Cause of Death in Patients With Vertebral Fractures: A Longitudinal Follow-Up Study Using a National Sample Cohort. <i>Spine</i> , 2020 , 45, E280-E287	3.3	4
139	The association of asthma and its subgroups with osteoporosis: a cross-sectional study using KoGES HEXA data. <i>Allergy, Asthma and Clinical Immunology</i> , 2020 , 16, 84	3.2	2
138	Mortality and cause of death in physical activity and insufficient physical activity participants: a longitudinal follow-up study using a national health screening cohort. <i>BMC Public Health</i> , 2020 , 20, 1469	4.1	4
137	Asthma increases the risk of herpes zoster: a nested case-control study using a national sample cohort. <i>Allergy, Asthma and Clinical Immunology</i> , 2020 , 16, 52	3.2	2
136	Association between SSNHL and Thyroid Diseases. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
135	Relationship between Bell's Palsy and Previous Statin Use: A Case/Non-Case Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
134	Subjective oral health status in an adult Korean population with asthma or allergic rhinitis. <i>Medicine (United States)</i> , 2020 , 99, e22967	1.8	1
133	Cross-Sectional Analysis of the Association between Periodontitis and Cardiovascular Disease Using the Korean Genome and Epidemiology Study Data. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	8

132	Poor oral health is associated with asthma, allergic rhinitis, and atopic dermatitis in Korean adolescents: A cross-sectional study. <i>Medicine (United States)</i> , 2020 , 99, e21534	1.8	3
131	Association between Ménière disease and thyroid diseases: a nested case-control study. <i>Scientific Reports</i> , 2020 , 10, 18224	4.9	5
130	Peptic ulcer does not increase the risk of dementia: A nested case control study using a national sample cohort. <i>Medicine (United States)</i> , 2020 , 99, e21703	1.8	
129	Increased Risk of Migraine in Patients with Temporomandibular Disorder: A Longitudinal Follow-Up Study Using a National Health Screening Cohort. <i>Diagnostics</i> , 2020 , 10,	3.8	3
128	The Relation of Sudden Sensorineural Hearing Loss in Pediatric Patients With Recurrent Otitis Media: A Nested Case-control Study Using a National Sample Cohort. <i>Otology and Neurotology</i> , 2020 , 41, e836-e841	2.6	3
127	Association between neurodegenerative dementia and chronic rhinosinusitis: A nested case-control study using a national health screening cohort. <i>Medicine (United States)</i> , 2020 , 99, e22141	1.8	1
126	Association between Family Histories of Thyroid Cancer and Thyroid Cancer Incidence: A Cross-Sectional Study Using the Korean Genome and Epidemiology Study Data. <i>Genes</i> , 2020 , 11,	4.2	3
125	Blindness increases the risk for hip fracture and vertebral fracture but not the risk for distal radius fracture: a longitudinal follow-up study using a national sample cohort. <i>Osteoporosis International</i> , 2020 , 31, 2345-2354	5.3	3
124	Analysis of Mortality and Morbidity in COVID-19 Patients with Obesity Using Clinical Epidemiological Data from the Korean Center for Disease Control & Prevention. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	6
123	Rheumatoid arthritis and neurodegenerative dementia: a nested case-control study and a follow-up study using a national sample cohort. <i>Clinical Rheumatology</i> , 2020 , 39, 159-166	3.9	9
122	Reply. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 222, 93-94	6.4	
121	Herpes zoster does not increase the risk of sudden sensory neural hearing loss: a longitudinal follow-up study using a national sample cohort. <i>International Journal of Audiology</i> , 2020 , 59, 173-178	2.6	
120	Pregnancy Does Not Increase the Risk of Sudden Sensorineural Hearing Loss: A National Cohort Study. <i>Laryngoscope</i> , 2020 , 130, E237-E242	3.6	6
119	How rare is benign paroxysmal positional vertigo in children? A review of 20 cases and their epidemiology. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 132, 110008	1.7	4
118	Association between Herpes Zoster and Osteoporosis: A Nested Case-Control Study Using a National Sample Cohort. <i>BioMed Research International</i> , 2019 , 2019, 4789679	3	1
117	Tonsillectomy does not reduce asthma in children: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2019 , 9, 13382	4.9	3
116	Association Between Migraine and Benign Paroxysmal Positional Vertigo Among Adults in South Korea. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2019 , 145, 307-312	3.9	17
115	Increased risk of neurodegenerative dementia in women with migraines: A nested case-control study using a national sample cohort. <i>Medicine (United States)</i> , 2019 , 98, e14467	1.8	14

114	Association between chronic rhinosinusitis and osteoporosis: a case-control study using a national sample cohort. <i>International Forum of Allergy and Rhinology</i> , 2019 , 9, 1010-1016	6.3	2
113	Air pollution increases the risk of SSNHL: A nested case-control study using meteorological data and national sample cohort data. <i>Scientific Reports</i> , 2019 , 9, 8270	4.9	17
112	Increased risk of asthma in patients with rheumatoid arthritis: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2019 , 9, 6957	4.9	5
111	Association between Sleep Duration and Chronic Rhinosinusitis among the Korean General Adult Population: Korea National Health and Nutrition Examination Survey. <i>Scientific Reports</i> , 2019 , 9, 7158	4.9	2
110	Association of Air Pollution With Increased Risk of Peritonsillar Abscess Formation. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2019 , 145, 530-535	3.9	10
109	Increased risk of larynx cancer in patients with gastroesophageal reflux disease from a national sample cohort. <i>Clinical Otolaryngology</i> , 2019 , 44, 534-540	1.8	3
108	Increased risk of depression in Bell's palsy: Two longitudinal follow-up studies using a national sample cohort. <i>Journal of Affective Disorders</i> , 2019 , 251, 256-262	6.6	6
107	The association between hepatitis and osteoporosis: a nested case-control study using a national sample cohort. <i>Archives of Osteoporosis</i> , 2019 , 14, 34	2.9	3
106	Increased risk of osteoporosis with hysterectomy: A longitudinal follow-up study using a national sample cohort. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 573.e1-573.e13	6.4	11
105	Risk of ischaemic stroke in patients with migraine: a longitudinal follow-up study using a national sample cohort in South Korea. <i>BMJ Open</i> , 2019 , 9, e027701	3	12
104	Bidirectional association between gallstones and renal stones: Two longitudinal follow-up studies using a national sample cohort. <i>Scientific Reports</i> , 2019 , 9, 2620	4.9	3
103	Increased risk of appendectomy due to appendicitis after tonsillectomy in women: A longitudinal follow-up study using a national sample cohort. <i>Medicine (United States)</i> , 2019 , 98, e15579	1.8	1
102	Analysis of the Relationship between Adult Asthma and Stroke: A Longitudinal Follow-Up Study Using the Korean National Sample Cohort. <i>BioMed Research International</i> , 2019 , 2019, 8919230	3	10
101	Increased risk of psoriasis in patients with chronic rhinosinusitis without nasal polyps: a longitudinal follow-up study using Korean national sample cohort. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019 , 276, 3105-3111	3.5	2
100	Increased risk of osteoporosis in patients with peptic ulcer: a follow-up study using a national sample cohort. <i>Archives of Osteoporosis</i> , 2019 , 14, 105	2.9	3
99	Increased risk of psoriasis in children and elderly patients with asthma: a longitudinal follow-up study using a national sample cohort. <i>International Forum of Allergy and Rhinology</i> , 2019 , 9, 1304-1310	6.3	1
98	Nephrolithiasis predicts ischemic stroke: A longitudinal follow-up study using a national sample cohort. <i>International Journal of Medical Sciences</i> , 2019 , 16, 1050-1056	3.7	5
97	Tobacco Smoking and Alcohol Consumption Are Related to Benign Parotid Tumor: A Nested Case-Control Study Using a National Health Screening Cohort. <i>Clinical and Experimental Otorhinolaryngology</i> , 2019 , 12, 412-419	3.4	55

96	In-Depth, Proteomic Analysis of Nasal Secretions from Patients With Chronic Rhinosinusitis and Nasal Polyps. <i>Allergy, Asthma and Immunology Research</i> , 2019 , 11, 691-708	5.3	17
95	Risk of neurodegenerative dementia in asthma patients: a nested case-control study using a national sample cohort. <i>BMJ Open</i> , 2019 , 9, e030227	3	3
94	Evaluation of the increased risk of spine fracture in patients with mood disorder compared with matched controls: a longitudinal follow-up study using a national sample cohort in Korea. <i>BMJ Open</i> , 2019 , 9, e027581	3	
93	Mortality and cause of death in South Korean patients with Parkinson's disease: a longitudinal follow-up study using a national sample cohort. <i>BMJ Open</i> , 2019 , 9, e029776	3	9
92	Depression and incident hip fracture: A longitudinal follow-up study using a national sample cohort. <i>Medicine (United States)</i> , 2019 , 98, e16268	1.8	7
91	Increased risk of migraine in patients with psoriasis: A longitudinal follow up study using a national sample cohort. <i>Medicine (United States)</i> , 2019 , 98, e15370	1.8	6
90	Increased risk of lymphoid malignancy in patients with herpes zoster: a longitudinal follow-up study using a national cohort. <i>BMC Cancer</i> , 2019 , 19, 1148	4.8	2
89	Appendectomy and rheumatoid arthritis: A longitudinal follow-up study using a national sample cohort. <i>Medicine (United States)</i> , 2019 , 98, e17153	1.8	1
88	Mortality and cause of death in distal radius fracture patients: A longitudinal follow-up study using a national sample cohort. <i>Medicine (United States)</i> , 2019 , 98, e18604	1.8	3
87	Increased Risk of Benign Paroxysmal Positional Vertigo in Patients With a History of Sudden Sensory Neural Hearing Loss: A Longitudinal Follow-up Study Using a National Sample Cohort. <i>Otology and Neurotology</i> , 2019 , 40, e135-e141	2.6	10
86	Association between cholelithiasis and sialolithiasis: Two longitudinal follow-up studies. <i>Medicine (United States)</i> , 2019 , 98, e16153	1.8	5
85	The risk of herpes zoster virus infection in patients with depression: A longitudinal follow-up study using a national sample cohort. <i>Medicine (United States)</i> , 2019 , 98, e17430	1.8	13
84	IN RESPONSE TO LETTER TO THE EDITOR REGARDING: INCREASED RISK OF BENIGN PAROXYSMAL POSITIONAL VERTIGO IN PATIENTS WITH A HISTORY OF SUDDEN SENSORINEURAL HEARING LOSS BASED ON A LONGITUDINAL FOLLOW-UP STUDY USING A NATIONAL SAMPLE COHORT. <i>Otology and Neurotology</i> , 2019 , 40, 845-846	2.6	
83	Increased risk of Bell palsy in patient with migraine: A longitudinal follow-up study. <i>Medicine (United States)</i> , 2019 , 98, e15764	1.8	5
82	Increased risk of gallstones after gastrectomy: A longitudinal follow-up study using a national sample cohort in Korea. <i>Medicine (United States)</i> , 2019 , 98, e15932	1.8	6
81	Bidirectional association between asthma and migraines in adults: Two longitudinal follow-up studies. <i>Scientific Reports</i> , 2019 , 9, 18343	4.9	9
80	Increased risk of appendectomy in patients with asthma: A nested case-control study using a national sample cohort. <i>Medicine (United States)</i> , 2019 , 98, e17203	1.8	3
79	Migraine increases the proportion of sudden sensorineural hearing loss: A longitudinal follow-up study. <i>Auris Nasus Larynx</i> , 2019 , 46, 353-359	2.2	7

78	Dietary modification for laryngopharyngeal reflux: systematic review. <i>Journal of Laryngology and Otolaryngology</i> , 2019 , 133, 80-86	1.8	10
77	Association Between Asthma and Depression: A National Cohort Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 1239-1245.e1	5.4	22
76	Increased risk of sudden sensory neural hearing loss in patients with rheumatoid arthritis: a longitudinal follow-up study using a national sample cohort. <i>Clinical Rheumatology</i> , 2019 , 38, 683-689	3.9	12
75	Gastroesophageal reflux disease increases the risk of chronic rhinosinusitis: a nested case-control study using a national sample cohort. <i>International Forum of Allergy and Rhinology</i> , 2019 , 9, 357-362	6.3	13
74	Osteoporosis increases the risk of benign paroxysmal positional vertigo: a nested case-control study using a national sample cohort. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019 , 276, 335-342	3.5	14
73	Depressive Disorder in Thyroid Cancer Patients after Thyroidectomy: A Longitudinal Follow-up Study Using a National Cohort. <i>Otolaryngology - Head and Neck Surgery</i> , 2019 , 160, 239-245	5.5	11
72	Sudden sensory neural hearing loss is not predictive of myocardial infarction: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2018 , 8, 946	4.9	13
71	Visual impairment and risk of depression: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2018 , 8, 2083	4.9	44
70	Natural course of tonsillectomy pain: A prospective patient cohort study. <i>Auris Nasus Larynx</i> , 2018 , 45, 508-513	2.2	10
69	The association between sleep duration, sleep quality, and food consumption in adolescents: A cross-sectional study using the Korea Youth Risk Behavior Web-based Survey. <i>BMJ Open</i> , 2018 , 8, e022848	2.8	13
68	Adenoidectomy May Not Be Effective to Reduce the Number of Hospital Visits for Sinusitis. <i>Journal of Korean Medical Science</i> , 2018 , 33, e78	4.7	2
67	Mortality and cause of death postoperatively in patients with a hip fracture: a national cohort longitudinal follow-up study. <i>Bone and Joint Journal</i> , 2018 , 100-B, 436-442	5.6	23
66	Increased Risk of Sudden Sensory Neural Hearing Loss in Osteoporosis: A Longitudinal Follow-Up Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 3103-3109	5.6	9
65	Bidirectional association between gastroesophageal reflux disease and depression: Two different nested case-control studies using a national sample cohort. <i>Scientific Reports</i> , 2018 , 8, 11748	4.9	48
64	Active and passive smoking impacts on asthma with quantitative and temporal relations: A Korean Community Health Survey. <i>Scientific Reports</i> , 2018 , 8, 8614	4.9	14
63	Tonsillectomy increases the risk of retropharyngeal and parapharyngeal abscesses in adults, but not in children: A national cohort study. <i>PLoS ONE</i> , 2018 , 13, e0193913	3.7	5
62	Hearing impairment increases the risk of distal radius, hip, and spine fractures: A longitudinal follow-up study using a national sample cohort. <i>PLoS ONE</i> , 2018 , 13, e0192820	3.7	9
61	Chronic rhinosinusitis increases the risk of hemorrhagic and ischemic stroke: A longitudinal follow-up study using a national sample cohort. <i>PLoS ONE</i> , 2018 , 13, e0193886	3.7	7

60	Lack of sleep is associated with internet use for leisure. <i>PLoS ONE</i> , 2018 , 13, e0191713	3.7	18
59	Neck dissection does not increase the risk of stroke in thyroid cancer: A national cohort study. <i>PLoS ONE</i> , 2018 , 13, e0195074	3.7	2
58	Sudden Sensorineural Hearing Loss Predicts Ischemic Stroke: a Longitudinal Follow-Up Study. <i>Otology and Neurotology</i> , 2018 , 39, 964-969	2.6	16
57	Increased risk of appendectomy in patients with gastroesophageal reflux disease: A nested case-control study using a national sample cohort. <i>Medicine (United States)</i> , 2018 , 97, e13700	1.8	3
56	Lack of evidence that nephrolithiasis increases the risk of sialolithiasis: A longitudinal follow-up study using a national sample cohort. <i>PLoS ONE</i> , 2018 , 13, e0196659	3.7	2
55	Association between BMI for Obesity and Distress about Appearance in Korean Adolescents. <i>Journal of Korean Medical Science</i> , 2018 , 33, e150	4.7	1
54	Hearing impairment and the risk of neurodegenerative dementia: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2018 , 8, 15266	4.9	58
53	Hysterectomy does not increase the risk of hemorrhagic or ischemic stroke over a mean follow-up of 6 years: A longitudinal national cohort study. <i>Maturitas</i> , 2018 , 117, 11-16	5	2
52	Analysis of the Prevalence and Factors Associated with Nocturia in Adult Korean Men. <i>Scientific Reports</i> , 2017 , 7, 41714	4.9	11
51	Nocturia Is Associated with Slipping and Falling. <i>PLoS ONE</i> , 2017 , 12, e0169690	3.7	11
50	The associations between internet use time and school performance among Korean adolescents differ according to the purpose of internet use. <i>PLoS ONE</i> , 2017 , 12, e0174878	3.7	17
49	Depression in breast cancer patients who have undergone mastectomy: A national cohort study. <i>PLoS ONE</i> , 2017 , 12, e0175395	3.7	38
48	Severe hearing impairment and risk of depression: A national cohort study. <i>PLoS ONE</i> , 2017 , 12, e0179973	3.7	44
47	Atopic dermatitis is associated with active and passive cigarette smoking in adolescents. <i>PLoS ONE</i> , 2017 , 12, e0187453	3.7	13
46	Discrepancy between self-assessed hearing status and measured audiometric evaluation. <i>PLoS ONE</i> , 2017 , 12, e0182718	3.7	30
45	Sudden sensorineural hearing loss associated with inner ear lesions detected by magnetic resonance imaging. <i>PLoS ONE</i> , 2017 , 12, e0186038	3.7	21
44	Guidelines for the Surgical Management of Laryngeal Cancer: Korean Society of Thyroid-Head and Neck Surgery. <i>Clinical and Experimental Otorhinolaryngology</i> , 2017 , 10, 1-43	3.4	35
43	High Incidence of Bell's Palsy After Mastoidectomy: A Longitudinal Follow-up Study. <i>Otology and Neurotology</i> , 2017 , 38, 1517-1522	2.6	4

42	Leisure sedentary time is differentially associated with hypertension, diabetes mellitus, and hyperlipidemia depending on occupation. <i>BMC Public Health</i> , 2017 , 17, 278	4.1	17
41	Untreated head and neck cancer in Korea: a national cohort study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 1643-1650	3.5	10
40	The neutrophil-to-lymphocyte ratio in children with sudden sensorineural hearing loss: a retrospective study. <i>Acta Oto-Laryngologica</i> , 2017 , 137, 35-38	1.6	10
39	Active, passive, and electronic cigarette smoking is associated with asthma in adolescents. <i>Scientific Reports</i> , 2017 , 7, 17789	4.9	46
38	Physical Activity, Sedentary Habits, Sleep, and Obesity are Associated with Asthma, Allergic Rhinitis, and Atopic Dermatitis in Korean Adolescents. <i>Yonsei Medical Journal</i> , 2017 , 58, 1040-1046	3	31
37	Allergic rhinitis, atopic dermatitis, and asthma are associated with differences in school performance among Korean adolescents. <i>PLoS ONE</i> , 2017 , 12, e0171394	3.7	12
36	Analysis of the prevalence and associated factors of overactive bladder in adult Korean men. <i>PLoS ONE</i> , 2017 , 12, e0175641	3.7	12
35	Analysis of the prevalence of and factors associated with overactive bladder in adult Korean women. <i>PLoS ONE</i> , 2017 , 12, e0185592	3.7	11
34	High stress, lack of sleep, low school performance, and suicide attempts are associated with high energy drink intake in adolescents. <i>PLoS ONE</i> , 2017 , 12, e0187759	3.7	29
33	Association Between Obesity and Falls Among Korean Adults: A Population-Based Cross-Sectional Study. <i>Medicine (United States)</i> , 2016 , 95, e3130	1.8	15
32	A population-based study on the association between rheumatoid arthritis and voice problems. <i>Clinical Rheumatology</i> , 2016 , 35, 1873-8	3.9	7
31	Excessive Sleep and Lack of Sleep Are Associated With Slips and Falls in the Adult Korean Population: A Population-Based Cross-Sectional Study. <i>Medicine (United States)</i> , 2016 , 95, e2397	1.8	16
30	High-Fat and Low-Carbohydrate Diets Are Associated with Allergic Rhinitis But Not Asthma or Atopic Dermatitis in Children. <i>PLoS ONE</i> , 2016 , 11, e0150202	3.7	13
29	Olfactory Dysfunction Is Associated with the Intake of Macronutrients in Korean Adults. <i>PLoS ONE</i> , 2016 , 11, e0164495	3.7	14
28	Characteristics of Microbiology of Peritonsillar Abscess. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2016 , 59, 733	0.2	1
27	Tonsillectomy Does Not Reduce Upper Respiratory Infections: A National Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0169264	3.7	23
26	Dietary Habits Are Associated With School Performance in Adolescents. <i>Medicine (United States)</i> , 2016 , 95, e3096	1.8	37
25	Analysis of ingested foreign bodies according to age, type and location: a retrospective observational study. <i>Clinical Otolaryngology</i> , 2016 , 41, 640-645	1.8	19

24	Association between asthma and dysphonia: A population-based study. <i>Journal of Asthma</i> , 2016 , 53, 679-83	1.9	7
23	A high-fat diet is associated with otitis media with effusion. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015 , 79, 2327-31	1.7	7
22	Expression of hypoxic signaling markers in head and neck squamous cell carcinoma and its clinical significance. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 219-28	3.5	10
21	Low-fat and low-protein diets are associated with hearing discomfort among the elderly of Korea. <i>British Journal of Nutrition</i> , 2015 , 114, 1711-7	3.6	10
20	The Rates and Clinical Characteristics of Pneumolabyrinth in Temporal Bone Fracture. <i>Otology and Neurotology</i> , 2015 , 36, 1048-53	2.6	19
19	Evaluation of the prevalence of and factors associated with laryngeal diseases among the general population. <i>Laryngoscope</i> , 2015 , 125, 2536-42	3.6	32
18	Lipid profiles and obesity as potential risk factors of sudden sensorineural hearing loss. <i>PLoS ONE</i> , 2015 , 10, e0122496	3.7	26
17	Sleep Deprivation Is Associated with Bicycle Accidents and Slip and Fall Injuries in Korean Adolescents. <i>PLoS ONE</i> , 2015 , 10, e0135753	3.7	18
16	Analysis of Predisposing Factors for Hearing Loss in Adults. <i>Journal of Korean Medical Science</i> , 2015 , 30, 1175-82	4.7	24
15	Physical Activity, Study Sitting Time, Leisure Sitting Time, and Sleep Time Are Differently Associated With Obesity in Korean Adolescents: A Population-Based Study. <i>Medicine (United States)</i> , 2015 , 94, e1965	1.8	14
14	Transbuccal sonographic evaluation of the local extent of tumors of the tongue with pathological correlation. <i>Journal of Clinical Ultrasound</i> , 2015 , 43, 412-6	1	2
13	Analysis of various risk factors predisposing subjects to allergic rhinitis. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2015 , 33, 143-51	5.4	14
12	Analysis of the prevalence and associated risk factors of tinnitus in adults. <i>PLoS ONE</i> , 2015 , 10, e0127578	3.7	136
11	Prevalence and Associated Factors of Subjective Halitosis in Korean Adolescents. <i>PLoS ONE</i> , 2015 , 10, e0140214	3.7	16
10	Influences of demographic changes and medical insurance status on tonsillectomy and adenoidectomy rates in Korea. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 2293-8	3.5	11
9	Characteristics of rib cartilage calcification in Asian patients. <i>JAMA Facial Plastic Surgery</i> , 2014 , 16, 102-6	3.2	11
8	Increasing thyroid cancer rate and the extent of thyroid surgery in Korea. <i>PLoS ONE</i> , 2014 , 9, e113464	3.7	12
7	Analysis of incidence and genetic predisposition of preauricular sinus. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2014 , 78, 2255-7	1.7	9

6	Analysis of the prevalence of and risk factors for tinnitus in a young population. <i>Otology and Neurotology</i> , 2014 , 35, 1218-22	2.6	36
5	Ductal variation of the sublingual gland: a predisposing factor for ranula formation. <i>Head and Neck</i> , 2014 , 36, 540-4	4.2	18
4	Comparisons of Three Indicators for Frey's Syndrome: Subjective Symptoms, Minor's Starch Iodine Test, and Infrared Thermography. <i>Clinical and Experimental Otorhinolaryngology</i> , 2013 , 6, 249-53	3.4	11
3	Role of surgical management in temporal bone fibrous dysplasia. <i>Acta Oto-Laryngologica</i> , 2009 , 129, 1374-9	1.6	19
2	The implication of sleep position in the evaluation of surgical outcomes in obstructive sleep apnea. <i>Otolaryngology - Head and Neck Surgery</i> , 2009 , 140, 531-5	5.5	34
1	Unilateral sensorineural hearing loss in children: the importance of temporal bone computed tomography and audiometric follow-up. <i>Otology and Neurotology</i> , 2009 , 30, 604-8	2.6	50