

# Fulvio Basolo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7974484/fulvio-basolo-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

350  
papers

16,980  
citations

68  
h-index

117  
g-index

366  
ext. papers

18,947  
ext. citations

5.3  
avg, IF

5.9  
L-index

#	Paper	IF	Citations
350	Adipose tissue in COVID-19: detection of SARS-CoV-2 in adipocytes and activation of the interferon-alpha response.. <i>Journal of Endocrinological Investigation</i> , <b>2022</b> , 45, 1021	5.2	0
349	Down-regulation of miR-7-5p and miR-548ar-5p predicts malignancy in indeterminate thyroid nodules negative for BRAF and RAS mutations.. <i>Endocrine</i> , <b>2022</b> , 1	4	0
348	Salvage total thyroidectomy for amiodarone-induced thyrotoxicosis in a SARS-CoV-2 positive patient: results of the viral genome research on the pathology sample of this destructive thyroiditis.. <i>Endocrine</i> , <b>2022</b> , 1	4	0
347	Core Needle Biopsy Can Early and Precisely Identify Large Thyroid Masses.. <i>Frontiers in Oncology</i> , <b>2022</b> , 12, 854755	5.3	2
346	Bilateral testicular metastases of MTC in an adult male with MEN2A syndrome: case report and review of literature.. <i>European Thyroid Journal</i> , <b>2022</b> ,	4.2	
345	Intestinal Ischemia: Unusual but Fearsome Complication of COVID-19 Infection. <i>Biomedicines</i> , <b>2022</b> , 10, 1010	4.8	0
344	Role of the mononuclear cell infiltrate in GravesOrbitopathy (GO): results of a large cohort study. <i>Journal of Endocrinological Investigation</i> , <b>2021</b> , 1	5.2	3
343	Molecular Genetics of Follicular-Derived Thyroid Cancer. <i>Cancers</i> , <b>2021</b> , 13,	6.6	6
342	Tall cell percentage alone in PTC without aggressive features should not guide patientsQclinical management. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e4109-e4117	5.6	1
341	Whole Tumor Capsule Is Prognostic of Very Good Outcome in the Classical Variant of Papillary Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e4072-e4083	5.6	3
340	Molecular Alterations in Relation to Histopathological Characteristics in a Large Series of Pediatric Papillary Thyroid Carcinoma from a Single Institution. <i>Cancers</i> , <b>2021</b> , 13,	6.6	5
339	Do Patients With Atypical Parathyroid Adenoma Need Close Follow-up?. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e4565-e4579	5.6	0
338	COVID-19 autopsy cases: detection of virus in endocrine tissues. <i>Journal of Endocrinological Investigation</i> , <b>2021</b> , 1	5.2	19
337	Developing a tool that could reliably refute total thyroidectomy for solitary Bethesda IV thyroid nodules. <i>Updates in Surgery</i> , <b>2021</b> , 73, 281-288	2.9	1
336	Using The Cancer Genome Atlas data to refine the 8th edition of the American Joint Committee on Cancer staging for papillary thyroid carcinoma. <i>Endocrine</i> , <b>2021</b> , 72, 140-146	4	2
335	Genetic Profiling of Orbital Fibroblasts from Patients with GravesQOrbitopathy. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e2176-e2190	5.6	4
334	RET mutated C-cells proliferate more rapidly than non-mutated neoplastic cells. <i>Endocrine Connections</i> , <b>2021</b> , 10, 124-130	3.5	0

333	Gene expression profile in metastatic and non-metastatic parathyroid carcinoma. <i>Endocrine-Related Cancer</i> , <b>2021</b> , 28, 111-134	5.7	5
332	Histological pattern and gene expression profiling of thyroid tissue in subjects with obesity. <i>Journal of Endocrinological Investigation</i> , <b>2021</b> , 1	5.2	6
331	Identification of Two Different Phenotypes of Patients with Amiodarone-Induced Thyrotoxicosis and Positive Thyrotropin Receptor Antibody Tests. <i>Thyroid</i> , <b>2021</b> , 31, 1463-1471	6.2	2
330	Activation of Type I and Type II Interferon signaling in SARS-CoV-2-positive thyroid tissue of patients dying from COVID-19. <i>Thyroid</i> , <b>2021</b> ,	6.2	7
329	A pandemic recap: lessons we have learned. <i>World Journal of Emergency Surgery</i> , <b>2021</b> , 16, 46	9.2	4
328	Fenotipo misto MEN2A/MEN2B da nuova mutazione germinale di RET: prima descrizione clinico-genetica e iconografia. <i>L Endocrinologo</i> , <b>2020</b> , 21, 387-388	0	
327	NanoString in the screening of genetic abnormalities associated with thyroid cancer. <i>Seminars in Cancer Biology</i> , <b>2020</b> , 79, 132-132	12.7	3
326	Thyroglobulin Changes are Highly Dependent on TSH in Low-risk DTC Patients not Treated with Radioiodine. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	2
325	Outcome of classical (CVPTC) and follicular (FVPTC) variants of papillary thyroid cancer: 15 years of follow-up. <i>Endocrine</i> , <b>2020</b> , 68, 607-616	4	6
324	Management of Peritoneal Carcinomatosis With Cytoreductive Surgery Combined With Intraperitoneal Chemohyperthermia at a Novel Italian Center. <i>In Vivo</i> , <b>2020</b> , 34, 2061-2066	2.3	
323	Exploring the Inter-observer Agreement Among the Members of the Italian Consensus for the Classification and Reporting of Thyroid Cytology. <i>Endocrine Pathology</i> , <b>2020</b> , 31, 301-306	4.2	2
322	Noninvasive follicular neoplasm with papillary-like nuclear features (NIFTP): a new entity. <i>Gland Surgery</i> , <b>2020</b> , 9, S47-S53	2.2	2
321	MON-524 Prospective Evaluation of Patients with Encapsulated Classical Variant of Papillary Thyroid Cancer and Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features (NIFTP): Have They A Similar Prognosis?. <i>Journal of the Endocrine Society</i> , <b>2020</b> , 4,	0.4	78
320	Impact of Advanced Age on the Clinical Presentation and Outcome of Sporadic Medullary Thyroid Carcinoma. <i>Cancers</i> , <b>2020</b> , 13,	6.6	4
319	Role of Prophylactic Central Compartment Lymph Node Dissection on the Outcome Of Patients With Papillary Thyroid Carcinoma and Synchronous Ipsilateral Cervical Lymph Node Metastases. <i>Endocrine Practice</i> , <b>2020</b> , 26, 807-817	3.2	3
318	Active Surveillance in Papillary Thyroid Microcarcinomas is Feasible and Safe: Experience at a Single Italian Center. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	43
317	Digital Gene Expression Analysis on Cytology Smears Can Rule Out Malignancy in Follicular-Patterned Thyroid Tumors. <i>Journal of Molecular Diagnostics</i> , <b>2020</b> , 22, 179-187	5.1	1
316	Potential Impact of BMI on the Aggressiveness of Presentation and Clinical Outcome of Differentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	13

315	Immune Transcriptome of Cells Infected with Enterovirus Strains Obtained from Cases of Type 1 Diabetes. <i>Microorganisms</i> , <b>2020</b> , 8,	4.9	9
314	A New MEN2 Syndrome with Clinical Features of Both MEN2A and MEN2B Associated with a New Germline Deletion. <i>Case Reports in Endocrinology</i> , <b>2020</b> , 2020, 4147097	1.2	0
313	DELAYED 131-I FIRST TREATMENT AFTER SURGERY HAS NO IMPACT ON THE MEDIAN TERM OUTCOME OF PATIENTS WITH INTERMEDIATE RISK DIFFERENTIATED THYROID CANCER. <i>Endocrine Practice</i> , <b>2020</b> , 26, 58-71	3.2	5
312	Genetic Landscape of Somatic Mutations in a Large Cohort of Sporadic Medullary Thyroid Carcinomas Studied by Next-Generation Targeted Sequencing. <i>iScience</i> , <b>2019</b> , 20, 324-336	6.1	48
311	BRAF mutation: a potential predictor of more than a Sistrunk procedure in patients with thyroglossal duct cyst carcinoma and a normal thyroid gland. <i>Updates in Surgery</i> , <b>2019</b> , 71, 701-704	2.9	5
310	A microRNA signature for the differential diagnosis of salivary gland tumors. <i>PLoS ONE</i> , <b>2019</b> , 14, e0210968	3.6	9
309	Fifty Years After the First Description, MEN 2B Syndrome Diagnosis Is Still Late: Descriptions of Two Recent Cases. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 2520-2526	5.6	11
308	Junctional adhesion molecule-A is down-regulated in anaplastic thyroid carcinomas and reduces cancer cell aggressiveness by modulating p53 and GSK3 pathways. <i>Molecular Carcinogenesis</i> , <b>2019</b> , 58, 1181-1193	5	13
307	miR-650 promotes motility of anaplastic thyroid cancer cells by targeting PPP2CA. <i>Endocrine</i> , <b>2019</b> , 65, 582-594	4	15
306	Immune Profiling of Thyroid Carcinomas Suggests the Existence of Two Major Phenotypes: An ATC-Like and a PDC-Like. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 3557-3575	5.6	24
305	A Case of Unilateral Dermopathy Possibly Related to Graves Disease. <i>European Thyroid Journal</i> , <b>2019</b> , 8, 278-282	4.2	1
304	Sudden death in a case of recurrent Takotsubo syndrome. <i>Forensic Science, Medicine, and Pathology</i> , <b>2019</b> , 15, 595	1.5	7
303	Association between DNA methylation profile and malignancy in follicular-patterned thyroid neoplasms. <i>Endocrine-Related Cancer</i> , <b>2019</b> , 26, 451-462	5.7	4
302	somatic mutations strongly impair miRNA processing even in benign thyroid lesions. <i>Oncotarget</i> , <b>2019</b> , 10, 1785-1797	3.3	12
301	Myofibroblast Gene Expression Profile after Tooth Extraction in the Rabbit. <i>Materials</i> , <b>2019</b> , 12,	3.5	8
300	The Molecular Signature More Than the Site of Localization Defines the Origin of the Malignancy. <i>Frontiers in Oncology</i> , <b>2019</b> , 9, 1390	5.3	3
299	mRNA and miRNA expression profiling of follicular variant of papillary thyroid carcinoma with and without distant metastases. <i>Molecular and Cellular Endocrinology</i> , <b>2019</b> , 479, 93-102	4.4	5
298	The mutational analysis in the diagnostic work-up of thyroid nodules: the real impact in a center with large experience in thyroid cytopathology. <i>Journal of Endocrinological Investigation</i> , <b>2019</b> , 42, 157-166	5.2	14

297	Association of T and B Cells Infiltrating Orbital Tissues With Clinical Features of Graves Orbitopathy. <i>JAMA Ophthalmology</i> , <b>2018</b> , 136, 613-619	3.9	31
296	A six-gene panel to label follicular adenoma, low- and high-risk follicular thyroid carcinoma. <i>Endocrine Connections</i> , <b>2018</b> , 7, 124-132	3.5	11
295	Analysis of circulating tumor DNA does not improve the clinical management of patients with locally advanced and metastatic papillary thyroid carcinoma. <i>Head and Neck</i> , <b>2018</b> , 40, 1752-1758	4.2	15
294	Hippo pathway affects survival of cancer patients: extensive analysis of TCGA data and review of literature. <i>Scientific Reports</i> , <b>2018</b> , 8, 10623	4.9	13
293	Italian consensus on diagnosis and treatment of differentiated thyroid cancer: joint statements of six Italian societies. <i>Journal of Endocrinological Investigation</i> , <b>2018</b> , 41, 849-876	5.2	95
292	Patients with Indeterminate Thyroid Nodules at Cytology and Cancer at Histology Have a More Favorable Outcome Compared with Patients with Suspicious or Malignant Cytology. <i>Thyroid</i> , <b>2018</b> , 28, 1318-1324	6.2	2
291	TERT promoter mutations and their correlation with BRAF and RAS mutations in a consecutive cohort of 145 thyroid cancer cases. <i>Oncology Letters</i> , <b>2018</b> , 15, 2763-2770	2.6	9
290	A dual mechanism of activation of the Sonic Hedgehog pathway in anaplastic thyroid cancer: crosstalk with RAS-BRAF-MEK pathway and ligand secretion by tumor stroma. <i>Oncotarget</i> , <b>2018</b> , 9, 4496-4510	3.3	13
289	Current methodologies for molecular screening of thyroid nodules. <i>Gland Surgery</i> , <b>2018</b> , 7, S1-S7	2.2	3
288	Diagnosis of post-surgical fine-needle aspiration biopsies of thyroid lesions with indeterminate cytology using HRMAS NMR-based metabolomics. <i>Metabolomics</i> , <b>2018</b> , 14, 141	4.7	14
287	RET mutation heterogeneity in primary advanced medullary thyroid cancers and their metastases. <i>Oncotarget</i> , <b>2018</b> , 9, 9875-9884	3.3	16
286	Molecular testing in the diagnosis of differentiated thyroid carcinomas. <i>Gland Surgery</i> , <b>2018</b> , 7, S19-S29	2.2	22
285	Clinical, pathological and genetic features of anaplastic and poorly differentiated thyroid cancer: A single institute experience. <i>Oncology Letters</i> , <b>2018</b> , 15, 9174-9182	2.6	14
284	Changing Trend of Thyroglobulin Antibodies in Patients With Differentiated Thyroid Cancer Treated With Total Thyroidectomy Without I Ablation. <i>Thyroid</i> , <b>2018</b> , 28, 871-879	6.2	21
283	Cell differentiation in cardiac myxomas: confocal microscopy and gene expression analysis after laser capture microdissection. <i>Heart and Vessels</i> , <b>2018</b> , 33, 1403-1410	2.1	1
282	Loss of p27 expression is associated with MEN1 gene mutations in sporadic parathyroid adenomas. <i>Endocrine</i> , <b>2017</b> , 55, 386-397	4	28
281	BRAF Mutation in a Follicular Thyroid Adenoma: A Case Report. <i>International Journal of Surgical Pathology</i> , <b>2017</b> , 25, 348-351	1.2	13
280	Immunohistochemistry as an accurate tool for evaluating BRAF-V600E mutation in 130 samples of papillary thyroid cancer. <i>Surgery</i> , <b>2017</b> , 161, 1122-1128	3.6	22

279	Synergistic efficacy of irinotecan and sunitinib combination in preclinical models of anaplastic thyroid cancer. <i>Cancer Letters</i> , <b>2017</b> , 411, 35-43	9.9	19
278	Low frequency of TERT promoter mutations in a series of well-differentiated follicular-patterned thyroid neoplasms. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2017</b> , 471, 769-773	5.1	10
277	MicroRNA-based molecular classification of papillary thyroid carcinoma. <i>International Journal of Oncology</i> , <b>2017</b> , 50, 1767-1777	4.4	55
276	Consistency and reproducibility of next-generation sequencing and other multigene mutational assays: A worldwide ring trial study on quantitative cytological molecular reference specimens. <i>Cancer Cytopathology</i> , <b>2017</b> , 125, 615-626	3.9	43
275	Differences in miRNA expression profiles between wild-type and mutated NIFTPs. <i>Endocrine-Related Cancer</i> , <b>2017</b> , 24, 543-553	5.7	11
274	Anaplastic thyroid carcinoma: from clinicopathology to genetics and advanced therapies. <i>Nature Reviews Endocrinology</i> , <b>2017</b> , 13, 644-660	15.2	208
273	KIF5B/RET Rearrangement in a Carcinoma of the Thyroid Gland: A Case Report of a Fatal Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 3091-3096	5.6	2
272	Role of YAP-1 in Thyroid Tumor Progression and Outcome. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2017</b> , 25, 581-585	1.9	7
271	The Molecular Landscape of Noninvasive Follicular Thyroid Neoplasm With Papillary-like Nuclear Features (NIFTP): A Literature Review. <i>Advances in Anatomic Pathology</i> , <b>2017</b> , 24, 252-258	5.1	23
270	Aggressive differentiated thyroid cancer with multiple metastases and NRAS and TERT promoter mutations: A case report. <i>Oncology Letters</i> , <b>2017</b> , 14, 2186-2190	2.6	1
269	Identification of Two Distinct Molecular Subtypes of Non-Invasive Follicular Neoplasm with Papillary-Like Nuclear Features by Digital RNA Counting. <i>Thyroid</i> , <b>2017</b> , 27, 1267-1276	6.2	25
268	Low Elasticity of Thyroid Nodules on Ultrasound Elastography Is Correlated with Malignancy, Degree of Fibrosis, and High Expression of Galectin-3 and Fibronectin-1. <i>Thyroid</i> , <b>2017</b> , 27, 103-110	6.2	24
267	Classical point mutations of RET, BRAF and RAS oncogenes are not shared in papillary and medullary thyroid cancer occurring simultaneously in the same gland. <i>Journal of Endocrinological Investigation</i> , <b>2017</b> , 40, 55-62	5.2	17
266	miRNA expression profiling of noninvasive follicular thyroid neoplasms with papillary-like nuclear features compared with adenomas and infiltrative follicular variants of papillary thyroid carcinomas. <i>Modern Pathology</i> , <b>2017</b> , 30, 39-51	9.8	53
265	Human $\alpha$ -L-fucosidase-1 attenuates the invasive properties of thyroid cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 27075-27092	3.7	27
264	Lipomatous hamartoma-like lesion of a bicuspid aortic valve: an incidental surgical finding. <i>Cardiovascular Pathology</i> , <b>2016</b> , 25, 500-502	3.8	
263	Papillary Thyroid Carcinoma With Rare Exon 15 BRAF Mutation Has Indolent Behavior: A Single-Institution Experience. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 4413-4420	5.6	38
262	Indeterminate Single Thyroid Nodule: Synergistic Impact of Mutational Markers and Sonographic Features in Triaging Patients to Appropriate Surgery. <i>Thyroid</i> , <b>2016</b> , 26, 390-4	6.2	18

261	Differential Clinicopathological Risk and Prognosis of Major Papillary Thyroid Cancer Variants. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 264-74	5.6	144
260	The RET/PTC-RAS-BRAF linear signaling cascade mediates the motile and mitogenic phenotype of thyroid cancer cells. <i>Journal of Clinical Investigation</i> , <b>2016</b> , 126, 1603	15.9	6
259	Intimal Sarcoma of the Descending Aorta Mimicking Aortitis. <i>Aorta</i> , <b>2016</b> , 4, 142-145	0.9	5
258	TWIST1/miR-584/TUSC2 pathway induces resistance to apoptosis in thyroid cancer cells. <i>Oncotarget</i> , <b>2016</b> , 7, 70575-70588	3.3	22
257	A loss-of-function genetic screening identifies novel mediators of thyroid cancer cell viability. <i>Oncotarget</i> , <b>2016</b> , 7, 28510-22	3.3	12
256	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP): A changing paradigm in thyroid surgical pathology and implications for thyroid cytopathology. <i>Cancer Cytopathology</i> , <b>2016</b> , 124, 616-20	3.9	91
255	Role of gene expression profiling in defining indeterminate thyroid nodules in addition to BRAF analysis. <i>Cancer Cytopathology</i> , <b>2016</b> , 124, 340-9	3.9	14
254	New insights in the molecular signature of advanced medullary thyroid cancer: evidence of a bad outcome of cases with double mutations. <i>Journal of Medical Genetics</i> , <b>2016</b> , 53, 729-734	5.8	38
253	Metastasis of renal cell carcinoma to the parathyroid gland 16 years after radical nephrectomy: A case report. <i>Oncology Letters</i> , <b>2016</b> , 12, 3224-3228	2.6	5
252	Incidental and Non-incidental thyroid papillary microcarcinomas are two different entities. <i>European Journal of Endocrinology</i> , <b>2016</b> , 174, 813-20	6.5	5
251	Cytological features of "noninvasive follicular thyroid neoplasm with papillary-like nuclear features" and their correlation with tumor histology. <i>Human Pathology</i> , <b>2016</b> , 54, 134-42	3.7	163
250	Nomenclature Revision for Encapsulated Follicular Variant of Papillary Thyroid Carcinoma: A Paradigm Shift to Reduce Overtreatment of Indolent Tumors. <i>JAMA Oncology</i> , <b>2016</b> , 2, 1023-9	13.4	895
249	Molecular genetic features and risk assessment in a series of 30 patients who underwent an operation for gastrointestinal stromal tumours. <i>South African Journal of Surgery</i> , <b>2016</b> , 54, 23-27	0.4	1
248	Prophylactic central compartment lymph node dissection in papillary thyroid carcinoma: clinical implications derived from the first prospective randomized controlled single institution study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 1316-24	5.6	167
247	Elevated level of serum carbohydrate antigen 19.9 as predictor of mortality in patients with advanced medullary thyroid cancer. <i>European Journal of Endocrinology</i> , <b>2015</b> , 173, 297-304	6.5	23
246	Coexistence of TERT promoter and BRAF mutations in cutaneous melanoma is associated with more clinicopathological features of aggressiveness. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2015</b> , 467, 177-84	5.1	49
245	Twenty years of lesson learning: how does the RET genetic screening test impact the clinical management of medullary thyroid cancer?. <i>Clinical Endocrinology</i> , <b>2015</b> , 82, 892-9	3.4	41
244	Role of NRAS mutations as prognostic and predictive markers in metastatic colorectal cancer. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 83-90	7.5	92

243	A nonfunctioning parathyroid carcinoma misdiagnosed as a follicular thyroid nodule. <i>World Journal of Surgical Oncology</i> , <b>2015</b> , 13, 270	3.4	13
242	Digital gene expression profiling of a series of cytologically indeterminate thyroid nodules. <i>Cancer Cytopathology</i> , <b>2015</b> , 123, 461-70	3.9	10
241	BRAF mutation status in papillary thyroid carcinoma: significance for surgical strategy. <i>Langenbeck's Archives of Surgery</i> , <b>2014</b> , 399, 225-8	3.4	11
240	E-selectin expression and BRAF status in papillary thyroid carcinomas: Correlation with clinicopathologic features. <i>Surgery</i> , <b>2014</b> , 156, 1550-7; discussion 1557-8	3.6	3
239	b-Gamma-glutamyltransferase activity in human vulnerable carotid plaques. <i>Atherosclerosis</i> , <b>2014</b> , 237, 307-13	3.1	16
238	Italian consensus for the classification and reporting of thyroid cytology. <i>Journal of Endocrinological Investigation</i> , <b>2014</b> , 37, 593-9	5.2	225
237	The large majority of 1520 patients with indeterminate thyroid nodule at cytology have a favorable outcome, and a clinical risk score has a high negative predictive value for a more cumbersome cancer disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, 3700-7	5.6	36
236	Identification of targets of Twist1 transcription factor in thyroid cancer cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, E1617-26	5.6	20
235	and genotyping of synchronous colorectal carcinomas. <i>Oncology Letters</i> , <b>2014</b> , 7, 1532-1536	2.6	5
234	FoxP3 expression in papillary thyroid carcinoma: a possible resistance biomarker to iodine 131 treatment. <i>Thyroid</i> , <b>2014</b> , 24, 339-46	6.2	15
233	First evidence of TRPV5 and TRPV6 channels in human parathyroid glands: possible involvement in neoplastic transformation. <i>Journal of Cellular and Molecular Medicine</i> , <b>2014</b> , 18, 1944-52	5.6	7
232	Molecular characterization of 54 cases of false-negative fine-needle aspiration among 1347 papillary thyroid carcinomas. <i>Cancer Cytopathology</i> , <b>2014</b> , 122, 751-9	3.9	15
231	Prevalence of thyroid cancer in multinodular goiter versus single nodule: iodine intake and cancer phenotypes. <i>Thyroid</i> , <b>2014</b> , 24, 604-5	6.2	2
230	EGFR ligands as pharmacodynamic biomarkers in metastatic colorectal cancer patients treated with cetuximab and irinotecan. <i>Targeted Oncology</i> , <b>2014</b> , 9, 205-14	5	22
229	Molecular diagnostics of fine needle aspiration for the presurgical screening of thyroid nodules. <i>Current Genomics</i> , <b>2014</b> , 15, 171-7	2.6	12
228	Incidental versus clinically evident thyroid cancer: a 5-year follow-up study. <i>Head and Neck</i> , <b>2013</b> , 35, 408-12	4.2	5
227	Antiproliferative and proapoptotic activity of sunitinib on endothelial and anaplastic thyroid cancer cells via inhibition of Akt and ERK1/2 phosphorylation and by down-regulation of cyclin-D1. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, E1465-73	5.6	30
226	Aryl hydrocarbon receptor interacting protein (AIP) mutations occur rarely in sporadic parathyroid adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 2800-10	5.6	20

225	KIF5B/RET fusion gene analysis in a selected series of cytological specimens of EGFR, KRAS and EML4-ALK wild-type adenocarcinomas of the lung. <i>Lung Cancer</i> , <b>2013</b> , 81, 377-381	5.9	7
224	Evidence of a low prevalence of RAS mutations in a large medullary thyroid cancer series. <i>Thyroid</i> , <b>2013</b> , 23, 50-7	6.2	126
223	Ponatinib (AP24534) is a novel potent inhibitor of oncogenic RET mutants associated with thyroid cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, E811-9	5.6	66
222	CDC73 mutational status and loss of parafibromin in the outcome of parathyroid cancer. <i>Endocrine Connections</i> , <b>2013</b> , 2, 186-95	3.5	58
221	Medullary thyroid cancer secreting carbohydrate antigen 19-9 (Ca 19-9): a fatal case report. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 3550-4	5.6	20
220	Presence in the pre-surgical fine-needle aspiration of potential thyroid biomarkers previously identified in the post-surgical one. <i>PLoS ONE</i> , <b>2013</b> , 8, e72911	3.7	17
219	Ectopic expression of FSH receptor isoforms in neoplastic but not in endothelial cells from pancreatic neuroendocrine tumors. <i>Journal of Endocrinological Investigation</i> , <b>2013</b> , 36, 174-9	5.2	10
218	Follicular-derived neoplasms: morphometric and genetic differences. <i>Journal of Endocrinological Investigation</i> , <b>2013</b> , 36, 1055-61	5.2	7
217	Minimally invasive video-assisted thyroidectomy: an analysis of results and a revision of indications. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2012</b> , 26, 818-22	5.2	48
216	Toward the reliable diagnosis of indeterminate thyroid lesions: a HRMAS NMR-based metabolomics case of study. <i>Journal of Proteome Research</i> , <b>2012</b> , 11, 3317-25	5.6	35
215	Chromosome 10 and RET gene copy number alterations in hereditary and sporadic Medullary Thyroid Carcinoma. <i>Molecular and Cellular Endocrinology</i> , <b>2012</b> , 348, 176-82	4.4	15
214	Variable modulation by cytokines and thiazolidinediones of the prototype Th1 chemokine CXCL10 in anaplastic thyroid cancer. <i>Cytokine</i> , <b>2012</b> , 59, 218-22	4	21
213	Low prevalence of the somatic M918T RET mutation in micro-medullary thyroid cancer. <i>Thyroid</i> , <b>2012</b> , 22, 476-81	6.2	49
212	Metabolomics approach to thyroid nodules: a high-resolution magic-angle spinning nuclear magnetic resonance-based study. <i>Surgery</i> , <b>2012</b> , 152, 1118-24	3.6	35
211	A proteomic profile of washing fluid from the colorectal tract to search for potential biomarkers of colon cancer. <i>Molecular BioSystems</i> , <b>2012</b> , 8, 1088-99		19
210	Proteomic approach used in the diagnosis of Riedel's thyroiditis: a case report. <i>Journal of Medical Case Reports</i> , <b>2012</b> , 6, 103	1.2	1
209	The BRAF(V600E) mutation is an independent, poor prognostic factor for the outcome of patients with low-risk intrathyroid papillary thyroid carcinoma: single-institution results from a large cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 4390-8	5.6	175
208	Thyroglobulin autoantibodies in patients with papillary thyroid carcinoma: comparison of different assays and evaluation of causes of discrepancies. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 3974-82	5.6	41

207	CXCR4 expression correlates with the degree of tumor infiltration and BRAF status in papillary thyroid carcinomas. <i>Modern Pathology</i> , <b>2012</b> , 25, 46-55	9.8	30
206	The timing of total thyroidectomy in RET gene mutation carriers could be personalized and safely planned on the basis of serum calcitonin: 18 years experience at one single center. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 426-35	5.6	96
205	Lymphocytic thyroiditis on histology correlates with serum thyroglobulin autoantibodies in patients with papillary thyroid carcinoma: impact on detection of serum thyroglobulin. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 2380-7	5.6	53
204	FOXM1 is a molecular determinant of the mitogenic and invasive phenotype of anaplastic thyroid carcinoma. <i>Endocrine-Related Cancer</i> , <b>2012</b> , 19, 695-710	5.7	26
203	A case of metastatic haemangiopericytoma to the thyroid gland: Case report and literature review. <i>Oncology Letters</i> , <b>2012</b> , 3, 1255-1258	2.6	4
202	Genetic markers to discriminate benign and malignant thyroid nodules with undetermined cytology in an area of borderline iodine deficiency. <i>Journal of Endocrinological Investigation</i> , <b>2012</b> , 35, 754-9	5.2	4
201	Effects of esomeprazole on healing of nonsteroidal anti-inflammatory drug (NSAID)-induced gastric ulcers in the presence of a continued NSAID treatment: Characterization of molecular mechanisms. <i>Pharmacological Research</i> , <b>2011</b> , 63, 59-67	10.2	29
200	A proteomic approach to study parathyroid glands. <i>Molecular BioSystems</i> , <b>2011</b> , 7, 687-99		19
199	RET genetic screening of sporadic medullary thyroid cancer (MTC) allows the preclinical diagnosis of unsuspected gene carriers and the identification of a relevant percentage of hidden familial MTC (FMTC). <i>Clinical Endocrinology</i> , <b>2011</b> , 74, 241-7	3.4	82
198	Evaluation of formalin-fixed paraffin-embedded tissues in the proteomic analysis of parathyroid glands. <i>Proteome Science</i> , <b>2011</b> , 9, 29	2.6	19
197	High-intensity focused ultrasound as an alternative to the surgical approach in primary hyperparathyroidism: a preliminary experience. <i>Journal of Endocrinological Investigation</i> , <b>2011</b> , 34, 655-9 <sup>5-2</sup>		13
196	Somatostatin Analogues do not Affect Calcium Metabolism in Patients with Acromegaly and Primary Hyperparathyroidism due to MEN 1-Like Syndrome. <i>Hormone and Metabolic Research</i> , <b>2011</b> , 43, e1-e1	3.1	
195	TWIST1 plays a pleiotropic role in determining the anaplastic thyroid cancer phenotype. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2011</b> , 96, E772-81	5.6	34
194	Is elastography actually useful in the presurgical selection of thyroid nodules with indeterminate cytology?. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2011</b> , 96, E1826-30	5.6	98
193	Higher intratumoral expression of CD1a, tryptase, and CD68 in a follicular variant of papillary thyroid carcinoma compared to adenomas: correlation with clinical and pathological parameters. <i>Thyroid</i> , <b>2011</b> , 21, 1209-15	6.2	28
192	Hashimoto's thyroiditis is associated with papillary thyroid carcinoma: role of TSH and of treatment with L-thyroxine. <i>Endocrine-Related Cancer</i> , <b>2011</b> , 18, 429-37	5.7	105
191	Somatostatin analogues do not affect calcium metabolism in patients with acromegaly and primary hyperparathyroidism [corrected] due to MEN 1-like syndrome. <i>Hormone and Metabolic Research</i> , <b>2011</b> , 43, 126-9	3.1	
190	Diagnosis and treatment of autoimmune hypophysitis: a short review. <i>Journal of Endocrinological Investigation</i> , <b>2011</b> , 34, e245-52	5.2	19

189	Mast cells have a protumorigenic role in human thyroid cancer. <i>Oncogene</i> , <b>2010</b> , 29, 6203-15	9.2	146
188	L-thyroxine-treated patients with nodular goiter have lower serum TSH and lower frequency of papillary thyroid cancer: results of a cross-sectional study on 27 914 patients. <i>Endocrine-Related Cancer</i> , <b>2010</b> , 17, 231-9	5.7	44
187	Correlation between the BRAF V600E mutation and tumor invasiveness in papillary thyroid carcinomas smaller than 20 millimeters: analysis of 1060 cases. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 4197-205	5.6	139
186	Extracellular superoxide dismutase is a thyroid differentiation marker down-regulated in cancer. <i>Endocrine-Related Cancer</i> , <b>2010</b> , 17, 785-96	5.7	27
185	Male sex, single nodularity, and young age are associated with the risk of finding a papillary thyroid cancer on fine-needle aspiration cytology in a large series of patients with nodular thyroid disease. <i>European Journal of Endocrinology</i> , <b>2010</b> , 162, 763-70	6.5	92
184	BRAF status of follicular variant of papillary thyroid carcinoma and its relationship to its clinical and cytological features. <i>Thyroid</i> , <b>2010</b> , 20, 1263-70	6.2	29
183	Are the clinical and pathological features of differentiated thyroid carcinoma really changed over the last 35 years? Study on 4187 patients from a single Italian institution to answer this question. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 1516-27	5.6	167
182	Real-time elastosonography: useful tool for refining the presurgical diagnosis in thyroid nodules with indeterminate or nondiagnostic cytology. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 5274-80	5.6	154
181	CXC chemokine receptor 4 immunodetection in the follicular variant of papillary thyroid carcinoma: comparison to galectin-3 and hector battifora mesothelial cell-1. <i>Thyroid</i> , <b>2010</b> , 20, 495-504	6.2	23
180	Cytological classification of thyroid nodules. Proposal of the SIAPEC-IAP Italian Consensus Working Group. <i>Pathologica</i> , <b>2010</b> , 102, 405-8	1.9	111
179	Dysregulation of secretion of CXC alpha-chemokine CXCL10 in papillary thyroid cancer: modulation by peroxisome proliferator-activated receptor-gamma agonists. <i>Endocrine-Related Cancer</i> , <b>2009</b> , 16, 1299-311	5.7	56
178	Lower levels of TSH are associated with a lower risk of papillary thyroid cancer in patients with thyroid nodular disease: thyroid autonomy may play a protective role. <i>Endocrine-Related Cancer</i> , <b>2009</b> , 16, 1251-60	5.7	163
177	Association of thymoma and myasthenia gravis: oncological and neurological results of the surgical treatment. <i>European Journal of Cardio-thoracic Surgery</i> , <b>2009</b> , 35, 812-6; discussion 816	3	46
176	A ganglioneuroma with features of a thyroid nodule: intense pain on fine needle biopsy as a diagnostic clue. <i>Thyroid</i> , <b>2009</b> , 19, 201-4	6.2	6
175	The beta-catenin axis integrates multiple signals downstream from RET/papillary thyroid carcinoma leading to cell proliferation. <i>Cancer Research</i> , <b>2009</b> , 69, 1867-76	10.1	69
174	Management of pleural recurrence after curative resection of thymoma. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2009</b> , 137, 1185-9	1.5	63
173	Thiazolidinediones and antiblastics in primary human anaplastic thyroid cancer cells. <i>Clinical Endocrinology</i> , <b>2009</b> , 70, 946-53	3.4	58
172	KRAS codon 61, 146 and BRAF mutations predict resistance to cetuximab plus irinotecan in KRAS codon 12 and 13 wild-type metastatic colorectal cancer. <i>British Journal of Cancer</i> , <b>2009</b> , 101, 715-21	8.7	450

171	Contrast-enhanced ultrasonography in nodular splenomegaly associated with type B Niemann-Pick disease: an atypical hemangioma enhancement pattern. <i>Journal of Ultrasound</i> , <b>2009</b> , 12, 85-92	3.4	8
170	Papillary thyroid cancer: pathological parameters as prognostic factors in different classes of age. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2008</b> , 138, 200-3	5.5	41
169	Fine-needle aspiration of thyroid nodules: proteomic analysis to identify cancer biomarkers. <i>Journal of Proteome Research</i> , <b>2008</b> , 7, 4079-88	5.6	86
168	Evaluation of the sensitivity to chemotherapeutics or thiazolidinediones of primary anaplastic thyroid cancer cells obtained by fine-needle aspiration. <i>European Journal of Endocrinology</i> , <b>2008</b> , 159, 283-91	6.5	51
167	Functional characterization of the novel T599I-VKSRdel BRAF mutation in a follicular variant papillary thyroid carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 4398-402	5.6	29
166	Surgical treatment of pleural recurrence from thymoma. <i>European Journal of Cardio-thoracic Surgery</i> , <b>2008</b> , 33, 707-11	3	22
165	Prognostic significance of somatic RET oncogene mutations in sporadic medullary thyroid cancer: a 10-year follow-up study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 682-7	5.6	395
164	Characterization of thyroglobulin epitopes in patients with autoimmune and non-autoimmune thyroid diseases using recombinant human monoclonal thyroglobulin autoantibodies. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 591-6	5.6	60
163	BRAFV600E mutation, but not RET/PTC rearrangements, is correlated with a lower expression of both thyroperoxidase and sodium iodide symporter genes in papillary thyroid cancer. <i>Endocrine-Related Cancer</i> , <b>2008</b> , 15, 511-20	5.7	120
162	BRAF(V600E) mutation and outcome of patients with papillary thyroid carcinoma: a 15-year median follow-up study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 3943-9	5.6	416
161	Proteomic analysis of human thyroid fine needle aspiration fluid. <i>Journal of Endocrinological Investigation</i> , <b>2007</b> , 30, 865-9	5.2	13
160	The heterogeneous distribution of BRAF mutation supports the independent clonal origin of distinct tumor foci in multifocal papillary thyroid carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 3511-6	5.6	82
159	Association of BRAF V600E mutation with poor clinicopathological outcomes in 500 consecutive cases of papillary thyroid carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 4085-90	5.6	329
158	Clinical features of thyroid autoimmunity are associated with thyroiditis on histology and are not predictive of malignancy in 570 patients with indeterminate nodules on cytology who had a thyroidectomy. <i>Clinical Endocrinology</i> , <b>2007</b> , 67, 363-9	3.4	46
157	Intrathyroidal differentiated thyroid carcinoma: tumor size-based surgical concepts. <i>World Journal of Surgery</i> , <b>2007</b> , 31, 888-94	3.3	32
156	A cell proliferation and chromosomal instability signature in anaplastic thyroid carcinoma. <i>Cancer Research</i> , <b>2007</b> , 67, 10148-58	10.1	144
155	RET genetic screening in patients with medullary thyroid cancer and their relatives: experience with 807 individuals at one center. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 4725-9	5.6	203
154	WWOX expression in different histologic types and subtypes of non-small cell lung cancer. <i>Clinical Cancer Research</i> , <b>2007</b> , 13, 884-91	12.9	51

153	Biological role and potential therapeutic targeting of the chemokine receptor CXCR4 in undifferentiated thyroid cancer. <i>Cancer Research</i> , <b>2007</b> , 67, 11821-9	10.1	89
152	Clinically unpredictable prognostic factors in the outcome of medullary thyroid cancer. <i>Endocrine-Related Cancer</i> , <b>2007</b> , 14, 1099-105	5.7	46
151	Role of frozen section associated with intraoperative cytology in comparison to FNA and FS alone in the management of thyroid nodules. <i>European Journal of Surgical Oncology</i> , <b>2007</b> , 33, 769-75	3.6	35
150	Galectin-3 is highly expressed in nonencapsulated papillary thyroid carcinoma but weakly expressed in encapsulated type; comparison with Hector Battifora mesothelial cell 1 immunoreactivity. <i>Human Pathology</i> , <b>2007</b> , 38, 1482-8	3.7	18
149	Lymphocyte and immature dendritic cell infiltrates in differentiated, poorly differentiated, and undifferentiated thyroid carcinoma. <i>Thyroid</i> , <b>2007</b> , 17, 389-93	6.2	62
148	Presence of BRAF V600E in very early stages of papillary thyroid carcinoma. <i>Thyroid</i> , <b>2007</b> , 17, 381-8	6.2	58
147	Combined clinical, thyroid ultrasound and cytological features help to predict thyroid malignancy in follicular and Hupsilonrthle cell thyroid lesions: results from a series of 505 consecutive patients. <i>Clinical Endocrinology</i> , <b>2007</b> , 66, 13-20	3.4	82
146	Treatment with drugs able to reduce iodine efflux significantly increases the intracellular retention time in thyroid cancer cells stably transfected with sodium iodide symporter complementary deoxyribonucleic acid. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 2389-95	5.6	34
145	Telomerase activity and hTERT mRNA expression in glial tumors. <i>International Journal of Oncology</i> , <b>2006</b> , 28, 1555-60	1	32
144	Neoadjuvant Chemotherapy for Stage III and IVA Thymomas: A Single-Institution Experience with a Long Follow-up. <i>Journal of Thoracic Oncology</i> , <b>2006</b> , 1, 308-313	8.9	14
143	Incidental thyroid carcinoma in a large series of consecutive patients operated on for benign thyroid disease. <i>ANZ Journal of Surgery</i> , <b>2006</b> , 76, 123-6	1	86
142	Expression of endothelin 1 and its angiogenic role in meningiomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2006</b> , 449, 546-53	5.1	13
141	Neoadjuvant Chemotherapy for Stage III and IVA Thymomas: A Single-Institution Experience with a Long Follow-up. <i>Journal of Thoracic Oncology</i> , <b>2006</b> , 1, 308-313	8.9	57
140	Thymomas: clinical-pathological correlations. <i>Journal of Cardiovascular Surgery</i> , <b>2006</b> , 47, 89-93	0.7	5
139	Expression of endothelin-1 is related to poor prognosis in non-small cell lung carcinoma. <i>European Journal of Cancer</i> , <b>2005</b> , 41, 2828-35	7.5	39
138	Advanced stage thymomas and thymic carcinomas: results of multimodality treatments. <i>Annals of Thoracic Surgery</i> , <b>2005</b> , 79, 1840-4	2.7	108
137	Interleukin-8 in non-small cell lung carcinoma: relation with angiogenic pattern and p53 alterations. <i>Lung Cancer</i> , <b>2005</b> , 50, 309-17	5.9	29
136	The RET/PTC-RAS-BRAF linear signaling cascade mediates the motile and mitogenic phenotype of thyroid cancer cells. <i>Journal of Clinical Investigation</i> , <b>2005</b> , 115, 1068-1081	15.9	214

135	Prognostic significance of osteopontin expression in early-stage non-small-cell lung cancer. <i>British Journal of Cancer</i> , <b>2005</b> , 93, 453-7	8.7	58
134	Proliferative activity of extracellular HIV-1 Tat protein in human epithelial cells: expression profile of pathogenetically relevant genes. <i>BMC Microbiology</i> , <b>2005</b> , 5, 20	4.5	25
133	Osteopontin expression and prognostic significance in non-small cell lung cancer. <i>Clinical Cancer Research</i> , <b>2005</b> , 11, 6459-65	12.9	89
132	Type I interferons modulate the expression of thyroid peroxidase, sodium/iodide symporter, and thyroglobulin genes in primary human thyrocyte cultures. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 1156-62	5.6	47
131	Mitogenic effects of the up-regulation of minichromosome maintenance proteins in anaplastic thyroid carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 4703-9	5.6	34
130	All-trans-retinoic acid treatment inhibits the growth of retinoic acid receptor beta messenger ribonucleic acid expressing thyroid cancer cell lines but does not reinduce the expression of thyroid-specific genes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 2403-11	5.6	37
129	Osteopontin is overexpressed in human papillary thyroid carcinomas and enhances thyroid carcinoma cell invasiveness. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 5270-8	5.6	62
128	Interaction between gemcitabine and topotecan in human non-small-cell lung cancer cells: effects on cell survival, cell cycle and pharmacogenetic profile. <i>British Journal of Cancer</i> , <b>2005</b> , 92, 681-9	8.7	24
127	The RET/PTC-RAS-BRAF linear signaling cascade mediates the motile and mitogenic phenotype of thyroid cancer cells. <i>Journal of Clinical Investigation</i> , <b>2005</b> , 115, 1068-81	15.9	108
126	Immunohistochemical and Molecular Study of Radiation-Induced Multiple Meningiomas with Pleural and Pulmonary Metastasis. <i>Tumori</i> , <b>2004</b> , 90, 328-332	1.7	4
125	Analysis of BRAF point mutation and RET/PTC rearrangement refines the fine-needle aspiration diagnosis of papillary thyroid carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 5175-80	5.6	232
124	Medullary and papillary tumors are frequently associated in the same thyroid gland without evidence of reciprocal influence in their biologic behavior. <i>Thyroid</i> , <b>2004</b> , 14, 946-52	6.2	49
123	Thyroid papillary carcinoma: preliminary evidence for a germ-line single nucleotide polymorphism in the Fas gene. <i>Journal of Endocrinology</i> , <b>2004</b> , 182, 479-84	4.7	14
122	Expression and mutational status of c-kit in small-cell lung cancer: prognostic relevance. <i>Clinical Cancer Research</i> , <b>2004</b> , 10, 4101-8	12.9	80
121	Plasma chromogranin A in incidental non-functioning, benign, solid adrenocortical tumors. <i>European Journal of Endocrinology</i> , <b>2004</b> , 151, 215-22	6.5	4
120	Impact of routine measurement of serum calcitonin on the diagnosis and outcome of medullary thyroid cancer: experience in 10,864 patients with nodular thyroid disorders. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 163-8	5.6	389
119	Autocrine stimulation by osteopontin plays a pivotal role in the expression of the mitogenic and invasive phenotype of RET/PTC-transformed thyroid cells. <i>Oncogene</i> , <b>2004</b> , 23, 2188-96	9.2	38
118	Functional expression of the CXCR4 chemokine receptor is induced by RET/PTC oncogenes and is a common event in human papillary thyroid carcinomas. <i>Oncogene</i> , <b>2004</b> , 23, 5958-67	9.2	113

117	Angiogenesis in intracranial meningiomas: immunohistochemical and molecular study. <i>Neuropathology and Applied Neurobiology</i> , <b>2004</b> , 30, 118-25	5.2	68
116	Plasma and tissue chromogranin in patients with adrenocortical adenomas. <i>Journal of Endocrinological Investigation</i> , <b>2004</b> , 27, 821-5	5.2	3
115	Applications of tissue microarray technology in immunohistochemistry: a study on c-kit expression in small cell lung cancer. <i>Human Pathology</i> , <b>2004</b> , 35, 1347-52	3.7	11
114	Identification of a novel point mutation in the RET gene (Ala883Thr), which is associated with medullary thyroid carcinoma phenotype only in homozygous condition. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 5823-7	5.6	54
113	Telomerase in intracranial meningiomas. <i>International Journal of Molecular Medicine</i> , <b>2003</b> , 12, 943-7	4.4	16
112	Evaluation of telomerase in non-melanoma skin cancer. <i>International Journal of Molecular Medicine</i> , <b>2003</b> , 11, 607-11	4.4	16
111	Simian virus 40-like sequences from early and late regions in human thyroid tumors of different histotypes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 892-9	5.6	26
110	Mutations of Fas (APO-1/CD95) and p53 Genes in Nonmelanoma Skin Cancer. <i>Journal of Cutaneous Medicine and Surgery</i> , <b>2003</b> , 7, 112-118	1.6	10
109	Mutations of Fas (APO-1/CD95) and p53 genes in nonmelanoma skin cancer. <i>Journal of Cutaneous Medicine and Surgery</i> , <b>2003</b> , 7, 112-8	1.6	3
108	BRAF mutations in thyroid tumors are restricted to papillary carcinomas and anaplastic or poorly differentiated carcinomas arising from papillary carcinomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 5399-404	5.6	836
107	Galectin-3 and oncofetal-fibronectin expression in thyroid neoplasia as assessed by reverse transcription-polymerase chain reaction and immunohistochemistry in cytologic and pathologic specimens. <i>Thyroid</i> , <b>2003</b> , 13, 765-70	6.2	45
106	Efficient inhibition of RET/papillary thyroid carcinoma oncogenic kinases by 4-amino-5-(4-chloro-phenyl)-7-(t-butyl)pyrazolo[3,4-d]pyrimidine (PP2). <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 1897-902	5.6	106
105	Prevalence of cancer in follicular thyroid nodules: is there still a role for intraoperative frozen section analysis?. <i>Thyroid</i> , <b>2003</b> , 13, 389-94	6.2	24
104	Establishment of a non-tumorigenic papillary thyroid cell line (FB-2) carrying the RET/PTC1 rearrangement. <i>International Journal of Cancer</i> , <b>2002</b> , 97, 608-14	7.5	37
103	A high vascular count and overexpression of vascular endothelial growth factor are associated with unfavourable prognosis in operated small cell lung carcinoma. <i>British Journal of Cancer</i> , <b>2002</b> , 86, 558-63	8.7	115
102	DNA immunization of mice against the VP1 capsid protein of coxsackievirus B4. <i>Scandinavian Journal of Immunology</i> , <b>2002</b> , 56, 448-55	3.4	10
101	Cytotoxic effects of carboplatinum and epirubicin in the setting of an elevated serum thyrotropin for advanced poorly differentiated thyroid cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2002</b> , 87, 4160-5	5.6	80
100	Identification of Fas (APO-1/CD95) and p53 gene mutations in non-small cell lung cancer. <i>International Journal of Oncology</i> , <b>2002</b> , 20, 155-9	1	3

99	Evaluation of telomerase mRNA (hTERT) in colon cancer. <i>International Journal of Oncology</i> , <b>2002</b> , 21, 493-7	1	10
98	Iopanoic acid rapidly controls type I amiodarone-induced thyrotoxicosis prior to thyroidectomy. <i>Journal of Endocrinological Investigation</i> , <b>2002</b> , 25, 176-80	5.2	37
97	Potent mitogenicity of the RET/PTC3 oncogene correlates with its prevalence in tall-cell variant of papillary thyroid carcinoma. <i>American Journal of Pathology</i> , <b>2002</b> , 160, 247-54	5.8	89
96	Evaluation of telomerase in the development and progression of colon cancer. <i>International Journal of Molecular Medicine</i> , <b>2002</b> , 10, 589-92	4.4	26
95	Alterations of Fas (APO-1/CD 95) gene and its relationship with p53 in non small cell lung cancer. <i>Oncogene</i> , <b>2001</b> , 20, 6632-7	9.2	19
94	The multimodality treatment of thymic carcinoma. <i>European Journal of Cardio-thoracic Surgery</i> , <b>2001</b> , 19, 566-9	3	57
93	RET protein expression has no prognostic impact on the long-term outcome of papillary thyroid carcinoma. <i>European Journal of Endocrinology</i> , <b>2001</b> , 145, 599-604	6.5	38
92	RET/PTC rearrangements in thyroid nodules: studies in irradiated and not irradiated, malignant and benign thyroid lesions in children and adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 3211-6	5.6	192
91	Contralateral papillary thyroid cancer is frequent at completion thyroidectomy with no difference in low- and high-risk patients. <i>Thyroid</i> , <b>2001</b> , 11, 877-81	6.2	118
90	Thymic carcinoma: a report of 13 cases. <i>European Journal of Surgical Oncology</i> , <b>2001</b> , 27, 636-40	3.6	30
89	New breakpoints in both the H4 and RET genes create a variant of PTC-1 in a post-Chernobyl papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , <b>2000</b> , 53, 131-6	3.4	15
88	Suppression of Fas expression and down-regulation of Fas ligand in highly aggressive human thyroid carcinoma. <i>Laboratory Investigation</i> , <b>2000</b> , 80, 1413-9	5.9	21
87	N-ras mutation in poorly differentiated thyroid carcinomas: correlation with bone metastases and inverse correlation to thyroglobulin expression. <i>Thyroid</i> , <b>2000</b> , 10, 19-23	6.2	136
86	Surgical and pathological changes after percutaneous ethanol injection therapy of thyroid nodules. <i>Thyroid</i> , <b>2000</b> , 10, 1087-92	6.2	25
85	Tumour necrosis factor-alpha and transforming growth factor-beta are significantly associated with better prognosis in non-small cell lung carcinoma: putative relation with BCL-2-mediated neovascularization. <i>British Journal of Cancer</i> , <b>2000</b> , 83, 480-6	8.7	41
84	Identification of a novel subtype of H4-RET rearrangement in a thyroid papillary carcinoma and lymph node metastasis. <i>International Journal of Oncology</i> , <b>2000</b> , 16, 485-9	1	5
83	Cyclin D1 overexpression in thyroid carcinomas: relation with clinico-pathological parameters, retinoblastoma gene product, and Ki67 labeling index. <i>Thyroid</i> , <b>2000</b> , 10, 741-6	6.2	44
82	RET rearrangements in papillary thyroid carcinomas and adenomas detected by interphase FISH. <i>Cytogenetic and Genome Research</i> , <b>2000</b> , 88, 56-61	1.9	55

81	Modulation of neoangiogenesis in bronchial preneoplastic lesions. <i>Oncology Reports</i> , <b>1999</b> , 6, 813-7	3.5	37
80	Quantitation by competitive PCR assay of vascular endothelial growth factor in non-small cell lung carcinomas. <i>International Journal of Oncology</i> , <b>1999</b> , 14, 161-8	1	6
79	Expression of vascular endothelial growth factor mRNA in non-small-cell lung carcinomas. <i>British Journal of Cancer</i> , <b>1999</b> , 79, 363-9	8.7	78
78	Expression of interleukin 6 (IL-6) correlates with oestrogen receptor in human breast carcinoma. <i>British Journal of Cancer</i> , <b>1999</b> , 80, 579-84	8.7	35
77	Potentialiation of the malignant phenotype of the undifferentiated ARO thyroid cell line by insertion of the bcl-2 gene. <i>International Journal of Cancer</i> , <b>1999</b> , 81, 956-62	7.5	12
76	Genetic analysis of the TSH receptor gene in differentiated human thyroid carcinomas. <i>Journal of Endocrinological Investigation</i> , <b>1999</b> , 22, 273-8	5.2	23
75	Potentialiation of the malignant phenotype of the undifferentiated ARO thyroid cell line by insertion of the bcl-2 gene <b>1999</b> , 81, 956		1
74	Usefulness of Ultrafast Papanicolaou-stained scrape preparations in intraoperative management of thyroid lesions. <i>Modern Pathology</i> , <b>1999</b> , 12, 653-7	9.8	32
73	Simian virus 40-like DNA sequences in human papillary thyroid carcinomas. <i>Oncogene</i> , <b>1998</b> , 16, 665-9	9.2	48
72	Bcl2 and p53 regulate vascular endothelial growth factor (VEGF)-mediated angiogenesis in non-small cell lung carcinoma. <i>European Journal of Cancer</i> , <b>1998</b> , 34, 718-23	7.5	82
71	Ectopic expression of bone sialoprotein in human thyroid cancer. <i>Thyroid</i> , <b>1998</b> , 8, 637-41	6.2	59
70	Reduced expression of interleukin 6 in undifferentiated thyroid carcinoma: in vitro and in vivo studies. <i>Clinical Cancer Research</i> , <b>1998</b> , 4, 381-7	12.9	19
69	Cytokine production by a new undifferentiated human thyroid carcinoma cell line, FB-1. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1997</b> , 82, 4094-100	5.6	37
68	Persistent infection of human vascular endothelial cells by group B coxsackieviruses. <i>Journal of Infectious Diseases</i> , <b>1997</b> , 175, 693-6	7	51
67	In mammary epithelial cells p53-mediated apoptosis in response to DNA damage is dependent on the agent and can be influenced by growth factors. <i>Endocrine-Related Cancer</i> , <b>1997</b> , 4, 55-66	5.7	1
66	Angiogenesis as a prognostic indicator of survival in non-small-cell lung carcinoma: a prospective study. <i>Journal of the National Cancer Institute</i> , <b>1997</b> , 89, 881-6	9.7	252
65	Neoangiogenesis and p53 protein in lung cancer: their prognostic role and their relation with vascular endothelial growth factor (VEGF) expression. <i>British Journal of Cancer</i> , <b>1997</b> , 75, 1295-301	8.7	103
64	Apoptosis and proliferation in thyroid carcinoma: correlation with bcl-2 and p53 protein expression. <i>British Journal of Cancer</i> , <b>1997</b> , 75, 537-41	8.7	79

63	Down-regulation of the nm23.h1 gene inhibits cell proliferation. <i>International Journal of Cancer</i> , <b>1997</b> , 73, 297-302	7.5	40
62	c-Ha-ras transfection and expression of MDR-related genes in MCF-10A human breast cell line. <i>Anticancer Research</i> , <b>1997</b> , 17, 3587-92	2.3	8
61	Inhibition of experimental angiogenesis by the somatostatin analogue octreotide acetate (SMS 201-995). <i>Clinical Cancer Research</i> , <b>1997</b> , 3, 265-72	12.9	66
60	Neoangiogenesis: a putative marker of malignancy in non-small-cell lung cancer (NSCLC) development. <i>International Journal of Cancer</i> , <b>1996</b> , 67, 615-9	7.5	29
59	Defective interleukin six expression and responsiveness in human mammary cells transformed by an adeno 5/SV40 hybrid virus. <i>British Journal of Cancer</i> , <b>1996</b> , 73, 1356-61	8.7	12
58	bcl-2, p53 and proliferating cell nuclear antigen expression is related to the degree of differentiation in thyroid carcinomas. <i>British Journal of Cancer</i> , <b>1996</b> , 73, 139-43	8.7	76
57	Age-related activation of the tyrosine kinase receptor protooncogenes RET and NTRK1 in papillary thyroid carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1996</b> , 81, 2006-9	5.6	109
56	Phenylacetate inhibits protein isoprenylation and growth of the androgen-independent LNCaP prostate cancer cells transfected with the T24 Ha-ras oncogene. <i>Molecular Pharmacology</i> , <b>1996</b> , 49, 972-4	4.3	24
55	Expression of and response to interleukin 6 (IL6) in human mammary tumors. <i>Cancer Research</i> , <b>1996</b> , 56, 3118-22	10.1	40
54	Expression of the Mr 67,000 laminin receptor is an adverse prognostic indicator in human thyroid cancer: an immunohistochemical study. <i>Clinical Cancer Research</i> , <b>1996</b> , 2, 1777-80	12.9	18
53	Microvessel count predicts metastatic disease and survival in non-small cell lung cancer. <i>Journal of Pathology</i> , <b>1995</b> , 177, 57-63	9.4	153
52	Bcl-2 protein: a prognostic factor inversely correlated to p53 in non-small-cell lung cancer. <i>British Journal of Cancer</i> , <b>1995</b> , 71, 1003-7	8.7	172
51	p53-dependent and p53-independent activation of apoptosis in mammary epithelial cells reveals a survival function of EGF and insulin. <i>Journal of Cell Biology</i> , <b>1995</b> , 128, 1185-96	7.3	153
50	Epidermal growth factor receptor (EGFr) expression in non-small cell lung carcinomas correlates with metastatic involvement of hilar and mediastinal lymph nodes in the squamous subtype. <i>European Journal of Cancer</i> , <b>1995</b> , 31A, 178-83	7.5	100
49	Early treatment of hereditary medullary thyroid carcinoma after attribution of multiple endocrine neoplasia type 2 gene carrier status by screening for ret gene mutations. <i>Surgery</i> , <b>1995</b> , 118, 1031-5	3.6	63
48	Productive HIV-1 infection of normal human mammary epithelial cells. <i>Aids</i> , <b>1995</b> , 9, 859-66	3.5	69
47	Productive HIV-1 infection of human vascular endothelial cells requires cell proliferation and is stimulated by combined treatment with interleukin-1 beta plus tumor necrosis factor-alpha. <i>Journal of Medical Virology</i> , <b>1995</b> , 47, 355-63	19.7	47
46	NM23 gene expression correlates with cell growth rate and S-phase. <i>International Journal of Cancer</i> , <b>1995</b> , 60, 837-42	7.5	60

45	Invasive phenotype of MCF10A cells overexpressing c-Ha-ras and c-erbB-2 oncogenes. <i>International Journal of Cancer</i> , <b>1995</b> , 63, 815-22	7.5	70
44	The effect of fgf-3 int-2 on growth and transformation of mcf-10a normal human mammary epithelial-cells is distinct from fgf-1 and fgf-2. <i>International Journal of Oncology</i> , <b>1994</b> , 4, 1365-70	1	
43	EFFECTS OF MUTANT P53 GENES ON TRANSFORMATION OF HUMAN MAMMARY EPITHELIAL-CELLS <b>1994</b> , 4, 1077		
42	Levels of p53 antigen in the serum of nonsmall cell lung-cancer patients correlate with positive p53 immunohistochemistry on tumor sections, tumor necrosis and nodal involvement. <i>International Journal of Oncology</i> , <b>1994</b> , 5, 553-8	1	4
41	Human non-small cell lung cancer: p53 protein accumulation is an early event and persists during metastatic progression. <i>Journal of Pathology</i> , <b>1994</b> , 174, 23-31	9.4	44
40	Response of normal and oncogene-transformed human mammary epithelial cells to transforming growth factor beta 1 (TGF-beta 1): lack of growth-inhibitory effect on cells expressing the simian virus 40 large-T antigen. <i>International Journal of Cancer</i> , <b>1994</b> , 56, 736-42	7.5	24
39	Induction of multidrug resistance (MDR) by transfection of MCF-10A cell line with c-Ha-ras and c-erbB-2 oncogenes. <i>International Journal of Cancer</i> , <b>1994</b> , 59, 208-11	7.5	19
38	Expression of p21 ras protein as a prognostic factor in papillary thyroid cancer. <i>European Journal of Cancer</i> , <b>1994</b> , 30A, 171-4	7.5	30
37	Treatment of preclinical medullary thyroid carcinoma in MEN 2A gene carrier. <i>Lancet, The</i> , <b>1994</b> , 344, 1084-5	40	6
36	Inhibition of CRIPTO expression and tumorigenicity in human colon cancer cells by antisense RNA and oligodeoxynucleotides. <i>Oncogene</i> , <b>1994</b> , 9, 291-8	9.2	40
35	Anaplastic thyroid-carcinoma - a retrospective clinical and immunohistochemical study. <i>Oncology Reports</i> , <b>1994</b> , 1, 921-5	3.5	3
34	Production of cytokines and response to them in normal and transformed human mammary epithelial cells. <i>Annals of the New York Academy of Sciences</i> , <b>1993</b> , 698, 126-30	6.5	6
33	Markers of cell-proliferation as prognostic factors in differentiated thyroid-cancer. <i>International Journal of Oncology</i> , <b>1993</b> , 3, 1077-81	1	
32	Normal breast epithelial cells produce interleukins 6 and 8 together with tumor-necrosis factor: defective IL6 expression in mammary carcinoma. <i>International Journal of Cancer</i> , <b>1993</b> , 55, 926-30	7.5	79
31	Growth-stimulating activity of interleukin 6 on human mammary epithelial cells transfected with the int-2 gene. <i>Cancer Research</i> , <b>1993</b> , 53, 2957-60	10.1	14
30	Expression of calcitonin gene-related peptide in medullary thyroid cancer. <i>Journal of Endocrinological Investigation</i> , <b>1992</b> , 15, 539-42	5.2	8
29	Regulation of surface-differentiation molecules by epidermal growth factor, transforming growth factor alpha, and hydrocortisone in human mammary epithelial cells transformed by an activated c-Ha-ras proto-oncogene. <i>International Journal of Cancer</i> , <b>1992</b> , 51, 634-40	7.5	20
28	Interferon-alpha/beta in virus-induced mouse mammary carcinogenesis: effects on the spontaneous process and on the progression of transplanted pre-neoplastic lesions. <i>International Journal of Cancer</i> , <b>1992</b> , 51, 956-61	7.5	0

27	Matrigel promotes retinoblastoma cell growth in vitro and in vivo. <i>International Journal of Cancer</i> , <b>1992</b> , 52, 234-40	7.5	43
26	Additive effects of c-erbB-2, c-Ha-ras, and transforming growth factor-alpha genes on in vitro transformation of human mammary epithelial cells. <i>Molecular Carcinogenesis</i> , <b>1992</b> , 6, 43-52	5	60
25	Mutated c-Ha-ras oncogene alters cytokeratin expression in the human breast epithelial cell line MCF-10A. <i>American Journal of Pathology</i> , <b>1992</b> , 140, 1483-8	5.8	7
24	Medullary thyroid cancer. An immunohistochemical and humoral study using six separate antigens. <i>American Journal of Clinical Pathology</i> , <b>1991</b> , 95, 300-8	1.9	73
23	Surgery plus adjuvant chemotherapy for T1-3N0M0 small-cell lung cancer. Rationale for current approach. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , <b>1991</b> , 14, 218-24	2.7	33
22	Transformation of human breast epithelial cells by c-Ha-ras oncogene. <i>Molecular Carcinogenesis</i> , <b>1991</b> , 4, 25-35	5	145
21	Cell surface glycosylation changes accompanying immortalization and transformation of normal human mammary epithelial cells. <i>Cancer Letters</i> , <b>1991</b> , 57, 27-36	9.9	14
20	Adjuvant chemotherapy for T1-2NOMO small cell lung cancer: single-agent or combination chemotherapy?. <i>Cancer Investigation</i> , <b>1991</b> , 9, 19-25	2.1	1
19	Increased invasive, chemotactic and locomotive abilities of c-Ha-ras-transformed human breast epithelial cells. <i>Invasion &amp; Metastasis</i> , <b>1991</b> , 11, 38-47		24
18	Fr-MLV infection induces erythroleukaemia instead of lymphoid leukaemia in mice given pituitary grafts. <i>British Journal of Cancer</i> , <b>1990</b> , 61, 841-5	8.7	5
17	Transfection of Human Breast Epithelial Cells with Foreign Dna Using Different Transfecting Techniques. <i>Tumori</i> , <b>1990</b> , 76, 455-460	1.7	2
16	Transforming growth factor-alpha expression is enhanced in human mammary epithelial cells transformed by an activated c-Ha-ras protooncogene but not by the c-neu protooncogene, and overexpression of the transforming growth factor-alpha complementary DNA leads to increased tumorigenicity. <i>Cell Growth &amp; Differentiation: The Molecular Biology Journal of the American Society for Cell Biology</i> , <b>1990</b> , 1, 10-17		27
15	Transfection of human breast epithelial cells with foreign DNA using different transfecting techniques. <i>Tumori</i> , <b>1990</b> , 76, 455-60	1.7	1
14	A human monoclonal autoantibody isolated from a patient with infectious mononucleosis reactive with both self antigens and Epstein-Barr virus nuclear antigen (EBNA). <i>Immunology Letters</i> , <b>1989</b> , 22, 211-6	4.1	5
13	Somatostatin in medullary thyroid cancer. In vitro and in vivo studies. <i>Cancer</i> , <b>1989</b> , 63, 1189-95	6.4	42
12	Influence of T and N stages on long-term survival in resectable small cell lung cancer. <i>European Journal of Surgical Oncology</i> , <b>1989</b> , 15, 337-40	3.6	15
11	Optimal treatment for T1-3NOMO small cell lung cancer: surgery plus adjuvant chemotherapy. <i>Anticancer Research</i> , <b>1989</b> , 9, 1623-5	2.3	6
10	Osteosarcoma of the Myometrium Synchronous with Bilateral Papillary Cystadenocarcinoma of the Ovary and Papillary Adenocarcinoma of the Cervix. <i>Tumori</i> , <b>1988</b> , 74, 227-231	1.7	4

9	Differences in progression of BALB/cFR111 and BALB/cFC3H mammary hyperplastic alveolar nodules transplanted into the gland-free fat pads of BALB/c mice. <i>Cancer Research</i> , <b>1988</b> , 48, 3197-202	10.1	4
8	Osteosarcoma of the myometrium synchronous with bilateral papillary cystadenocarcinoma of the ovary and papillary adenocarcinoma of the cervix. <i>Tumori</i> , <b>1988</b> , 74, 227-31	1.7	2
7	Endosonographic staging of rectal carcinoma. <i>Gastrointestinal Radiology</i> , <b>1987</b> , 12, 289-95		33
6	Lung colonization and metastasis of murine mammary tumors: relationship to various characteristics of the primary tumors. <i>Invasion &amp; Metastasis</i> , <b>1987</b> , 7, 275-83		2
5	Early pathologic changes in experimental and human breast cancer: facts and comments. <i>Annals of the New York Academy of Sciences</i> , <b>1986</b> , 464, 231-61	6.5	7
4	Reciprocal interference between milk-transmitted mammary tumor virus and Friend leukemia viruses in mice: possible role of the interferon system. <i>Cancer Research</i> , <b>1986</b> , 46, 4064-70	10.1	3
3	Systemic lymphoid atrophy in coxsackievirus B3-infected mice: effects of virus and immunopotentiating agents. <i>Journal of Infectious Diseases</i> , <b>1985</b> , 151, 1100-8	7	25
2	Lobuloalveolar differentiation and tumorigenesis: two separate activities of mouse mammary tumor virus. <i>Cancer Research</i> , <b>1983</b> , 43, 5879-82	10.1	17
1	Regulation of telomerase and its hTERT messenger in colorectal cancer. <i>Oncology Reports</i> ,	3.5	3