Eve Maubec

List of Publications by Citations

Source: https://exaly.com/author-pdf/7975041/eve-maubec-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,811 60 33 97 h-index g-index citations papers 119 4.47 4,479 4.1 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 97 | A SUMOylation-defective MITF germline mutation predisposes to melanoma and renal carcinoma. <i>Nature</i> , 2011 , 480, 94-8 | 50.4 | 365 |
| 96 | Phase II study of cetuximab as first-line single-drug therapy in patients with unresectable squamous cell carcinoma of the skin. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3419-26 | 2.2 | 299 |
| 95 | Genome-wide association study identifies three new melanoma susceptibility loci. <i>Nature Genetics</i> , 2011 , 43, 1108-13 | 36.3 | 203 |
| 94 | Primary cutaneous diffuse large B-cell lymphoma, leg type: clinicopathologic features and prognostic analysis in 60 cases. <i>Archives of Dermatology</i> , 2007 , 143, 1144-50 | | 168 |
| 93 | Genome-wide association study identifies novel loci predisposing to cutaneous melanoma. <i>Human Molecular Genetics</i> , 2011 , 20, 5012-23 | 5.6 | 164 |
| 92 | Indolent CD8-positive lymphoid proliferation of the ear: a distinct primary cutaneous T-cell lymphoma?. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 1887-92 | 6.7 | 144 |
| 91 | High levels of antibodies against merkel cell polyomavirus identify a subset of patients with merkel cell carcinoma with better clinical outcome. <i>Journal of Clinical Oncology</i> , 2011 , 29, 1612-9 | 2.2 | 127 |
| 90 | Distinct merkel cell polyomavirus molecular features in tumour and non tumour specimens from patients with merkel cell carcinoma. <i>PLoS Pathogens</i> , 2010 , 6, e1001076 | 7.6 | 108 |
| 89 | Blastic plasmacytoid dendritic cell neoplasm: is transplantation the treatment of choice?. <i>British Journal of Dermatology</i> , 2010 , 162, 74-9 | 4 | 106 |
| 88 | Imatinib mesylate as a preoperative therapy in dermatofibrosarcoma: results of a multicenter phase II study on 25 patients. <i>Clinical Cancer Research</i> , 2010 , 16, 3288-95 | 12.9 | 105 |
| 87 | Blastic plasmacytoid dendritic cell neoplasm: clinical features in 90 patients. <i>British Journal of Dermatology</i> , 2013 , 169, 579-86 | 4 | 104 |
| 86 | Association of MC1R variants and host phenotypes with melanoma risk in CDKN2A mutation carriers: a GenoMEL study. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 1568-83 | 9.7 | 81 |
| 85 | Vaccination-induced cutaneous pseudolymphoma. <i>Journal of the American Academy of Dermatology</i> , 2005 , 52, 623-9 | 4.5 | <i>75</i> |
| 84 | Early T cell signalling is reversibly altered in PD-1+ T lymphocytes infiltrating human tumors. <i>PLoS ONE</i> , 2011 , 6, e17621 | 3.7 | 71 |
| 83 | Management of cutaneous squamous cell carcinoma in patients with epidermolysis bullosa: best clinical practice guidelines. <i>British Journal of Dermatology</i> , 2016 , 174, 56-67 | 4 | 70 |
| 82 | Immunohistochemical analysis of EGFR and HER-2 in patients with metastatic squamous cell carcinoma of the skin. <i>Anticancer Research</i> , 2005 , 25, 1205-10 | 2.3 | 68 |
| 81 | Mature cytotoxic CD56(bright)/CD16(+) natural killer cells can infiltrate lymph nodes adjacent to metastatic melanoma. <i>Cancer Research</i> , 2014 , 74, 81-92 | 10.1 | 66 |

(2018-2011)

| 80 | Progressive upregulation of PD-1 in primary and metastatic melanomas associated with blunted TCR signaling in infiltrating T lymphocytes. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 1300-7 | 4.3 | 65 | |
|----|--|--------------------|----|--|
| 79 | Fetal microchimeric cells participate in tumour angiogenesis in melanomas occurring during pregnancy. <i>American Journal of Pathology</i> , 2009 , 174, 630-7 | 5.8 | 64 | |
| 78 | Improvement of survival in patients with primary cutaneous diffuse large B-cell lymphoma, leg type, in France. <i>JAMA Dermatology</i> , 2014 , 150, 535-41 | 5.1 | 60 | |
| 77 | Targeted skin overexpression of the mineralocorticoid receptor in mice causes epidermal atrophy, premature skin barrier formation, eye abnormalities, and alopecia. <i>American Journal of Pathology</i> , 2007 , 171, 846-60 | 5.8 | 56 | |
| 76 | Common skin cancers in porokeratosis. British Journal of Dermatology, 2005, 152, 1389-91 | 4 | 48 | |
| 75 | Phenotypic and functional characteristics of blood natural killer cells from melanoma patients at different clinical stages. <i>PLoS ONE</i> , 2013 , 8, e76928 | 3.7 | 47 | |
| 74 | Prognostic value of antibodies to Merkel cell polyomavirus T antigens and VP1 protein in patients with Merkel cell carcinoma. <i>British Journal of Dermatology</i> , 2016 , 174, 813-22 | 4 | 44 | |
| 73 | F-18 fluorodeoxy-D-glucose positron emission tomography scan in the initial evaluation of patients with a primary melanoma thicker than 4 mm. <i>Melanoma Research</i> , 2007 , 17, 147-54 | 3.3 | 41 | |
| 72 | Management and outcome of metastatic melanoma during pregnancy. <i>British Journal of Dermatology</i> , 2010 , 162, 274-81 | 4 | 40 | |
| 71 | Merkel cell carcinoma: value of sentinel lymph-node status and adjuvant radiation therapy. <i>Annals of Oncology</i> , 2016 , 27, 914-9 | 10.3 | 40 | |
| 70 | Phase II Study of Pembrolizumab As First-Line, Single-Drug Therapy for Patients With Unresectable Cutaneous Squamous Cell Carcinomas. <i>Journal of Clinical Oncology</i> , 2020 , 38, 3051-3061 | 2.2 | 39 | |
| 69 | Minocycline-induced DRESS: evidence for accumulation of the culprit drug. <i>Dermatology</i> , 2008 , 216, 200 |) -4 .4 | 37 | |
| 68 | Efficacy of Immunotherapy in Patients with Metastatic Mucosal or Uveal Melanoma. <i>Journal of Oncology</i> , 2018 , 2018, 1908065 | 4.5 | 36 | |
| 67 | The mineralocorticoid receptor as a novel player in skin biology: beyond the renal horizon?. <i>Experimental Dermatology</i> , 2010 , 19, 100-7 | 4 | 35 | |
| 66 | Vemurafenib pharmacokinetics and its correlation with efficacy and safety in outpatients with advanced BRAF-mutated melanoma. <i>Targeted Oncology</i> , 2016 , 11, 59-69 | 5 | 33 | |
| 65 | Topical Mineralocorticoid Receptor Blockade Limits Glucocorticoid-Induced Epidermal Atrophy in Human Skin. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1781-1789 | 4.3 | 33 | |
| 64 | Pregnancy promotes melanoma metastasis through enhanced lymphangiogenesis. <i>American Journal of Pathology</i> , 2011 , 178, 1870-80 | 5.8 | 32 | |
| 63 | Mucous Membrane Pemphigoid, Bullous Pemphigoid, and Anti-programmed Death-1/ Programmed Death-Ligand 1: A Case Report of an Elderly Woman With Mucous Membrane Pemphigoid Developing After Pembrolizumab Therapy for Metastatic Melanoma and Review of the Literature. | 4.9 | 31 | |

| 62 | Functional characterization of a multi-cancer risk locus on chr5p15.33 reveals regulation of TERT by ZNF148. <i>Nature Communications</i> , 2017 , 8, 15034 | 17.4 | 26 |
|----|---|-------------------|----|
| 61 | Immune recovery inflammatory folliculitis. <i>Aids</i> , 2000 , 14, 617-8 | 3.5 | 26 |
| 60 | Treatment of cutaneous B-cell lymphoma, leg type, with age-adapted combinations of chemotherapies and rituximab. <i>Archives of Dermatology</i> , 2009 , 145, 329-30 | | 25 |
| 59 | Regression of AK7 malignant mesothelioma established in immunocompetent mice following intratumoral gene transfer of interferon gamma. <i>Cancer Gene Therapy</i> , 2003 , 10, 481-90 | 5.4 | 25 |
| 58 | Therapy of advanced squamous cell carcinoma of the skin. <i>Current Treatment Options in Oncology</i> , 2014 , 15, 302-20 | 5.4 | 23 |
| 57 | The contribution of large genomic deletions at the CDKN2A locus to the burden of familial melanoma. <i>British Journal of Cancer</i> , 2008 , 99, 364-70 | 8.7 | 23 |
| 56 | Re-Epithelialization of Pathological Cutaneous Wounds Is Improved by Local Mineralocorticoid Receptor Antagonism. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 2080-2089 | 4.3 | 22 |
| 55 | First-in-human phase I study of the DNA-repair inhibitor DT01 in combination with radiotherapy in patients with skin metastases from melanoma. <i>British Journal of Cancer</i> , 2016 , 114, 1199-205 | 8.7 | 22 |
| 54 | Relevance of serum biomarkers associated with melanoma during follow-up of anti-CTLA-4 immunotherapy. <i>International Immunopharmacology</i> , 2016 , 40, 466-473 | 5.8 | 22 |
| 53 | Vitamin D deficiency is associated with greater tumor size and poorer outcome in Merkel cell carcinoma patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 298-30 | 08 ^{4.6} | 21 |
| 52 | Familial melanoma: clinical factors associated with germline CDKN2A mutations according to the number of patients affected by melanoma in a family. <i>Journal of the American Academy of Dermatology</i> , 2012 , 67, 1257-64 | 4.5 | 21 |
| 51 | A Single-Arm Phase II Trial of Lenalidomide in Relapsing or Refractory Primary Cutaneous Large B-Cell Lymphoma, Leg Type. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 1982-1989 | 4.3 | 20 |
| 50 | Awareness, knowledge and attitudes towards sun protection among skin cancer-treated patients in France. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007 , 21, 520-5 | 4.6 | 20 |
| 49 | Ipilimumab reshapes T cell memory subsets in melanoma patients with clinical response. <i>OncoImmunology</i> , 2016 , 5, 1136045 | 7.2 | 18 |
| 48 | Pembrolizumab as first line therapy in patients with unresectable squamous cell carcinoma of the skin: Interim results of the phase 2 CARSKIN trial <i>Journal of Clinical Oncology</i> , 2018 , 36, 9534-9534 | 2.2 | 17 |
| 47 | Polyomavirus-Positive Merkel Cell Carcinoma Derived from a Trichoblastoma Suggests an Epithelial Origin of this Merkel Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 976-985 | 4.3 | 17 |
| 46 | Pathway-based analysis of a melanoma genome-wide association study: analysis of genes related to tumour-immunosuppression. <i>PLoS ONE</i> , 2011 , 6, e29451 | 3.7 | 16 |
| 45 | Metformin monotherapy in melanoma: a pilot, open-label, prospective, and multicentric study indicates no benefit. <i>Pigment Cell and Melanoma Research</i> , 2017 , 30, 378-380 | 4.5 | 15 |

| 44 | Characteristics of the coexistence of melanoma and renal cell carcinoma. <i>Cancer</i> , 2010 , 116, 5716-24 | 6.4 | 15 | |
|----|--|-----|----|--|
| 43 | Pembrolizumab as first-line therapy in patients with unresectable cutaneous squamous cell carcinoma (cSCC): Phase 2 results from CARSKIN <i>Journal of Clinical Oncology</i> , 2019 , 37, 9547-9547 | 2.2 | 15 | |
| 42 | Update of the Management of Cutaneous Squamous-cell Carcinoma. <i>Acta Dermato-Venereologica</i> , 2020 , 100, adv00143 | 2.2 | 14 | |
| 41 | Genital and anorectal mucosal melanoma is associated with cutaneous melanoma in patients and in families. <i>British Journal of Dermatology</i> , 2013 , 169, 594-9 | 4 | 13 | |
| 40 | Integrated pathway and epistasis analysis reveals interactive effect of genetic variants at TERF1 and AFAP1L2 loci on melanoma risk. <i>International Journal of Cancer</i> , 2015 , 137, 1901-1909 | 7.5 | 13 | |
| 39 | Clinical activity of lenalidomide in visceral human immunodeficiency virus-related Kaposi sarcoma. <i>JAMA Dermatology</i> , 2013 , 149, 1319-22 | 5.1 | 13 | |
| 38 | Late onset of nivolumab-induced severe gastroduodenitis and cholangitis in a patient with stage IV melanoma. <i>Immunotherapy</i> , 2019 , 11, 1005-1013 | 3.8 | 12 | |
| 37 | SBary syndrome without erythroderma. <i>Journal of the American Academy of Dermatology</i> , 2015 , 72, 1003-9.e1 | 4.5 | 12 | |
| 36 | Mixed nonseminomatous germ cell tumor presenting as a subcutaneous tissue mass. <i>American Journal of Dermatopathology</i> , 2006 , 28, 523-5 | 0.9 | 12 | |
| 35 | HAVCR2 mutations are associated with severe hemophagocytic syndrome in subcutaneous panniculitis-like T-cell lymphoma. <i>Blood</i> , 2020 , 135, 1058-1061 | 2.2 | 12 | |
| 34 | Characterization of the Microenvironment in Positive and Negative Sentinel Lymph Nodes from Melanoma Patients. <i>PLoS ONE</i> , 2015 , 10, e0133363 | 3.7 | 11 | |
| 33 | Paraneoplastic Pemphigus Revealed by Anti-programmed Death-1 Pembrolizumab Therapy for Cutaneous Squamous Cell Carcinoma Complicating Hidradenitis Suppurativa. <i>Frontiers in Medicine</i> , 2019 , 6, 249 | 4.9 | 11 | |
| 32 | Epidemiological changes in cutaneous lymphomas: an analysis of 8593 patients from the French Cutaneous Lymphoma Registry. <i>British Journal of Dermatology</i> , 2021 , 184, 1059-1067 | 4 | 11 | |
| 31 | Combined Therapy with Anti-PD1 and BRAF and/or MEK Inhibitor for Advanced Melanoma: A Multicenter Cohort Study. <i>Cancers</i> , 2020 , 12, | 6.6 | 10 | |
| 30 | Guidelines of the French Society of Otorhinolaryngology (SFORL), short version. Extension assessment and principles of resection in cutaneous head and neck tumors. <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2014 , 131, 375-383 | 2.2 | 10 | |
| 29 | A comprehensive genome-wide analysis of melanoma Breslow thickness identifies interaction between CDC42 and SCIN genetic variants. <i>International Journal of Cancer</i> , 2016 , 139, 2012-20 | 7.5 | 7 | |
| 28 | French ENT Society (SFORL) guidelines for the management of immunodeficient patients with head and neck cancer of cutaneous origin. <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2014 , 131, 121-9 | 2.2 | 7 | |
| 27 | Sentinel lymph node biopsy or nodal observation in melanoma: a prospective study of patient choices. <i>Dermatologic Surgery</i> , 2011 , 37, 199-206 | 1.7 | 7 | |

| 26 | Cemiplimab for Locally Advanced and Metastatic Cutaneous Squamous-Cell Carcinomas: Real-Life Experience from the French CAREPI Study Group. <i>Cancers</i> , 2021 , 13, | 6.6 | 7 |
|----|---|------------------|---|
| 25 | Frequency and prognostic value of cutaneous molecular residual disease in mycosis fungoides: a prospective multicentre trial of the Cutaneous Lymphoma French Study Group. <i>British Journal of Dermatology</i> , 2015 , 173, 1015-23 | 4 | 6 |
| 24 | BRAF inhibitor resistance of melanoma cells triggers increased susceptibility to natural killer cell-mediated lysis 2020 , 8, | | 6 |
| 23 | Association of Time From Primary Diagnosis to First Distant Relapse of Metastatic Melanoma With Progression of Disease and Survival. <i>JAMA Dermatology</i> , 2019 , 155, 673-678 | 5.1 | 5 |
| 22 | Specific Patterns of Blood ILCs in Metastatic Melanoma Patients and Their Modulations in Response to Immunotherapy. <i>Cancers</i> , 2021 , 13, | 6.6 | 5 |
| 21 | Quality-of-life assessment in French patients with metastatic melanoma in real life. <i>Cancer</i> , 2020 , 126, 611-618 | 6.4 | 4 |
| 20 | Paraneoplastic neutrophilic leukaemoid reaction in a patient with melanoma: association between tumour volume and leucocytosis. <i>British Journal of Dermatology</i> , 2020 , 183, 579-580 | 4 | 3 |
| 19 | Population Pharmacokinetics/Pharmacodynamics of Dabrafenib Plus Trametinib in Patients with BRAF-Mutated Metastatic Melanoma. <i>Cancers</i> , 2020 , 12, | 6.6 | 3 |
| 18 | CARSKIN: Pembrolizumab as first line therapy in patients with unresectable cutaneous squamous cell carcinoma (cSCC) <i>Journal of Clinical Oncology</i> , 2017 , 35, TPS9596-TPS9596 | 2.2 | 3 |
| 17 | Cetuximab as first-line monotherapy in patients with unresectable squamous cell carcinoma of the skin: Preliminary results of a phase II multicenter study. <i>Journal of Clinical Oncology</i> , 2008 , 26, 9042-904. | 2 ^{2.2} | 2 |
| 16 | Sentinel node biopsy in the initial evaluation of 87 patients with Merkel cell carcinoma <i>Journal of Clinical Oncology</i> , 2014 , 32, 9015-9015 | 2.2 | 2 |
| 15 | Severe skin rash during vemurafenib treatment: A predictive factor of early positive response in metastatic melanoma?. <i>Journal of Clinical Oncology</i> , 2014 , 32, 9092-9092 | 2.2 | 2 |
| 14 | Relevance of body mass index as a predictor of systemic therapy outcomes in metastatic melanoma: analysis of the MelBase French cohort data. <i>Annals of Oncology</i> , 2021 , 32, 542-551 | 10.3 | 2 |
| 13 | Primary cutaneous acral CD8 T-cell lymphomas relapse more frequently in younger patients. <i>British Journal of Haematology</i> , 2019 , 185, 598-601 | 4.5 | 2 |
| 12 | Immunotherapy-treated melanoma brain metastases within the French national cohort, MelBase Journal of Clinical Oncology, 2016 , 34, 9556-9556 | 2.2 | 1 |
| 11 | Carcinome pidermode cutand actualito sur la physiopathologie et les stratgies tha peutiques. <i>Oncologie</i> , 2018 , 20, 33-36 | 1 | 1 |
| 10 | Epidemiological study of unknown primary melanoma patients from the French national melanoma database RIC-Mel <i>Journal of Clinical Oncology</i> , 2018 , 36, e21571-e21571 | 2.2 | 1 |
| 9 | Biomarker-driven access to vemurafenib in BRAF-positive cancers: Second study of the French National AcSIProgram <i>Journal of Clinical Oncology</i> , 2016 , 34, TPS11620-TPS11620 | 2.2 | 1 |

LIST OF PUBLICATIONS

| 8 | The PI3K/mTOR Pathway Is Targeted by Rare Germline Variants in Patients with Both Melanoma and Renal Cell Carcinoma. <i>Cancers</i> , 2021 , 13, | 6.6 | 1 |
|---|---|-----|---|
| 7 | Efficacy of sonic hedgehog inhibitors rechallenge, after initial complete response in recurrent advanced basal cell carcinoma: a retrospective study from the CARADERM database. <i>ESMO Open</i> , 2021 , 6, 100284 | 6 | О |
| 6 | Machine learning models to predict the response to anti-cancer therapy in metastatic melanoma patients <i>Journal of Clinical Oncology</i> , 2020 , 38, e14071-e14071 | 2.2 | O |
| 5 | COVID-19 and skin cancer management: French nation-wide questionnaire survey from real-life practice. <i>Journal of Dermatological Treatment</i> , 2020 , 1-2 | 2.8 | O |
| 4 | First-in-human phase I study of the DNA repair inhibitor DT01 in combination with radiotherapy in patients with in transit melanoma <i>Journal of Clinical Oncology</i> , 2015 , 33, 2555-2555 | 2.2 | |
| 3 | Role of time to switch from ipilimumab to anti-PD1 in anti-PD1 efficacy within the French national cohort, MelBase <i>Journal of Clinical Oncology</i> , 2017 , 35, 9551-9551 | 2.2 | |
| 2 | Micro- and macro-metastatic disease kinetics: Results from the French cohort Melbase <i>Journal of Clinical Oncology</i> , 2017 , 35, 9538-9538 | 2.2 | |
| 1 | Virus et canclogenBe cutanB 2014 , 285-289 | | |